Hrvatski zavod za norme

Oglasnik za normativne dokumente

4/2014 kolovoz, 2014.

Oglasnik za normativne dokumente Hrvatskog zavoda za norme sadrži popise hrvatskih norma, nacrta hrvatskih norma, prijedloga za prihvaćanje stranih norma u izvorniku, povučene hrvatske norme, povučene nacrte hrvatskih norma te ispravke, rezultate europske i međunarodne normizacije razvrstane po predmetnom ustroju i obavijesti HZN-a.
Tko u popisima normativnih dokumenata koji su objavljeni u ovom Oglasniku otkrije koju grešku, koja može voditi do krive primjene, moli se da o tome neodložno obavijesti Hrvatski zavod za norme, kako bi se mogli otkloniti uočeni propusti.

Izdavač:

HZN Hrvatski zavod za norme
Croatian Standards Institute

Sadržaj:

1 Rezultati hrvatske normizacije

1.1 Hrvatske norme A3

1.2 Nacrti hrvatskih norma .....

1.3 Prijedlozi za prihvaćanje stranih norma u izvorniku ... A18

1.4 Povučene hrvatske norme..... A35

1.5 Povučeni nacrti hrvatskih norma A52

1.6 Ispravci hrvatskih norma A52

1.7 Naslovi objavljenih hrvatskih norma na hrvatskome jeziku.....A54

1.8 Drugi normativni dokumenti

1.9 Opća izdanja HZN-a

1.10 Prijevodi hrvatskih normativnih dokumenata.....

2 Rezultati međunarodne i europske normizacije razvrstani po predmetnom ustroju A162

3 Popis radnih dokumenata Codex Alimentariusa

4 Obavijesti HZN-a

4.1 Cjenik hrvatskih norma

Rezultati hrvatske normizacije

1.1 Hrvatske norme

Temeljem Zakona o normizaciji (Narodne novine 80/2013) hrvatske norme priprema, izdaje i objavljuje Hrvatski zavod za norme, na prijedlog tehničkih odbora.
Hrvatske norme mogu nastati na ova četiri načina:
- prihvaćanjem stranih (međunarodnih/europskih/nacionalnih) norma uz prevođenje na hrvatski jezik (pp)
- prihvaćanjem stranih norma u izvorniku s hrvatskim ovitkom (po)
- prihvaćanjem stranih norma u izvorniku objavom obavijesti o prihvaćanju (pr)
- izradbom izvorne hrvatske norme (izv).

Oznaka načina prihvaćanja navedena je uz referencijsku oznaku hrvatske norme.
Hrvatske su norme zainteresiranima na raspolaganju u Normoteci Hrvatskoga zavoda za norme, Ulica grada Vukovara 78, Zagreb.

HZN/TO 6, *Papir, karton i pulpe*

HRN EN ISO 2759:2014 en pr
Karton – Određivanje otpornosti jačine pucanja (ISO 2759:2014; EN ISO 2759:2014)
Board – Determination of bursting strength (ISO 2759:2014; EN ISO 2759:2014)

HZN/TO 8, *Brodogradnja*

HRN EN ISO 12215-5:2008/A1:2014 en pr
Mala plovila – Konstrukcija trupa i dimenzije konstrukcijskih elemenata – 5. dio: Projektni tlakovi za jednotrupna plovila, projektna naprezanja, određivanje dimenzija konstrukcijskih elemenata – Amandman 1 (ISO 12215-5:2008/Amd 1:2014; EN ISO 12215-5:2008/A1:2014)
Small craft – Hull construction and scantlings – Part 5: Design pressures for monohulls, design stresses, scantlings determination – Amendment 1 (ISO 12215-5:2008/Amd 1:2014; EN ISO 12215-5:2008/A1:2014)

HRN ISO 14726:2014 en pr
Brodovi i pomorska tehnologija – Boje za označivanje sadržaja cjevovodnih sustava (ISO 14726:2008)
Ships and marine technology – Identification colours for the content of piping systems (ISO 14726:2008)

HZN/TO 21, *Protupožarna i vatrogasna oprema*

HRN EN 54-3:2014 en pr
Sustavi za otkrivanje i dojavu požara – 3. dio: Uređaji za uzbunjivanje – Sirene (EN 54-3:2014)
Fire detection and fire alarm systems – Part 3: Fire alarm devices – Sounders (EN 54-3:2014)

HRN EN 1947:2014 en pr
Vatrogasne cijevi – Polukrute tlačne cijevi i cijevni sklopovi za pumpe i vozila (EN 1947:2014)
Fire-fighting hoses – Semi-rigid delivery hoses and hose assemblies for pumps and vehicles (EN 1947:2014)

HZN/TO 22, *Cestovna vozila*

HRN ISO 11406:2003/Ispr.1:2014 en pr
Gospodarska cestovna vozila – Mehanička veza između vučnih vozila sa stražnjom spojnicom i prikolica s rudom – Zamjenjivost – Tehnički ispravak 1 (ISO 11406:2001/Cor 1:2005)
Commercial road vehicles – Mechanical coupling between towing vehicles with rear-mounted coupling and drawbar trailers – Interchangeability – Technical corrigendum 1 (ISO 11406:2001/Cor 1:2005)

HZN/TO 25, *Ljevarstvo*

HRN EN 16482:2014 en pr
Ljevarstvo – Kontinuirano lijevane šipke iz željeznoga lijeva (EN 16482:2014)
Founding – Continuous cast iron bars (EN 16482:2014)

HZN/TO 28, *Naftni proizvodi i maziva*

HRN EN ISO 5163:2014 en pr
Naftni proizvodi – Određivanje karakteristika detonantnog izgaranja motornih i avionskih goriva – Motorna metoda (ISO 5163:2014; EN ISO 5163:2014)
Petroleum products – Determination of knock characteristics of motor and aviation fuels – Motor method (ISO 5163:2014; EN ISO 5163:2014)

HRN EN ISO 5164:2014 en pr
Naftni proizvodi – Određivanje karakteristika detonantnog izgaranja motornih goriva – Istraživačka metoda (ISO 5164:2014; EN ISO 5164:2014)
Petroleum products – Determination of knock characteristics of motor fuels – Research method (ISO 5164:2014; EN ISO 5164:2014)

HZN/TO 34/PO 10, *Poljoprivredni i prehrambeni proizvodi; Senzorske analize*

HRN EN ISO 8589:2010/A1:2014 en pr
Senzorske analize – Opće uputstvo za projektiranje prostorija za ispitivanje (ISO 8589:2007/Amd 1:2014; EN ISO 8589:2010/A1:2014)
Sensory analysis – General guidance for the design of test rooms (ISO 8589:2007/Amd 1:2014; EN ISO 8589:2010/A1:2014)

HZN/TO 35, *Boje i lakovi*

HRN EN 13523-0:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 0. dio: Opći uvod (EN 13523-0:2014)
Coil coated metals – Test methods – Part 0: General introduction (EN 13523-0:2014)

HRN EN 13523-2:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 2. dio: Sjajnost (EN 13523-2:2014)
Coil coated metals – Test methods – Part 2: Gloss (EN 13523-2:2014)

HRN EN 13523-3:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 3. dio: Razlika u boji – Usporedba s pomoću instrumenta (EN 13523-3:2014)
Coil coated metals – Test methods – Part 3: Colour difference – Instrumental comparison (EN 13523-3:2014)

HRN EN 13523-5:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 5. dio: Otpornost na brzu deformaciju (otpornost na udarac) (EN 13523-5:2014)
Coil coated metals – Test methods – Part 5: Resistance to rapid deformation (impact test) (EN 13523-5:2014)

HRN EN 13523-7:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 7. dio: Otpornost na pojavu pukotina tijekom savijanja (T- postupak savijanja) (EN 13523-7:2014)
Coil coated metals – Test methods – Part 7: Resistance to cracking on bending (T-bend test) (EN 13523-7:2014)

HRN EN 13523-9:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 9. dio: Otpornost na uranjanje u vodu (EN 13523-9:2014)
Coil coated metals – Test methods – Part 9: Resistance to water immersion (EN 13523-9:2014)

HRN EN 13523-13:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 13. dio: Otpornost na ubrzano starenje djelovanjem topline (EN 13523-13:2014)
Coil coated metals – Test methods – Part 13: Resistance to accelerated ageing by the use of heat (EN 13523-13:2014)

HRN EN 13523-14:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 14. dio: Kredanje (Helmenova metoda) (EN 13523-14:2014)
Coil coated metals – Test methods – Part 14: Chalking (Helmen method) (EN 13523-14:2014)

HRN EN 13523-25:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 25. dio: Otpornost na vlagu (EN 13523-25:2014)
Coil coated metals – Test methods – Part 25: Resistance to humidity (EN 13523-25:2014)

HRN EN 13523-26:2014 en pr
Metali zaštićeni trakom – Metode ispitivanja – 26. dio: Otpornost na kondenzaciju vode (EN 13523-26:2014)
Coil coated metals – Test methods – Part 26: Resistance to condensation of water (EN 13523-26:2014)

HRN EN ISO 15181-6:2014 en pr
Boje i lakovi – Određivanje brzine otpuštanja biocida iz antivegetativnih boja – 6. dio: Određivanje brzine otpuštanja tralopirila određivanjem količine njegova produkta razgradnje u ekstraktu (ISO 15181-6:2012; EN ISO 15181-6:2014)
Paints and varnishes – Determination of release rate of biocides from antifouling paints – Part 6: Determination of tralopyril release rate by quantitation of its degradation product in the extract (ISO 15181-6:2012; EN ISO 15181-6:2014)

HRN EN 16492:2014 en pr
Boje i lakovi – Procjena površinske deformacije uzrokovane gljivicama i algama na prevlakama (EN 16492:2014)
Paints and varnishes – Evaluation of the surface disfigurement caused by fungi and algae on coatings (EN 16492:2014)

HZN/TO 43, *Akustika*

HRN EN ISO 10140-1:2010/A2:2014 en pr
Akustika – Laboratorijska mjerenja zvučne izolacije građevnih dijelova zgrade – 1. dio: Pravila primjene za određene proizvode – Amandman 2: Buka padanja kiše (ISO 10140-1:2010/Amd 2:2014; EN ISO 10140-1:2010/A2:2014)
Acoustics – Laboratory measurement of sound insulation of building elements – Part 1: Application rules for specific products – Amendment 2: Rainfall sound (ISO 10140-1:2010/Amd 2:2014; EN ISO 10140-1:2010/A2:2014)

HRN EN ISO 10140-5:2010/A1:2014 en pr
Akustika – Laboratorijska mjerenja zvučne izolacije građevnih dijelova zgrade – 5. dio: Zahtjevi za ispitne instalacije i opremu – Amandman 1: Buka padanja kiše (ISO 10140-5:2010/Amd 1:2014; EN ISO 10140-5:2010/A1:2014)
Acoustics – Laboratory measurement of sound insulation of building elements – Part 5: Requirements for test facilities and equipment – Amendment 1: Rainfall sound (ISO 10140-5:2010/Amd 1:2014; EN ISO 10140-5:2010/A1:2014)

HRN EN ISO 11200:2014 en pr
Akustika – Buka koju emitiraju strojevi i oprema – Smjernice za uporabu temeljnih norma za određivanje razina zvučnoga tlaka emisije na radnome mjestu i na drugim specificiranim mjestima (ISO 11200:2014; EN ISO 11200:2014)
Acoustics – Noise emitted by machinery and equipment – Guidelines for the use of basic standards for the determination of emission sound pressure levels at a work station and at other specified positions (ISO 11200:2014; EN ISO 11200:2014)

HRN EN ISO 12999-1:2014 en pr
Akustika – Određivanje i primjena mjerne nesigurnosti u akustici u zgradarstvu – 1. dio: Zvučna izolacija (ISO 12999-1:2014; EN ISO 12999-1:2014)
Acoustics – Determination and application of measurement uncertainties in building acoustics – Part 1: Sound insulation (ISO 12999-1:2014; EN ISO 12999-1:2014)

HZN/TO 44, *Zavarivanje i srodni postupci*

HRN EN ISO 9455-5:2014 en pr
Talila za meko lemljenje – Metode ispitivanja – 5. dio: Ispitivanje bakrenim zrcalom (ISO 9455-5:2014; EN ISO 9455-5:2014)
Soft soldering fluxes – Test methods – Part 5: Copper mirror test (ISO 9455-5:2014; EN ISO 9455-5:2014)

HRN EN ISO 15614-12:2014 en pr
Specifikacija i kvalifikacija postupaka zavarivanja za metalne materijale – Ispitivanje postupka zavarivanja – 12. dio: Elektrootporno točkasto, šavno i bradavičasto zavarivanje (ISO 15614-12:2014; EN ISO 15614-12:2014)
Specification and qualification of welding procedures for metallic materials – Welding procedure test – Part 12: Spot, seam and projection welding (ISO 15614-12:2014; EN ISO 15614-12:2014)

HZN/TO 46, *Bibliotekarstvo, dokumentacija i informacije*

HRN EN ISO 3166-1:2014 en pr
Kodovi za označivanje imena država i njihovih pokrajina – 1. dio: Kodovi država (ISO 3166-1:2013; EN ISO 3166-1:2014)
Codes for the representation of names of countries and their subdivisions – Part 1: Country codes (ISO 3166-1:2013; EN ISO 3166-1:2014)

HRN EN 15981:2013/Ispr.1:2014 en pr
Mobilnost europskog učenika – Podaci o postignuću (EuroLMAI) (EN 15981:2011/AC:2013)
European Learner Mobility – Achievement information (EuroLMAI) (EN 15981:2011/AC:2013)

HRN EN 16425:2014 en pr
Sučelje za jednostavno objavljivanje (EN 16425:2014)
Simple Publishing Interface (EN 16425:2014)

HZN/TO 71, *Beton*

HRI CEN/TR 16369:2014 en pr
Primjena kontrolnih karata u proizvodnji betona (CEN/TR 16369:2012)
Use of control charts in the production of concrete (CEN/TR 16369:2012)

HZN/TO 74, *Cement i vapno*

HRI CEN/TR 16632:2014 en pr
Izotermalna kondukcijska kalorimetrija (IKK) za određivanje topline hidratacije cementa: Izvješće o stanju tehnike i preporuke (CEN/TR 16632:2014)
Isothermal Conduction Calorimetry (ICC) for the determination of heat of hydration of cement: State of Art Report and Recommendations (CEN/TR 16632:2014)

HZN/TO 91, *Površinski aktivne tvari*

HRN ISO 17293-1:2014 en pr
Površinski aktivne tvari – Određivanje kloroctene kiseline u surfaktantima – 1. dio: Metoda HPLC-om (ISO 17293-1:2014)
Surface active agents – Determination of chloroacetic acid (chloroacetate) in surfactants – Part 1: HPLC method (ISO 17293-1:2014)

HRN ISO 17293-2:2014 en pr
Površinski aktivne tvari – Određivanje kloroctene kiseline u surfaktantima – 2. dio: Metoda ionskom kromatografijom (ISO 17293-2:2014)
Surface active agents – Determination of chloroacetic acid (chloroacetate) in surfactants – Part 2: Ionic chromatographic method (ISO 17293-2:2014)

HZN/TO 92, *Zaštita od požara*

HRN EN 15269-5:2014 en pr
Proširena primjena rezultata ispitivanja otpornosti na požar i/ili dimopropusnosti vrata, zaslona i prozora koji se mogu otvarati, uključujući pripadajući okov – 5. dio: Otpornost na požar zaokretnih staklenih vrata s metalnim dovratnikom i prozora koji se mogu otvarati (EN 15269-5:2014)
Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware – Part 5: Fire resistance of hinged and pivoted metal framed glazed doorsets and openable windows (EN 15269-5:2014)

HZN/TO 121, *Anestetička i respiracijska oprema*

HRN EN ISO 10079-2:2014 en pr
Medicinska usisna oprema – 2. dio: Ručno pogonjena usisna oprema (ISO 10079-2:2014; EN ISO 10079-2:2014)
Medical suction equipment – Part 2: Manually powered suction equipment (ISO 10079-2:2014; EN ISO 10079-2:2014)

HRN EN ISO 10079-3:2014 en pr
Medicinska usisna oprema – 3. dio: Usisna oprema pogonjena vakuumom ili stlačenim plinom (ISO 10079-3:2014; EN ISO 10079-3:2014)
Medical suction equipment – Part 3: Suction equipment powered from a vacuum or positive pressure gas source (ISO 10079-3:2014; EN ISO 10079-3:2014)

HRN EN ISO 18082:2014 en pr
Anestetička i respiracijska oprema – Dimenzije nezamjenjivih priključaka na navoj (NIST) niskog tlaka za medicinske plinove (ISO 18082:2014; EN ISO 18082:2014)
Anaesthetic and respiratory equipment – Dimensions of non-interchangeable screw-threaded (NIST) low-pressure connectors for medical gases (ISO 18082:2014; EN ISO 18082:2014)

HZN/TO 145, *Grafički simboli*

HRN ISO 3864-3:2014 en pr
Grafički simboli – Boje i znakovi sigurnosti – 3. dio: Načela oblikovanja grafičkih simbola za uporabu na znakovima sigurnosti (ISO 3864-3:2012)
Graphical symbols – Safety colours and safety signs – Part 3: Design principles for graphical symbols for use in safety signs (ISO 3864-3:2012)

HZN/TO 146, *Kvaliteta zraka*

HRN EN 13205-1:2014 en pr
Profesionalna izloženost – Ocjena radnih značajka uzorkivača za mjerenje koncentracije lebdećih čestica u zraku – 1. dio: Opći zahtjevi (EN 13205-1:2014)
Workplace exposure – Assessment of sampler performance for measurement of airborne particle concentrations – Part 1: General requirements (EN 13205-1:2014)

HRN EN 13205-2:2014 en pr
Profesionalna izloženost – Ocjena radnih značajka uzorkivača za mjerenje koncentracije lebdećih čestica u zraku – 2. dio: Laboratorijsko ispitivanje radnih značajka na temelju određivanja učinkovitosti uzorkovanja (EN 13205-2:2014)
Workplace exposure – Assessment of sampler performance for measurement of airborne particle concentrations – Part 2: Laboratory performance test based on determination of sampling efficiency (EN 13205-2:2014)

HRI CEN/TR 13205-3:2014 en pr
Profesionalna izloženost – Ocjena radnih značajka uzorkivača za mjerenje koncentracije lebdećih čestica u zraku – 3. dio: Analiza podataka o učinkovitosti uzorkovanja (CEN/TR 13205-3:2014)
Workplace exposure – Assessment of sampler performance for measurement of airborne particle concentrations – Part 3: Analysis of sampling efficiency data (CEN/TR 13205-3:2014)

HRN EN 13205-4:2014 en pr
Profesionalna izloženost – Ocjena radnih značajka uzorkivača za mjerenje koncentracije lebdećih čestica u zraku – 4. dio: Laboratorijsko ispitivanje radnih značajka na temelju usporedbe koncentracija (EN 13205-4:2014)
Workplace exposure – Assessment of sampler performance for measurement of airborne particle concentrations – Part 4: Laboratory performance test based on comparison of concentrations (EN 13205-4:2014)

HRN EN 13205-5:2014 en pr
Profesionalna izloženost – Ocjena radnih značajka uzorkivača za mjerenje koncentracije lebdećih čestica u zraku – 5. dio: Ispitivanje radnih značajka uzorkivača za lebdeće čestice i usporedba uzorkivača na radnom mjestu (EN 13205-5:2014)
Workplace exposure – Assessment of sampler performance for measurement of airborne particle concentrations – Part 5: Aerosol sampler performance test and sampler comparison carried out at workplaces (EN 13205-5:2014)

HRN EN 13205-6:2014 en pr
Profesionalna izloženost – Ocjena radnih značajka uzorkivača za mjerenje koncentracije lebdećih čestica u zraku – 6. dio: Ispitivanja tijekom prijevoza i rukovanja (EN 13205-6:2014)
Workplace exposure – Assessment of sampler performance for measurement of airborne particle concentrations – Part 6: Transport and handling tests (EN 13205-6:2014)

HZN/TO 147, *Kvaliteta vode*

HRN EN 16479:2014 en pr
Kvaliteta vode – Zahtjevi izvedbe i postupci ispitivanja sukladnosti opreme za praćenje stanja vode – Automatizirane naprave za uzorkovanje (uzorkivači) vode i otpadne vode (EN 16479:2014)
Water quality – Performance requirements and conformity test procedures for water monitoring equipment – Automated sampling devices (samplers) for water and waste water (EN 16479:2014)

HZN/TO 172, *Optika i optički instrumenti*

HRN ISO 8600-4:2014 en pr
Optika i optički instrumenti – Medicinski endoskopi i odreneni pribor – 4. dio: Odrenivanje maksimalnog promjera uvodnog dijela (ISO 8600-4:2014)
Endoscopes – Medical endoscopes and endotherapy devices – Part 4: Determination of maximum width of insertion portion (ISO 8600-4:2014)

HRS CEN/TS 16677:2014 en pr
Oftalmološka optika – Referentna metoda za ispitivanje ispuštanja nikla iz naočalnih okvira i sunčanih naočala (CEN/TS 16677:2014)
Ophthalmic optics – Reference method for the testing of spectacle frames and sunglasses for nickel release (CEN/TS 16677:2014)

HZN/TO 176, *Upravljanje kvalitetom i osiguravanje kvalitete*

HRU ISO Guide 73:2014 en pr
Upravljanje rizicima – Terminološki rječnik (ISO Guide 73:2009)
Risk management – Vocabulary (ISO Guide 73:2009)

HRS CEN/TS 16555-1:2014 en pr
Upravljanje inovacijama – 1. dio: Sustav upravljanja inovacijama (CEN/TS 16555-1:2013)
Innovation Management – Part 1: Innovation Management System (CEN/TS 16555-1:2013)

HRS ISO/TS 17582:2014 en pr
Sustavi upravljanja kvalitetom – Posebni zahtjevi primjene ISO 9001:2008 za organizacije koje provode izbore na svim razinama državne uprave (ISO/TS 17582:2014)
Quality management systems – Particular requirements for the application of ISO 9001:2008 for electoral organizations at all levels of government (ISO/TS 17582:2014)

HRN ISO 18091:2014 en pr
Sustavi upravljanja kvalitetom – Smjernice za primjenu ISO 9001:2008 u lokalnoj upravi (ISO 18091:2014)
Quality management systems – Guidelines for the application of ISO 9001:2008 in local government (ISO 18091:2014)

HRI ISO/TR 31004:2014 en pr
Upravljanje rizicima – Smjernice za primjenu ISO 31000 (ISO/TR 31004:2013)
Risk management – Guidance for the implementation of ISO 31000 (ISO/TR 31004:2013)

HZN/TO 181, *Sigurnost igračaka i proizvodi za djecu*

HRI CEN/TR 16411:2014 en pr
Proizvodi za dojenčad i malu djecu – 2013: kompilacija tumačenja norma iz područja rada CEN/TC 252 (CEN/TR 16411:2014)
Child use and care articles – 2013 compiled interpretations of CEN/TC 252 standards (CEN/TR 16411:2014)

HZN/TO 184, *Sustavi industrijske automatizacije i integracija*

HRS CEN/TS 16658:2014 en pr
Zahtjevi za uspostavu međuoperativnosti procesa proizvodnih poduzeća – Završni model za procjenu međuoperativnosti poduzeća (CEN/TS 16658:2014)
Requirements for establishing manufacturing enterprise process interoperability – Maturity model for assessing enterprise interoperability (CEN/TS 16658:2014)

HZN/TO 217, *Kozmetika*

HRN EN 16521:2014 en pr
Kozmetika – Analitička metoda – GC/MS metoda za identifikaciju i određivanje sadržaja 12 ftalata u kozmetičkim proizvodima direktnim injektiranjem (EN 16521:2014)
Cosmetics – Analytical methods – GC/MS method for the identification and assay of 12 phthalates in cosmetic samples ready for analytical injection (EN 16521:2014)

HZN/TO 218, *Drvo*

HRN EN 16481:2014 en pr
Drvene stube – Strukturni dizajn – Metoda izračuna (EN 16481:2014)
Timber stairs – Structural design – Calculation methods (EN 16481:2014)

HRI CEN/TR 16663:2014 en pr
Trajnost drva i proizvoda na osnovi drva – Utvrđivanje emisija obrađenog drva u okoliš – Drveni elementi u trećoj klasi uporabivosti (nenatkriveni, bez doticaja sa tlom) – Semi-field metoda (CEN/TR 16663:2014)
Durability of wood and wood-based products – Determination of emissions from preservative treated wood to the environment – Wooden commodities exposed in Use Class 3 (Not covered, not in contact with the ground) – Semi-field method (CEN/TR 16663:2014)

HZN/TO 221, *Geosintetici*

HRN EN 13256:2014 en pr
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji tunela i podzemnih građevina (EN 13256:2014)
Geotextiles and geotextile-related products – Characteristics required for use in the construction of tunnels and underground structures (EN 13256:2014)

HZN/TO 502, *Plinski uređaji*

HRN EN 16340:2014 en pr
Sigurnosni i kontrolni uređaji za plamenike i aparate koji rade na plin ili tekuća goriva – Uređaji za otkrivanje produkata izgaranja (EN 16340:2014)
Safety and control devices for burners and appliances burning gaseous or liquid fuels – Combustion product sensing devices (EN 16340:2014)

HZN/TO 503, *Metalni materijali*

HRN EN ISO 10113:2014 en pr
Metalni materijali – Lim i traka – Određivanje faktora plastične anizotropije (ISO 10113:2006; EN ISO 10113:2014)
Metallic materials – Sheet and strip – Determination of plastic strain ratio (ISO 10113:2006; EN ISO 10113:2014)

HRN EN ISO 10275:2014 en pr
Metalni materijali – Lim i traka – Određivanje eksponenta očvrsnuća pri statičkom vlačnom ispitivanju (ISO 10275:2007; EN ISO 10275:2014)
Metallic materials – Sheet and strip – Determination of tensile strain hardening exponent (ISO 10275:2007; EN ISO 10275:2014)

HRN EN 12420:2014 en pr
Bakar i legure bakra – Otkivci (EN 12420:2014)
Copper and copper alloys – Forgings (EN 12420:2014)

HZN/TO 504, *Korozija i zaštita metala i legura*

HRN EN ISO 6509-1:2014 en pr
Korozija metala i legura – Određivanje otpornosti legura bakra i cinka na decinkaciju – 1. dio: Metoda ispitivanja (ISO 6509-1:2014; EN ISO 6509-1:2014)
Corrosion of metals and alloys – Determination of dezincification resistance of copper alloys with zinc – Part 1: Test method (ISO 6509-1:2014; EN ISO 6509-1:2014)

HRN EN ISO 17081:2014 en pr
Metoda mjerenja zasićenosti vodikom i određivanja unosa i prijenosa vodika u metale elektrokemijskim postupkom (ISO 17081:2014; EN ISO 17081:2014)
Method of measurement of hydrogen permeation and determination of hydrogen uptake and transport in metals by an electrochemical technique (ISO 17081:2014; EN ISO 17081:2014)

HZN/TO 505, *Prijenos i distribucija plina*

HRN EN 12007-5:2014 en pr
Plinska infrastruktura – Cjevovodi za najveći radni tlak do 16 bara i uključujući 16 bara – 5. dio: Vodovi za održavanje – Specifični funkcionalni zahtjevi (EN 12007-5:2014)
Gas infrastructure – Pipelines for maximum operating pressure up to and including 16 bar – Part 5: Service lines – Specific functional requirements (EN 12007-5:2014)

HRN EN 12583:2014 en pr
Plinska infrastruktura – Kompresorske stanice – Funkcionalni zahtjevi (EN 12583:2014)
Gas infrastructure – Compressor stations – Functional requirements (EN 12583:2014)

HZN/TO 513, *Mjerne jedinice i mjerila*

HRN EN ISO 4064-1:2014 en pr
Vodomjeri za hladnu pitku vodu i vruću vodu – 1. dio: Metrološki i tehnički zahtjevi (ISO 4064-1:2014; EN ISO 4064-1:2014)
Water meters for cold potable water and hot water – Part 1: Metrological and technical requirements (ISO 4064-1:2014; EN ISO 4064-1:2014)

HRN EN ISO 4064-2:2014 en pr
Vodomjeri za hladnu pitku vodu i vruću vodu – 2. dio: Metode ispitivanja (ISO 4064-2:2014; EN ISO 4064-2:2014)
Water meters for cold potable water and hot water – Part 2: Test methods (ISO 4064-2:2014; EN ISO 4064-2:2014)

HRN EN ISO 4064-3:2014 en pr
Vodomjeri za hladnu pitku vodu i vruću vodu – 3. dio: Oblik ispitnog izvješća (ISO 4064-3:2014; EN ISO 4064-3:2014)
Water meters for cold potable water and hot water – Part 3: Test report format (ISO 4064-3:2014; EN ISO 4064-3:2014)

HRN EN ISO 4064-4:2014 en pr
Vodomjeri za hladnu pitku vodu i vruću vodu – 4. dio: Nemjeriteljski zahtjevi koji nisu obuhvaćeni normom ISO 4064-1 (ISO 4064-4:2014; EN ISO 4064-4:2014)
Water meters for cold potable water and hot water – Part 4: Non-metrological requirements not covered in ISO 4064-1 (ISO 4064-4:2014; EN ISO 4064-4:2014)

HRN EN ISO 4064-5:2014 en pr
Vodomjeri za hladnu pitku vodu i vruću vodu – 5. dio: Zahtjevi ugradnje (ISO 4064-5:2014; EN ISO 4064-5:2014)
Water meters for cold potable water and hot water – Part 5: Installation requirements (ISO 4064-5:2014; EN ISO 4064-5:2014)

HRI ISO/TR 14685:2014 en pr
Hidrometrijska određivanja – Geofizičko uspostavljanje bušotina za hidrološke potrebe – Pripreme i vodič za izvršavanje mjerenja (ISO/TR 14685:2001)
Hydrometric determinations – Geophysical logging of boreholes for hydrogeological purposes – Considerations and guidelines for making measurements (ISO/TR 14685:2001)

HRI CEN/TR 16061:2014 en pr
Plinomjeri – Pametni plinomjeri (CEN/TR 16061:2010)
Gas meters – Smart Gas Meters (CEN/TR 16061:2010)

HRN EN 16314:2014 en pr
Plinomjeri – Dodatne mogućnosti rada (EN 16314:2013)
Gas meters – Additional functionalities (EN 16314:2013)

HZN/TO 518, *Podovi, stropovi i zidne obloge*

HRN EN 13950:2014 en pr
Gipsane kompozitne ploče za toplinsku i zvučnu izolaciju – Definicije, zahtjevi i metode ispitivanja (EN 13950:2014)
Gypsum board thermal/acoustic insulation composite panels – Definitions, requirements and test methods (EN 13950:2014)

HRN EN 13963:2014 en pr
Materijal za obradbu i zaglađivanje spojeva gipsanih ploča – Definicije, zahtjevi i metode ispitivanja (EN 13963:2014)
Jointing materials for gypsum boards – Definitions, requirements and test methods (EN 13963:2014)

HZN/TO 524, *Cestovni prijevoz i prometna telematika*

HRS CEN ISO/TS 17427:2014 en pr
Inteligentni transportni sustavi – Kooperativni sustavi – Uloge i odgovornosti kooperativnih sustava unutar ITS arhitekture(a) utemeljenih na kooperaciji (ISO/TS 17427:2014; CEN ISO/TS 17427:2014)
Intelligent transport systems – Cooperative systems – Roles and responsibilities in the context of cooperative ITS based on architecture(s) for cooperative systems (ISO/TS 17427:2014; CEN ISO/TS 17427:2014)

HZN/TO 525, *Hidroizolacijski materijali i proizvodi za pokrivanje krovova*

HRN EN 508-1:2014 en pr
Proizvodi od lima za pokrivanje krovova i oblaganje zidova – Specifikacija za samonosive proizvode od čeličnog, aluminijskog ili nehrđajućeg čeličnog lima – 1. dio: Čelik (EN 508-1:2014)
Roofing and cladding products from metal sheet – Specification for self-supporting of steel, aluminium or stainless steel sheet – Part 1: Steel (EN 508-1:2014)

HZN/TO 526, *Bitumenska veziva*

HRN EN 12597:2014 en pr
Bitumen i bitumenska veziva – Nazivlje (EN 12597:2014)
Bitumen and bituminous binders – Terminology (EN 12597:2014)

HZN/TO 528, *Oprema za željeznice*

HRS CEN/TS 16272-5:2014 en pr
Oprema za željeznice – Željeznički gornji ustroj – Zvučne zapreke i odgovarajući uređaji koji djeluju na rasprostiranje zvuka zrakom – Metoda ispitivanja za određivanje akustičnih svojstava – 5. dio: Unutarnja svojstva – In situ vrijednosti refleksije zvuka pod izravnim utjecajem zvučnog polja (CEN/TS 16272-5:2014)

Railway applications – Track – Noise barriers and related devices acting on airborne sound propagation – Test method for determining the acoustic performance – Part 5: Intrinsic characteristics – In situ values of sound reflection under direct sound field conditions (CEN/TS 16272-5:2014)

HZN/TO 529, *Granici, dizalice i prenosila neprekidne dobave*

HRN ISO 4301-2:2014 en pr
Granici – Podjela u pogonske skupine – 2. dio: Mobilni granici (ISO 4301-2:2009)
Cranes – Classification – Part 2: Mobile cranes (ISO 4301-2:2009)

HRN ISO 4306-1:2014 en pr
Granici – Terminološki rječnik – 1. dio: Općenito (ISO 4306-1:2007)
Cranes – Vocabulary – Part 1: General (ISO 4306-1:2007)

HRN ISO 4306-2:2014 en pr
Granici – Terminološki rječnik – 2. dio: Mobilni granici (ISO 4306-2:2012)
Cranes – Vocabulary – Part 2: Mobile cranes (ISO 4306-2:2012)

HRN ISO 4309:2014 en pr
Granici – Čelična užad – Zaštita i održavanje, pregled i odbacivanje (ISO 4309:2010)
Cranes – Wire ropes – Care and maintenance, inspection and discard (ISO 4309:2010)

HRN ISO 4310:2014 en pr
Granici – Ispitna metoda i postupci (ISO 4310:2009)
Cranes – Test code and procedures (ISO 4310:2009)

HRN ISO 7752-1:2014 en pr
Granici – Raspored upravljačkih elemenata i karakteristike – 1. dio: Opća načela (ISO 7752-1:2010)
Cranes – Control layout and characteristics – Part 1: General principles (ISO 7752-1:2010)

HRN ISO 7752-2:2014 en pr
Granici – Raspored upravljačkih elemenata i karakteristike – 2. dio: Osnovni raspored i zahtjevi za mobilne granike (ISO 7752-2:2011)
Cranes – Control layout and characteristics – Part 2: Basic arrangement and requirements for mobile cranes (ISO 7752-2:2011)

HRN ISO 7752-3:2014 en pr
Granici – Raspored upravljačkih elemenata i karakteristike – 3. dio: Toranjski granici (ISO 7752-3:2013)
Cranes – Control layout and characteristics – Part 3: Tower cranes (ISO 7752-3:2013)

HRN ISO 8566-1:2014 en pr
Granici – Kabine i upravljačke postaje – 1. dio: Općenito (ISO 8566-1:2010)
Cranes – Cabins and control stations – Part 1: General (ISO 8566-1:2010)

HRN ISO 8566-3:2014 en pr
Granici – Kabine i upravljačke postaje – 3. dio: Toranjski granici (ISO 8566-3:2010)
Cranes – Cabins and control stations – Part 3: Tower cranes (ISO 8566-3:2010)

HRN ISO 8686-1:2014 en pr
Granici – Proračunska opterećenja i njihove kombinacije – 1. dio: Općenito (ISO 8686-1:2012)
Cranes – Design principles for loads and load combinations – Part 1: General (ISO 8686-1:2012)

HRN ISO 9927-1:2014 en pr
Granici – Ispitivanja – 1. dio: Općenito (ISO 9927-1:2013)
Cranes – Inspections – Part 1: General (ISO 9927-1:2013)

HRN ISO 10245-1:2014 en pr
Granici – Uređaji za ograničavanje i signaliziranje – 1. dio: Općenito (ISO 10245-1:2008)
Cranes – Limiting and indicating devices – Part 1: General (ISO 10245-1:2008)

HRN ISO 10245-2:2014 en pr
Granici – Uređaji za ograničavanje i signaliziranje – 2. dio: Mobilni granici (ISO 10245-2:2014)
Cranes – Limiting and indicating devices – Part 2: Mobile cranes (ISO 10245-2:2014)

HRN ISO 10245-3:2014 en pr
Granici – Uređaji za ograničavanje i signaliziranje – 3. dio: Toranjski granici (ISO 10245-3:2008)
Cranes – Limiting and indicating devices – Part 3: Tower cranes (ISO 10245-3:2008)

HRN ISO 11660-1:2014 en pr
Granici – Pristup, zaštite i ograničenja – 1. dio: Općenito (ISO 11660-1:2008)
Cranes – Access, guards and restraints – Part 1: General (ISO 11660-1:2008)

HRN ISO 11660-3:2014 en pr
Granici – Pristup, zaštite i ograničenja – 3. dio: Toranjski granici (ISO 11660-3:2008)
Cranes – Access, guards and restraints – Part 3: Tower cranes (ISO 11660-3:2008)

HRN EN 13000:2014 en pr
Granici – Mobilni granici (EN 13000:2010+A1:2014)
Cranes – Mobile cranes (EN 13000:2010+A1:2014)

HRS ISO/TS 15696:2014 en pr
Granici – Popis istoznačnih pojmova (ISO/TS 15696:2012)
Cranes – List of equivalent terms (ISO/TS 15696:2012)

HRN ISO 18878:2014 en pr
Mobilne podizne platforme – Obuka rukovatelja (ISO 18878:2013)
Mobile elevating work platforms – Operator (driver) training (ISO 18878:2013)

HZN/TO 531, *Plastika i guma*

HRN EN ISO 6427:2014 en pr
Plastika – Određivanje tvari koje je moguće ekstrahirati organskim otapalima (uobičajene metode) (ISO 6427:2013; EN ISO 6427:2014)
Plastics – Determination of matter extractable by organic solvents (conventional methods) (ISO 6427:2013; EN ISO 6427:2014)

HRN EN ISO 6808:2014 en pr
Plastična crijeva i crijevni uređaji za usisavanje i pražnjenje naftnih proizvoda pri niskome tlaku – Specifikacija (ISO 6808:2014; EN ISO 6808:2014)
Plastics hoses and hose assemblies for suction and low-pressure discharge of petroleum liquids – Specification (ISO 6808:2014; EN ISO 6808:2014)

HRN EN ISO 10350-1:2008/A1:2014 en pr
Plastika – Dobivanje i predstavljanje usporedivih pojedinačnih podataka – 1. dio: Materijali za kalupljenje (ISO 10350-1:2007/Amd 1:2014; EN ISO 10350-1:2008/A1:2014)
Plastics – Acquisition and presentation of comparable single-point data – Part 1: Moulding materials (ISO 10350-1:2007/Amd 1:2014; EN ISO 10350-1:2008/A1:2014)

HRN EN ISO 11357-4:2014 en pr
Plastika – Diferencijalna pretražna kalorimetrija – 4. dio: Određivanje specifičnog toplinskog kapaciteta (ISO 11357-4:2014; EN ISO 11357-4:2014)
Plastics – Differential scanning calorimetry (DSC) – Part 4: Determination of specific heat capacity (ISO 11357-4:2014; EN ISO 11357-4:2014)

HRN EN ISO 11403-1:2014 en pr
Plastika – Prikupljanje i prikaz usporedivih podataka većega broja mjerenja u širemu ispitnom području – 1. dio: Mehanička svojstva (ISO 11403-1:2014; EN ISO 11403-1:2014)
Plastics – Acquisition and presentation of comparable multipoint data – Part 1: Mechanical properties (ISO 11403-1:2014; EN ISO 11403-1:2014)

HRN EN ISO 11403-3:2014 en pr
Plastika – Prikupljanje i prikaz usporedivih podataka većeg broja mjerenja u širemu ispitnom području – 3. dio: Utjecaj okoline na svojstva (ISO 11403-3:2014; EN ISO 11403-3:2014)
Plastics – Acquisition and presentation of comparable multipoint data – Part 3: Environmental influences on properties (ISO 11403-3:2014; EN ISO 11403-3:2014)

HRS CEN/TS 16650:2014 en pr
Specifikacija priključaka za crijeva za goriva, ulja i maziva – Visokotlačni priključci (CEN/TS 16650:2014)
Specification for hose couplings for petrol, oil and lubricants – High pressure couplings (CEN/TS 16650:2014)

HZN/TO 533, *Kolničke konstrukcije*

HRN EN 12697-43:2014 en pr
Bitumenske mješavine --Metode ispitivanja za asfalt proizveden vrućim postupkom – 43. dio: Otpornost na gorivo (EN 12697-43:2014)
Bituminous mixtures – Test methods for hot mix asphalt – Part 43: Resistance to fuel (EN 12697-43:2014)

HZN/TO 535, *Agregati*

HRN EN 932-5:2012/Ispr.1:2014 en pr
Ispitivanje općih svojstava agregata – 5. dio: Uobičajena oprema i umjeravanje (EN 932-5:2012/AC:2014)
Tests for general properties of aggregates – Part 5: Common equipment and calibration (EN 932-5:2012/AC:2014)

HRN EN 1097-10:2014 en pr
Ispitivanja mehaničkih i fizikalnih svojstava agregata – 10. dio: Određivanje usisne visine vode (EN 1097-10:2014)
Tests for mechanical and physical properties of aggregates – Part 10: Determination of water suction height (EN 1097-10:2014)

HZN/TO 536, *Vrata, prozori i staklo u graditeljstvu*

HRN EN 13022-1:2014 en pr
Staklo u graditeljstvu – Konstrukcijska brtvila – 1. dio: Stakleni proizvodi za sustave konstrukcijskih brtvila za jednostruka i višestruka stakla s osloncem i bez njega (EN 13022-1:2014)
Glass in building – Structural sealant glazing – Part 1: Glass products for structural sealant glazing systems for supported and unsupported monolithic and multiple glazing (EN 13022-1:2014)

HRN EN 13022-2:2014 en pr
Staklo u graditeljstvu – Konstrukcijska brtvila – 2. dio: Pravila ugradnje (EN 13022-2:2014)
Glass in building – Structural sealant glazing – Part 2: Assembly rules (EN 13022-2:2014)

HZN/TO 537, *Tehnički crteži, dimenzijske i geometrijske specifikacije, opis proizvoda i odgovarajuća dokumentacija*

HRN EN ISO 286-1:2010/Ispr.1:2014 en pr
Geometrijske specifikacije proizvoda (GSP) – ISO-ov kodni sustav za tolerancije linearnih izmjera – 1. dio: Osnove tolerancija, odstupanja i dosjeda – Tehnički ispravak 1 (ISO 286-1:2010/Cor 1:2013; EN ISO 286-1:2010/AC:2013)
Geometrical product specifications (GPS) – ISO code system for tolerances on linear sizes – Part 1: Basis of tolerances; deviations and fits – Technical Corrigendum 1 (ISO 286-1:2010/Cor 1:2013; EN ISO 286-1:2010/AC:2013)

HRN EN ISO 286-2:2010/Ispr.1:2014 en pr
Geometrijske specifikacije proizvoda (GSP) – ISO-ov kodni sustav za tolerancije linearnih izmjera – 2. dio: Tablice normiranih razreda tolerancija i graničnih odstupanja za provrte i rukavce – Tehnički ispravak 1 (ISO 286-2:2010/Cor 1:2013; EN ISO 286-2:2010/AC:2013)
Geometrical product specifications (GPS) – ISO code system for tolerances on linear sizes – Part 2: Tables of standard tolerance classes and limit deviations for holes and shafts – Technical Corrigendum 1 (ISO 286-2:2010/Cor 1:2013; EN ISO 286-2:2010/AC:2013)

HRN EN ISO 1101:2013/Ispr.1:2014 en pr
Geometrijske specifikacije proizvoda (GSP) – Geometrijske tolerancije – Tolerancije oblika, orijentacije, smještaja i vrtnje – Tehnički ispravak 1 (ISO 1101:2012/Cor 1:2013; EN ISO 1101:2013/AC:2014)
Geometrical product specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out – Technical Corrigendum 1 (ISO 1101:2012/Cor 1:2013; EN ISO 1101:2013/AC:2014)

HRN EN ISO 25178-70:2014 en pr
Geometrijske specifikacije proizvoda (GSP) – Tekstura površine: Ploštinska – 70. dio: Kalibracijski uzorci (ISO 25178-70:2014; EN ISO 25178-70:2014)
Geometrical product specification (GPS) – Surface texture: Areal – Part 70: Material measures (ISO 25178-70:2014; EN ISO 25178-70:2014)

HRN EN ISO 25178-603:2014 en pr
Geometrijske specifikacije proizvoda (GSP) – Tekstura površine: Ploštinska – 603. dio: Nazivne karakteristike nekontaktnih instrumenata (interferometrijska mikroskopija s faznim pomakom) (ISO 25178-603:2013; EN ISO 25178-603:2013)
Geometrical product specifications (GPS) – Surface texture: Areal – Part 603: Nominal characteristics of non-contact (phase-shifting interferometric microscopy) instruments (ISO 25178-603:2013; EN ISO 25178-603:2013)

HRN EN ISO 25178-605:2014 en pr
Geometrijske specifikacije proizvoda (GSP) – Tekstura površine: Areal – 605. dio: Nazivne karakteristike nekontaktnih instrumenta (točkasta autofokusna sonda) (ISO 25178-605:2014; EN ISO 25178-605:2014)
Geometrical product specifications (GPS) – Surface texture: Areal – Part 605: Nominal characteristics of non-contact (point autofocus probe) instruments (ISO 25178-605:2014; EN ISO 25178-605:2014)

HZN/TO 541, *Sustavi grijanja, ventilacije i klimatizacije u građevinama*

HRN EN 13141-8:2014 en pr
Ventilacija u zgradama – Ispitivanje značajka dijelova/proizvoda za ventilaciju stambenih zgrada – 8. dio: Ispitivanje značajka za beskanalnu dobavnu i otsisnu ventilacijsku opremu (uključujući povrat topline) za sustave prisilne ventilacije namijenjene jednoj prostoriji (EN 13141-8:2014)

Ventilation for buildings – Performance testing of components/products for residential ventilation – Part 8: Performance testing of un-ducted mechanical supply and exhaust ventilation units (including heat recovery) for mechanical ventilation systems intended for a single room (EN 13141-8:2014)

HZN/TO 544, *Strojni elementi*

HRN EN ISO 4017:2014 en pr
Spojni elementi – Vijci sa šesterokutnom glavom i navojem do glave – Proizvod razreda A i B (ISO 4017:2014; EN ISO 4017:2014)
Fasteners – Hexagon head screws – Product grades A and B (ISO 4017:2014; EN ISO 4017:2014)

HZN/TO 550, *Opskrba vodom*

HRN EN 900:2014 en pr
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Kalcijev hipoklorit (EN 900:2014)
Chemicals used for treatment of water intended for human consumption – Calcium hypochlorite (EN 900:2014)

HRN EN 1017:2014 en pr
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Polužareni dolomit (EN 1017:2014)
Chemicals used for treatment of water intended for human consumption – Half-burnt dolomite (EN 1017:2014)

HRN EN 1487:2014 en pr
Ventili u zgradama – Hidraulične sigurnosne skupine – Ispitivanja i zahtjevi (EN 1487:2014)
Building valves – Hydraulic safety groups – Tests and requirements (EN 1487:2014)

HRN EN 12518:2014 en pr
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Vapno s visokim udjelom kalcija (EN 12518:2014)
Chemicals used for treatment of water intended for human consumption – High-calcium lime (EN 12518:2014)

HRN EN 12873-1:2014 en pr
Utjecaj materijala na vodu namijenjenu ljudskoj potrošnji – Utjecaji zbog migracije – 1. dio: Ispitna metoda za tvornički izrađene proizvode koji su izrađeni od/ili sadrže organske ili staklene (porculan/stakleni emajl) materijale (EN 12873-1:2014)
Influence of materials on water intended for human consumption – Influence due to migration – Part 1: Test method for factory-made products made from or incorporating organic or glassy (porcelain/vitreous enamel) materials (EN 12873-1:2014)

HRN EN 16070:2014 en pr
Proizvodi koji se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Prirodni zeolit (EN 16070:2014)
Products used for treatment of water intended for human consumption – Natural zeolite (EN 16070:2014)

HZN/TO 551, *Gradnja*

HRN ISO 13822:2014 en pr
Osnove projektiranja konstrukcija – Ocjenjivanje postojećih konstrukcija (ISO 13822:2010)
Bases for design of structures – Assessment of existing structures (ISO 13822:2010)

HRN ISO 22111:2014 en pr
Osnove projektiranja konstrukcija – Opći zahtjevi (ISO 22111:2007)
Bases for design of structures – General requirements (ISO 22111:2007)

HZN/TO 553, *Predgotovljeni proizvodi*

HRN EN ISO 10545-8:2014 en pr
Keramičke pločice – 8. dio: Određivanje linearnoga koeficijenta toplinskog širenja (ISO 10545-8:2014; EN ISO 10545-8:2014)
Ceramic tiles – Part 8: Determination of linear thermal expansion (ISO 10545-8:2014; EN ISO 10545-8:2014)

HZN/TO 555, *Medicinski proizvodi*

HRN EN 1422:2014 en pr
Sterilizatori za medicinske namjene – Sterilizatori s etilenoksidom – Zahtjevi i metode ispitivanja (EN 1422:2014)
Sterilizers for medical purposes – Ethylene oxide sterilizers – Requirements and test methods (EN 1422:2014)

HRS CEN ISO/TS 13004:2014 en pr
Sterilizacija proizvoda za zdravstvenu skrb – Zračenje – Potvrđivanje izabrane doze za sterilizaciju: Metoda VDmaxSD (ISO/TS 13004:2013; CEN ISO/TS 13004:2014)
Sterilization of health care products – Radiation – Substantiation of selected sterilization dose: Method VDmaxSD (ISO/TS 13004:2013; CEN ISO/TS 13004:2014)

HRN EN 14180:2014 en pr
Sterilizatori za medicinske namjene – Sterilizacija niskotemperaturnom parom i formaldehidom – Zahtjevi i ispitivanje (EN 14180:2014)
Sterilizers for medical purposes – Low temperature steam and formaldehyde sterilizers – Requirements and testing (EN 14180:2014)

HRS CEN ISO/TS 16775:2014 en pr
Pakiranje za završnu sterilizaciju medicinske opreme – Upute za primjenu norma ISO 11607-1 i ISO 11607-2 (ISO/TS 16775:2014; CEN ISO/TS 16775:2014)
Packaging for terminally sterilized medical devices – Guidance on the application of ISO 11607-1 and ISO 11607-2 (ISO/TS 16775:2014; CEN ISO/TS 16775:2014)

HZN/TO 556, *Osobna zaštitna oprema*

HRN EN ISO 17249:2013/Ispr.1:2014 en pr
Sigurnosna obuća otporna na zarezivanje lančanom pilom (ISO 17249:2013; EN ISO 17249:2013/AC:2014)
Safety footwear with resistance to chain saw cutting (ISO 17249:2013; EN ISO 17249:2013/AC:2014)

HRN EN ISO 20346:2014 en pr
Osobna zaštitna oprema – Zaštitna obuća (ISO 20346:2014; EN ISO 20346:2014)
Personal protective equipment – Protective footwear (ISO 20346:2014; EN ISO 20346:2014)

HZN/TO 557, *Zaštitna odjeća*

HRN EN 469:2014 en pr
Zaštitna odjeća za vatrogasce – Zahtjevi za svojstva zaštitne odjeće za gašenje požara (EN 469:2014)
Protective clothing for firefighters – Performance requirements for protective clothing for firefighting (EN 469:2014)

HRN EN 16350:2014 en pr
Rukavice za zaštitu – Elektrostatička svojstva (EN 16350:2014)
Protective gloves – Electrostatic properties (EN 16350:2014)

HZN/TO 559, *Zaporni, regulacijski i sigurnosni uređaji*

HRN EN ISO 4126-6:2014 en pr
Siguronosni uređaji za zaštitu od prekomjernog tlaka – 6. dio: Primjena, izbor i ugradnja sigurnosnih uređaja temeljenih na membranskom disku (ISO 4126-6:2014; EN ISO 4126-6:2014)
Safety devices for protection against excessive pressure – Part 6: Application, selection and installation of bursting disc safety devices (ISO 4126-6:2014; EN ISO 4126-6:2014)

HZN/TO 560, *Tekstilni proizvodi*

HRN EN ISO 10306:2014 en pr
Tekstil – Pamučna vlakna – Određivanje zrelosti metodom propusnosti zraka (ISO 10306:2014; EN ISO 10306:2014)
Textiles – Cotton fibres – Evaluation of maturity by the air flow method (ISO 10306:2014; EN ISO 10306:2014)

HRN EN ISO 12945-3:2014 en pr
Tekstil – Određivanje sklonosti tkanine na površinsko stvaranje pilinga, dlačica ili matiranja – 3. dio: Metoda slučajnog prevrtanja (ISO 12945-3:2014; EN ISO 12945-3:2014)
Textiles – Determination of the fabric propensity to surface pilling, fuzzing or matting – Part 3: Random tumble pilling method (ISO 12945-3:2014; EN ISO 12945-3:2014)

HRN EN ISO 13935-2:2014 en pr
Tekstil – Vlačna svojstva šava na plošnim tekstilu i gotovim tekstilnim proizvodima – 2. dio: Određivanje maksimalne sile pucanja šava grab metodom (ISO 13935-2:2014; EN ISO 13935-2:2014)
Textiles – Seam tensile properties of fabrics and made-up textile articles – Part 2: Determination of maximum force to seam rupture using the grab method (ISO 13935-2:2014; EN ISO 13935-2:2014)

HRN EN ISO 14389:2014 en pr
Tekstil – Određivanje sadržaja ftalata – Tetrahidrofuran metoda (ISO 14389:2014; EN ISO 14389:2014)
Textiles – Determination of the phthalate content – Tetrahydrofuran method (ISO 14389:2014; EN ISO 14389:2014)

HRN EN ISO 16373-2:2014 en pr
Tekstil – Bojila – 2. dio: Opća metoda za određivanje izlučevina bojila uključujući alergene i kancerogene tvari (ISO 16373-2:2014; EN ISO 16373-2:2014)
Textiles – Dyestuffs – Part 2: General method for the determination of extractable dyestuffs including allergenic and carcinogenic dyestuffs (method using pyridine-water) (ISO 16373-2:2014; EN ISO 16373-2:2014)

HRN EN ISO 16373-3:2014 en pr
Tekstil – Bojila – 3. dio: Metoda za određivanje određenih kancerogenih bojila koja se mogu ekstrahirati (metoda uporabom trietilamina/metanola) (ISO 16373-3:2014; EN ISO 16373-3:2014)
Textiles – Dyestuffs – Part 3: Method for determination of certain carcinogenic dyestuffs (method using triethylamine/methanol) (ISO 16373-3:2014; EN ISO 16373-3:2014)

HZN/TO 561, *Kotlovi, posude pod tlakom, cjevovodi i plinske boce*

HRN EN 14427:2014 en pr
Oprema i pribor za UNP – Prenosive ponovno punjive potpuno opletene kompozitne boce za UNP – Projektiranje i konstruiranje (EN 14427:2014)
LPG equipment and accessories – Transportable refillable fully wrapped composite cylinders for LPG – Design and construction (EN 14427:2014)

HZN/TO 562, *Alatni strojevi i alati*

HRN EN 289:2014 en pr
Strojevi za gumu i plastiku – Strojevi za kalupno prešanje i strojevi za transfer prešanje – Sigurnosni zahtjevi (EN 289:2014)
Plastics and rubber machines – Compression moulding machines and transfer moulding machines – Safety requirements (EN 289:2014)

HZN/TO 563, *Sigurnost strojeva*

HRN EN ISO 9902-2:2004/A2:2014 en pr
Tekstilni strojevi – Određivanje emisije buke – 2. dio: Strojevi za pripremu predenja i prelački strojevi (strojevi za predenje) (ISO 9902-2:2001/Amd 2:2014; EN ISO 9902-2:2001/A2:2014)
Textile machinery – Noise test code – Part 2: Spinning preparatory and spinning machinery (ISO 9902-2:2001/Amd 2:2014; EN ISO 9902-2:2001/A2:2014)

HRN EN ISO 9902-3:2004/A2:2014 en pr
Tekstilni strojevi – Određivanje emisije buke – 3. dio: Strojevi za netkane tekstile (ISO 9902-3:2001/Amd 2:2014; EN ISO 9902-3:2001/A2:2014)
Textile machinery – Noise test code – Part 3: Nonwoven machinery (ISO 9902-3:2001/Amd 2:2014; EN ISO 9902-3:2001/A2:2014)

HRN EN ISO 9902-4:2004/A2:2014 en pr
Tekstilni strojevi – Određivanje emisije buke – 4. dio: Strojevi za preradu pređe, izradu uzica i užadi (ISO 9902-4:2001/Amd 2:2014; EN ISO 9902-4:2001/A2:2014)
Textile machinery – Noise test code – Part 4: Yarn processing, cordage and rope manufacturing machinery (ISO 9902-4:2001/Amd 2:2014; EN ISO 9902-4:2001/A2:2014)

HRN EN ISO 9902-5:2004/A2:2014 en pr
Tekstilni strojevi – Određivanje emisije buke – 5. dio: Tkalački strojevi i strojevi za pripremu pletenja (ISO 9902-5:2001/Amd 2:2014; EN ISO 9902-5:2001/A2:2014)
Textile machinery – Noise test code – Part 5: Weaving and knitting preparatory machinery (ISO 9902-5:2001/Amd 2:2014; EN ISO 9902-5:2001/A2:2014)

HRN EN ISO 9902-6:2004/A2:2014 en pr
Tekstilni strojevi – Određivanje emisije buke – 6. dio: Strojevi za proizvodnju plošnih tekstila (ISO 9902-6:2001/Amd 2:2014; EN ISO 9902-6:2001/A2:2014)
Textile machinery – Noise test code – Part 6: Fabric manufacturing machinery (ISO 9902-6:2001/Amd 2:2014; EN ISO 9902-6:2001/A2:2014)

HRN EN ISO 9902-7:2004/A2:2014 en pr
Tekstilni strojevi – Određivanje emisije buke – 7. dio: Strojevi za bojenje i oplemenjivanje (ISO 9902-7:2001/Amd 2:2014; EN ISO 9902-7:2001/A2:2014)
Textile machinery – Noise test code – Part 7: Dyeing and finishing machinery (ISO 9902-7:2001/Amd 2:2014; EN ISO 9902-7:2001/A2:2014)

HZN/TO 568, *Analize hrane - Horizontalne metode*

HRN EN 12822:2014 en pr
Hrana – Određivanje vitamina E tekućinskom kromatografijom visoke djelotvornosti – Mjerenje α-, ß-, γ- i δ-tokoferola (EN 12822:2014)
Foodstuffs – Determination of vitamin E by high performance liquid chromatography – Measurement of α-, ß-, γ- and δ-tocopherol (EN 12822:2014)

HRN EN 14122:2014 en pr
Hrana – Određivanje vitamina B1 tekućinskm kromatografijom visokog učinka (EN 14122:2014)
Foodstuffs – Determination of vitamin B1 by high performance liquid chromatography (EN 14122:2014)

HRN EN 14152:2014 en pr
Hrana – Određivanje vitamina B2 tekućinskom kromatografijom visokog učinka (EN 14152:2014)
Foodstuffs – Determination of vitamin B2 by high performance liquid chromatography (EN 14152:2014)

HRN EN 14164:2014 en pr
Hrana – Određivanje vitamina B6 tekućinskom kromatografijom visokog učinka (EN 14164:2014)
Foodstuffs – Determination of vitamin B6 by high performance chromatography (EN 14164:2014)

HZN/TO 570, *Sustavi upravljanja energijom*

HRI CEN/CLC/TR 16103:2014 en pr
Upravljanje energijom i energijska učinkovitost – Pojmovnik (CEN/CLC/TR 16103:2010)
Energy management and energy efficiency – Glossary of terms (CEN/CLC/TR 16103:2010)

HRN EN 16247-2:2014 en pr
Energijski auditi – 2. dio: Zgrade (EN 16247-2:2014)
Energy audits – Part 2: Buildings (EN 16247-2:2014)

HRN EN 16247-3:2014 en pr
Energijski auditi – 3. dio: Procesi (EN 16247-3:2014)
Energy audits – Part 3: Processes (EN 16247-3:2014)

HRN EN 16247-4:2014 en pr
Energijski auditi – 4. dio: Prijevoz (EN 16247-4:2014)
Energy audits – Part 4: Transport (EN 16247-4:2014)

HRI CEN/CLC/TR 16567:2014 en pr
Obvezujuće sheme energijske učinkovitosti u Europi – Pregled i analiza glavnih obilježja i mogućnosti za ujednačavanjem (CEN/CLC/TR 16567:2013)
Energy Efficiency Obligation Schemes in Europe – Overview and analysis of main features and possibilities for harmonisation (CEN/CLC/TR 16567:2013)

HZN/TO 571, *Oprema za sport, igrališta i rekreaciju*

HRN EN 13451-10:2014 en pr
Oprema za bazene – 10. dio: Dodatni posebni sigurnosni zahtjevi i metode ispitivanja za platforme za ronjenje, ronilačke odskočne daske i pripadajuću opremu (EN 13451-10:2014)
Swimming pool equipment – Part 10: Additional specific safety requirements and test methods for diving platforms, diving springboards and associated equipment (EN 13451-10:2014)

HRN EN 13451-11:2014 en pr
Oprema za bazene – 11. dio: Dodatni posebni sigurnosni zahtjevi i metode ispitivanja za pomične bazenske podove i pomične pregrade
(EN 13451-11:2014)
Swimming pool equipment – Part 11: Additional specific safety requirements and test methods for moveable pool floors and moveable bulkheads
(EN 13451-11:2014)

HZN/TO 571, *Sport, igrališta i ostali rekreacijski sadržaji i oprema*

HRN EN 1809:2014 en pr
Oprema za ronjenje – Kompenzatori plutanja – Funkcionalni i sigurnosni zahtjevi, metode ispitivanja (EN 1809:2014)
Diving equipment – Buoyancy compensators – Functional and safety requirements, test methods (EN 1809:2014)

HZN/TO E22, *Energetska elektronika*

HRN EN 50171:2008/Ispr.1:2014 en pr
CENtralni sustavi napajanja (EN 50171:2001/AC:2001)
CENtral power supply systems
(EN 50171:2001/AC:2001)

HRN EN 61954:2011/A1:2014 en pr
Statički kompenzatori jalove snage (SVC) – Ispitivanje tiristorskih ventila (IEC 61954:2011/am1:2013; EN 61954:2011/A1:2013)
Static VAR compensators (SVC) – Testing of thyristor valves (IEC 61954:2011/am1:2013; EN 61954:2011/A1:2013)

HRN EN 62040-1:2010/Ispr.1:2014 en pr
Energetski sustavi neprekidnog napajanja (UPS) – 1. dio: Opći zahtjevi i zahtjevi na sigurnost za sustave neprekidnog napajanja (EN 62040-1:2008/AC:2009)
Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS
(EN 62040-1:2008/AC:2009)

HRN EN 62040-4:2014 en pr
Energetski sustavi neprekidnog napajanja (UPS) – 4. dio: Utjecaj na okoliš – Zahtjevi i izvješćivanje (IEC 62040-4:2013; EN 62040-4:2013)
Uninterruptible power systems (UPS) – Part 4: Environmental aspects – Requirements and reporting (IEC 62040-4:2013; EN 62040-4:2013)

HZN/TO E31, *Eksplozivne atmosfere*

HRN EN 1127-2:2014 en pr
Eksplozivne atmosfere – Sprečavanje eksplozije i zaštita – 2. dio: Osnovna načela i metodologija za rudarstvo (EN 1127-2:2014)
Explosive atmospheres – Explosion prevention and protection – Part 2: Basic concepts and methodology for mining (EN 1127-2:2014)

HRN EN 60079-31:2014 en pr
Eksplozivne atmosfere – 31. dio: Vrsta zaštite opreme od paljenja prašine kućištem “t” (IEC 60079-31:2013; EN 60079-31:2014)
Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure “t”
(IEC 60079-31:2013; EN 60079-31:2014)

HZN/TO E34, *Žarulje, svjetiljke i pripadna oprema*

HRN EN 62442-1:2012/Ispr.1:2014 en pr
Energetske značajke predspojnih naprava – 1. dio: Predspojne naprave za fluorescentne žarulje – Mjerne metode za određivanje ukupne ulazne snage krugova predspojne naprave i njezine iskoristivosti
(EN 62442-1:2011/AC:2012)
Energy performance of lamp controlgear – Part 1: Controlgear for fluorescent lamps – Method of measurement to determine the total input power of controlgear circuits and the efficiency of the controlgear
(EN 62442-1:2011/AC:2012)

HZN/TO E38, *Mjerni transformatori*

HRN EN 61869-4:2014 en pr
Mjerni transformatori – 4. dio: Dodatni zahtjevi za kombinirane transformatore (IEC 61869-4:2013; EN 61869-4:2014)
Instrument transformers – Part 4: Additional requirements for combined transformers
(IEC 61869-4:2013; EN 61869-4:2014)

HZN/TO E55, *Žice za namote*

HRN EN 60317-51:2014 en pr
Specifikacije pojedinih vrsta žica za namote – 51. dio: Poliuretanom lakirana lemljiva okrugla bakrena žica, razreda 180 (IEC 60317-51:2014; EN 60317-51:2014)
Specifications for particular types of winding wires – Part 51: Solderable polyurethane enamelled round copper wire, class 180 (IEC 60317-51:2014; EN 60317-51:2014)

HRN EN 60317-52:2014 en pr
Specifikacije pojedinih vrsta žica za namote – 52. dio: Okrugla bakrena lakirana žica, omotana trakama od aromatskog poliamida (aramida), razreda 220 (IEC 60317-52:2014; EN 60317-52:2014)
Specifications for particular types of winding wires – Part 52: Aromatic polyamide (aramid) tape wrapped round copper wire, temperature index 220 (IEC 60317-52:2014; EN 60317-52:2014)

HRN EN 60317-53:2014 en pr
Specifikacije pojedinih vrsta žica za namote – 53. dio: Profilna bakrena lakirana žica, omotana trakama od aromatskog poliamida (aramida), razreda 220 (IEC 60317-53:2014; EN 60317-53:2014)
Specifications for particular types of winding wires – Part 53: Aromatic polyamide (aramid) tape wrapped rectangular copper wire, temperature index 220 (IEC 60317-53:2014; EN 60317-53:2014)

HZN/TO E59, *Uporabne značajke električnih kućanskih aparata*

HRN EN 60350-2:2014 en pr
Kućanski električni aparati za kuhanje – 2. dio: Električna ugradbena ploča – Metode ispitivanja za mjerenje radnih značajka (IEC 60350-2:2011, MOD; EN 60350-2:2013)
Household electric cooking appliances – Part 2: Hobs – Methods for measuring performance (IEC 60350-2:2011, MOD; EN 60350-2:2013)

HZN/TO E62, *Električna oprema u medicinskoj praksi*

HRN EN 60601-1:2008/A1:2014/Ispr.1:2014 en pr
Medicinski električni uređaji – 1. dio: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke (EN 60601-1:2006/A1:2013/AC:2014)
Medical electrical equipment – Part 1: General requirements for basic safety and essential performance (EN 60601-1:2006/A1:2013/AC:2014)

HRN EN 60601-1:2008/Ispr.2:2014 en pr
Medicinski električni uređaji – 1. dio: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke (EN 60601-1:2006/AC:2014)
Medical electrical equipment – Part 1: General requirements for basic safety and essential performance (EN 60601-1:2006/AC:2014)

HRN EN 60601-1-3:2008/A1:2013/Ispr.1:2014 en pr
Medicinski električni uređaji – Dio 1-3: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke – Popratna norma: Zaštitu od zračenja u dijagnostičkoj rendgenskoj opremi (EN 60601-1-3:2008/A1:2013/AC:2014)
Medical electrical equipment – Part 1-3: General requirements for basic safety and essential performance – Collateral Standard: Radiation protection in diagnostic X-ray equipment (EN 60601-1-3:2008/A1:2013/AC:2014)

HRN EN 60601-1-8:2009/A1:2013/Ispr.1:2014 en pr
Medicinski električni uređaji – Dio 1-8: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke – Popratna norma: Opći zahtjevi, ispitivanja i smjernice za alarmne sustave u medicinskim električnim uređajima i opremi (EN 60601-1-8:2007/A1:2013/AC:2014)
Medical electrical equipment – Part 1-8: General requirements for basic safety and essential performance – Collateral Standard: General requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems (EN 60601-1-8:2007/A1:2013/AC:2014)

HRN EN 61675-1:2014 en pr
Radionuklidske naprave za snimanje – Značajke i ispitni uvjeti – 1. dio: Pozitronski emisijski tomografi (IEC 61675-1:2013; EN 61675-1:2014)
Radionuclide imaging devices – Characteristics and test conditions – Part 1: Positron emission tomographs (IEC 61675-1:2013; EN 61675-1:2014)

HZN/TO E65, *Mjerenje, vođenje i automatizacija industrijskih procesa*

HRN EN 60584-1:2014 en pr
Termoparovi – 1. dio: Specifikacije i tolerancije elektromotorne sile (EMF) (IEC 60584-1:2013; EN 60584-1:2013)
Thermocouples – Part 1: EMF specifications and tolerances (IEC 60584-1:2013; EN 60584-1:2013)

HRN EN 61131-9:2014 en pr
Programirljivi regulatori – 9. dio: Digitalno komunikacijsko sučelje jednospojnog voda za mala osjetila i aktuatore (SDCI) (IEC 61131-9:2013; EN 61131-9:2013)
Programmable controllers – Part 9: Single-drop digital communication interface for small sensors and actuators (SDCI) (IEC 61131-9:2013; EN 61131-9:2013)

HRN EN 61514-2:2014 en pr
Sustavi za vođenje industrijskih procesa – 2. dio: Metode ocjenjivanja djelovanja inteligentnih postavnika ventila s pneumatskim izlazima postavljenih na sklop ventila aktuatora (IEC 61514-2:2013; EN 61514-2:2013)
Industrial process control systems – Part 2: Methods of evaluating the performance of intelligent valve positioners with pneumatic outputs mounted on an actuator valve assembly (IEC 61514-2:2013; EN 61514-2:2013)

HRN EN 61918:2014/Ispr.1:2014 en pr
Industrijske komunikacijske mreže – Instalacija komunikacijskih mreža u industrijskim uvjetima (EN 61918:2013/AC:2014)
Industrial communication networks – Installation of communication networks in industrial premises (EN 61918:2013/AC:2014)

HRN EN 61987-10:2010/Ispr.1:2014 en pr
Mjerenje i vođenje industrijskih procesa – Strukture podataka i elemenata u katalozima procesne opreme – 10. dio: Popisi svojstava (LOPs) za mjerenje i vođenje industrijskih procesa za elektroničku izmjenu podataka – Osnove (EN 61987-10:2009/AC:2011)
Industrial-process measurement and control – Data structures and elements in process equipment catalogues – Part 10: Lists of properties (LOPs) for industrial-process measurement and control for electronic data exchange – Fundamentals (EN 61987-10:2009/AC:2011)

HRN EN 61987-11:2014 en pr
Mjerenje i vođenje industrijskih procesa – Strukture podataka i elemenata u katalozima procesne opreme – 11. dio: Popisi svojstava (LOPs) mjerne opreme za elektroničku izmjenu podataka – Opće strukture (IEC 61987-11:2012; EN 61987-11:2012)
Industrial-process measurement and control – Data structures and elements in process equipment catalogues – Part 11: Lists of properties (LOP) of measuring equipment for electronic data exchange – Generic structures (IEC 61987-11:2012; EN 61987-11:2012)

HRN EN 62264-2:2014 en pr
Integracija sustava za vođenje poduzeća – 2. dio: Odredišta i značajke za integraciju sustava vođenja poduzeća (IEC 62264-2:2013; EN 62264-2:2013)
Enterprise-control system integration – Part 2: Objects and attributes for enterprise-control system integration (IEC 62264-2:2013; EN 62264-2:2013)

HRN EN 62703:2014 en pr
Izražavanje djelovanja fluorometričkih analizatora s kisikom u tekućinama (IEC 62703:2013; EN 62703:2013)
Expression of performance of fluorometric oxygen analyzers in liquid media (IEC 62703:2013; EN 62703:2013)

HZN/TO E80, *Pomorska navigacijska i radiokomunikacijska oprema i sustavi*

HRN EN 62065:2014 en pr
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Sustavi upravljanja putanjom – Radni i izvedbeni zahtjevi, metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 62065:2014; EN 62065:2014)
Maritime navigation and radiocommunication equipment and systems – Track control systems – Operational and performance requirements, methods of testing and required test results (IEC 62065:2014; EN 62065:2014)

HZN/TO E85, *Oprema za mjerenje električnih i elektromagnetskih veličina*

HRN EN 61557-15:2014 en pr
Električna sigurnost u niskonaponskim distribucijskim sustavima do 1 000 V izmjenične struje i 1 500 V istosmjerne struje – Oprema za ispitivanje, mjerenje ili nadzor zaštitnih mjera – 15. dio: Zahtjevi funkcionalne sigurnosti uređaja za nadzor izolacije i opreme za određivanje mjesta loše izolacije u IT sustavima (IEC 61557-15:2014; EN 61557-15:2014)
Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. – Equipment for testing; measuring or monitoring of protective measures – Part 15: Functional safety requirements for insulation monitoring devices in IT systems and equipment for insulation fault location in IT systems (IEC 61557-15:2014; EN 61557-15:2014)

HRN EN 62586-1:2014 en pr
Mjerenje kvalitete energije u sustavima opskrbe energijom – 1. dio: Instrumenti za mjerenje kvalitete energije (IEC 62586-1:2013; EN 62586-1:2014)
Power quality measurement in power supply systems – Part 1: Power Quality Instruments (PQI) (IEC 62586-1:2013; EN 62586-1:2014)

HRN EN 62586-2:2014 en pr
Mjerenje kvalitete energije u sustavima opskrbe energijom – 2. dio: Funkcionalna ispitivanja i zahtjevi nesigurnosti (IEC 62586-2:2013; EN 62586-2:2014)
Power quality measurement in power supply systems – Part 2: Functional tests and uncertainty requirements (IEC 62586-2:2013; EN 62586-2:2014)

HZN/TO E100, *Audio, video i multimedijski sustavi te njihova oprema*

HRI CLC/TR 50083-10-1:2014 en pr
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – Dio 10-1: Preporuke (Upute) za primjenu povratnih putova u kabelskim mrežama (CLC/TR 50083-10-1:2014)
Cable networks for television signals, sound signals and interactive services – Part 10-1: Guidelines for the implementation of return paths in cable networks (CLC/TR 50083-10-1:2014)

HRN EN 50585:2014 en pr
Komunikacijski protokol za prijenos signala dostavljenih satelitom preko mreža internet protokola (IP) (EN 50585:2014)
Communications protocol to transport satellite delivered signals over IP networks (EN 50585:2014)

HRN EN 60728-10:2014 en pr
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 10. dio: Značajke sustava za povratne smjerove (IEC 60728-10:2014; EN 60728-10:2014)
Cable networks for television signals, sound signals and interactive services – Part 10: System performance for return paths (IEC 60728-10:2014; EN 60728-10:2014)

HRN EN 60728-14:2014 en pr
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 14. dio: Optički sustavi prijenosa koji upotrebljavaju RFoG tehnologiju (IEC 60728-14:2014; EN 60728-14:2014)
Cable networks for television signals, sound signals and interactive services – Part 14: Optical transmission systems using RFoG technology (IEC 60728-14:2014; EN 60728-14:2014)

HRN EN 60958-1:2011/A1:2014 en pr
Digitalno audiosučelje – 1. dio: Općenito (IEC 60958-1:2008/am1:2014; EN 60958-1:2008/A1:2014)
Digital audio interface – Part 1: General (IEC 60958-1:2008/am1:2014; EN 60958-1:2008/A1:2014)

HRN EN 61883-8:2011/A1:2014 en pr
Audio/video oprema za široku potrošnju – Digitalno sučelje – 8. dio: Prijenos podataka digitalnog videa stila ITU-R BT.601 (IEC 61883-8:2008/am1:2014; EN 61883-8:2009/A1:2014)
Consumer audio/video equipment – Digital interface – Part 8: Transmission of ITU-R BT.601 style digital video data (IEC 61883-8:2008/am1:2014; EN 61883-8:2009/A1:2014)

HRN EN 61937-6:2011/A1:2014 en pr
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 6. dio: Nelinearni tokovi bitova kodiranih pulsno kodnom modulacijom (PCM) prema MPEG-2 AAC i MPEG-4 AAC formatima (IEC 61937-6:2006/am1:2014; EN 61937-6:2006/A1:2014)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC and MPEG-4 AAC formats (IEC 61937-6:2006/am1:2014; EN 61937-6:2006/A1:2014)

HRN EN 61966-12-2:2014 en pr
Multimedijski sustavi i oprema – Mjerenje i upravljanje bojama – Dio 12-2: Jednostavan oblik metapodataka (METADATA) za identifikaciju skale boja (IEC 61966-12-2:2014; EN 61966-12-2:2014)
Multimedia systems and equipment – Colour measurement and management – Part 12-2: Simple metadata format for identification of colour gamut (IEC 61966-12-2:2014; EN 61966-12-2:2014)

HRN EN 62379-5-2:2014 en pr
Zajedničko upravljačko sučelje za umrežene digitalne audio i video proizvode – Dio 5-2: Prijenos podatkovnim mrežama – Signalizacija (TA4) (IEC 62379-5-2:2014; EN 62379-5-2:2014)

Common control interface for networked digital audio and video products – Part 5-2: Transmission over networks – Signalling (TA4) (IEC 62379-5-2:2014; EN 62379-5-2:2014)

HRN EN 62448:2014 en pr
Multimedijski sustavi i oprema – Multimedijsko e-izdavaštvo i e-knjige – Opći (generični) oblik za e-izdavaštvo (IEC 62448:2013; EN 62448:2014)
Multimedia systems and equipment – Multimedia e-publishing and e-books – Generic format for e-publishing (IEC 62448:2013; EN 62448:2014)

HRN EN 62481-1:2014 en pr
Preporuke za zajednički rad DLNA (Digital living network alliance) kućnih umreženih uređaja – 1. dio: Arhitektura i protokoli (IEC 62481-1:2013; EN 62481-1:2014)
Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 1: Architecture and protocols (IEC 62481-1:2013; EN 62481-1:2014)

HRN EN 62481-3:2014 en pr
Preporuke za zajednički rad DLNA (Digital living network alliance) kućnih umreženih uređaja – 3. dio: Zaštita veze (IEC 62481-3:2013; EN 62481-3:2014)
Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 3: Link protection (IEC 62481-3:2013; EN 62481-3:2014)

HRN EN 62481-4:2014 en pr
Preporuke za zajednički rad DLNA (Digital living network alliance) kućnih umreženih uređaja – 4. dio: DRM rješenja zajedničkog rada (TA9) (IEC 62481-4:2014; EN 62481-4:2014)
Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 4: DRM interoperability solutions (TA9) (IEC 62481-4:2014; EN 62481-4:2014)

HRN EN 62680-4:2014 en pr
Sučelje univerzalne serijske sabirnice za podatke i napajanje – 4. dio: Dokument o razredu kabela i konektora univerzalne serijske sabirnice, izmijenjeno izdanje 2.0 (IEC 62680-4:2013; EN 62680-4:2014)
Universal Serial Bus interfaces for data and power – Part 4: Universal Serial Bus cables and connectors class document, revision 2.0 (IEC 62680-4:2013; EN 62680-4:2014)

HZN/TO E108, *Sigurnost elektroničke opreme u području audio, video, informacijske i komunikacijske tehnologije*

HRN EN 50332-1:2014 en pr
Oprema zvučnog sustava: Naglavne i ušne slušalice za osobne uređaje za reprodukciju glazbe – Metodologija mjerenja maksimalne razine zvučnog tlaka – 1. dio: Općenita metoda za "opremu u kompletu" (EN 50332-1:2013)
Sound system equipment: Headphones and earphones associated with personal music players – Maximum sound pressure level measurement methodology – Part 1: General method for "one package equipment" (EN 50332-1:2013)

HRN EN 50332-2:2014 en pr
Oprema zvučnog sustava: Naglavne i ušne slušalice za osobne uređaje za reprodukciju glazbe – Metodologija mjerenja maksimalne razine zvučnog tlaka – 2. dio: Sparivanje kompleta s naglavnim slušalicama, bilo da se jedno ili oboje nude zasebno ili kao oprema u kompletu, ali s normiranim konektorima između dijelova s kojima je moguće povezivanje komponenata različitih proizvođača ili različite konstrukcije (EN 50332-2:2013)
Sound system equipment: Headphones and earphones associated with personal music players – Maximum sound pressure level measurement methodology – Part 2: Matching of sets with headphones if either or both are offered separately, or are offered as one package equipment but with standardised connectors between the two allowing to combine components of different manufacturers or different design (EN 50332-2:2013)

HRN EN 60950-1:2007/A2:2014 en pr
Oprema informacijske tehnologije – Sigurnost – 1. dio: Opći zahtjevi (IEC 60950-1:2005/am2:2013; EN 60950-1:2006/A2:2013)
Information technology equipment – Safety – Part 1: General requirements (IEC 60950-1:2005/am2:2013; EN 60950-1:2006/A2:2013)

HRN EN 62368-1:2014 en pr
Oprema audio/video, informacijske i komunikacijske tehnologije – Zahtjevi sigurnosti (IEC 62368-1:2014, MOD; EN 62368-1:2014)
Audio/video, information and communication technology equipment – Part 1: Safety requirements (IEC 62368-1:2014, MOD; EN 62368-1:2014)

HZN/TO E502, *Elektrotehnički aspekti telekomunikacijske opreme*

HRN EN 50600-2-1:2014 en pr
Informacijska tehnologija – Sredstva i infrastrukture podatkovnih centara – Dio 2-1: Konstrukcija zgrade (EN 50600-2-1:2014)
Information technology – Data centre facilities and infrastructures – Part 2-1: Building construction (EN 50600-2-1:2014)

HRN EN 50600-2-2:2014 en pr
Informacijska tehnologija – Sredstva i infrastrukture podatkovnih centara – Dio 2-2: Opskrba električnom energijom (EN 50600-2-2:2014)
Information technology – Data centre facilities and infrastructures – Part 2-2: Power distribution (EN 50600-2-2:2014)

HZN/TO T4, *Normizacija u telekomunikacijama*

HRI CEN/CLC/ETSI/TR 101 552:2014 en pr
Smjernice za primjenu ocjene sukladnosti sa zahtjevima s obzirom na dostupnost ICT proizvoda i usluga u javnim nabavama u Europi (CEN/CLC/ETSI/TR 101 552:2014)
Guidance for the application of conformity assessment to accessibility requirements for public procurement of ICT products and services in Europe (CEN/CLC/ETSI/TR 101 552:2014)

HRS ETSI/TS 101 733 V2.2.1:2014 en pr
Elektronički potpisi i infrastrukture (ESI) – Napredni elektronički potpisi u CMS-u (CAdES) (ETSI/TS 101 733 V2.2.1:2013)
Electronic Signatures and Infrastructures (ESI) – CMS Advanced Electronic Signatures (CAdES) (ETSI/TS 101 733 V2.2.1:2013)

HRN EN 300 468 V1.14.1:2014 en pr
Digitalna radijska videodifuzija (DVB) – Specifikacija za informacijsku službu (SI) u sustavima DVB (EN 300 468 V1.14.1:2014)
Digital Video Broadcasting (DVB) – Specification for Service Information (SI) in DVB systems (EN 300 468 V1.14.1:2014)

HRI CEN/CLC/ETSI TR 101550:2014 en pr
Dokumenti relevantni za EN 301 549 „Zahtjevi s obzirom na dostupnost ICT proizvoda i usluga prikladni za javnu nabavu u Europi" (CEN/CLC/ETSI TR 101550:2014)

Documents relevant to EN 301 549 "Accessibility requirements suitable for public procurement of ICT products and services in Europe"
(CEN/CLC/ETSI TR 101550:2014)

HRI CEN/CLC/ETSI/TR 101551:2014 en pr
Smjernice za primjenu kriterija dodjele ugovora koji se odnose na dostupnost ICT proizvoda i usluga u javnim nabavama u Europi (CEN/CLC/ETSI TR 101551:2014)
Guidelines on the use of accessibility award criteria suitable for public procurement of ICT products and services in Europe (CEN/CLC/ETSI TR 101551:2014)

HZN/TO Z1, *Informacijska tehnologija*

HRN EN 16570:2014 en pr
Informacijska tehnologija – Notifikacija RFID-a – Informativna oznaka i dodatne informacije koje trebaju osigurati operatori sustava RFID aplikacije (EN 16570:2014)
Information technology – Notification of RFID – The information sign and additional information to be provided by operators of RFID application systems (EN 16570:2014)

HRN EN 16571:2014 en pr
Informacijska tehnologija – Postupci koji se odnose na RFID, procjena utjecaja na privatnost (EN 16571:2014)
Information technology – RFID privacy impact assessment process (EN 16571:2014)

HRN EN 16656:2014 en pr
Informacijska tehnologija – Radiofrekvencijsko prepoznavanje u rukovođenju artikalima – RFID znak (ISO/IEC 29160:2012, MOD; EN 16656:2014)
Information technology – Radio frequency identification for item management – RFID Emblem
(ISO/IEC 29160:2012, MOD; EN 16656:2014)

HZN/TU A1, *Usluge, proizvodi za kućanstvo i slobodno vrijeme 1*

HRN EN 16489-1:2014 en pr
Usluge profesionalnih solarija – 1. dio: Zahtjevi za pružanje izobrazbe (EN 16489-1:2014)
Professional indoor UV exposure services – Part 1: Requirements for the provision of training
(EN 16489-1:2014)

HZN/TU I2, *Strojarstvo 2*

HRN EN 474-1:2014/Ispr.1:2014 en pr
Strojevi za zemljane radove – Sigurnost – 1. dio: Opći zahtjevi (EN 474-1:2006+A4:2013/AC:2014)
Earth-moving machinery – Safety – Part 1: General requirements (EN 474-1:2006+A4:2013/AC:2014)

HRN EN 12881-1:2014 en pr
Transportne trake – Ispitivanje zapaljivosti simulacijom požara – 1. dio: Ispitivanje propan plamenikom
(EN 12881-1:2014)
Conveyor belts – Fire simulation flammability testing – Part 1: Propane burner tests (EN 12881-1:2014)

HRN EN 16228-1:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 1. dio: Opći zahtjevi (EN 16228-1:2014)
Drilling and foundation equipment – Safety – Part 1: Common requirements (EN 16228-1:2014)

HRN EN 16228-2:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 2. dio: Pokretne bušilice za graditeljstvo i geotehničko inženjerstvo, kamenolome i rudarstvo
(EN 16228-2:2014)
Drilling and foundation equipment – Safety – Part 2: Mobile drill rigs for civil and geotechnical engineering, quarrying and mining (EN 16228-2:2014)

HRN EN 16228-3:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 3. dio: Horizontalno usmjerena oprema za bušenje (HDD) (EN 16228-3:2014)
Drilling and foundation equipment – Safety – Part 3: Horizontal directional drilling equipment (HDD)
(EN 16228-3:2014)

HRN EN 16228-4:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 4. dio: Oprema za izradu temelja (EN 16228-4:2014)
Drilling and foundation equipment – Safety – Part 4: Foundation equipment (EN 16228-4:2014)

HRN EN 16228-5:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 5. dio: Oprema za membranske zidove
(EN 16228-5:2014)
Drilling and foundation equipment – Safety – Part 5: Diaphragm walling equipment (EN 16228-5:2014)

HRN EN 16228-6:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 6. dio: Oprema za mlazno nanošenje i ubrizgavanje
(EN 16228-6:2014)
Drilling and foundation equipment – Safety – Part 6: Jetting, grouting and injection equipment
(EN 16228-6:2014)

HRN EN 16228-7:2014 en pr
Oprema za bušenje i izradu temelja – Sigurnost – 7. dio: Zamjenjiva pomoćna oprema
(EN 16228-7:2014)
Drilling and foundation equipment – Safety – Part 7: Interchangeable auxiliary equipment
(EN 16228-7:2014)

HRN EN ISO 22975-3:2014 en pr
Sunčeva energija – Komponente i materijali za kolektore – 3. dio: Postojanost površine apsorbera (ISO 22975-3:2014; EN ISO 22975-3:2014)
Solar energy – Collector components and materials – Part 3: Absorber surface durability (ISO 22975-3:2014; EN ISO 22975-3:2014)

HZN/TU S1, *Zdravlje, okoliš i medicinska oprema 1*

HRN EN ISO 8871-2:2008/A1:2014 en pr
Elastomerni dijelovi za parenteralne preparate i uređaje za farmaceutsku primjenu – 2. dio: Identifikacija i karakterizacija – Amandman 1
(ISO 8871-2:2003/Amd 1:2005;
EN ISO 8871-2:2004/A1:2014)
Elastomeric parts for parenterals and for devices for pharmaceutical use – Part 2: Identification and characterization – Amendment 1
(ISO 8871-2:2003/Amd 1:2005;
EN ISO 8871-2:2004/A1:2014)

HRN EN ISO 9173-3:2014 en pr
Stomatologija – Kliješta za ekstrakciju – 3. dio: Dizajn (ISO 9173-3:2014; EN ISO 9173-3:2014)
Dentistry – Extraction forceps – Part 3: Design
(ISO 9173-3:2014; EN ISO 9173-3:2014)

HRN EN ISO 11499:2014 en pr
Stomatologija – Jednokratne ampule za lokalnu anesteziju (ISO 11499:2014; EN ISO 11499:2014)
Dentistry – Single-use cartridges for local anaesthetics (ISO 11499:2014; EN ISO 11499:2014)

HRN EN ISO 16635-1:2014 en pr
Stomatologija – Tehnika gumene plahtice (koferdama) – 1. dio: Bušač rupa (ISO 16635-1:2013;
EN ISO 16635-1:2014)
Dentistry – Dental rubber dam technique – Part 1: Hole punch (ISO 16635-1:2013; EN ISO 16635-1:2014)

HRN EN ISO 81060-2:2014 en pr
Neinvazivni sfigmomanometri – 2. dio: Klinička ispitivanja automatiziranih vrsta mjerenja
(ISO 81060-2:2013; EN ISO 81060-2:2014)

Non-invasive sphygmomanometers – Part 2: Clinical investigation of automated measurement type (ISO 81060-2:2013; EN ISO 81060-2:2014)

HZN/TU T1, *Prijevoz, rukovanje materijalima i pakiranje 1*

HRN EN 415-1:2014 en pr
Sigurnost strojeva za pakiranje – 1. dio: Nazivlje i klasifikacija strojeva za pakiranje i pripadajuće opreme (EN 415-1:2014)
Safety of packaging machines – Part 1: Terminology and classification of packaging machines and associated equipment (EN 415-1:2014)

HRN EN ISO 3691-6:2014/Ispr.1:2014 en pr
Industrijski kamioni – Sigurnosni zahtjevi i potvrđivanje – 6. dio: Vozila za prijevoz tereta i osoblja (EN ISO 3691-6:2013/AC:2014)
Industrial trucks – Safety requirements and verification – Part 6: Burden and personnel carriers (EN ISO 3691-6:2013/AC:2014)

HRN EN ISO 4210-1:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 1. dio: Nazivi i definicije (ISO 4210-1:2014; EN ISO 4210-1:2014)
Cycles – Safety requirements for bicycles – Part 1: Terms and definitions (ISO 4210-1:2014; EN ISO 4210-1:2014)

HRN EN ISO 4210-2:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 2. dio: Zahtjevi za gradske bicikle, bicikle za polaganu vožnju, bicikle za mlađe ljude, brdske i trkaće bicikle (ISO 4210-2:2014; EN ISO 4210-2:2014)
Cycles – Safety requirements for bicycles – Part 2: Requirements for city and trekking, young adult, mountain and racing bicycles (ISO 4210-2:2014; EN ISO 4210-2:2014)

HRN EN ISO 4210-3:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 3. dio: Uobičajene metode ispitivanja (ISO 4210-3:2014; EN ISO 4210-3:2014)
Cycles – Safety requirements for bicycles – Part 3: Common test methods (ISO 4210-3:2014; EN ISO 4210-3:2014)

HRN EN ISO 4210-4:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 4. dio: Metode ispitivanja kočenja (ISO 4210-4:2014; EN ISO 4210-4:2014)
Cycles – Safety requirements for bicycles – Part 4: Braking test methods (ISO 4210-4:2014; EN ISO 4210-4:2014)

HRN EN ISO 4210-5:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 5. dio: Metode ispitivanja za upravljanje (ISO 4210-5:2014; EN ISO 4210-5:2014)
Cycles – Safety requirements for bicycles – Part 5: Steering test methods (ISO 4210-5:2014; EN ISO 4210-5:2014)

HRN EN ISO 4210-6:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 6. dio: Metode ispitivanja za okvir i vilicu (ISO 4210-6:2014; EN ISO 4210-6:2014)
Cycles – Safety requirements for bicycles – Part 6: Frame and fork test methods (ISO 4210-6:2014; EN ISO 4210-6:2014)

HRN EN ISO 4210-7:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 7. dio: Metode ispitivanja za kotače i naplatke (ISO 4210-7:2014; EN ISO 4210-7:2014)
Cycles – Safety requirements for bicycles – Part 7: Wheels and rims test methods (ISO 4210-7:2014; EN ISO 4210-7:2014)

HRN EN ISO 4210-8:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 8. dio: Metode ispitivanja za pedale i pogonski sustav (ISO 4210-8:2014; EN ISO 4210-8:2014)
Cycles – Safety requirements for bicycles – Part 8: Pedal and drive system test methods (ISO 4210-8:2014; EN ISO 4210-8:2014)

HRN EN ISO 4210-9:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle – 9. dio: Metode ispitivanja za sjedala i držače sjedala (ISO 4210-9:2014; EN ISO 4210-9:2014)
Cycles – Safety requirements for bicycles – Part 9: Saddles and seat-post test methods (ISO 4210-9:2014; EN ISO 4210-9:2014)

HRN EN ISO 8098:2014 en pr
Bicikli – Sigurnosni zahtjevi za bicikle za malu djecu (ISO 8098:2014; EN ISO 8098:2014)
Cycles – Safety requirements for bicycles for young children (ISO 8098:2014; EN ISO 8098:2014)

HRN EN 12312-2:2014 en pr
Oprema za zemaljsku podršku zrakoplovu – Posebni zahtjevi – 2. dio: Vozilo za catering (EN 12312-2:2014)
Aircraft ground support equipment – Specific requirements – Part 2: Catering vehicles (EN 12312-2:2014)

HRN EN 12312-4:2014 en pr
Oprema za zemaljsku podršku zrakoplovu – Posebni zahtjevi – 4. dio: Mostovi za ukrcaj putnika (EN 12312-4:2014)
Aircraft ground support equipment – Specific requirements – Part 4: Passenger boarding bridges (EN 12312-4:2014)

HRN EN 12312-14:2014 en pr
Oprema za zemaljsku podršku zrakoplovu – Posebni zahtjevi – 14. dio: Isključena/onesposebljena vozila za ukrcaj putnika (EN 12312-14:2014)
Aircraft ground support equipment – Specific requirements – Part 14: Disabled/incapacitated passenger boarding vehicles (EN 12312-14:2014)

HRN EN 16203:2014 en pr
Sigurnost industrijskih kamiona – Dinamičko ispitivanje za provjeru bočne stabilnosti – Čeoni viličari (EN 16203:2014)
Safety of Industrial Trucks – Dynamic tests for verification of lateral stability – Counterbalanced Trucks (EN 16203:2014)

HRN EN 16495:2014 en pr
Upravljanje zračnim prometom – Informacijska sigurnost za organizacije koje pružaju potporu u operacijama civilnog zrakoplovstva (EN 16495:2014)
Air Traffic Management – Information security for organisations supporting civil aviation operations (EN 16495:2014)

HRN EN 16603-10-09:2014 en pr
Svemirsko inženjerstvo – Referentni koordinatni sustav (EN 16603-10-09:2014)
Space engineering – Reference coordinate system (EN 16603-10-09:2014)

HRN EN 16603-10-11:2014 en pr
Svemirsko inženjerstvo – Inženjerstvo ljudskih faktora (EN 16603-10-11:2014)
Space engineering – Human factors engineering (EN 16603-10-11:2014)

HRN EN 16603-10-12:2014 en pr
Svemirsko inženjerstvo – Metode za proračun primljene radijacije i njezinog utjecaja te politika za projektiranje granica (EN 16603-10-12:2014)
Space engineering – Method for the calculation of radiation received and its effects, and a policy for design margins (EN 16603-10-12:2014)

HRN EN 16603-20-06:2014 en pr
Svemirsko inženjerstvo – Električna punjenja i pražnjenja svemirskih letjelica (EN 16603-20-06:2014)
Space engineering – Spacecraft charging (EN 16603-20-06:2014)

HRN EN 16603-20-07:2014 en pr
Svemirsko inženjerstvo – Elektromagnetska kompatibilnost (EN 16603-20-07:2014)
Space engineering – Electromagnetic compatibility (EN 16603-20-07:2014)

HZN/TU U1, *Opća elektrotehnika 1*

HRN EN 60695-2-11:2014 en pr
Ispitivanje na opasnost od požara – Dio 2-11: Ispitne metode na bazi užarene/vruće žice – Ispitna metoda gorivosti užarene žice za krajnje proizvode (GWEPT) (IEC 60695-2-11:2014; EN 60695-2-11:2014)
Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT) (IEC 60695-2-11:2014; EN 60695-2-11:2014)

HZN/TU V1, *Elektronika 1*

HRN EN 60793-2-30:2014 en pr
Optička vlakna – Dio 2-30: Specifikacije proizvoda – Sekcijska specifikacija za vlakna kategorije A3 za višestruki način rada (IEC 60793-2-30:2012; EN 60793-2-30:2013)
Optical fibres – Part 2-30: Product specifications – Sectional specification for category A3 multimode fibres (IEC 60793-2-30:2012; EN 60793-2-30:2013)

HZN/TU W1, *Energetska elektrotehnika 1*

HRN EN 50636-2-91:2014 en pr
Kućanski i slični električni aparati – Sigurnost – Dio 2-91: Posebni zahtjevi za kosilice i rubne kosilice trave rukom držane i s rukovateljem koji hoda (IEC 60335-2-91:2008, MOD; EN 50636-2-91:2014)
Household and similar electrical appliances – Safety – Part 2-91: Particular requirements for walk-behind and hand-held lawn trimmers and lawn edge trimmers (IEC 60335-2-91:2008, MOD; EN 50636-2-91:2014)

HRN EN 61029-2-5:2014 en pr
Sigurnost prijevoznih elektromotornih alata – Dio 2-5: Posebni zahtjevi za tračne pile (IEC 61029-2-5:1993, MOD+am1:2001, MOD; EN 61029-2-5:2011)
Safety of transportable motor-operated electric tools – Part 2-5: Particular requirements for band saws (IEC 61029-2-5:1993, MOD+am1:2001, MOD; EN 61029-2-5:2011)

1.3 Prijedlozi za prihvaćanje stranih norma u izvorniku

Temeljem Zakona o normizaciji (Narodne novine 80/2013) Hrvatski zavod za norme na prijedlog tehničkih odbora objavljuje raspravu o prijedlogu za prihvaćanje stranih norma (međunarodnih, europskih i njemačkih norma) kao hrvatskih norma.
Pisane primjedbe na prijedloge za prihvaćanje norma dostavljaju se Hrvatskome zavodu za norme (uz naznaku tehničkog odbora i referencijsku oznaku norme) u roku od 30 dana od dana objave rasprave u službenom glasilu Hrvatskoga zavoda za norme (HZN e-glasilo).

HZN/TO 8, *Brodogradnja*

FprEN ISO 13297 rev en
Small craft – Electrical systems – Alternating current installations (ISO/FDIS 13297:2014)
Mala plovila – Električni sustavi – Instalacije za izmjeničnu struju (ISO/FDIS 13297:2014)

HZN/TO 21, *Protupožarna i vatrogasna oprema*

prEN 54-13 rev en
Fire detection and fire alarm systems – Part 13: Compatibility and connectability assessment of system components
Sustavi za otkrivanje i dojavu požara – 13. dio: Ocjenjivanje kompatibilnosti dijelova sustava

FprEN 12101-2 en
Smoke and heat control systems – Part 2: Natural smoke and heat exhaust ventilators
Sustavi za upravljanje dimom i toplinom – 2. dio: Specifikacija uređaja za prirodno odvođenje dima i topline

FprEN 12845 en
Fixed firefighting systems – Automatic sprinkler systems – Design, installation and maintenance
Stabilni sustavi za gašenje požara – Sustavi automatskih sprinklera – Projektiranje, ugradnja i održavanje

prEN 16750 en
Fixed firefighting systems – Oxygen reduction systems – Design, installation, planning and maintenance
Stabilni sustavi za gašenje požara – Sustavi sa smanjivanjem koncentracije kisika – Konstrukcija, postavljanje, planiranje i održavanje

HZN/TO 22, *Cestovna vozila*

ISO 2698:2013 en
Diesel engines – Clamp-mounted fuel injectors, types 7 and 28
Dizelski motori – Ubrizgači goriva pričvršćeni stezaljkom, tipovi 7 i 28

ISO 2974:2013 en
Diesel engines – 60 degree female cones for high-pressure fuel injection components
Dizelski motori – Unutarnji (ženski) stošci od 60 stupnjeva za sastavne dijelove ubrizgavanja goriva pod visokim tlakom

ISO 3324-1:2013 en
Aircraft tyres and rims – Part 1: Specifications
Gume i naplatci za zrakoplove – 1. dio: Specifikacije

ISO 3324-2:2013 en
Aircraft tyres and rims – Part 2: Test methods for tyres
Gume i naplatci za zrakoplove – 2. dio: Metode ispitivanja guma

ISO 3560:2013 en
Road vehicles – Frontal fixed barrier or pole impact test procedure
Cestovna vozila – Postupak ispitivanja čelnog udara u nepomičnu zapreku ili u stup

ISO 3888-2:2011 en
Passenger cars – Test track for a severe lane-change manoeuvre – Part 2: Obstacle avoidance
Osobni automobili – Ispitna staza za manevar nagle promjene prometnoga traka – 2. dio: Izbjegavanje zapreke

ISO 4000-1:2013 en
Passenger car tyres and rims – Part 1: Tyres (metric series)
Gume i naplatci za osobne automobile – 1. dio: Gume (milimetarski nizovi)

ISO 4000-2:2013 en
Passenger car tyres and rims – Part 2: Rims
Gume i naplatci za osobne automobile – 2. dio: Naplatci

ISO 6312:2010 en
Road vehicles – Brake linings – Shear test procedure for disc brake pad and drum brake shoe assemblies
Cestovna vozila – Kočničke obloge – Postupak ispitivanja na smik sklopova pločica kočnica s diskom i sklopova papuča kočnica s bubnjem

ISO 10392:2011 en
Road vehicles – Determination of centre of gravity
Cestovna vozila – Određivanje težišta

ISO 10597:2012 en
Road vehicles – Flat attachment fixing nuts for commercial vehicles – Test methods
Cestovna vozila – Matice s ravnim sjedištem za pričvršćenje kod gospodarskih vozila – Metode ispitivanja

ISO 11452-4:2011 en
Road vehicles – Component test methods for electrical disturbances from narrowband radiated electromagnetic energy – Part 4: Harness excitation methods
Cestovna vozila – Metode ispitivanja sastavnica na električne smetnje od uskopojasnoga zračenja elektromagnetske energije – 4. dio: Metode uzbude kabelskoga snopa

ISO 11838:1997/Amd 1:2011 en
Motorcycle and motorcycle-rider kinematics – Vocabulary – Amendment 1
Kinematika motocikla i motociklista – Rječnik – Amandman 1

ISO 12214:2010 en
Road vehicles – Direction-of-motion stereotypes for automotive hand controls
Cestovna vozila – Stereotipni pravci gibanja za ručne upravljačke naprave u automobilu

ISO 12345:2013 en
Diesel engines – Cleanliness assessment of fuel injection equipment
Dizelski motori – Ocjena čistoće opreme za ubrizgavanje goriva

ISO 12357-1:1999+Cor 1:2007 en
Commercial road vehicles – Drawbar couplings and eyes for rigid drawbars – Part 1: Strength tests for general cargo centre-axle trailers
Gospodarska cestovna vozila – Spojnice i ušice ruda za kruta ruda – 1. dio: Ispitivanja čvrstoće za prikolice sa središnjom osovinom za opći teret

ISO 12357-2:2007 en
Commercial road vehicles – Drawbar couplings and eyes for rigid drawbars – Part 2: Strength tests for special applications
Gospodarska cestovna vozila – Spojnice i ušice ruda za kruta ruda – 2. dio: Ispitivanja čvrstoće za posebne primjene

ISO 14229-2:2013 en
Road vehicles – Unified diagnostic services (UDS) – Part 2: Session layer services
Cestovna vozila – Jedinstveno dijagnostičko posluživanje (UDS) – 2. dio: Posluživanje sloja povezivanja

ISO 14230-2:2013 en
Road vehicles – Diagnostic communication over K-line (DoK-Line) – Part 2: Data link layer
Cestovna vozila – Dijagnostička veza preko K-linije (DoK-Line) – 2. dio: Sloj podatkovne veze

ISO 14722:1998/Amd 1:2011 en
Moped and moped-rider kinematics – Vocabulary – Amendment 1
Kinematika mopeda i mopedista – Rječnik – Amandman 1

ISO 15031-6:2010 en
Road vehicles – Communication between vehicle and external equipment for emissions-related diagnostics – Part 6: Diagnostic trouble code definitions
Cestovna vozila – Prijenos podataka između vozila i vanjske opreme za dijagnostiku koja se odnosi na emisiju – 6. dio: Definicije dijagnostičkih kodova pogrešaka

ISO 15031-7:2013 en
Road vehicles – Communication between vehicle and external equipment for emissions-related diagnostics – Part 7: Data link security
Cestovna vozila – Prijenos podataka između vozila i vanjske opreme za dijagnostiku koja se odnosi na emisiju – 7. dio: Sigurnost podatkovne veze

ISO 15037-1:2006 en
Road vehicles – Vehicle dynamics test methods – Part 1: General conditions for passenger cars
Cestovna vozila – Metode ispitivanja dinamike vozila – 1. dio: Opći uvjeti za osobne automobile

ISO 15501-1:2012 en
Road vehicles – Compressed natural gas (CNG) fuel systems – Part 1: Safety requirements
Cestovna vozila – Sustavi za opskrbu stlačenim prirodnim plinom (SPP) – 1. dio: Sigurnosni zahtjevi

ISO 16844-1:2013 en
Road vehicles – Tachograph systems – Part 1: Electrical connectors
Cestovna vozila – Tahografski sustavi – 1. dio: Električni spojnici

HZN/TO 23, *Traktori i strojevi za poljoprivredu i šumarstvo*

prEN ISO 17989-1 en
Tractors and machinery for agriculture and forestry – Sustainability – Part 1: Principles
(ISO/DIS 17989-1:2014)

HZN/TO 28, *Naftni proizvodi i maziva*

prEN 16761-1 en
Automotive fuels – Determination of methanol in automotive ethanol (E85) fuel by gas chromatography – Part 1: Method using single column technique

prEN 16761-2 en
Automotive fuels – Determination of methanol in automotive ethanol (E85) fuel by gas chromatography – Part 2: Method using heart cut technique

HZN/TO 34/PO 4, Poljoprivredni i prehrambeni proizvodi; Žito i proizvodi od žita

FprEN ISO 5530-1 en
Wheat flour – Physical characteristics of doughs – Part 1: Determination of water absorption and rheological properties using a farinograph
(ISO 5530-1:2013)
Pšenično brašno – Fizikalna svojstva tijesta – 1. dio: Određivanje apsorpcije vode i reoloških svojstava farinografom (ISO 5530-1:2013)

FprEN ISO 5530-2 en
Wheat flour – Physical characteristics of doughs – Part 2: Determination of rheological properties using an extensograph (ISO 5530-2:2012)
Pšenično brašno – Fizikalna svojstva tijesta – 2. dio: Određivanje reoloških svojstava ekstenzografom (ISO 5530-2:2012)

FprEN ISO 17715 en
Flour from wheat (Triticum aestivum L.) – Amperometric method for starch damage measurement (ISO 17715:2013)
Pšenično brašno (Triticum aestivum L.) – Amperometrijska metoda mjerenja oštećenja škroba (ISO 17715:2013)

FprEN ISO 17718 en
Wholemeal and flour from wheat (Triticum aestivum L.) – Determination of rheological behaviour as a function of mixing and temperature increase (ISO 17718:2013)
Neprosijano i pšenično brašno (Triticum aestivum L.) – Određivanje reoloških karakteristika kao funkcije miješanja i povećanja temperature (ISO 17718:2013)

HZN/TO 35, *Boje i lakovi*

prEN ISO 4628-1 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects; and of intensity of uniform changes in appearance – Part 1: General introduction and designation system (ISO/DIS 4628-1:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 1. dio: Opći uvod i sustav označivanja (ISO/DIS 4628-1:2014)

prEN ISO 4628-2 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 2: Assessment of degree of blistering (ISO/DIS 4628-2:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 2. dio: Ocjena stupnja mjehuranja (ISO/DIS 4628-2:2014)

prEN ISO 4628-3 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 3: Assessment of degree of rusting (ISO/DIS 4628-3:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 3. dio: Ocjena stupnja hrđanja (ISO/DIS 4628-3:2014)

prEN ISO 4628-4 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 4: Assessment of degree of cracking (ISO/DIS 4628-4:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 4. dio: Ocjena stupnja raspucavanja (ISO/DIS 4628-4:2014)

prEN ISO 4628-5 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 5: Assessment of degree of flaking (ISO/DIS 4628-5:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 5. dio: Ocjena stupnja ljuštenja (ISO/DIS 4628-5:2014)

prEN ISO 4628-7 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 7: Assessment of degree of chalking by velvet method (ISO/DIS 4628-7:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 7. dio: Ocjena stupnja kredanja primjenom baršunaste tkanine (ISO/DIS 4628-7:2014)

prEN ISO 4628-10 en
Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects; and of intensity of uniform changes in appearance – Part 10: Assessment of degree of filiform corrosion (ISO/DIS 4628-10:2014)
Boje i lakovi – Procjena propadanja prevlaka – Označivanje količine i veličine grešaka i intenzivnosti jednoličnih promjena izgleda – 10. dio: Ocjena stupnja nitaste korozije (ISO/DIS 4628-10:2014)

prEN ISO 7784-1 rev en
Paints and varnishes – Determination of resistance to abrasion – Part 1: Method with abrasive-paper covered wheels and rotating test panel (ISO/DIS 7784-1:2014)
Boje i lakovi – Određivanje otpornosti na habanje – 1. dio: Metoda s rotirajućim kotačem pokrivenim abrazivnim papirom (ISO/DIS 7784-1:2014)

prEN ISO 7784-2 rev en
Paints and varnishes – Determination of resistance to abrasion – Part 2: Method with abrasive rubber wheels and rotating test panel (ISO/DIS 7784-2:2014)
Boje i lakovi – Određivanje otpornosti na habanje – 2. dio: Metoda s rotirajućim abrazivnim gumenim kotačem (ISO/DIS 7784-2:2014)

HZN/TO 43, *Akustika*

prEN ISO 16283-3 en
Acoustics – Field measurement of sound insulation in buildings and of building elements – Part 3: Facade sound insulation (ISO/DIS 16283-3:2014)
Akustika – Terensko mjerenje zvučne izolacije zgrada i građevnih dijelova zgrade – 3. dio: Zvučna izolacija fasada (ISO/DIS 16283-3:2014)

HZN/TO 44, *Zavarivanje i srodni postupci*

prEN ISO 14270 en
Resistance welding – Destructive testing of welds – Specimen dimensions and procedure for mechanized peel testing resistance spot, seam and embossed projection welds (ISO/DIS 14270:2014)
Elektrootporno zavarivanje – Razorno ispitivanje zavara – Dimenzije uzoraka i postupak mehaniziranog ispitivanja na ljuštenje točkastih, šavnih i utisnutih bradavičastih elektrootporno zavarenih spojeva (ISO/DIS 14270:2014)

HZN/TO 46, *Bibliotekarstvo, dokumentacija i informacije*

ISO 11620:2014 en
Information and documentation – Library performance indicators
Informacije i dokumentacija – Pokazatelji učinka knjižnice

ISO 12651-1:2012 en
Electronic document management – Vocabulary – Part 1: Electronic document imaging
Elektroničko upravljanje dokumentima – Terminološki rječnik – 1. dio: elektronički slikovni dokumenti

EN 15943:2011 en
Curriculum Exchange Format (CEF) – Data model
Format za razmjenu nastavnih programa (CEF) – Model podataka

EN 15982:2011 en
Metadata for Learning Opportunities (MLO) – Advertising
Metapodaci za mogućnosti školovanja (MLO) – Promidžba

ISO 16439:2014 en
Information and documentation – Methods and procedures for assessing the impact of libraries
Informacije i dokumentacija – Metode i procesi za provjeru utjecaja knjižnica

EN ISO/IEC 19796-1:2009 en
Information technology – Learning, education and training – Quality management, assurance and metrics – Part 1: General approach (ISO/IEC 19796-1:2005)
Informacijska tehnologija – Učenje, obrazovanje i obučavanje – Upravljanje kvalitetom, jamstvo i metrika – 1. dio: Opći pristup (ISO/IEC 19796-1:2005)

HZN/TO 74, *Cement i vapno*

prEN 197-1 rev en
Cement – Part 1: Composition, specifications and conformity criteria for common cements
Cement – 1. dio: Sastav, specifikacije i kriteriji sukladnosti cementa opće namjene

HZN/TO 86, *Uređaji za hlađenje, klimatizaciju i dizalice topline*

prEN 16754 en
Artisan Gelato and ice cream machinery – Performance characteristics and energy consumption
Strojevi za talijaski i obični sladoled – Radne značajke i potrošnja energije

prEN 16764 en
Soft ice cream machines – Performance and evaluation of energy consumption
Strojevi za sladoled i ledene deserte – Značajke i procjena potrošnje energije

HZN/TO 89, *Furniri i drvne ploče*

prEN ISO 12460-4 en
Wood-based panels – Determination of formaldehyde release – Part 4: Desiccator method (ISO/DIS 12460-4:2014)

HZN/TO 92, *Zaštita od požara*

EN 13823:2010/FprA1 en
Reaction to fire tests for building products – Building products excluding floorings exposed to the thermal attack by a single burning item
Ispitivanja reakcije na požar građevnih proizvoda – Građevni proizvodi osim podnih obloga izloženi termičkom opterećenju pojedinačno gorućeg elementa (SBI)

HZN/TO 120, *Koža i obuća*

prEN ISO 19070 en
Leather – Chemical determination of N-methyl-2-pyrrolidone (NMP) in leather (ISO/DIS 19070:2014)

prEN ISO 19071 en
Leather – Chemical tests – Determination of Chromium (VI) and the reductive potential for chromium tanning agents (ISO/DIS 19071:2014)

HZN/TO 121, *Anestetička i respiracijska oprema*

EN 1865-2:2010/FprA1 en
Patient handling equipment used in road ambulances – Part 2: Power assisted stretcher
Oprema za postupanje s bolesnikom koja se upotrebljava u cestovnim ambulantnim vozilima – 2. dio: Ležaj s pogonom

EN 1865-3:2012/FprA1 en
Patient handling equipment used in road ambulances – Part 3: Heavy duty stretcher
Oprema za postupanje s bolesnikom koja se upotrebljava u cestovnim ambulantnim vozilima – 3. dio: Ležaj s pojačanim osobinama

HZN/TO 130, *Grafička tehnologija*

ISO 12635:2008 en
Graphic technology – Plates for offset printing – Dimensions
Grafička tehnologija – Ploče za ofsetni tisak – Dimenzije

ISO 12642-1:2011 en
Graphic technology – Input data for characterization of four-colour process printing – Part 1: Initial data set
Grafička tehnologija – Ulazni podaci za opisivanje četverobojnoga procesnog otiskivanja – 1. dio: Početni podaci

ISO 12643-1:2009 en
Graphic technology – Safety requirements for graphic technology equipment and systems – Part 1: General requirements
Grafička tehnologija – Sigurnosni zahtjevi za grafičku opremu i sustave – 1. dio: Opći zahtjevi

ISO 12646:2008 en
Graphic technology – Displays for colour proofing – Characteristics and viewing conditions
Grafička tehnologija – Monitorski prikaz u svrhu korekcije boja – Karakteristike i uvjeti za vizualni pregled

ISO 12647-1:2013 en
Graphic technology – Process control for the production of half-tone colour separations, proof and production prints – Part 1: Parameters and measurement methods
Grafička tehnologija – Kontrola postupaka za proizvodnju rasterskih izvadaka, probnog i proizvodnog otiska – 1. dio: Parametri i postupci mjerenja

ISO 12647-2:2013 en
Graphic technology – Process control for the production of half-tone colour separations, proof and production prints – Part 2: Offset lithographic processes
Grafička tehnologija – Kontrola postupaka za kontrolu rasterskih izvadaka, probnog i proizvodnog otiska – 2. dio: Ofsetni litografski tisak

ISO 12647-3:2013 en
Graphic technology – Process control for the production of half-tone colour separations, proofs and production prints – Part 3: Coldset offset lithography on newsprint
Grafička tehnologija – Kontrola postupaka za kontrolu rasterskih izvadaka, probnog i proizvodnog otiska – 3. dio: Novinski ofsetni tisak

ISO 13655:2009 en
Graphic technology– Spectral measurement and colorimetric computation for graphic arts images
Grafička tehnologija – Spektralna mjerenja i kolorimetrijsko određivanje za grafičke reprodukcije

HZN/TO 138, *Plastične cijevi, spojnice i ventili za prijenos tekućina*

prEN 15013 en
Plastics piping systems – Non-pressure drainage and sewerage piping components buried in ground – Requirements and test/assessment methods for pipes and fittings
Plastični cijevni sustavi – Sastavnice cjevovoda za netlačnu podzemnu odvodnju i kanalizaciju – Zahtjevi i metode ispitivanja/ocjenjivanja cijevi i spojnica

prEN 15014 en
Plastics piping systems – Buried and above ground piping components for water under pressure – Requirements and test/assessment methods for pipes and fittings
Plastični cijevni sustavi – Sastavnice tlačnih podzemnih i nadzemnih cjevovoda za vodu – Zahtjevi i metode ispitivanja/ocjenjivanja cijevi i spojnica

HZN/TO 145, *Grafički simboli*

ISO 7001:2007/Amd 1:2013 en
Graphical symbols – Public information symbols
Grafički simboli – Simboli javnog obavješćivanja

ISO 7001:2007/Amd 1:2013/Cor 1:2014 en
Graphical symbols – Public information symbols
Grafički simboli – Simboli javnog obavješćivanja

HZN/TO 146, *Kvaliteta zraka*

EN 482:2012/prA1 en
Workplace exposure – General requirements for the performance of procedures for the measurement of chemical agents
Profesionalna izloženost – Opći zahtjevi za provođenje postupaka mjerenja kemijskih tvari

HZN/TO 147/PO 2, Kvaliteta vode; Fizikalno-kemijske metode ispitivanja

ISO 9696:2007 en
Water quality – Measurement of gross alpha activity in non-saline water – Thick source method
Kvaliteta vode – Mjerenje ukupne alfa aktivnosti u slatkoj vodi – Metoda debelog izvora

ISO 9697:2008 en
Water quality – Measurement of gross beta activity in non-saline water – Thick source method
Kvaliteta vode – Mjerenje ukupne beta aktivnosti u slatkoj vodi – Metoda debelog izvora

ISO 9698:2010 en
Water quality – Determination of tritium activity concentration – Liquid scintillation counting method
Kvaliteta vode – Određivanje koncentracije aktivnosti tricija – Metoda tekućinske scintilacije

ISO 10703:2007 en
Water quality – Determination of the activity concentration of radionuclides – Method by high resolution gamma-ray spectrometry
Kvaliteta vode – Određivanje koncentracije aktivnosti radionuklida – Metoda visokorezolucijske gama-spektrometrije

ISO 10704:2009 en
Water quality – Measurement of gross alpha and gross beta activity in non-saline water – Thin source deposit method
Kvaliteta vode – Mjerenje ukupne alfa i ukupne beta aktivnosti u slatkoj vodi – Metoda depozicije tankog izvora

ISO 11704:2010 en
Water quality – Measurement of gross alpha and beta activity concentration in non-saline water – Liquid scintillation counting method
Kvaliteta vode – Mjerenje ukupne alfa i beta koncentracije aktivnosti u slatkoj vodi – Metoda tekućinske scintilacije

ISO 13160:2012 en
Water quality – Strontium 90 and strontium 89 – Test methods using liquid scintillation counting or proportional counting
Kvaliteta vode – Stroncij-90 i stroncij-89 – Metoda ispitivanja s upotrebom tekućinske scintilacije ili proporcionalnog brojenja

ISO 13161:2011 en
Water quality – Measurement of polonium 210 activity concentration in water by alpha spectrometry
Kvaliteta vode – Mjerenje koncentracije aktivnosti polonija-210 u vodi alfa-spektrometrijom

ISO 13163:2013 en
Water quality – Lead-210 – Test method using liquid scintillation counting
Kvaliteta vode – Olovo-210 – Metoda ispitivanja s upotrebom tekućinske scintilacije

ISO 13164-1:2013 en
Water quality – Radon-222 – Part 1: General principles
Kvaliteta vode – Radon-222 – 1. dio: Opća načela

ISO 13164-2:2013 en
Water quality – Radon-222 – Part 2: Test method using gamma-ray spectrometry
Kvaliteta vode – Radon-222 – 2. dio: Metoda ispitivanja s upotrebom gama-spektrometrije

ISO 13164-3:2013 en
Water quality – Radon-222 – Part 3: Test method using emanometry
Kvaliteta vode – Radon-222 – 3. dio: Metoda ispitivanja s upotrebom emanometrije

ISO 13165-1:2013 en
Water quality – Radium-226 – Part 1: Test method using liquid scintillation counting
Kvaliteta vode – Radij-226 – 1. dio: Metoda ispitivanja s upotrebom tekućinske scintilacije

ISO 13166:2014 en
Water quality – Uranium isotopes – Test method using alpha-spectrometry
Kvaliteta vode – Izotopi urana – Metoda ispitivanja s upotrebom alfa-spektrometrije

HZN/TO 147/PO 7, Kvaliteta vode; Mikrobiološka i biološka ispitivanja

prEN 16772 en
Water quality – Guidance on methods for sampling invertebrates in the hyporheic zone of rivers
Kvaliteta vode – Upute za metode uzorkovanja beskralježnjaka u hiporeičkoj zoni rijeka

HZN/TO 163, *Toplinska izolacija*

EN 16012:2012/FprA1 en
Thermal insulation for buildings – Reflective insulation products – Determination of the declared thermal performance
Toplinska izolacija za zgrade – Reflektirajući izolacijski proizvodi – Određivanje deklariranoga toplinskog svojstva

HZN/TO 165, *Drvene konstrukcije*

prEN 14081-1 en
Timber structures – Strength graded structural timber with rectangular cross section – Part 1: General requirements

Drvene konstrukcije – Konstrukcijsko drvo pravokutnoga poprečnog presjeka razvrstano prema čvrstoći – 1. dio: Opći zahtjevi

FprEN 14732 en
Timber structures – Structural prefabricated wall; floor and roof elements – Requirements
Drvene konstrukcije – Predgotovljeni zidni, podni i krovni elementi – Zahtjevi

HZN/TO 172, *Optika i optički instrumenti*

prEN ISO 10938 rev en
Ophthalmic optics – Chart displays for visual acuity measurements – Printed, projected and electronic (ISO/DIS 10938:2014)

HZN/TO 181, *Sigurnost igračaka i proizvodi za djecu*

FprEN 71-1 en
Safety of toys – Part 1: Mechanical and physical properties
Sigurnost igračaka – 1. dio: Mehanička i fizikalna svojstva

CEN/TR 15371:2014 en
Safety of toys – Replies to requests for interpretation of EN 71-1, EN 71-2 and EN 71-8
Sigurnost igračaka – Odgovori na upite povezane s tumačenjem EN 71-1, EN 71-2 i EN 71-8

HZN/TO 182, *Geotehničke konstrukcije*

prEN ISO 17892-3 en
Geotechnical investigation and testing – Laboratory testing of soil – Part 3: Determination of particle density (ISO/DIS 17892-3:2014)
Geotehničko istraživanje i ispitivanje – Laboratorijsko ispitivanje tla – 3. dio: Određivanje gustoće čvrstih čestica (ISO/DIS 17892-3:2014)

prEN ISO 17892-4 en
Geotechnical investigation and testing – Laboratory testing of soil – Part 4: Determination of particle size distribution (ISO/DIS 17892-4:2014)
Geotehničko istraživanje i ispitivanje – Laboratorijsko ispitivanje tla – 4. dio: Određivanje granulometrijskog sastava (ISO/DIS 17892-4:2014)

HZN/TO 190, *Kvaliteta tla*

ISO 11262:2011 en
Soil quality – Determination of total cyanide
Kvaliteta tla – Određivanje ukupnih cijanida

HZN/TO 218, *Drvo*

prEN 16755 en
Durability of reaction to fire performance – Classes of fire-retardant treated wood products in interior and exterior end use applications

HZN/TO 219, *Podne obloge*

prEN 1815 rev en
Resilient and laminate floor coverings – Assessment of static electrical propensity
Elastične i laminatne podne obloge – Ocjena sklonosti prema statičkom elektricitetu

FprEN 13553 en
Resilient floor coverings – Polyvinyl chloride floor coverings for use in special wet areas – Specification
Elastične podne obloge – Poli(vinil-kloridne) podne obloge za uporabu u izrazito mokrim prostorima – Specifikacija

FprEN 14159 en
Textile floor coverings – Requirements for tolerances on (linear) dimensions of rugs, runners, carpet tiles and wall-to-wall carpet and for tolerances on pattern repeat
Tekstilne podne obloge – Zahtjev za odstupanje (linearnih) dimenzija tepiha, staza, ploča od tepisona i tepisona od zida do zida i za odstupanja od ponavljanja uzoraka

HZN/TO 221, *Geosintetici*

prEN ISO 9863-1 rev en
Geosynthetics – Determination of thickness at specified pressures – Part 1: Single layers
Geosintetici – Određivanje debljine pri određenim tlakovima – 1. dio: Jednoslojni

EN 13249:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in the construction of roads and other trafficked areas (excluding railways and asphalt inclusion)
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji cesta i ostalih prometnih površina (izuzimaju se željeznice i asfaltni sojevi)

EN 13250:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in the construction of railways
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji željeznica

EN 13251:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in earthworks, foundations and retaining structures
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izvođenju zemljanih radova, temelja i potpornih konstrukcija

EN 13252:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in drainage systems
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu u drenažnim sustavima

EN 13253:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in erosion control works (coastal protection, bank revetments)
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu u zaštiti od erozije (zaštita obale, obaloutvrde)

EN 13254:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in the construction of reservoirs and dams
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji akumulacijskih jezera i brana

EN 13255:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in the construction of canals
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji kanala

EN 13256:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in the construction of tunnels and underground structures
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji tunela i podzemnih građevina

EN 13257:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in solid waste disposals
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu u odlagalištima krutog otpada

EN 13265:2014/FprA1 en
Geotextiles and geotextile-related products – Characteristics required for use in liquid waste containment projects
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu u odlagalištima tekućeg otpada

HZN/TO 502, *Plinski uređaji*

prEN 203-2-8 rev en
Gas heated catering equipment – Part 2-8: Specific requirements – Brat pans and paëlla cookers
Plinski uređaji za velike kuhinje – Dio 2-8: Posebni zahtjevi – Nagibne tave i specijalne tave za kuhanje riže

HZN/TO 503, *Metalni materijali*

prEN ISO 4946 en
Steel and cast iron – Determination of copper content – 2,2'-Diquinolyl spectrophotometric method (ISO/DIS 4946:2014)
Čelik i željezni lijev – Određivanje sadržaja bakra – 2,2'-diquinolyl spektrofotometrijska metoda (ISO/DIS 4946:2014)

FprEN ISO 6149-4 en
Connections for fluid power and general use – Ports and stud ends with ISO 261 metric threads and O-ring sealing – Part 4: Dimensions, design, test methods and requirements for external hex and internal hex port plugs (ISO 6149-4:2006)
Priključci za hidraulične tekućine za prijenos snage i opću namjenu – Otvori i čepovi s ISO 261 metričkim navojima i brtvljenjem pomoću O-prstena – 4. dio: Dimenzije, konstrukcija, metode ispitivanja i zahtjevi za vanjske i unutrašnje šesterokutne čepove (ISO 6149-4:2006)

prEN 10205 rev en
Cold reduced tinmill products – Blackplate

FprEN 10217-7 en
Welded steel tubes for pressure purposes – Technical delivery conditions – Part 7: Stainless steel tubes
Zavarene čelične cijevi za tlačne namjene – Tehnički uvjeti isporuke – 7. dio: Cijevi od nehrđajućih čelika

prEN 10363 en
Continuously hot-rolled patterned steel strip and plate/sheet cut from wide strip – Tolerances on dimensions and shape

prEN 12392 en
Aluminium and aluminium alloys – Wrought products and cast products – Special requirements for products intended for the production of pressure equipment

HZN/TO 504, *Korozija i zaštita metala i legura*

prEN ISO 6509-2 en
Corrosion of metals and alloys – Determination of dezincification resistance of copper alloys with zinc – Part 2: Acceptance criteria (ISO/DIS 6509-2:2014)

FprEN ISO 7539-10 en
Corrosion of metals and alloys – Stress corrosion testing – Part 10: Reverse U-bend method (ISO 7539-10:2013)

FprEN ISO 7539-11 en
Corrosion of metals and alloys – Stress corrosion cracking – Part 11: Guidelines for testing the resistance of metals and alloys to hydrogen embrittlement and hydrogen-assisted cracking (ISO 7539-11:2013)

HZN/TO 505, *Prijenos i distribucija plina*

prEN 1473 en
Installation and equipment for liquefied natural gas – Design of onshore installations
Instalacije i oprema za ukapljeni prirodni plin – Projektiranje instalacija na obali

prEN 1918-1 en
Gas infrastructure – Underground gas storage – Part 1: Functional requirements for storage in aquifers

prEN 1918-2 en
Gas infrastructure – Underground gas storage – Part 2: Functional requirements for storage in oil and gas fields

prEN 1918-3 en
Gas infrastructure – Underground gas storage – Part 3: Functional requirements for storage in solution-mined salt caverns

prEN 1918-4 en
Gas infrastructure – Underground gas storage – Part 4: Functional requirements for storage in rock caverns

prEN 1918-5 en
Gas infrastructure – Underground gas storage – Part 5: Functional requirements for surface facilities

prEN 16726 en
Gas infrastructure – Quality of gas – Group H

HZN/TO 506, *Materijali, oprema i konstrukcije za naftnu industriju, prirodni plin i geotermalnu vodu*

prEN ISO 19901-3 rev en
Petroleum and natural gas industries – Specific requirements for offshore structures – Part 3: Topsides structure (ISO/DIS 19901-3:2014)
Industrija nafte i prirodnoga plina – Posebni zahtjevi za odobalne objekte – 3. dio: Konstrukcije na platformi (ISO/DIS 19901-3:2014)

HZN/TO 509, *Cestovna oprema*

FprEN 1793-4 en
Road traffic noise reducing devices – Test method for determining the acoustic performance – Part 4: Intrinsic characteristics – In situ values of sound diffraction
Barijere za zaštitu od buke s cesta – Ispitne metode za određivanje akustičnih svojstava – 4. dio: Osnovne značajke – In situ vrijednosti difrakcije zvuka

FprEN 14388 en
Road traffic noise reducing devices – Specifications
Barijere za zaštitu od buke s cesta – Specifikacije

HZN/TO 513, *Mjerne jedinice i mjerila*

ISO 1100-2:2010 en
Hydrometry – Measurement of liquid flow in open channels – Part 2: Determination of the stage-discharge relationship
Hidrometrija – Mjerenje protoka tekućina u otvorenim kanalima – 2. dio: Određivanje protočne krivulje

prEN 1359 en
Gas meters – Diaphragm gas meters
Plinomjeri – Membranski plinomjeri

ISO 2425:2010 en
Measurement of liquid flow in open channels under tidal conditions
Mjerenje protoka u otvorenim kanalima pod utjecajem plime

ISO 3310-2:2013 en
Test sieves – Technical requirements and testing – Part 2: Test sieves of perforated metal plate
Ispitna sita – Tehnički zahtjevi i ispitivanja – 2. dio: Ispitna sita izrađena od perforiranih metalnih ploča

ISO 4359:2013 en
Liquid flow measurement in open channels – Rectangular, trapezoidal and U-shaped flumes
Mjerenje protoka tekućine u otvorenim kanalima – Pravokutna, trapezna i U-oblikovana suženja toka

ISO 4369:1979 en
Measurement of liquid flow in open channels – Moving-boat method
Mjerenje protoka tekućina u otvorenim kanalima – Metoda pokretnog čamca

ISO 4377:2012 en
Hydrometric determinations – Flow measurement in open channels using structures – Flat-V weirs
Hidrometrijska određivanja – Mjerenje protoka u otvorenim kanalima uporabom građevinskih objekata – Položeni-V preljevi

ISO 9276-2:2014 en
Representation of results of particle size analysis – Part 2: Calculation of average particle sizes/diameters and moments from particle size distributions
Prikaz rezultata analize veličine čestica – 2. dio: Izračunavanja srednje veličine čestica/promjera i momenata na temelju razdiobe veličine čestica

ISO 9276-3:2008 en
Representation of results of particle size analysis – Part 3: Adjustment of an experimental curve to a reference model
Prikaz rezultata analize veličine čestica – 3. dio: Prilagođavanje eksperimentalne krivulje referencijskom modelu

ISO 9276-6:2008 en
Representation of results of particle size analysis – Part 6: Decriptive and quantitative representation of particle shape and morphology
Prikaz rezultata analize veličine čestica – 6. dio: Opisno i kvantitativno prikazivanje oblika i morfologije čestice

FprEN 12480 en
Gas meters – Rotary displacement gas meters
Plinomjeri – Plinomjeri s rotacijskim klipovima

ISO 13359:1998 en
Measurement of conductive liquid flow in closed conduits – Flanged electromagnetic flowmeters – Overall length
Mjerenje protoka vodljivih tekućina u zatvorenim cjevovodima – Bočni elektromagnetski uređaji za mjerenje toka – Cjelokupna duljina

ISO 15769:2010 en
Hydrometry – Guidelines for the application of acoustic velocity meters using the Doppler and echo correlation methods
Hidrometrija – Smjernice za primjenu mjerila brzine zvuka pomoću korelacijskih metoda utemeljenih na Dopplerovom principu i principu zvučnog odjeka

HZN/TO 518, *Podovi, stropovi i zidne obloge*

FprEN 13892-3 en
Methods of test for screed materials – Part 3: Determination of wear resistance – Böhme
Mtode ispitivanja za materijale za in situ podove (estrihe) – 3. dio: Određivanje otpornosti na habanje-Böhme

HZN/TO 519, *Adhezivi*

FprEN 15307 rev en
Adhesives for leather and footwear materials – Sole-upper bonds – Minimum strength requirements
Adhezivi za kožu i materijale za obuću – Spajanje đon-gornjište – Zahtjevi minimalne čvrstoće

HZN/TO 522, *Karakterizacija i zbrinjavanje otpada*

EN 1501-1:2011/FprA1 en
Refuse collection vehicles – General requirements and safety requirements – Part 1: Rear loaded refuse collection vehicles
Vozila za skupljanje otpada – Opći i sigurnosni zahtjevi – 1. dio: Vozila za skupljanje otpada sa stražnjim punjenjem

HZN/TO 525, *Hidroizolacijski materijali i proizvodi za pokrivanje krovova*

EN 12326-1:2014 en
Slate and stone for discontinuous roofing and external cladding – Part 1: Specifications for slate and carbonate slate
Škriljevac i prirodni kamen za preklopno pokrivanje krovova i vanjsko oblaganje zidova – 1. dio: Specifikacija proizvoda

EN 15814:2011/FprA2 en
Polymer modified bituminous thick coatings for waterproofing – Definitions and requirements
Polimerom modificirani bitumenski debeloslojni premazi za hidroizolaciju – Definicije i zahtjevi

EN 16153:2013/FprA1 en
Light transmitting flat multiwall polycarbonate (PC) sheets for internal and external use in roofs, walls and ceilings – Requirements and test methods
Prozirne ravne višeslojne polikarbonatne (PC) trake za unutrašnju i vanjsku upotrebu na krovovima, zidovima i stropovima – Zahtjevi i metode ispitivanja

HZN/TO 528, *Oprema za željeznice*

prEN 13232-2 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 2: Requirements for geometric design
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 2. dio: Zahtjevi za geometrijsko oblikovanje

prEN 13232-3 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 3: Requirements for wheel/rail interaction
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 3. dio: Zahtjevi za uzajamno djelovanje kotača i tračnice

prEN 13232-4 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 4: Actuation, locking and detection
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 4. dio: Postavljanje, zaključavanje i kontrola položaja

prEN 13232-5 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 5: Switches

prEN 13232-6 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 6: Fixed common and obtuse crossings
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 6. dio: Nepomična obična i dvostruka srca

prEN 13232-7 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 7: Crossings with moveable parts
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 7. dio: Srca s pomičnim dijelovima

prEN 13232-8 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 8: Expansion devices
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 8. dio: Dilatacijske naprave

prEN 13232-9 rev en
Railway applications – Track – Switches and crossings for Vignole rails – Part 9: Layouts
Oprema za željeznice – Željeznički gornji ustroj – Skretnice i križišta s Vignolovim tračnicama – 9. dio: Sklapanje

prEN 14033-1 rev en
Railway applications – Track – Railbound construction and maintenance machines – Part 1: Technical requirements for running
Oprema za željeznice – Željeznički gornji ustroj – Kolosiječni strojevi za gradnju i održavanje – 1. dio: Tehnički zahtjevi za vožnju

prEN 14033-2 rev en
Railway applications – Track – Railbound construction and maintenance machines – Part 2: Technical requirements for travelling and working
Oprema za željeznice – Željeznički gornji ustroj – Kolosiječni strojevi za gradnju i održavanje – 2. dio: Tehnički zahtjevi za rad

prEN 14033-3 rev en
Railway applications – Track – Railbound construction and maintenance machines – Part 3: General safety requirements
Oprema za željeznice – Željeznički gornji ustroj – Kolosiječni strojevi za gradnju i održavanje – 3. dio: Opći sigurnosni zahtjevi

HZN/TO 529, *Granici, dizalice i prenosila neprekidne dobave*

EN 12999:2011+A1:2012/prA2 en
Cranes – Loader cranes
Granici – Pretovarni granici

HZN/TO 531, *Plastika i guma*

prEN 527-2 rev en
Office furniture – Work tables – Part 2: Strength, durability and safety requirements

EN 13765:2010/FprA1 en
Thermoplastic multi-layer (non-vulcanized) hoses and hose assemblies for the transfer of hydrocarbons, solvents and chemicals – Specification
Plastomerna višeslojna neumrežena crijeva i crijevni pribori za prijenos ugljikovodika, otapala i kemikalija – Specifikacija

HZN/TO 532, *Dimnjaci*

EN 14471:2013/FprA1 en
Chimneys – System chimneys with plastic flue liners – Requirements and test methods
Dimnjaci – Sustavi dimnjaka s plastičnim dimovodnim cijevima – Zahtjevi i metode ispitivanja

HZN/TO 534, *Spremnici za teret*

prEN 13121-3 rev en
GRP tanks and vessels for use above ground – Part 3: Design and workmanship
Spremnici i posude iz plastike ojačane staklenim vlaknima (GRP) za nadzemnu upotrebu – 3. dio: Projektiranje i izrada

HZN/TO 536, *Vrata, prozori i staklo u graditeljstvu*

prEN 13119 en
Curtain walling – Terminology
Ovješene fasade – Nazivlje

prEN 14019 en
Curtain Walling – Impact resistance – Performance requirements
Ovješene fasade – Otpornost na udar – Izvedbena svojstva

prEN 16758 en
Curtain walling – Determination of the strength of sheared connections – Test method and requirements
Ovješene fasade – Određivanje čvrstoće posmičnih veza – Zahtjevi i metoda ispitivanja

prEN 16759 en
Structural Sealant Glazing Systems (SSGS)
Sustavi konstrukcijskih brtvila

HZN/TO 537, *Tehnički crteži, dimenzijske i geometrijske specifikacije, opis proizvoda i odgovarajuća dokumentacija*

ISO 128-24:2014 en
Technical drawings – General principles of presentation – Part 24: Lines on mechanical engineering drawings
Tehnički crteži – Opća načela prikazivanja – 24. dio: Crte na crtežima u strojarstvu

prEN ISO 1938-2 en
Geometrical product specifications (GPS) – Dimensional measuring equipment – Part 2: Reference disk gauges (ISO/DIS 1938-2:2014)

ISO 7573:2008 en
Technical product documentation – Parts lists
Tehnička dokumentacija proizvoda – Sastavnice

ISO 14617-1:2005 en
Graphical symbols for diagrams – Part 1: General information and indexes
Grafički simboli za shematske crteže – 1. dio: Opće informacije i indeksi

prEN ISO 18391 en
Geometrical product specification (GPS) – Population specification (ISO/DIS 18391:2014)

HZN/TO 541, *Sustavi grijanja, ventilacije i klimatizacije u građevinama*

prEN 16480 en
Pumps – Minimum required efficiency of rotodynamic water pumps
Pumpe – Minimalni potrebni zahtjevi za rotacijske pumpe za vodu

prEN 16752 en
CENtrifugal pumps – Test procedure for seal packings
CENtrifugalne pumpe – Postupak ispitivanja brtvenih pakiranja

HZN/TO 543, *Poštanske usluge*

prEN 14534 en
Postal services – Quality of service – Measurement of the transit time of end-to-end services for bulk mail
Poštanske usluge – Kvaliteta usluga – Mjerenje vremena prijenosa pošiljaka u velikim količinama od prijama do uručenja

HZN/TO 550, *Opskrba vodom*

prEN 902 en
Chemicals used for treatment of water intended for human consumption – Hydrogen peroxide
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Vodikov peroksid

prEN 938 en
Chemicals used for treatment of water intended for human consumption – Sodium chlorite
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Natrijev klorit

prEN 939 en
Chemicals used for treatment of water intended for human consumption – Hydrochloric acid
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Klorovodična kiselina

EN 1018:2013/FprA1 en
Chemicals used for treatment of water intended for human consumption – Calcium carbonate
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Kalcijev karbonat

prEN 12671 en
Chemicals used for treatment of water intended for human consumption – Chlorine dioxide generated in situ
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Klorov dioksid proizveden in situ

prEN 12678 en
Chemical used for treatment of water intended for human consumption – Potassium peroxomonosulfate
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Kalijev peroksomonosulfat

FprEN 12876 en
Chemicals used for treatment of water intended for human consumption – Oxygen
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Kisik

FprEN 13176 en
Chemicals used for treatment of water intended for human consumption – Ethanol
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Etanol

EN 15030:2012/FprA1 en
Chemicals used for treatment of water intended for human consumption – Silver salts for intermittent use
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj potrošnji – Soli srebra za povremenu uporabu

HZN/TO 553, *Predgotovljeni proizvodi*

prEN 16757 en
Sustainability of construction works – Environmental product declarations – Product Category Rules for precast concrete products
Održivost građevina – Izjava o zaštiti okoliša – Pravila za razvrstavanje predgotovljenih betonskih proizvoda

HZN/TO 559, *Zaporni, regulacijski i sigurnosni uređaji*

prEN 1171 en
Industrial valves – Cast iron gate valves
Industrijski zaporni uređaji – Zasuni od lijevanog željeza

prEN 16767 rev en
Industrial valves – Steel and cast iron check valves
Industrijski zaporni uređaji – Protupovratne zaklopke od lijevanog željeza i čelika

HZN/TO 560, *Tekstilni proizvodi*

FprEN ISO 105-B01 rev en
Textiles – Tests for colour fastness – Part B01: Colour fastness to light: Daylight (ISO/FDIS 105-B01:2014)
Tekstil – Ispitivanje postojanosti obojenja – Dio B01: Postojanost obojenja na svjetlo: Dnevno svjetlo (ISO/FDIS 105-B01:2014)

FprEN 14533 en
Textiles and textile products – Burning behaviour of bedding items – Classification scheme
Tekstilije i tekstilni proizvodi – Ponašanje posteljnog rublja pri gorenju – Plan razredbe

prEN ISO 17751-1 en
Textiles – Quantitative analysis of cashmere, wool, other specialty animal fibers and their blends – Part 1: Light Microscopy method (ISO/DIS 17751-1:2014)

prEN ISO 17751-2 en
Textiles – Quantitative analysis of cashmere, wool, other specialty animal fibers and their blends – Part 2: Scanning Electron Microscopy method (ISO/DIS 17751-2:2014)

HZN/TO 561, *Kotlovi, posude pod tlakom, cjevovodi i plinske boce*

prEN 16753 en
Gas cylinders – Periodic inspection and testing, in situ (without dismantling) of refillable seamless steel tubes of water capacity between 150 l and 3 000 l, used for compressed gases
Plinske boce – Periodički pregled i ispitivanje na licu mjesta (bez rastavljanja) ponovno punjivih, bešavnih čeličnih cijevi vodenog kapaciteta od 150 do 3000 l za komprimirane plinove

HZN/TO 562, *Alatni strojevi i alati*

FprEN ISO 23125 rev en
Machine tools – Safety – Turning machines (ISO/FDIS 23125:2014)
Alatni strojevi – Sigurnost – Tokarilice (ISO/FDIS 23125:2014)

HZN/TO 563, *Sigurnost strojeva*

prEN ISO 12643-1 en
Graphic technology – Safety requirements for graphic technology equipment and systems – Part 1: General requirements (ISO/DIS 12643-1:2014)
Grafička tehnologija – Sigurnosni zahtjevi za grafičku opremu i sustave – 1. dio: Opći zahtjevi (ISO/DIS 12643-1:2014)

prEN ISO 12643-2 en
Graphic technology – Safety requirements for graphic technology equipment and systems – Part 2: Prepress and press equipment and systems (ISO/DIS 12643-2:2014)

prEN ISO 12643-3 en
Graphic technology – Safety requirements for graphic technology equipment and systems – Part 3: Binding and finishing equipment and systems
(ISO/DIS 12643-3:2014)

prEN ISO 12643-4 en
Graphic technology – Safety requirements for graphic technology equipment and systems – Part 4: Converting equipment and systems
(ISO/DIS 12643-4:2014)

prEN 16743 en
Food processing machinery – Automatic industrial slicing machines – Safety and hygiene requirements

prEN ISO 19353 en
Safety of machinery – Fire prevention and protection
(ISO/DIS 19353:2014)

HZN/TO 564, *Uljarice, biljna i životinjska ulja i masti*

prEN 14112 rev en
Fat and oil derivatives – Fatty Acid Methyl Esters (FAME) – Determination of oxidation stability (accelerated oxidation test)
Derivati masti i ulja – Metilni esteri masnih kiselina – Određivanje oksidativne stabilnosti (ubrzani test oksidacije)

HZN/TO 567, *Meso, proizvodi ribarstva i akvakultura*

ISO/DIS 16488 en
Marine finfish farms – Open net cage – Design and operation
Morska ribogojilišta – Otvoreni mrežni kavezi – Dizajn i način rada

ISO/DIS 16541 en
Methods for sea lice surveillance on marine finfish farms
Metode praćenja morskih ušiju u morskim ribogojilištima

ISO/DIS 16741 en
Traceability of Crustacean products – Specifications on the information to be recorded in farmed crustacean distribution chains
Sljedivost rakova – Specifikacije informacija o kojima se moraju voditi zapisi u distribucijskom lancu uzgojenih rakova

ISO/DIS 18537 en
Traceability of crustacean products – Specifications on the information to be recorded in captured crustacean distribution chains
Sljedivost rakova – Specifikacije informacija o kojima se moraju voditi zapisi u distribucijskom lancu izlovljenih rakova

ISO/DIS 18538 en
Traceability of molluscan products – Specifications on the information to be recorded in farmed molluscan distribution chains
Sljedivost mekušaca – Specifikacije informacija o kojima se moraju voditi zapisi u distribucijskom lancu uzgojenih mekušaca

ISO/DIS 18539 en
Traceability of molluscan products – Specifications on the information to be recorded in captured molluscan distribution chains
Sljedivost mekušaca – Specifikacije informacija o kojima se moraju voditi zapisi u distribucijskom lancu izlovljenih mekušaca

HZN/TO 568, *Analize hrane - Horizontalne metode*

prEN ISO 6579-1 en
Microbiology of the food chain – Horizontal method for the detection, enumeration and serotyping of Salmonella – Part 1: Horizontal method for the detection of Salmonella spp. (ISO/DIS 6579-1:2014)
Mikrobiologija lanca hrane – Horizontalna metoda za dokazivanje prisutnosti, brojenje i serotipizaciju Salmonella – 1. dio: Horizontalna metoda za dokazivanje prisutnosti Salmonella spp.
(ISO/DIS 6579-1:2014)

prEN ISO 21528-1 en
Microbiology of the food chain – Horizontal methods for the detection and enumeration of Enterobacteriaceae – Part 1: Detection of Enterobacteriaceae
(ISO/DIS 21528-1:2014)
Mikrobiologija lanca hrane – Horizontalna metoda za dokazivanje prisutnosti i brojenje Enterobakterija – 1. dio: Dokazivanje prisutnosti Enterobakterija
(ISO/DIS 21528-1:2014)

prEN ISO 21528-2 en
Microbiology of the food chain – Horizontal methods for the detection and enumeration of Enterobacteriaceae – Part 2: Colony-count method (ISO/DIS 21528-2:2014)
Mikrobiologija lanca hrane – Horizontalna metoda za dokazivanje prisutnosti i brojenje Enterobakterija – 2. dio: Metoda određivanja broja kolonija
(ISO/DIS 21528-2:2014)

HZN/TO 571, *Sport, igrališta i ostali rekreacijski sadržaji i oprema*

prEN 568 rev en
Mountaineering equipment – Ice anchors – Safety requirements and test methods
Planinarska oprema – Vijci za led – Sigurnosni zahtjevi i metode ispitivanja

ISO 5902:2013 en
Alpine skis – Determination of elastic properties
Skije za alpsko skijanje – Određivanje elastičnih svojstava

ISO 6266:2013 en
Alpine skis – Determination of fatigue indexes – Cyclic loading test
Skije za alpsko skijanje – Određivanje indeksa zamora materijala – Ispitivanje periodičkim opterećivanjem

prEN 12277 rev en
Mountaineering equipment – Harnesses – Safety requirements and test methods
Planinarska oprema – Pojasovi – Sigurnosni zahtjevi i metode ispitivanja

CEN/TR 16598:2014 en
Collection of rationales for EN 1176 – Requirements
Zbirka pojašnjenja uz normu EN 1176 – Zahtjevi

HZN/TO E9, *Električna oprema za željeznicu*

prEN 50526-3:2014 en
Railway applications – Fixed installations – D.C. surge arresters and voltage limiting devices – Part 3 Application guide

prEN 50633:2014 en
Railway applications – Fixed installations – Protection principles for AC and DC electric traction systems

FprEN 62718:2014 en
Railway applications – Rolling stock – DC supplied electronic ballasts for lighting fluorescent lamps
(IEC 62718:2013)

HZN/TO E10, *Fluidi za primjenu u elektrotehnici*

FprEN 60599:2014 en
Mineral oil-impregnated electrical equipment in service – Guide to the interpretation of dissolved and free gases analysis (IEC 60599:201X)
Mineralnim uljem impregnirana električna oprema u pogonu – Upute za tumačenje rezultata analize otopljenih i slobodnih plinova (IEC 60599:201X)

HZN/TO E17, *Sklopni i upravljački uređaji*

EN 60947-3:2009/FprA2:2014 en
Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units (IEC 60947-3:2008/am2:201X)
Niskonaponska sklopna aparatura – 3. dio: Sklopke, rastavljači, rastavne sklopke i kombinacije s osiguračima (IEC 60947-3:2008/am2:201X)

HZN/TO E22, *Energetska elektronika*

EN 60633:1999/FprA2:2014 en
Terminology for high-voltage direct current (HVDC) transmission (IEC 60633:1998/am2:201X)
Nazivlje u području prijenosa istosmjernom strujom visokog napona (HVDC) (IEC 60633:1998/am2:201X)

FprEN 60700-1:2014 en
Thyristor valves for high voltage direct current (HVDC) power transmission – Part 1: Electrical testing (IEC 60700-1:201X)
Tiristorski ventili za prijenos energije istosmjernom strujom visokog napona (HVDC) – 1. dio: Električno ispitivanje (IEC 60700-1:201X)

FprEN 61800-2:2014 en
Adjustable speed electrical power drive systems – Part 2: General requirements – Rating specifications for low voltage adjustable speed a.c. power drive systems (IEC 61800-2:201X)
Elektromotorni sustavi prilagodljive brzine – 2. dio: Opći zahtjevi – Specifikacija nazivnih vrijednosti za niskonaponske sustave izmjeničnih elektromotornih pogona s prilagodljivom brzinom (IEC 61800-2:201X)

FprEN 61800-7-1:2014 en
Adjustable speed electrical power drive systems – Part 7-1: Generic interface and use of profiles for power drive systems – Interface definition (IEC 61800-7-1:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-1: Generičko sučelje i uporaba profila za elektromotorne sustave – Definicija sučelja (IEC 61800-7-1:201X)

FprEN 61800-7-201:2014 en
Adjustable speed electrical power drive systems – Part 7-201: Generic interface and use of profiles for power drive systems – Profile type 1 specification (IEC 61800-7-201:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-201: Generičko sučelje i uporaba profila za elektromotorne sustave – Specifikacija za profil tipa 1 (IEC 61800-7-201:201X)

FprEN 61800-7-202:2014 en
Adjustable speed electrical power drive systems – Part 7-202: Generic interface and use of profiles for power drive systems – Profile type 2 specification (IEC 61800-7-202:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-202: Generičko sučelje i uporaba profila za elektromotorne sustave – Specifikacija za profil tipa 2 (IEC 61800-7-202:201X)

FprEN 61800-7-203:2014 en
Adjustable speed electrical power drive systems – Part 7-203: Generic interface and use of profiles for power drive systems – Profile type 3 specification (IEC 61800-7-203:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-203: Generičko sučelje i uporaba profila za elektromotorne sustave – Specifikacija za profil tipa 3 (IEC 61800-7-203:201X)

FprEN 61800-7-204:2014 en
Adjustable speed electrical power drive systems – Part 7-204: Generic interface and use of profiles for power drive systems – Profile type 4 specification (IEC 61800-7-204:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-204: Generičko sučelje i uporaba profila za elektromotorne sustave – Specifikacija za profil tipa 4 (IEC 61800-7-204:201X)

FprEN 61800-7-301:2014 en
Adjustable speed electrical power drive systems – Part 7-301: Generic interface and use of profiles for power drive systems – Mapping of profile type 1 to network technologies (IEC 61800-7-301:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-301: Generičko sučelje i uporaba profila za elektromotorne sustave – Pridruživanje profila tipa 1 u mrežne tehnike (IEC 61800-7-301:201X)

FprEN 61800-7-302:2014 en
Adjustable speed electrical power drive systems – Part 7-302: Generic interface and use of profiles for power drive systems – Mapping of profile type 2 to network technologies (IEC 61800-7-302:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-302: Generičko sučelje i uporaba profila za elektromotorne sustave – Pridruživanje profila tipa 2 u mrežne tehnike (IEC 61800-7-302:201X)

FprEN 61800-7-303:2014 en
Adjustable speed electrical power drive systems – Part 7-303: Generic interface and use of profiles for power drive systems – Mapping of profile type 3 to network technologies (IEC 61800-7-303:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-303: Generičko sučelje i uporaba profila za elektromotorne sustave – Pridruživanje profila tipa 3 u mrežne tehnike (IEC 61800-7-303:201X)

FprEN 61800-7-304:2014 en
Adjustable speed electrical power drive systems – Part 7-304: Generic interface and use of profiles for power drive systems – Mapping of profile type 4 to network technologies (IEC 61800-7-304:201X)
Elektromotorni sustavi prilagodljive brzine – Dio 7-304: Generičko sučelje i uporaba profila za elektromotorne sustave – Pridruživanje profila tipa 4 u mrežne tehnike (IEC 61800-7-304:201X)

EN 62477-1:2012/A11:2014 en
Safety requirements for power electronic converter systems and equipment – Part 1: General
Zahtjevi na sigurnost sustava elektroničkih energetskih pretvarača i opreme – 1. dio: Općenito

FprEN 62823:2014 en
Thyristor valves for thyristor controlled series capacitors (TCSC) – Electrical testing (IEC 62823:201X)
Tiristorski ventili za tiristorski upravljane serijske kondenzatore (TCSC) – Električno ispitivanje (IEC 62823:201X)

HZN/TO E23, *Električni instalacijski pribor*

FprEN 62196-1:2014/FprAA en
Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements FprHD 62640:2014 en
Residual current devices with or without overcurrent protection for socket-outlets for household and similar uses (IEC 62640:2011, MOD)

HZN/TO E34, *Žarulje, svjetiljke i pripadna oprema*

FprEN 60598-1:2014/FprAA:2014 en
Luminaires – Part 1: General requirements and tests

EN 61195:1999/FprA2:2014 en
Double-capped fluorescent lamps – Safety specifications (IEC 61195:1999/am2:201X)
Fluorescentne cijevi s dva podnoška – Sigurnosni zahtjevi (IEC 61195:1999/am2:201X)

EN 61199:2011/FprA2:2014 en
Single-capped fluorescent lamps – Safety specifications (IEC 61199:2011/am2:201X)
Fluorescentne cijevi s jednim podnoškom – Sigurnosni zahtjevi (IEC 61199:2011/am2:201X)

FprEN 62035:2014 en
Discharge lamps (excluding fluorescent lamps) – Safety specifications (IEC 62035:2014, MOD)
Žarulje s izbojem (osim fluorescentnih cijevi) – Sigurnosni zahtjevi (IEC 62035:2014, MOD)

FprEN 62386-201:2014 en
Digital addressable lighting interface – Part 201: Particular requirements for control gear – Fluorescent lamps (device type 0) (IEC 62386-201:201X)
Digitalno upravljanje rasvjetom – 201. dio: Posebni zahtjevi za predspojne naprave – Fluorescentne cijevi (uređaji tipa 0) (IEC 62386-201:201X)

FprEN 62838:2014 en
Semi-integrated LED lamps for general lighting services with supply voltages not exceeding 50 V a.c. r.m.s. or 120 V ripple free d.c. – Safety specification (IEC 62838:201X)

HZN/TO E38, *Mjerni transformatori*

FprEN 62689-1:2014 en
Current and Voltage sensors or detectors, to be used for fault passage indication purposes – Part 1: System aspects (IEC 62689-1:201X)
Strujni i naponski pokazivači ili detektori koji se koriste za indikaciju prolaznih kvarova – 1. dio: Značajke sustava (IEC 62689-1:201X)

FprEN 62689-2:2014 en
Current and Voltage sensors or detectors, to be used for fault passage indication purposes – Part 2: General principles and requirements (IEC 62689-2:201X)
Strujni i naponski pokazivači ili detektori koji se koriste za indikaciju prolaznih kvarova – 2. dio: Osnova načela i zahtjevi (IEC 62689-2:201X)

HZN/TO E55, *Žice za namote*

FprEN 60172:2014 en
Test procedure for the determination of the temperature index of enamelled and tape wrapped winding wires (IEC 60172:201X)
Ispitni postupak određivanja indeksa temperaturne lakirane i omotane trakama žice za namote (IEC 60172:201X)

EN 60264-5-2:2001 en
Packaging of winding wires – Part 5-2: Cylindrical barrelled delivery spools with conical flanges – Specification for returnable spools made from thermoplastic material (IEC 60264-5-2:2001)
Pakiranje žice za namote – Dio 5-2: Cilindrični koluti za isporuku sa koničnim prirubnicama – Specifikacije povratnih koluta od termoplastičnih materijala (IEC 60264-5-2:2001)

FprEN 60317-0-9:2014 en
Specifications for particular types of winding wires – Part 0-9: General requirements – Enamelled rectangular aluminium wire (IEC 60317-0-9:201X)
Specifikacije pojedinih vrsta žica za namote – Dio 0-9: Opći zahtjevi – Profilna aluminijska lakirana žica (IEC 60317-0-9:201X)

HZN/TO E57, *Upravljanje energetskim sustavom i pridružene komunikacije*

FprEN 61970-452:2014 en
Energy Management System Application Program Interface (EMS-API) – Part 452: CIM static transmission network model profiles (IEC 61970-452:201X)
Sučelje za aplikacije vođenja elektroenergetskog sustava (EMS-API) – 452. dio: CIM profili za statički model prijenosne mreže (IEC 61970-452:201X)

FprEN 62325-451-4:2014 en
Framework for energy market communications – Part 451-4: Settlement and reconciliation business process, contextual and assembly models for European market (IEC 62325-451-4:201X)

FprEN 62325-451-5:2014 en
Framework for energy market communications – Part 451-5: Problem statement and status request business processes, contextual and assembly models for European market (IEC 62325-451-5:201X)

HZN/TO E59, *Uporabne značajke električnih kućanskih aparata*

prEN 50229:2014 en
Electric clothes washer-dryers for household use – Methods of measuring the performance
Električne perilice-sušilice rublja za kućansku uporabu – Ispitne metode za mjerenje radnih značajka

prEN 50440:2014 en
Efficiency of domestic electrical storage water heaters and testing methods

FprEN 60312-1-1:2014 en
Vacuum cleaners for household use – Part 1-1: Cordless dry vacuum cleaners – Methods for measuring the performance (IEC 60312-1-1:201X)
Usisavači prašine za kućansku uporabu – Dio 1-1: Bežični suhi vakumski čistači – Ispitne metode za mjerenje radnih značajka (IEC 60312-1-1:201X)

EN 60350-1:2013/FprAA:2014 en
Household electric cooking appliances – Part 1: Ranges, ovens, steam ovens and grills – Methods for measuring performance
Kućanski električni aparati za kuhanje – 1. dio: Štednjaci, kuhala, kuhala na paru i roštilji – Metode ispitivanja za mjerenje radnih značajka

EN 60350-2:2013/FprAA:2014 en
Household electric cooking appliances – Part 2: Hobs – Methods for measuring performance
Kućanski električni aparati za kuhanje – 2. dio: Električna ugradbena ploča – Metode ispitivanja za mjerenje radnih značajka

HZN/TO E61, *Sigurnost električnih kućanskih i sličnih aparata*

EN 60335-2-23:2003/FprA12:2014 en
Household and similar electrical appliances – Safety – Part 2-23: Particular requirements for appliances for skin or hair care
Kućanski i slični električni aparati – Sigurnost – Dio 2-23: Posebni zahtjevi aparata za njegu kože ili kose

FprEN 60335-2-75:2012/FprAA:2014 en
Household and similar electrical appliances – Safety – Part 2-75: Particular requirements for commercial dispensing appliances and vending machines
Kućanski i slični električni aparati – Sigurnost – Dio 2-75: Posebni zahtjevi za ugostiteljske raspodjelne aparate i prodajne automate

EN 60335-2-76:2005/FprAH:2014 en
Household and similar electrical appliances – Safety – Part 2-76: Particular requirements for electric fence energizers
Kućanski i slični električni aparati – Sigurnost – Dio 2-76: Posebni zahtjevi za električne ograde

EN 62115:2005/prAD:2014 en
Electric toys – Safety
Električne igračke – Sigurnost

HZN/TO E62, *Električna oprema u medicinskoj praksi*

EN 60601-2-33:2010/FprA2:2014 en
Medical electrical equipment – Part 2-33: Particular requirements for the basic safety and essential performance of magnetic resonance equipment for medical diagnosis (IEC 60601-2-33:2010/am2:201X)
Medicinski električni uređaji – Dio 2-33: Posebni zahtjevi za osnovnu sigurnost i bitne radne značajke uređaja za medicinsku dijagnostiku s pomoću magnetske rezonancije
(IEC 60601-2-33:2010/am2:201X)

EN 60601-2-34:2014 en
Medical electrical equipment – Part 2-34: Particular requirements for the basic safety and essential performance of invasive blood pressure monitoring equipment (IEC 60601-2-34:2011)
Medicinska električna oprema – Dio 2-34: Posebni zahtjevi za osnovnu sigurnost i bitne radne značajke uređaja za invazivno mjerenje krvnog tlaka
(IEC 60601-2-34:2011)

HZN/TO E64, *Električne instalacije i zaštita od električnog udara*

FprHD 60364-5-53:2014 en
Low-voltage electrical installations – Part 5-53: Selection and erection of electrical equipment – Switchgear and controlgear
Niskonaponske električne instalacije – Dio 5-53: Odabir i ugradnja električne opreme – Sklopni i upravljački uređaji

HZN/TO E65, *Mjerenje, vođenje i automatizacija industrijskih procesa*

FprEN 61511-1:2014 en
Functional safety – Safety instrumented systems for the process industry sector – Normative (uon) – Part 1: Framework, definitions, system, hardware and software requirements (IEC 61511-1:201X)
Funkcionalna sigurnost – Sigurnosni instrumentacijski sustavi za sektor procesne industrije – Normativno (?) – 1. dio: Okvir, definicije, sustav, zahtjevi za hardver i softver (IEC 61511-1:201X)

FprEN 61511-2:2014 en
Functional safety – Safety instrumented systems for the process industry sector – Part 2: Guidelines for the application of IEC 61511-1 – Informative
(IEC 61511-2:201X)
Funkcionalna sigurnost – Sigurnosni instrumentacijski sustavi za sektor procesne industrije – 2. dio: Smjernice za primjenu IEC 61511-1 – Obavještajno
(IEC 61511-2:201X)

FprEN 61511-3:2014 en
Functional safety – Safety instrumented systems for the process industry sector – Part 3: Guidance for the determination of the required safety integrity levels – Informative (IEC 61511-3:201X)
Funkcionalna sigurnost – Sigurnosni instrumentacijski sustavi za sektor procesne industrije – 3. dio: Uputa za određivanje potrebnih razina nepovredivosti sigurnosti – Obavještajno (IEC 61511-3:201X)

HZN/TO E72, *Naprave za automatsko upravljanje u kućanstvu*

FprEN 60730-2-12:2014 en
Automatic electrical controls for household and similar use – Part 2-12: Particular requirements for electrically operated door locks (IEC 60730-2-12:201X)
Električne naprave za automatsko upravljanje u kućanstvu i sličnu uporabu – Dio 2-12: Posebni zahtjevi za električne brave na vratima (IEC 60730-2-12:201X)

FprEN 60730-2-6:2014 en
Automatic electrical controls – Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements
(IEC 60730-2-6:201X)
Električne naprave za automatsko upravljanje – Dio 2-6: Posebni zahtjevi za električne regulatore tlaka, uključujući mehaničke zahtjeve (IEC 60730-2-6:201X)

FprEN 60730-2-9:2014 en
Automatic electrical controls for household and similar use – Part 2-9: Particular requirements for temperature sensing controls (IEC 60730-2-9:201X)
Električne naprave za automatsko upravljanje u kućanstvu i sličnu uporabu – Dio 2-9: Posebni zahtjevi za električne regulatore temperature
(IEC 60730-2-9:201X)

HZN/TO E76, *Sigurnost optičkoga zračenja i laserska oprema*

FprEN 62471-5:2014 en
Photobiological safety of lamp systems for image projectors (IEC 62471-5:201X)

HZN/TO E79, *Alarmni sustavi*

FprEN 62676-3:2014 en
Video surveillance systems for use in security applications – Part 3: Analog and digital video interfaces (IEC 62676-3:2013)

HZN/TO E80, *Pomorska navigacijska i radiokomunikacijska oprema i sustavi*

FprEN 62320-1:2014 en
Maritime navigation and radiocommunication equipment and systems – Automatic identification system (AIS) – Part 1: AIS Base Stations – Minimum operational and performance requirements, methods of testing and required test results (IEC 62320-1:201X)
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Sustav automatske identifikacije (AIS) – 1. dio: Bazne postaje sustava automatske identifikacije (AIS) – Najmanji radni i izvedbeni zahtjevi, metode ispitivanja i zahtijevani rezultati ispitivanja
(IEC 62320-1:201X)

FprEN 62320-3:2014 en
Maritime navigation and radiocommunication equipment and systems – Automatic identification systems (AIS) – Part 3: AIS Simplex Repeater Station – Minimum operational and performance requirements, methods of testing and required test results
(IEC 62320-3:201X)
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Sustav automatske identifikacije (AIS) – 3. dio: Repetitorska postaja sustava automatske identifikacije (AIS) – Najmanji radni i izvedbeni zahtjevi, metode ispitivanja i zahtijevani rezultati ispitivanja
(IEC 62320-3:201X)

HZN/TO E85, *Oprema za mjerenje električnih i elektromagnetskih veličina*

FprEN 62792:2014 en
Electroshock weapon measurement method (IEC 62792:201X)
Metode mjerenja električnih veličina elektrošokera (IEC 62792:201X)

HZN/TO E100, *Audio, video i multimedijski sustavi te njihova oprema*

EN 62608-1:2014 en
Multimedia home network configuration – Basic Reference model – Part 1: System model (IEC 62608-1:2014)
Konfiguracija kućne mreže za multimediju – Osnovni referencijski model – 1. dio: Model sustava (IEC 62608-1:2014)

FprEN 62875:2014 en
Multimedia systems and equipment – Printing specification of a texture map for auditory presentation of printed texts (IEC 62875:201X)
Multimedijski sustavi i oprema – Specifikacija ispisa mape tekstura za zvučni prikaz pisanih tekstova (IEC 62875:201X)

HZN/TO E103, *Odašiljačka oprema za radiokomunikacije*

FprEN 62803:2014 en
Measurement Method of a Frequency Response of Optical-to-Electric Conversion Device in High-Frequency Radio on Fiber Systems (IEC 62803:201X)
Metoda mjerenja frekvencijskog odziva optičko-električkog pretvornika kod visokofrekvencijskih radijskih sustava po optičkom vlaknu (IEC 62803:201X)

HZN/TO E500, *Elektromagnetska kompatibilnost u elektrotehnici i telekomunikacijama*

prEN 50561-3:2014 en
Powerline communication apparatus used in low-voltage installations – Radio disturbance characteristics – Limits and methods of measurement – Part 3: Apparatus operating above 30 MHz
Uređaji za komunikaciju preko energetskih vodova koji se upotrebljavaju u niskonaponskim instalacijama – Karakteristike radio smetnji – Granice i metode mjerenja – 3. dio: Uređaji koji rade iznad 30 MHz

FprEN 61000-6-5:2014 en
Electromagnetic compatibility (EMC) – Part 6-5: Generic standards – Immunity for equipment used in power station and substation environments (IEC 61000-6-5:201X)

HZN/TO E502, *Elektrotehnički aspekti telekomunikacijske opreme*

prEN 50600-2-6:2014 en
Information technology – Data centre facilities and infrastructures – Part 2-6: Management and operational information

HZN/TO Z1, *Informacijska tehnologija*

CEN/TS 15480-3:2014 en
Identification card systems – European Citizen Card – Part 3: European Citizen Card Interoperability using an application interface
Sustavi identifikacijskih kartica – Europska osobna iskaznica – 3. dio: Interoperabilnost europske osobne iskaznice pomoću aplikacijskog sučelja

CEN/TS 15480-5:2013 en
Identification card systems – European Citizen Card – Part 5: General Introduction
Sustavi identifikacijskih kartica – Europska osobna iskaznica – 5. dio: Opći uvod

HZN/TU A1, *Usluge, proizvodi za kućanstvo i slobodno vrijeme 1*

prEN 131-1 en
Ladders – Part 1: Terms, types, functional sizes
Ljestve – 1. dio: Nazivi, tipovi, funkcionalne veličine

prEN 16747 en
Maritime and port security services
Usluge sigurnosti u pomorskom prometu i lukama

HZN/TU C1, *Kemikalije, kemijsko inženjerstvo, poljoprivredni i prehrambeni proizvodi 1*

prEN 16751 en
Bio-based products – Sustainability criteria
Proizvodi na biološkoj osnovi – Kriteriji održivosti

prEN 16760 en
Bio-based products – Life Cycle Assessment
Proizvodi na biološkoj osnovi – Procjena životnog ciklusa

HZN/TU I2, *Strojarstvo 2*

prEN 12976-1 rev en
Thermal solar systems and components – Factory made systems – Part 1: General requirements
Toplinski sustavi Sunčeva zračenja i komponente --Tvornički izrađeni sustavi – 1. dio: Opći zahtjevi

prEN 12976-2 rev en
Thermal solar systems and components – Factory made systems – Part 2: Test methods
Toplinski sustavi Sunčeva zračenja i komponente – Tvornički izrađeni sustavi – 2. dio: Metode ispitivanja

prEN 13020 en
Road surface treatment machines – Safety requirements
Strojevi za površinsko tretiranje cesta – Sigurnosni zahtjevi

EN 15059:2009/FprA1 en
Snow grooming equipment – Safety requirements
Oprema za tretiranje snijega – Sigurnosni zahtjevi

HZN/TU N1, *Nemetalni materijali 1*

prEN 15991 rev en
Testing of ceramic and basic materials – Direct determination of mass fractions of impurities in powders and granules of silicon carbide by inductively coupled plasma optical emission spectrometry (ICP OES) with electrothermal vaporisation (ETV)
Ispitivanje keramičkih sirovina i osnovnih materijala – Direktno određivanje masenog udjela nečistoća u prahu i granulama silikon karbida optičkom emisijskom spektrometrijom induktivno spregnutom plazmom (ICP OES) s elektrotermičkim isparavanjem (ETV)

HZN/TU S1, *Zdravlje, okoliš i medicinska oprema 1*

prEN ISO 5840-1 en
Cardiovascular implants – Cardiac valve prostheses – Part 1: General requirements (ISO/DIS 5840-1:2014)
Kardiovaskularni implantati – Umjetni srčani zalisci (proteze) – 1. dio: Opći zahtjevi (ISO/DIS 5840-1:2014)

prEN ISO 5840-2 en
Cardiovascular implants – Cardiac valve prostheses – Part 2: Surgically implanted heart valve substitutes (ISO/DIS 5840-2:2014)
Kardiovaskularni implantati – Umjetni srčani zalisci (proteze) – 2. dio: Kirurški ugrađeni nadomjesci srčanog zaliska (ISO/DIS 5840-2:2014)

EN ISO 8362-1:2009/prA1 en
Injection containers and accessories – Part 1: Injection vials made of glass tubing
(ISO 8362-1:2009/DAM 1:2014)
Posude za injekcije i pribor – 1. dio: Injekcijske bočice od cijevnog stakla (ISO 8362-1:2009/DAM 1:2014)

prEN ISO 9693-2 en
Dentistry – Compatibility testing – Part 2: Ceramic-ceramic systems (ISO/DIS 9693-2:2014)
Stomatologija – Ispitivanje kompatibilnosti – 2. dio: Keramički sustavi (ISO/DIS 9693-2:2014)

prEN ISO 12417-1 en
Cardiovascular implants and extracorporeal systems – Vascular device-drug combination products – Part 1: General requirements (ISO/DIS 12417-1:2014)
Kardiovaskularni implantati i ekstrakorporalni sustavi – Proizvodi koji su kombinacija vaskularnog sredstva i lijeka – 1. dio: Opći zahtjevi (ISO/DIS 12417-1:2014)

prEN ISO 15912 rev en
Dentistry – Casting investments and refractory die materials (ISO 15912:2006)
Stomatologija – Mase za ulaganje i vatrostalni materijali za odljeve (ISO 15912:2006)

prEN 16756 en
Antimicrobial wound dressings – Requirements and test methods
Antimikrobni zavoji – Zahtjevi i ispitne metode

prEN ISO 16954 en
Dentistry – Test methods for evaluating antibacterial biofilm treatment methods for dental unit water delivery systems (ISO/DIS 16954:2014)
Stomatologija – Ispitne metode za ocjenjivanje metoda poboljšavanja mikrobiološke kvalitete vode u stomatološkim radnim jedinicama
(ISO/DIS 16954:2014)

HZN/TU T1, *Prijevoz, rukovanje materijalima i pakiranje 1*

EN 2226:2014 en
Aerospace series – Steel X105CrMo17 (1.4125) – Hardened and tempered – Hand and die forgings – De ≤ 150 mm

EN 2402:2014 en
Aerospace series – Heat resisting nickel base alloy NiCr20Co3Fe3 – Annealed – Wire – D ≤ 10 mm
Nizovi o zrakoplovstvu – Legura na bazi nikla otporna na toplinu NiCr20Co3Fe3 – Kaljena – Žica – D ≤ 10 mm

EN 2794-001:2014 en
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 20 A to 50 A – Part 001: Technical specification

EN 2794-004:2014 en
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 20 A to 50 A – Part 004: UNC thread terminals – Product standard

EN 3475-514:2014 en
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 514: Porosity of copper cladding on aluminium strands
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 514. dio: Poroznost bakrenih obloga na višežilnim aluminijskim kabelima

prEN ISO 3691-2 en
Industrial trucks – Safety requirements and verification – Part 2: Self-propelled variable-reach trucks
(ISO/DIS 3691-2:2014)

EN 3774-004:2014 en
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 1 A to 25 A – Part 004: UNC thread terminals – Product standard
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 1 A do 25 A – 004. dio: Terminali s UNC navojima – Norma za proizvod

EN 4008-018:2014 en
Aerospace series – Elements of electrical and optical connection – Crimping tool and associated accessories – Part 018: Positioner for crimping tool M22520/2-01 – Product standard

EN 4056-002:2014 en
Aerospace series – Cable ties for harnesses – Part 002: Index of product standards

EN 4056-006:2014 en
Aerospace series – Cable ties for harnesses – Part 006: Peek cable ties – For operating temperatures -55 °C to 240 °C – Product standard

EN 4057-402:2014 en
Aerospace series – Cable ties for harnesses – Test methods – Part 402: Life cycle
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 402. dio: Radni vijek

EN 4199-003:2014 en
Aerospace series – Bonding straps for aircraft – Part 003: Bonding strap assemblies with flat braided conductor copper, tin plated – 65 °C up to 150 °C and copper, nickel plated – 65 °C up to 260 °C – Product standard
Nizovi o zrakoplovstvu – Trake za vezanje za zrakoplov – 003. dio: Ugradbene trake za vezanje sa ravnim pletenim bakrenim vodičem, prevučen kositrom od – 65 °C do 150 °C i bakarom, prevučene niklom od – 65 °C do 260 °C – Norma za proizvod

EN 4293:2014 en
Aerospace series – Aluminium alloy AL-P7175 - T73511 – Extruded bar and section – a or D ≤ 150 mm
Nizovi o zrakoplovstvu – Legure aluminija AL-P7175 - T73511 – Ekstrudirana šipka i profil – a ili D ≤ 150 mm

EN 4538-2:2014 en
Aerospace series – Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner elevated load under low oscillations – Narrow series – Dimensions and loads – Part 2: Inch series

EN 4549:2014 en
Aerospace series – Pipe coupling, in heat resisting steel or in heat resisting nickel alloy – Coupling end, welded – Design configuration – Inch series
Nizovi o zrakoplovstvu – Cijevni priključak, od čelika otpornog na toplinu ili od legura nikla otpornih na toplinu – Zavareni kraj priključka – Konfiguracija oblikovanja – Nizovi u inčima

EN 4604-009:2014 en
Aerospace series – Cable, electrical, for signal transmission – Part 009: Cable, coaxial, light weight, 50 ohms, 180 °C, type KW (light WN) – Product standard
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 009. dio: Kabel, koaksijalni, lagani, 50 Oma, 180 °C, tip KW (lagani WN) – Norma za proizvod

EN 4627:2014 en
Aerospace series – Steel X4CrNiMo16-5-1 (1.4418) – Air melted – Hardened and tempered – Forgings – De ≤ 200 mm – 1 150 MPa ≤ Rm ≤ 1 300 MPa

Nizovi o zrakoplovstvu – Čelik X4CrNiMo16-5-1 (1.4418) – Taljen na zraku – Kaljen i termički obrađen – Otkivci – De ≤ 200 mm – 1 150 MPa ≤ Rm ≤ 1 300 MPa

EN 4651:2014 en
Aerospace series – Copper-clad aluminium alloy conductors for electrical cables – Product standard
Nizovi o zrakoplovstvu – Legura aluminijskih vodiča presvučena bakrom za električne kabele – Norma za proizvod

EN 4707:2014 en
Aerospace series – Acid pickling of aluminum and aluminum alloy without hexavalent chromium
Nizovi o zrakoplovstvu – Kiselo dekapiranje aluminija i legura aluminija bez šesterovalentnog kroma

EN 4708-001:2014 en
Aerospace series – Sleeving; heat-shrinkable, for binding, insulation and identification – Part 001: Technical specification
Nizovi o zrakoplovstvu – Navlake, koje se sužavaju prilikom izlaganja toplini, za omotavanje, izolaciju i označavanje – 001. dio: Tehnička specifikacija

EN 6059-406:2014 en
Aerospace series – Electrical cables; installation – Protection sleeves – Test methods – Part 406: Vibration
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitna navlaka – Metode ispitivanja – 406. dio: Vibracije

EN 6059-504:2014 en
Aerospace series – Electrical cables; installation – Protection sleeves – Test methods – Part 504: Temperature rise within a loom due to self-heating when protected by a sleeve

EN 6059-601:2014 en
Aerospace series – Electrical cables; installation – Protection sleeves – Test methods – Part 601: Open and close
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitna navlaka – Metode ispitivanja – 601. dio: Otvoreni i zatvoreni

prEN 12312-6 en
Aircraft ground support equipment – Specific requirements – Part 6: Deicers and deicing/antiicing equipment

prEN 16230-2 en
Leisure karts – Part 2: Safety requirements for karting facilities

FprEN 16602-60 en
Space product assurance – Electrical, electronic and electromechanical (EEE) components

FprEN 16602-60-13 en
Space product assurance – Requirements for the use of COTS components

FprEN 16602-70-56 en
Space product assurance – Vapour Phase Bioburden Reduction for Flight Hardware

FprEN 16602-70-57 en
Space product assurance – Dry Heat Bioburden Reduction for Flight Hardware

FprEN 16603-20-01 en
Space engineering – Multipaction, design and test

FprEN 16603-31-02 en
Space engineering – Two-phase heat transport equipment

FprEN 16603-50-53 en
Space engineering – SpaceWire – CCSDS packet transfer protocol

FprEN 16603-60-30 en
Space engineering – Satellite AOCS requirements

FprEN 16603-70 en
Space engineering – Ground systems and operations

FprEN 16603-70-01 en
Space engineering – On-board control procedures

FprEN 16603-70-11 en
Space engineering – Space segment operability

FprEN 16603-70-31 en
Space engineering – Ground systems and operations – Monitoring and control data definition

HZN/TU U1, *Opća elektrotehnika 1*

FprEN 50625-2-1:2014 en
Collection, logistics and treatment requirements for WEEE – Part 2-1: Treatment requirements for lamps
Prikupljanje, logistika i obrada zahtjeva za WEEE – Dio 2-1: Obrada zahtjeva za svjetiljke

FprEN 61175-1:2014 en
Industrial systems, installations and equipment and industrial products, designation of signals – Part 1: Basic rules (IEC 61175-1:201X)
Industrijski sustavi, instalacije, oprema i industrijski proizvodi te označivanje signala – 1. dio: Osnovna pravila (IEC 61175-1:201X)

HZN/TU V1, *Elektronika 1*

FprEN 50377-17-2:2014 en
Connector sets and Interconnect components to be used in optical fibre communication systems – Product specifications – Part 17-2: Type FPFT (factory polished field terminated) simplex connector factory terminated with EN 60793-2-50 category B1.3 fibre and field mounted onto tight jacket cable containing
IEC 60793-2-50 category B1.3 or B6a1 or B6a 2 single mode fibre (with restricted MFD), Category C

FprEN 60424-3:2014 en
Ferrite cores – Guideline on the limits of surface irregularities – Part 3: ETD-cores, EER-cores, EC-cores and E-cores (IEC 60424-3:201X)

FprEN 60793-2-20:2014 en
Optical fibres – Part 2-20: Product specifications – Sectional specification for category A2 multimode Mechanical fibres (IEC 60793-2-20:201X)
Optička vlakna – Dio 2-30: Specifikacije proizvoda – Sekcijska specifikacija za mehanička vlakna kategorije A2 za višestruki način rada (IEC 60793-2-20:201X)

FprEN 60793-2-30:2014 en
Optical fibres – Part 2-30: Product specifications – Sectional specification for category A3 multimode fibres (IEC 60793-2-30:201X)
Optička vlakna – Dio 2-30: Specifikacije proizvoda – Sekcijska specifikacija za vlakna kategorije A3 za višestruki način rada (IEC 60793-2-30:201X)

FprEN 61189-2-721:2014 en
Test methods for electrical materials, printed boards and other interconnection structures and assemblies – Part 2-721: Test methods for materials for interconnection structures – Measurement of Relative Permittivity and Loss Tangent for Copper Clad Laminate at Microwave Frequency Using Split Post Dielectric Resonator (IEC 61189-2-721:201X)

FprEN 61249-2-43:2014 en
Materials for printed boards and other interconnecting structures – Part 2-43: Reinforced base materials clad and unclad – Non-halogen epoxide cellulose paper/ woven E-glass reinforced laminate sheets of defined flammability (vertical burning test); copper-clad for lead-free assembly (IEC 61249-2-43:201X)

FprEN 61249-2-44:2014 en
Materials for printed boards and other interconnecting structures – Part 2-44: Reinforced base materials clad and unclad – Non-halogenated epoxide non-woven/ woven E-glass reinforced laminate sheets of defined flammability (vertical burning test), copper-clad for lead-free assembly (IEC 61249-2-44:201X)

FprEN 61290-1-1:2014 en
Optical amplifiers – Test methods – Part 1-1: Power and gain parameters – Optical spectrum analyzer method (IEC 61290-1-1:201X)

FprEN 61290-4-3:2014 en
Optical amplifiers – Test methods – Part 4-3: Power transient parameters – Single channel optical amplifiers in output power control (IEC 61290-4-3:201X)

FprEN 61340-5-3:2014 en
Electrostatics – Part 5-3: Protection of electronic devices from electrostatic phenomena – Properties and requirements classification for packaging intended for electrostatic discharge sensitive devices (IEC 61340-5-3:201X)

FprEN 62343-1-2:2014 en
Dynamic modules – Performance standards – Part 1-2: Tuneable chromatic dispersion compensator (non-connectorized) (IEC 62343-1-2:201X)

FprEN 62343-5-1:2014 en
Dynamic modules – Part 5-1: Test methods – Dynamic gain tilt equalizer – Gain tilt settling time measurement (IEC 62343-5-1:201X)

FprEN 62779-1:2014 en
Semiconductor devices – Semiconductor interface for human body communication – Part 1: General requirements (IEC 62779-1:201X)

FprEN 62779-2:2014 en
Semiconductor devices – Semiconductor interface for human body communication – Part 2: Characterization of interfacing performances (IEC 62779-2)

FprEN 140402:2014 en
Blank Detail Specification: Fixed low power wirewound surface mount (SMD) resistors

FprEN 140402-801:2014 en
Detail specification: Fixed low power wirewound surface mount (SMD) resistors – Rectangular – Stability classes 0,5; 1; 2

HZN/TU W1, *Energetska elektrotehnika 1*

prEN 50342-1:2014 en
Lead-acid starter batteries – Part 1: General requirements and methods of test
Olovni akumulatori za pokretanje – 1. dio: Opći zahtjevi i metode ispitivanja

EN 50342-2:2007/FprA1:2014 en
Lead-acid starter batteries – Part 2: Dimensions of batteries and marking of terminals

prEN 50342-6:2014 en
Lead-acid starter batteries – Part 6: Batteries for Micro-Cycle Applications

prEN 50342-7:2014 en
Lead-acid starter batteries – Part 7: General requirements, methods of tests and dimensions for motorcycle batteries

prEN 50604-1:2014 en
Secondary lithium batteries for LEV (Light Electric Vehicle) applications – Part 1: General safety requirements and test methods

prEN 50632-1:2014 en
Electric motor-operated tools – Dust measurement Procedure – Part 1: General requirement

prEN 50632-2-1:2014 en
Electric motor-operated tools – Dust measurement procedure – Part 2-1: Particular requirements for drills and impact drills

prEN 50632-2-22:2014 en
Electric motor-operated electric tools – Dust measurement procedure – Part 2-22: Particular requirements for cut-off machines

FprEN 50636-2-107 en
Safety of household and similar appliances – Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers (IEC 60335-2-107:2012, MOD)

EN 50636-2-92:2014 en
Household and similar electrical appliances – Safety – Part 2-92: Particular requirements for pedestrian-controlled mains-operated lawn scarifiers and aerators (IEC 60335-2-92:2002, MOD)
Kućanski i slični električni aparati – Sigurnost – Dio 2-92: Posebni zahtjevi za grebalice i prozračivala trave pogonjene iz mreže s rukovateljem koji hoda (IEC 60335-2-92:2002, MOD)

EN 50636-2-94:2014 en
Household and similar electrical appliances – Safety – Part 2-94: Particular requirements for scissors type grass shears (IEC 60335-2-94:2008, MOD)

FprEN 60398:2014 en
Installations for electroheating and electromagnetic processing – General performance test methods (IEC 60398:201X)

EN 61029-2-5:2011/FprAA en
Safety of transportable motor-operated electric tools – Part 2-5: Particular requirements for band saws
Sigurnost prijevoznih elektromotornih alata – Dio 2-5: Posebni zahtjevi za tračne pile

FprEN 62282-3-200:2014 en
Fuel cell technologies – Part 3-200: Stationary fuel cell power systems – Performance test methods (IEC 62282-3-200:201X)

FprEN 62877-1:2014 en
Electrolyte and water for vented Lead Acid accumulators – Part 1: Requirements for electrolyte (IEC 62877-1:201X)

FprEN 62877-2:2014 en
Electrolyte and water for vented Lead Acid accumulators – Part 2: Requirements for water (IEC 62877-2:201X)

1.4 Povučene hrvatske norme

Na prijedlog tehničkog odbora ravnatelj Hrvatskoga zavoda za norme donosi odluku o povlačenju hrvatske norme kada je donesena nova hrvatska norma ili kada je postojeća hrvatska norma postala neprimjenjiva. Kada je koje područje uređeno propisima i neki od propisa (pravilnik, naredba, naputak) upućuje na norme koje su povučene, one se primjenjuju silom tih propisa i bit će, do izmjene propisa ili izradbe novih, na raspolaganju u Normoteci HZN-a.

HZN/TO 6, *Papir, karton i pulpe*

HRN EN ISO 2759:2008 en
Karton – Određivanje otpornosti jačine pucanja (ISO 2759:2001; EN ISO 2759:2003)
Board – Determination of bursting strength (ISO 2759:2001; EN ISO 2759:2003)
- zamijenjena s: HRN EN ISO 2759:2014

HZN/TO 8, *Brodogradnja*

HRN EN ISO 14726-1:2003 en
Brodovi i pomorska tehnologija – Boje za označivanje sadržaja cjevovodnih sustava – 1. dio: Glavne boje i mediji (ISO 14726-1:1999; EN ISO 14726-1:2001)
Ships and marine technology – Identification colours for the content of piping systems – Part 1: Main colours and media (ISO 14726-1:1999; EN ISO 14726-1:2001)
- zamijenjena s: HRN ISO 14726:2014

HZN/TO 21, *Protupožarna i vatrogasna oprema*

HRN EN 54-3:2005 en
Sustavi za otkrivanje i dojavu požara – 3. dio: Naprave za uzbunjivanje – Sirene (EN 54-3:2001+A1:2002)
Fire detection and fire alarm systems – Part 3: Fire alarm devices – Sounders (EN 54-3:2001+A1:2002)
- zamijenjena s: HRN EN 54-3:2014

HRN EN 54-3:2005/A2:2008 en
Sustavi za otkrivanje i dojavu požara – 3. dio: Naprave za uzbunjivanje – Sirene (EN 54-3:2001/A2:2006)
Fire detection and fire alarm systems – Part 3: Fire alarm devices – Sounders (EN 54-3:2001/A2:2006)
- zamijenjena s: HRN EN 54-3:2014

HRN EN 1947:2008 en
Vatrogasne cijevi – Polukrute tlačne cijevi i cijevni sklopovi za pumpe i vozila (EN 1947:2002+A1:2007)
Fire-fighting hoses – Semi-rigid delivery hoses and hose assemblies for pumps and vehicles (EN 1947:2002+A1:2007)
- zamijenjena s: HRN EN 1947:2014

HRN ISO 6309:2000 en,fr
Zaštita od požara – Sigurnosni znakovi (ISO 6309:1987)
Fire protection – Safety signs (ISO 6309:1987)
- zamijenjena s: HRN EN ISO 7010:2013

HZN/TO 28, *Naftni proizvodi i maziva*

HRN EN ISO 5163:2005 en
Motorna i avionska goriva – Određivanje karakteristika lupanja motornih i avionskih goriva – Motorna metoda (ISO 5163:2005; EN ISO 5163:2005)
Motor and aviation-type fuels – Determination of knock characteristics of motor and aviation fuels – Motor method (ISO 5163:2005; EN ISO 5163:2005)
- zamijenjena s: HRN EN ISO 5163:2014

HRN EN ISO 5163:2005/Ispr.1:2009 en
Naftni proizvodi – Određivanje karakteristika detonantnog izgaranja motornih i avionskih goriva – Motorna metoda (ISO 5163:2005/Cor 1:2008; EN ISO 5163:2005/AC:2009)
Petroleum products – Determination of knock characteristics of motor and aviation fuels – Motor method (ISO 5163:2005/Cor 1:2008; EN ISO 5163:2005/AC:2009)
- zamijenjena s: HRN EN ISO 5163:2014

HRN EN ISO 5164:2005 en
Motorna goriva – Određivanje karakteristika lupanja motornih goriva – Istraživačka metoda (ISO 5164:2005; EN ISO 5164:2005)
Motor fuels – Determination of knock characteristics of motor fuels – Research method (ISO 5164:2005; EN ISO 5164:2005)
- zamijenjena s: HRN EN ISO 5164:2014

HZN/TO 35, *Boje i lakovi*

HRN EN 13523-0:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 0. dio: Opći uvod i popis metoda ispitivanja (EN 13523-0:2001)
Coil coated metals – Test methods – Part 0: General introduction and list of test methods (EN 13523-0:2001)
- zamijenjena s: HRN EN 13523-0:2014

HRN EN 13523-2:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 2. dio: Sjajnost (EN 13523-2:2001)
Coil coated metals – Test methods – Part 2: Specular gloss (EN 13523-2:2001)
- zamijenjena s: HRN EN 13523-2:2014

HRN EN 13523-3:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 3. dio: Razlika u boji – Usporedba s pomoću instrumenta (EN 13523-3:2001)
Coil coated metals – Test methods – Part 3: Colour difference – Instrumental comparison (EN 13523-3:2001)
- zamijenjena s: HRN EN 13523-3:2014

HRN EN 13523-5:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 5. dio: Otpornost na brzu deformaciju (otpornost na udarac) (EN 13523-5:2001)
Coil coated metals – Test methods – Part 5: Resistance to rapid deformation (impact test) (EN 13523-5:2001)
- zamijenjena s: HRN EN 13523-5:2014

HRN EN 13523-7:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 7. dio: Otpornost na pojavu pukotina tijekom savijanja (T- postupak savijanja) (EN 13523-7:2001)
Coil coated metals – Test methods -Part 7: Resistance to cracking on bending (T-bend test) (EN 13523-7:2001)
- zamijenjena s: HRN EN 13523-7:2014

HRN EN 13523-9:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 9. dio: Otpornost na uranjanje u vodu (EN 13523-9:2001)
Coil coated metals – Test methods – Part 9: Resistance to water immersion (EN 13523-9:2001)
- zamijenjena s: HRN EN 13523-9:2014

HRN EN 13523-13:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 13. dio: Otpornost na ubrzano starenje djelovanjem topline (EN 13523-13:2001)
Coil coated metals – Test methods – Part 13: Resistance to accelerated ageing by the use of heat (EN 13523-13:2001)
- zamijenjena s: HRN EN 13523-13:2014

HRN EN 13523-14:2002 en
Metali zaštićeni trakom – Metode ispitivanja – 14. dio: Kredanje (Helmenova metoda) (EN 13523-14:2001)
Coil coated metals – Test methods – Part 14: Chalking (Helmen method) (EN 13523-14:2001)
- zamijenjena s: HRN EN 13523-14:2014

HRN EN 13523-25:2007 en
Metali zaštićeni trakom – Metode ispitivanja – 25. dio: Otpornost na vlagu (EN 13523-25:2006)
Coil coated metals – Test methods – Part 25: Resistance to humidity (EN 13523-25:2006)
- zamijenjena s: HRN EN 13523-25:2014

HRN EN 13523-26:2007 en
Metali zaštićeni trakom – Metode ispitivanja – 26. dio: Otpornost na kondenzaciju vode (EN 13523-26:2006)
Coil coated metals – Test methods – Part 26: Resistance to condensation of water (EN 13523-26:2006)
- zamijenjena s: HRN EN 13523-26:2014

HRN ISO 15181-6:2013 en
Boje i lakovi – Određivanje brzine otpuštanja biocida iz antivegetativnih boja – 6. dio: Određivanje brzine otpuštanja tralopirila određivanjem količine njegova produkta razgradnje u ekstraktu (ISO 15181-6:2012)
Paints and varnishes – Determination of release rate of biocides from antifouling paints – Part 6: Determination of tralopyril release rate by quantitation of its degradation product in the extract (ISO 15181-6:2012)
- zamijenjena s: HRN EN ISO 15181-6:2014

HZN/TO 43, *Akustika*

HRN EN ISO 11200:2010 en
Akustika – Buka koju zrače strojevi i oprema – Smjernice za uporabu temeljnih norma za određivanje zvučnoga tlaka emisije na radnome mjestu i na drugim specificiranim mjestima (ISO 11200:1995+Cor 1:1997; EN ISO 11200:2009)

Acoustics – Noise emitted by machinery and equipment – Guidelines for the use of basic standards for the determination of emission sound pressure levels at a work station and at other specified positions (ISO 11200:1995+Cor 1:1997; EN ISO 11200:2009)
- zamijenjena s: HRN EN ISO 11200:2014

HZN/TO 44, *Zavarivanje i srodni postupci*

HRN EN ISO 15614-12:2007 en
Specifikacija i kvalifikacija postupaka zavarivanja za metalne materijale – Ispitivanje postupka zavarivanja – 12. dio: Elektrootporno točkasto, šavno i bradavičasto zavarivanje (ISO 15614-12:2004; EN ISO 15614-12:2004)
Specification and qualification of welding procedures for metallic materials – Welding procedure test – Part 12: Spot, seam and projection welding (ISO 15614-12:2004; EN ISO 15614-12:2004)
- zamijenjena s: HRN EN ISO 15614-12:2014

HRN EN 29455-5:2002 en
Talila za meko lemljenje – Ispitne metode – 5. dio: Ispitivanje bakrenim zrcalom (ISO 9455-5:1992; EN 29455-5:1993)
Soft soldering fluxes – Test methods – Part 5: Copper mirror test (ISO 9455-5:1992; EN 29455-5:1993)
- zamijenjena s: HRN EN ISO 9455-5:2014

HZN/TO 46, *Bibliotekarstvo, dokumentacija i informacije*

HRN EN ISO 3166-1:2007 en
Kodovi za označivanje imena zemalja i njihovih pokrajina – 1. dio: Kodovi zemalja (ISO 3166-1:2006; EN ISO 3166-1:2006)
Codes for the representation of names of countries and their subdivisions – Part 1: Country codes (ISO 3166-1:2006; EN ISO 3166-1:2006)
- zamijenjena s: HRN EN ISO 3166-1:2014

HRN EN ISO 3166-1:2007/Ispr.1:2008 en
Kodovi za označivanje imena zemalja i njihovih pokrajina – 1. dio: Kodovi zemalja (ISO 3166-1:2006/Cor 1:2007; EN ISO 3166-1:2006/AC:2008)
Codes for the representation of names of countries and their subdivisions – Part 1: Country codes (ISO 3166-1:2006/Cor 1:2007; EN ISO 3166-1:2006/AC:2008)
- zamijenjena s: HRN EN ISO 3166-1:2014

HRI CR 14400:2009 en
Europska pravila poretka – Poredak znakova u latinskom, grčkom, ćirilićnom, gruzijskom i armenskom pismu (CR 14400:2001)
European ordering rules – Ordering for Latin, Greek, Cyrillic, Georgian and Armenian scripts (CR 14400:2001)
- zamijenjena s: HRN EN 13710:2014

HZN/TO 121, *Anestetička i respiracijska oprema*

HRN EN ISO 10079-2:2010 en
Medicinska usisna oprema – 2. dio: Ručno pogonjena usisna oprema (ISO 10079-2:1999; EN ISO 10079-2:2009)
Medical suction equipment – Part 2: Manually powered suction equipment (ISO 10079-2:1999; EN ISO 10079-2:2009)
- zamijenjena s: HRN EN ISO 10079-2:2014

HRN EN ISO 10079-3:2010 en
Medicinska usisna oprema – 3. dio: Usisna oprema pogonjena vakuumom ili izvorima tlaka (ISO 10079-3:1999; EN ISO 10079-3:2009)
Medical suction equipment – Part 3: Suction equipment powered from a vacuum or pressure source (ISO 10079-3:1999; EN ISO 10079-3:2009)
- zamijenjena s: HRN EN ISO 10079-3:2014

HRN EN 15908:2011 en
Anestetička i respiracijska oprema – Nepromjenjivi priključci na navoj (NIST) priključci niskog pritiska za medicinske plinove (EN 15908:2010)
Anaesthetic and respiratory equipment – Non-interchangeable screw-threaded (NIST) low-pressure connectors for medical gases (EN 15908:2010)
- zamijenjena s: HRN EN ISO 18082:2014

HZN/TO 130, *Grafička tehnologija*

HRN ISO 2835:2001 en
Otisci i tiskarske boje – Ispitivanje otpornosti na dnevno svjetlo (ISO 2835:1974)
Prints and printing inks – Assessment of light fastness (ISO 2835:1974)
- bez zamjene

HRN ISO 13656:2008 en
Grafička tehnologija – Primjena relektancijske denzitometrije i kolorimetrije u postupcima kontrole i procjene kvalitete otisaka i probnih otisaka (ISO 13656:2000)
Graphic technology – Application of reflection densitometry and colorimetry to process control or evaluation of prints and proofs (ISO 13656:2000)
- bez zamjene

HRN ISO 14981:2004 en
Grafička tehnologija – Kontrola procesa – Optički, geometrijski i mjerni zahtjevi za refleksne denzitometre koji se upotrebljavaju u grafičkoj industriji (ISO 14981:2000)
Graphic technology – Process control – Optical, geometrical and metrological requirements for reflection densitometers for graphic arts use (ISO 14981:2000)
- bez zamjene

HRN ISO 15930-5:2004 en
Grafička tehnologija – Razmjena digitalnih podataka u grafičkoj pripremi – Upotreba PDF-a – 5. dio: Djelomična razmjena tiskarskih podataka upotrebom PDF 1.4 (PDF/X-2) (ISO 15930-5: 2003)
Graphic technology – Prepress digital data exchange using PDF – Part 5: Partial exchange of printing data using PDF 1.4 (PDF/X-2) (ISO 15930-5:2003)
- bez zamjene

HZN/TO 145, *Grafički simboli*

HRN ISO 3864-3:2008 en
Grafički simboli – Boje i znakovi sigurnosti – 3. dio: Načela oblikovanja grafičkih simbola za uporabu na znakovima sigurnosti (ISO 3864-3:2006)
Graphical symbols – Safety colours and safety signs – Part 3: Design principles for graphical symbols for use in safety signs (ISO 3864-3:2006)
- zamijenjena s: HRN ISO 3864-3:2014

HZN/TO 146, *Kvaliteta zraka*

HRN EN 13205:2007 en
Atmosfere radnih prostora – Ocjena radnih značajka mjerila koncentracije lebdećih čestica (EN 13205:2001)
Workplace atmospheres – Assessment of performance of instruments for measurement of airborne particle concentrations (EN 13205:2001)
- zamijenjena s: HRN EN 13205-1:2014, HRN EN 13205-2:2014, HRI CEN/TR 13205-3:2014, HRN EN 13205-4:2014, HRN EN 13205-5:2014, HRN EN 13205-6:2014

HZN/TO 163, *Toplinska izolacija*

HRN EN 12524:2002 en
Građevni materijali i proizvodi – Svojstva s obzirom na toplinu i vlagu – Tablice projektnih vrijednosti (EN 12524:2000)
Building materials and products – Hygrothermal properties – Tabulated design values (EN 12524:2000)
- zamijenjena s: HRN EN ISO 10456:2008

HZN/TO 172, *Optika i optički instrumenti*

HRN ISO 8600-4:2005 en
Optika i optički instrumenti – Medicinski endoskopi i određeni pribor – 4. dio: Određivanje maksimalnog promjera uvodnog dijela (ISO 8600-4:1997)
Optics and optical instruments – Medical endoscopes and certain accessories – Part 4: Determination of maximum width of insertion portion (ISO 8600-4:1997)
- zamijenjena s: HRN ISO 8600-4:2014

HZN/TO 221, *Geosintetici*

HRN EN 13256:2002 en
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji tunela i podzemnih građevina (EN 13256:2000)
Geotextiles and geotextile-related products – Characteristics required for use in the construction of tunnels and underground structures (EN 13256:2000)
- zamijenjena s: HRN EN 13256:2014

HRN EN 13256/A1:2005 en
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji tunela i podzemnih građevina (EN 13256:2000/A1:2005)
Geotextiles and geotextile-related products – Required characteristics for use in the construction of tunnels and underground structures (EN 13256:2000/A1:2005)
- zamijenjena s: HRN EN 13256:2014

HRN EN 13256/AC:2004 en
Geotekstili i proizvodi srodni s geotekstilom – Zahtijevana svojstva za uporabu pri izgradnji tunela i podzemnih građevina (EN 13256:2000/AC:2003)
Geotextiles and geotextile-related products – Characteristics required for use in the construction of tunnels and underground structures (EN 13256:2000/AC:2003)
- zamijenjena s: HRN EN 13256:2014

HZN/TO 503, *Metalni materijali*

HRN EN 10045-1:2003 en
Metalni materijali – Ispitivanje žilavosti prema Charpyju – 1. dio: Ispitna metoda (EN 10045-1:1990)
Metallic materials – Charpy impact test – Part 1: Test method (EN 10045-1:1990)
- zamijenjena s: HRN EN ISO 148-1:2012

HRN EN 12420:2003 en
Bakar i bakrene legure – Otkovci (EN 12420:1999)
Copper and copper alloys – Forgings (EN 12420:1999)
- zamijenjena s: HRN EN 12420:2014

HZN/TO 504, *Korozija i zaštita metala i legura*

HRN EN ISO 6509:2004 en
Korozija metala i legura – Određivanje otpornosti mjedi na decinkaciju (ISO 6509:1981; EN ISO 6509:1995)
Corrosion of metals and alloys – Determination of dezincification resistance of brass (ISO 6509:1981; EN ISO 6509:1995)
- zamijenjena s: HRN EN ISO 6509-1:2014

HRN EN ISO 17081:2008 en
Metode mjerenja zasićenosti vodikom i određivanja unosa i prijenosa vodika u metale elektrokemijskim postupkom (ISO 17081:2004; EN ISO 17081:2008)
Method of measurement of hydrogen permeation and determination of hydrogen uptake and transport in metals by an electrochemical technique (ISO 17081:2004; EN ISO 17081:2008)
- zamijenjena s: HRN EN ISO 17081:2014

HZN/TO 505, *Prijenos i distribucija plina*

HRN EN 12583:2001 en
Plinski opskrbni sustavi – Plinske redukcijske stanice za transport i distribuciju – Funkcionalni zahtjevi (EN 12583:2000)
Gas supply systems – Compressor stations – Functional requirements (EN 12583:2000)
- zamijenjena s: HRN EN 12583:2014

HZN/TO 513, *Mjerne jedinice i mjerila*

HRN ISO 1100-1:2005 en
Mjerenje protoka tekućina u otvorenim kanalima – 1. dio: Osnivanje i rad hidrološke stanice (ISO 1100-1:1996)
Measurement of liquid flow in open channels – Part 1: Establishment and operation of a gauging station (ISO 1100-1:1996)
- zamijenjena s: HRN EN ISO 18365:2014

HRN ISO/TR 3313:2005 en
Mjerenje protoka fluida pomoću mjernih elemenata na kojima nastaje razlika tlaka – Učinci pulsiranja protoka na instrumente (ISO/TR 3313:1998)
Measurement of fluid flow in closed conduits – Guidelines on the effects of flow pulsations on flow-measurement instruments (ISO/TR 3313:1998)
- bez zamjene

HRN ISO 4064-1:2007 en
Mjerenje protoka vode u tlačnim zatvorenim cjevovodnim sustavima – Mjerila za hladnu pitku vodu i vruću vodu – 1. dio: Specifikacije (ISO 4064-1:2005)
Measurement of water flow in fully charged closed conduits – Meters for cold potable water and hot water – Part 1: Specifications (ISO 4064-1:2005)
- zamijenjena s: HRN EN ISO 4064-1:2014

HRN ISO 4064-2:2007 en
Mjerenje protoka vode u tlačnim zatvorenim cjevovodnim sustavima – Mjerila za hladnu pitku vodu i vruću vodu – 2. dio: Uvjeti ugradnje (ISO 4064-2:2005)
Measurement of water flow in fully charged closed conduits – Meters for cold potable water and hot water – Part 2: Installation requirements (ISO 4064-2:2005)
- zamijenjena s: HRN EN ISO 4064-2:2014

HRN ISO 4064-3:2007 en
Mjerenje protoka vode u tlačnim zatvorenim cjevovodnim sustavima – Mjerila za hladnu pitku vodu i vruću vodu – 3. dio: Metode i oprema za ispitivanje (ISO 4064-3:2005)
Measurement of water flow in fully charged closed conduits – Meters for cold potable water and hot water – Part 3: Test methods and equipment (ISO 4064-3:2005)
- zamijenjena s: HRN EN ISO 4064-3:2014

HRN ISO/TR 7066-1:2007 en
Procjena nesigurnosti pri kalibraciji i uporabi uređaja za mjerenje protoka – 1. dio: Linearne korelacije za umjeravanje (ISO/TR 7066-1:1997)
Assessment of uncertainty in calibration and use of flow measurement devices – Part 1: Linear calibration relationships (ISO/TR 7066-1:1997)
- bez zamjene

HRN ISO/TR 9209:2004 en
Mjerenje protoka tekućine u otvorenim kanalima – Određivanje ispravka razine tekućine
(ISO/TR 9209:1989)
Measurement of liquid flow in open channels – Determination of the wetline correction
(ISO/TR 9209:1989)
- bez zamjene

HRN ISO/TR 9210:2004 en
Mjerenje protoka tekućine u otvorenim kanalima – Mjerenje u riječnim meandrima i u tokovima s nestabilnim granicama (ISO/TR 9210:1992)
Measurement of liquid flow in open channels – Measurement in meandering rivers and in streams with unstable boundaries (ISO/TR 9210:1992)
- bez zamjene

HRI ISO/TR 9212:2009 en
Hidrometrija – Mjerenje protoka u otvorenim kanalima – Metode mjerenja vučenog nanosa (ISO/TR 9212:2006)
Hydrometry – Measurement of liquid flow in open channels – Methods of measurement of bedload discharge (ISO/TR 9212:2006)
- bez zamjene

HRN ISO 9213:2009 en
Mjerenje ukupnog protoka u otvorenim kanalima – Elektromagnetska metoda sa zavojnicom postavljenom preko širine kanala (ISO 9213:2004)
Measurement of total discharge in open channels – Electromagnetic method using a full-channel-width coil (ISO 9213:2004)
- bez zamjene

HRN ISO 9555-2:2004 en
Mjerenje protoka tekućine u otvorenim kanalima – Metoda razrjeđivanja markera za mjerenje ustaljenog toka – 2. dio: Radioaktivni markeri (ISO 9555-2:1992)
Measurement of liquid flow in open channels – tracer dilution methods for the measurement of steady flow – Part 2: Radioactive tracers (ISO 9555-2:1992)
- bez zamjene

HRI ISO/TR 9823:2009 en
Mjerenje protoka u otvorenim kanalima – Metoda brzina-površina sa smanjenim brojem mjernih vertikala (ISO/TR 9823:1990)
Liquid flow measurement in open channels – Velocity-area method using a restricted number of verticals (ISO/TR 9823:1990)
- bez zamjene

HRN ISO/TR 11330:2004 en
Određivanje obujma i razine vode u jezerima i spremnicima (ISO/TR 11330:1997)
Determination of volume of water and water level in lakes and reservoirs (ISO/TR 11330:1997)
- bez zamjene

HRI ISO/TR 11332:2009 en
Hidrometrijska određivanja – Vodotoci promjenjiva oblika dna (ISO/TR 11332:1998)
Hydrometric determinations – Unstable channels and ephemeral streams (ISO/TR 11332:1998)
- bez zamjene

HRI ISO/TR 11627:2009 en
Mjerenje protoka u otvorenim kanalima – Proračun protoka primjenom nestacionarnoga numeričkog modela (ISO/TR 11627:1998)
Measurement of liquid flow in open channels – Computing stream flow using an unsteady flow model (ISO/TR 11627:1998)
- bez zamjene

HRN ISO/TR 11656:2004 en
Mjerenje protoka tekućine u otvorenim kanalima – Duljina miješanja markera (ISO/TR 11656:1993)
Measurement of liquid flow in open channels – Mixing length of a tracer (ISO/TR 11656:1993)
- bez zamjene

HRN ISO/TR 12764:2005 en
Mjerenje protoka fluida u zatvorenim cjevovodnim sustavima - Mjerenje protoka pomoću vrtložnih mjerila umetnutih u tlačne cijevi kružnoga poprečnog presjeka (ISO/TR 12764:1997)
Measurement of fluid flow in closed conduits – Flowrate measurement by means of vortex shedding flowmeters inserted in circular cross-section conduits running full (ISO/TR 12764:1997)
- bez zamjene

HRS ISO/TS 13762:2008 en
Analiza veličine čestica – Metoda raspršivanja rendgenskih zraka pod malim kutovima
(ISO/TS 13762:2001)
Particle size analysis – Small angle X-ray scattering method (ISO/TS 13762:2001)
- bez zamjene

HRS ISO/TS 24154:2009 en
Hidrometrija – Mjerenje brzina i protoka rijeka primjenom akustičkih Doppler mjerača protoka (ADCP) (ISO/TS 24154:2005)
Hydrometry – Measuring river velocity and discharge with acoustic Doppler profilers (ISO/TS 24154:2005)
- bez zamjene

HZN/TO 518, *Podovi, stropovi i zidne obloge*

HRN EN 13950:2008 en
Gipsane kompozitne ploče za toplinsku i zvučnu izolaciju – Definicije, zahtjevi i ispitne metode
(EN 13950:2005)
Gypsum plasterboard thermal/acoustic insulation composite panels – Definitions, requirements and test methods (EN 13950:2005)
- zamijenjena s: HRN EN 13950:2014

HRN EN 13963:2007 en
Materijal za obradbu i zaglađivanje spojeva gipsanih ploča – Definicije, zahtjevi i ispitne metode
(EN 13963:2005+AC:2006)
Jointing materials for gypsum plasterboards – Definitions, requirements and test methods
(EN 13963:2005+AC:2006)
- zamijenjena s: HRN EN 13963:2014

HZN/TO 525, *Hidroizolacijski materijali i proizvodi za pokrivanje krovova*

HRN EN 508-1:2008 en
Krovopokrivački proizvodi od lima – Specifikacija za samonosive proizvode od čeličnog, aluminijskog ili nehrđajućeg čeličnog lima – 1. dio: Čelik
(EN 508-1:2008)
Roofing products from metal sheet – Specification for self-supporting products of steel, aluminium or stainless steel sheet – Part 1: Steel (EN 508-1:2008)
- zamijenjena s: HRN EN 508-1:2014

HZN/TO 526, *Bitumenska veziva*

HRN EN 12597:2002 hr,en,fr,de
Bitumen i bitumenska veziva – Nazivlje
(EN 12597:2000)
Bitumen and bituminous binders – Terminology
(EN 12597:2000)
- zamijenjena s: HRN EN 12597:2014

HZN/TO 529, *Granici, dizalice i prenosila neprekidne dobave*

HRN ISO 4301-2:2001 en
Granici i dizalice – Podjela u pogonske skupine – 2. dio: Samovozni granici (ISO 4301-2:1985)
Cranes and lifting appliances – Classification – Part 2: Mobile cranes (ISO 4301-2:1985)
- zamijenjena s: HRN ISO 4301-2:2014

HRN ISO 4306-1:2001 en
Granici – Rječnik – 1. dio: Općenito (ISO 4306-1:1990)
Cranes – Vocabulary – Part 1: General (ISO 4306-1:1990)
- zamijenjena s: HRN ISO 4306-1:2014

HRN ISO 4306-2:2001 en
Granici – Rječnik – 2. dio: Samovozni granici (ISO 4306-2:1994)
Cranes – Vocabulary – Part 2: Mobile cranes (ISO 4306-2:1994)
- zamijenjena s: HRN ISO 4306-2:2014

HRN ISO 4309:2001 en
Granici – Čelična užad – Kodeks postupka za ispitivnje i odbacivanje (ISO 4309:1990)
Cranes – Wire ropes – Code of practice for examination and discard (ISO 4309:1990)
- zamijenjena s: HRN ISO 4309:2014

HRN ISO 4310:2001 en
Granici – Ispitna metoda i postupci (ISO 4310:1981)
Cranes – Test code and procedures (ISO 4310:1981)
- zamijenjena s: HRN ISO 4310:2014

HRN ISO 7752-1:2002 en
Granici – Upravljanje – Raspored upravljačkih elemenata i karakteristike – 1. dio: Opći principi (ISO 7752-1:1983)
Lifting appliances – Controls – Layout and characteristics – Part 1: General principles (ISO 7752-1:1983)
- zamijenjena s: HRN ISO 7752-1:2014

HRN ISO 7752-2:2002 en
Granici – Upravljanje – Raspored upravljačkih elemenata i karakteristike – 2. dio: Osnovni raspored i zahtjevi za mobilne granike (ISO 7752-2:1985+Add 1:1986)
Lifting appliances – Controls; Layout and characteristics – Part 2: Basic arrangement and requirements for mobile cranes (ISO 7752-2:1985+Add 1:1986)
- zamijenjena s: HRN ISO 7752-2:2014

HRN ISO 7752-3:2002 en
Granici – Upravljanje – Raspored upravljačkih elemenata i karakteristike – 3. dio: Toranjski granici (ISO 7752-3:1993)
Cranes – Controls – Layout and characteristics – Part 3: Tower cranes (ISO 7752-3:1993)
- zamijenjena s: HRN ISO 7752-3:2014

HRN ISO 8566-1:2003 en
Granici – Kabine – 1. dio: Općenito (ISO 8566-1:1992)
Cranes – Cabins – Part 1: General (ISO 8566-1:1992)
- zamijenjena s: HRN ISO 8566-1:2014

HRN ISO 8566-3:2003 en
Granici – Kabine – 3. dio: Toranjski granici (ISO 8566-3:1992)
Cranes – Cabins – Part 3: Tower cranes (ISO 8566-3:1992)
- zamijenjena s: HRN ISO 8566-3:2014

HRN ISO 8686-1:2001 en
Granici – Proračunska opterećenja i njihove kombinacije – 1. dio: Općenito (ISO 8686-1:1989)
Cranes – Design principles for loads and load combinations – Part 1: General (ISO 8686-1:1989)
- zamijenjena s: HRN ISO 8686-1:2014

HRN ISO 9927-1:2001 en
Granici – Ispitivanja – 1. dio: Općenito (ISO 9927-1:1994)
Cranes – Inspections – Part 1: General (ISO 9927-1:1994)
- zamijenjena s: HRN ISO 9927-1:2014

HRN ISO 10245-1:2001 en
Granici – Uređaji za ograničavanje i signaliziranje – 1. dio: Općenito (ISO 10245-1:1994)
Cranes – Limiting and indicating devices – Part 1: General (ISO 10245-1:1994)
- zamijenjena s: HRN ISO 10245-1:2014

HRN ISO 10245-2:2001 en
Granici – Uređaji za ograničavanje i signaliziranje – 2. dio: Mobilni granici (ISO 10245-2:1994)
Cranes – Limiting and indicating devices – Part 2: Mobile cranes (ISO 10245-2:1994)
- zamijenjena s: HRN ISO 10245-2:2014

HRN ISO 10245-3:2001 en
Granici – Uređaji za ograničavanje i signaliziranje – 3. dio: Toranjski granici (ISO 10245-3:1999)
Cranes – Limiting and indicating devices – Part 3: Tower cranes (ISO 10245-3:1999)
- zamijenjena s: HRN ISO 10245-3:2014

HRN ISO 11660-1:2003 en
Granici – Pristup, zaštite i ograničenja – 1. dio: Općenito (ISO 11660-1:1999)
Cranes – Access, guards and restraints – Part 1: General (ISO 11660-1:1999)
- zamijenjena s: HRN ISO 11660-1:2014

HRN ISO 11660-3:2003 en
Granici – Pristup, zaštite i ograničenja – 3. dio: Toranjski granici (ISO 11660-3:1999)
Cranes – Access, guards and restraints – Part 3: Tower cranes (ISO 11660-3:1999)
- zamijenjena s: HRN ISO 11660-3:2014

HRN EN 13000:2010 en
Granici – Mobilni granici (EN 13000:2010)
Cranes – Mobile cranes (EN 13000:2010)
- zamijenjena s: HRN EN 13000:2014

HRN EN 13000:2010/Ispr.1:2012 en
Granici – Mobilni granici (EN 13000:2010/AC:2010)
Cranes – Mobile cranes (EN 13000:2010/AC:2010)
- zamijenjena s: HRN EN 13000:2014

HRN ISO/TS 15696:2002 en,fr,ru
Granici – Popis istoznačnih pojmova (ISO/TS 15696:2000)
Cranes – List of equivalent terms (ISO/TS 15696:2000)
- zamijenjena s: HRS ISO/TS 15696:2014

HRN ISO 18878:2004 en
Mobilne podizne platforme – Obuka rukovatelja (ISO 18878:2004)
Mobile elevating work platforms – Operator (driver) training (ISO 18878:2004)
- zamijenjena s: HRN ISO 18878:2014

HZN/TO 531, *Plastika i guma*

HRN ISO 6427:2008 en
Plastika – Određivanje tvari koje je moguće ekstrahirati organskim otapalima (uobičajene metode) (ISO 6427:1992)
Plastics – Determination of matter extractable by organic solvents (conventional methods) (ISO 6427:1992)
- zamijenjena s: HRN EN ISO 6427:2014

HRN EN ISO 6808:2008 en
Plastična crijeva i crijevni uređaji za usisavanje i pražnjenje naftnih proizvoda pri niskom tlaku – Specifikacija (ISO 6808:1999; EN ISO 6808:2000)
Plastics hoses and hose assemblies for suction and low-pressure discharge of petroleum liquids – Specification (ISO 6808:1999; EN ISO 6808:2000)
- zamijenjena s: HRN EN ISO 6808:2014

HRN EN ISO 11357-4:2013 en
Plastika – Diferencijalna pretražna kalorimetrija – 4. dio: Određivanje specifičnoga toplinskog kapaciteta (ISO 11357-4:2005; EN ISO 11357-4:2013)
Plastics – Differential scanning calorimetry (DSC) – Part 4: Determination of specific heat capacity (ISO 11357-4:2005; EN ISO 11357-4:2013)
- zamijenjena s: HRN EN ISO 11357-4:2014

HRN EN ISO 11403-1:2008 en
Plastika – Prikupljanje i prikaz usporedivih podataka više mjerenja u širem ispitnom području – 1. dio: Mehanička svojstva (ISO 11403-1:2001; EN ISO 11403-1:2003)
Plastics – Acquisition and presentation of comparable multipoint data – Part 1: Mechanical properties (ISO 11403-1:2001; EN ISO 11403-1:2003)
- zamijenjena s: HRN EN ISO 11403-1:2014

HRN EN ISO 11403-3:2008 en
Plastika – Prikupljanje i prikaz usporedivih podataka više mjerenja u širem ispitnom području – 3. dio: Utjecaj okoline na svojstva (ISO 11403-3:1999; EN ISO 11403-3:2001)
Plastics – Acquisition and presentation of comparable multipoint data – Part 3: Environmental influences on properties (ISO 11403-3:1999; EN ISO 11403-3:2001)
- zamijenjena s: HRN EN ISO 11403-3:2014

HZN/TO 533, *Kolničke konstrukcije*

HRN EN 12697-43:2005 en
Bitumenske mješavine – Ispitne metode za asfalt proizveden vrućim postupkom – 43. dio: Otpornost na gorivo (EN 12697-43:2005)
Bituminous mixtures – Test methods for hot mix asphalt – Part 43: Resistance to fuel (EN 12697-43:2005)
- zamijenjena s: HRN EN 12697-43:2014

HZN/TO 535, *Agregati*

HRN EN 1097-10:2004 en
Ispitivanja mehaničkih i fizikalnih svojstava agregata – 10. dio: Određivanje usisne visine vode (EN 1097-10:2002)
Tests for mechanical and physical properties of aggregates – Part 10: Determination of water suction height (EN 1097-10:2002)
- zamijenjena s: HRN EN 1097-10:2014

HZN/TO 536, *Vrata, prozori i staklo u graditeljstvu*

HRN EN 13022-1:2010 en
Staklo u graditeljstvu – Konstrukcijska brtvila – 1. dio: Stakleni proizvodi za sustave konstrukcijskih brtvila za jednostruka i višeslojna stakla s osloncem i bez njega (EN 13022-1:2006+A1:2010)
Glass in building – Structural sealant glazing – Part 1: Glass products for structural sealant glazing systems for supported and unsupported monolithic and multiple glazing (EN 13022-1:2006+A1:2010)
- zamijenjena s: HRN EN 13022-1:2014

HRN EN 13022-2:2010 en
Staklo u graditeljstvu – Konstrukcijska brtvila – 2. dio: Pravila ugradnje (EN 13022-2:2006+A1:2010)
Glass in building – Structural sealant glazing – Part 2: Assembly rules (EN 13022-2:2006+A1:2010)
- zamijenjena s: HRN EN 13022-2:2014

HZN/TO 541, *Sustavi grijanja, ventilacije i klimatizacije u građevinama*

HRN EN 13141-8:2008 en
Ventilacija u zgradama – Ispitivanje značajki dijelova/proizvoda za ventilaciju stambenih zgrada – 8. dio: Ispitivanje izvedbi za bezkanalnu dobavnu i otsisnu ventilacijsku opremu (uključujući povrat topline) za sustave ventilacije namijenjene jednoj prostoriji (EN 13141-8:2006)
Ventilation for buildings – Performance testing of components/products for residential ventilation – Part 8: Performance testing of un-ducted mechanical supply and exhaust ventilation units (including heat recovery) for mechanical ventilation systems intended for a single room (EN 13141-8:2006)
- zamijenjena s: HRN EN 13141-8:2014

HZN/TO 544, *Strojni elementi*

HRN EN ISO 4017:2012 en
Vijci sa šesterokutnom glavom i navojem do glave – Proizvod razreda A i B (ISO 4017:2011; EN ISO 4017:2011)
Hexagon head screws – Product grades A and B (ISO 4017:2011; EN ISO 4017:2011)
- zamijenjena s: HRN EN ISO 4017:2014

HZN/TO 550, *Opskrba vodom*

HRN EN 900:2008 en
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj uporabi – Kalcijev hipoklorit (EN 900:2007)
Chemicals used for treatment of water intended for human consumption – Calcium hypochlorite (EN 900:2007)
- zamijenjena s: HRN EN 900:2014

HRN EN 1017:2008 en
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj uporabi – Polužareni dolomit (EN 1017:2008)
Chemicals used for treatment of water intended for human consumption – Half-burnt dolomite (EN 1017:2008)
- zamijenjena s: HRN EN 1017:2014

HRN EN 1017:2008/Ispr.1:2009 en
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj uporabi – Polužareni dolomit (EN 1017:2008/AC:2009)
Chemicals used for treatment of water intended for human consumption – Half-burnt dolomite (EN 1017:2008/AC:2009)
- zamijenjena s: HRN EN 1017:2014

HRN EN 1487:2005 en
Ventili u zgradama – Hidraulične sigurnosne skupine – Ispitivanja i zahtjevi (EN 1487:2000)
Building valves – Hydraulic safety groups – Tests and requirements (EN 1487:2000)
- zamijenjena s: HRN EN 1487:2014

HRN EN 12518:2008 en
Kemikalije koje se upotrebljavaju u obradi vode namijenjene ljudskoj uporabi – Vapno s visokim udjelom kalcija (EN 12518:2008)
Chemicals used for treatment of water intended for human consumption – High-calcium lime (EN 12518:2008)
- zamijenjena s: HRN EN 12518:2014

HRN EN 12873-1:2008 en
Utjecaj materijala na vodu namijenjenu ljudskoj uporabi – Utjecaji zbog migracije – 1. dio: Ispitna metoda za tvornički proizvedene nemetalne i bezcementne materijale (EN 12873-1:2003)
Influence of materials on water intended for human consumption – Influence due to migration – Part 1: Test method for non-metallic and non-cementitious factory made products (EN 12873-1:2003)
- zamijenjena s: HRN EN 12873-1:2014

HZN/TO 551, *Gradnja*

HRN ISO 13822:2008 en
Osnove projektiranja konstrukcija – Ocjenjivanje postojećih konstrukcija (ISO 13822:2001)
Bases for design of structures – Assessment of existing structures (ISO 13822:2001)
- zamijenjena s: HRN ISO 13822:2014

HZN/TO 553, *Predgotovljeni proizvodi*

HRN EN ISO 10545-8:2001 en
Keramičke pločice – 8. dio: Određivanje linearnoga koeficijenta toplinskog širenja (ISO 10545-8:1994; EN ISO 10545-8:1996)
Ceramic tiles – Part 8: Determination of linear thermal expansion (ISO 10545-8:1994; EN ISO 10545-8:1996)
- zamijenjena s: HRN EN ISO 10545-8:2014

HZN/TO 555, *Medicinski proizvodi*

HRN EN 1422:2010 en
Sterilizatori za medicinske namjene – Etilen oksid sterilizatori – Zahtjevi i ispitne metode (EN 1422:1997+A1:2009)
Sterilizers for medical purposes – Ethylene oxide sterilizers – Requirements and test methods (EN 1422:1997+A1:2009)
- zamijenjena s: HRN EN 1422:2014

HRN EN 14180:2010 en
Sterilizatori za medicinske namjene – Sterilizacija niskotemperaturnom parom i formaldehidom – Zahtjevi i ispitivanje (EN 14180:2003+A2:2009)
Sterilizers for medical purposes – Low temperature steam and formaldehyde sterilizers – Requirements and testing (EN 14180:2003+A2:2009)
- zamijenjena s: HRN EN 14180:2014

HZN/TO 556, *Osobna zaštitna oprema*

HRN EN ISO 20346:2007 hr
Osobna zaštitna oprema – Zaštitna obuća (uključuje ispravak AC:2007) (ISO 20346:2004+Cor. 2:2006; EN ISO 20346:2004+AC:2007)
Personal protective equipment – Protective footwear (includes corrigendum AC:2007) (ISO 20346:2004+Cor. 2:2006; EN ISO 20346:2004+AC:2007)
- zamijenjena s: HRN EN ISO 20346:2014

HRN EN ISO 20346:2007/A1:2008 hr
Osobna zaštitna oprema – Zaštitna obuća – Amandman 1 (ISO 20346:2004/Amd 1:2007; EN ISO 20346:2004/A1:2007)
Personal protective equipment – Protective footwear – Amendment 1 (ISO 20346:2004/Amd 1:2007; EN ISO 20346:2004/A1:2007)
- zamijenjena s: HRN EN ISO 20346:2014

HZN/TO 557, *Zaštitna odjeća*

HRN EN 469:2006 en
Zaštitna odjeća za vatrogasce – Zahtjevi za svojstva zaštitne odjeće za gašenje požara (EN 469:2005)
Protective clothing for firefighters – Performance requirements for protective clothing for firefighting (EN 469:2005)
- zamijenjena s: HRN EN 469:2014

HRN EN 469:2006/A1:2008 en
Zaštitna odjeća za vatrogasce – Zahtjevi za svojstva zaštitne odjeće za gašenje požara (EN 469:2005/A1:2006)
Protective clothing for firefighters – Performance requirements for protective clothing for firefighting (EN 469:2005/A1:2006)
- zamijenjena s: HRN EN 469:2014

HRN EN 469:2006/AC:2007 en
Zaštitna odjeća za vatrogasce – Zahtjevi za svojstva zaštitne odjeće za gašenje požara (EN 469:2005/AC:2006)
Protective clothing for firefighters – Performance requirements for protective clothing for firefighting (EN 469:2005/AC:2006)
- zamijenjena s: HRN EN 469:2014

HZN/TO 559, *Zaporni, regulacijski i sigurnosni uređaji*

HRN EN ISO 4126-6:2004 en
Siguronosni uređaji za zaštitu od prekomjernog tlaka – 6. dio: Primjena, izbor i ugradnja sigurnosnih uređaja temeljenih na membranskom disku (ISO 4126-6:2003; EN ISO 4126-6:2003)
Safety devices for protection against excessive pressure – Part 6: Application, selection and installation of bursting disc safety devices (ISO 4126-6:2003; EN ISO 4126-6:2003)
- zamijenjena s: HRN EN ISO 4126-6:2014

HRN EN ISO 4126-6:2004/Ispr.1:2008 en
Siguronosni uređaji za zaštitu od prekomjernog tlaka – 6. dio: Primjena, izbor i ugradnja sigurnosnih uređaja temeljenih na membranskom disku (EN ISO 4126-6:2003/AC:2006)
Safety devices for protection against excessive pressure – Part 6: Application, selection and installation of bursting disc safety devices (EN ISO 4126-6:2003/AC:2006)
- zamijenjena s: HRN EN ISO 4126-6:2014

HZN/TO 560, *Tekstilni proizvodi*

HRN EN ISO 10306:2008 en
Tekstilije – Pamučna vlakna – Određivanje zrelosti metodom propusnosti zraka (ISO 10306:1993; EN ISO 10306:1995)
Textiles – Cotton fibres – Evaluation of maturity by the air flow method (ISO 10306:1993; EN ISO 10306:1995)
- zamijenjena s: HRN EN ISO 10306:2014

HRN EN ISO 13935-2:2008 en
Tekstilije – Vlačna svojstva šava na plošnim tekstilijama i gotovim tekstilnim proizvodima – 2. dio: Određivanje maksimalne sile pucanja šava grab metodom (ISO 13935-2:1999; EN ISO 13935-2:1999)
Textiles – Seam tensile properties of fabrics and made-up textile articles – Part 2: Determination of maximum force to seam rupture using the grab method (ISO 13935-2:1999; EN ISO 13935-2:1999)
- zamijenjena s: HRN EN ISO 13935-2:2014

HRN EN 15777:2010 en
Tekstil – Ispitna metoda za ftalate (EN 15777:2009)
Textiles – Test method for phthalates (EN 15777:2009)
- zamijenjena s: HRN EN ISO 14389:2014

HZN/TO 561, *Kotlovi, posude pod tlakom, cjevovodi i plinske boce*

HRN EN 14427:2006 en
Prenosive ponovno punjive potpuno opletene kompozitne boce za ukapljene naftne plinove (UNP) – Projektiranje i konstruiranje (EN 14427:2004)
Transportable refillable fully wrapped composite cylinders for Liquefied Petroleum Gases (LPG) – Design and construction (EN 14427:2004)
- zamijenjena s: HRN EN 14427:2014

HRN EN 14427:2006/A1:2008 en
Prenosive ponovno punjive kompozitne boce za UNP – Projektiranje i konstruiranje (EN 14427:2004/A1:2005)
Transportable refillable composite cylinders for LPG – Design and construction (EN 14427:2004/A1:2005)
- zamijenjena s: HRN EN 14427:2014

HZN/TO 562, *Alatni strojevi i alati*

HRN EN 289:2008 en
Strojevi za gumu i plastiku – Preše – Sigurnosni zahtjevi (EN 289:2004+A1:2008)
Plastics and rubber machines – Presses – Safety requirements (EN 289:2004+A1:2008)
- zamijenjena s: HRN EN 289:2014

HZN/TO 568, *Analize hrane - Horizontalne metode*

HRN EN 12822:2003 en
Namirnice – Određivanje vitamina E tekućinskom kromatografijom visokog učinka – Mjerenje <alfa>-, <beta>-, <gama>- i <delta>-tokoferola (EN 12822:2000)
Foodstuffs – Determination of vitamin E by high performance liquid chromatography – Measurement of <alpha>-, <beta>-, <gamma>- i <delta>-tocoferols (EN 12822:2000)
- zamijenjena s: HRN EN 12822:2014

HRN EN 14122:2005 en
Namirnice – Određivanje vitamina B1 metodom tekućinske kromatografije visokog učinka (HPLC) (EN 14122:2003)
Foodstuffs – Determination of vitamin B1 by HPLC (EN 14122:2003)
- zamijenjena s: HRN EN 14122:2014

HRN EN 14122:2005/AC:2007 en
Hrana – Određivanje vitamina B1 tekućinskom kromatografijom visokog učinka (HPLC) (EN 14122:2003/AC:2005)
Foodstuffs – Determination of vitamin B1 by HPLC (EN 14122:2003/AC:2005)
- zamijenjena s: HRN EN 14122:2014

HRN EN 14152:2005 en
Namirnice – Određivanje vitamina B2 metodom tekućinske kromatografije visokog učinka (HPLC) (EN 14152:2003)
Foodstuffs – Determination of vitamin B2 by HPLC (EN 14152:2003)
- zamijenjena s: HRN EN 14152:2014

HRN EN 14152:2005/AC:2007 en
Hrana – Određivanje vitamina B2 metodom tekućinske kromatografije visokog učinka (HPLC) (EN 14152:2003/AC:2005)
Foodstuffs – Determination of vitamin B2 by HPLC (EN 14152:2003/AC:2005)
- zamijenjena s: HRN EN 14152:2014

HRN EN 14164:2008 en
Namirnice – Određivanje vitamina B6 HPLC-om (EN 14164:2008)
Foodstuffs – Determination of vitamin B6 by HPLC (EN 14164:2008)
- zamijenjena s: HRN EN 14164:2014

HZN/TO 571, *Oprema za sport, igrališta i rekreaciju*

HRN EN 13451-10:2008 en
Oprema za bazene – 10. dio: Dodatni posebni sigurnosni zahtjevi i metode ispitivanja za platforme za ronjenje, ronilačke odskočne daske i pripadajuću opremu (EN 13451-10:2004)
Swimming pool equipment – Part 10: Additional specific safety requirements and test methods for diving platforms, diving springboards and associated equipment (EN 13451-10:2004)
- zamijenjena s: HRN EN 13451-10:2014

HRN EN 13451-11:2008 en
Oprema za bazene – 11. dio: Dodatni posebni sigurnosni zahtjevi i metode ispitivanja za pomične bazenske podove i pomične pregrade (EN 13451-11:2004)
Swimming pool equipment – Part 11: Additional specific safety requirements and test methods for moveable pool floors and moveable bulkheads (EN 13451-11:2004)
- zamijenjena s: HRN EN 13451-11:2014

HZN/TO 571, *Sport, igrališta i ostali rekreacijski sadržaji i oprema*

HRN EN 1809:2008 en
Pribori za ronjenje – Kompenzatori plutanja – Funkcionalni i sigurnosni zahtjevi, metode ispitivanja (EN 1809:1997)
Diving accessories – Buoyancy compensators – Functional and safety requirements, test methods (EN 1809:1997)
- zamijenjena s: HRN EN 1809:2014

HZN/TO E13, *Oprema za mjerenje električne energije te upravljanje tarifom i potrošnjom*

HRN EN 60514:1997 hr
Pregled za prihvaćanje brojila djelatne električne energije izmjenične struje razreda točnosti 2 (IEC 60514:1975, preinačeno; EN 60514:1995)
Acceptance inspection of Class 2 alternating-current watt-hour meters (IEC 60514:1975, modified; EN 60514:1995)
- zamijenjena s: HRN EN 62058-11:2011, HRN EN 62058-21:2011

HRN EN 60521:1999 en
Izmjenična električna brojila djelatne energije razreda 0,5, 1 i 2 (IEC 60521:1988; EN 60521:1995)
Class 0,5, 1 and 2 alternating-current watthour meters (IEC 60521:1988; EN 60521:1995)
- zamijenjena s: HRN EN 62052-11:2008, HRN EN 62053-11:2008

HRN EN 60687:1999 en
Izmjenična statička električna brojila djelatne energije (razreda 0,2 S i 0,5 S) (IEC 60687:1992; EN 60687:1992)
Alternating-current static watt-hour meters for active energy (classes 0,2 S and 0,5 S) (IEC 60687:1992; EN 60687:1992)
- zamijenjena s: HRN EN 62052-11:2008, HRN EN 62053-22:2008

HRN EN 61036:1999 en
Izmjenična statička električna brojila djelatne energije (razreda 1 i 2) (IEC 61036:1996; EN 61036:1996)
Alternating current static watt-hour meters for active energy (classes 1 and 2) (IEC 61036:1996; EN 61036:1996)
- zamijenjena s: HRN EN 62052-11:2008, HRN EN 62053-21:2008

HRN EN 61037:1999 en
Elektronički tonfrekvencijski prijamnici za upravljanje tarifom i potrošnjom (IEC 61037:1990+A1:1996+A2:1998; EN 61037:1992+A1:1996+A2:1998)
Electronic ripple control receivers for tariff and load control (IEC 61037:1990+A1:1996+A2:1998; EN 61037:1992+A1:1996+A2:1998)
- zamijenjena s: HRN EN 62052-21:2008, HRN EN 62054-11:2008

HRN EN 61038:1999 en
Sklopni satovi za upravljanje tarifom i potrošnjom (IEC 61038:1990+A1:1996+A2:1998; EN 61038:1992+A1:1996+A2:1998)
Time switches for tariff and load control (IEC 61038:1990+A1:1996+A2:1998; EN 61038:1992+A1:1996+A2:1998)
- zamijenjena s: HRN EN 62052-21:2008, HRN EN 62054-21:2008

HRN EN 61268:2000 en
Izmjenična statička električna brojila jalove energije (razreda 2 i 3) (IEC 61268:1995; EN 61268:1996)
Alternating current static watt-hour meters for reactive energy (classes 2 and 3) (IEC 61268:1995; EN 61268:1996)
- zamijenjena s: HRN EN 62052-11:2008, HRN EN 62053-23:2008

HRN EN 61358:2008 en
Pregled za prihvaćanje statičkih brojila djelatne električne energije izmjenične struje s izravnim priključkom na mrežu (razreda 1 i 2) (IEC 61358:1996; EN 61358:1996)
Acceptance inspection for direct connected alternating current static watt-hour meters for active energy (classes 1 and 2) (IEC 61358:1996; EN 61358:1996)
- zamijenjena s: HRN EN 62058-11:2011, HRN EN 62058-31:2011

HRN EN 62056-53:2008 en
Mjerenje električne energije – Izmjena podataka za očitavanje brojila i upravljanje tarifom i potrošnjom – 53. dio: Sloj primjene COSEM-a (IEC 62056-53:2002; EN 62056-53:2002)
Electricity metering – Data exchange for meter reading, tariff and load control – Part 53: COSEM application layer (IEC 62056-53:2002; EN 62056-53:2002)
- zamijenjena s: HRN EN 62056-53:2010

HRN EN 62056-61:2008 en
Mjerenje električne energije – Izmjena podataka za očitavanje brojila i upravljanje tarifom i potrošnjom – 61. dio: Sustav prepoznavanja objekta (OBIS) (IEC 62056-61:2002; EN 62056-61:2002)
Electricity metering – Data exchange for meter reading, tariff and load control – Part 61: Object identification system (OBIS) (IEC 62056-61:2002; EN 62056-61:2002)
- zamijenjena s: HRN EN 62056-61:2010

HRN EN 62056-62:2008 en
Mjerenje električne energije – Izmjena podataka za očitavanje brojila i upravljanje tarifom i potrošnjom – 62. dio: Razredi sučelja (IEC 62056-62:2002; EN 62056-62:2002)
Electricity metering – Data exchange for meter reading, tariff and load control – Part 62: Interface classes (IEC 62056-62:2002; EN 62056-62:2002)
- zamijenjena s: HRN EN 62056-62:2010

HZN/TO E22, *Energetska elektronika*

HRN EN 60146-1-1:2001 hr
Poluvodički pretvarači – Opći zahtjevi i mrežom komutirani pretvarači – 1-1. dio: Specifikacije temeljnih zahtjeva (IEC 60146-1-1:1991+A1:1996; EN 60146-1-1:1993+A1:1997)
Semiconductor convertors – General requirements and line commutated convertors – Part 1-1: Specifications of basic requirements (IEC 60146-1-1:1991+A1:1996; EN 60146-1-1:1993+A1:1997)
- zamijenjena s: HRN EN 60146-1-1:2011

HRN EN 61954:2008 en
Energetska elektronika u sustavima prijenosa i raspodjele električne energije – Ispitivanje tiristorskih ventila za statičke kompenzatore jalove snage (IEC 61954:1999+am1:2003; EN 61954:1999+A1:2003)
Power electronics for electrical transmission and distribution systems – Testing of thyristor valves for static VAR compensators (IEC 61954:1999+am1:2003; EN 61954:1999+A1:2003)
- zamijenjena s: HRN EN 61954:2011

HRN EN 62040-3:2004 en
Energetski sustavi neprekidnog napajanja (UPS) – 3. dio: Metoda specificiranja svojstava i ispitnih zahtjeva (IEC 62040-3:1999, Modified; EN 62040-3:2001)
Uninterruptible power systems (UPS) – Part 3: Method of specifying the performance and test requirements (IEC 62040-3:1999, Modified; EN 62040-3:2001)
- zamijenjena s: HRN EN 62040-3:2011

HRN EN 62040-3:2004/A11:2010 en
Energetski sustavi neprekidnog napajanja (UPS) – 3. dio: Metoda specificiranja svojstava i ispitnih zahtjeva (EN 62040-3:2001/A11:2009)
Uninterruptible power systems (UPS) – Part 3: Method of specifying the performance and test requirements (EN 62040-3:2001/A11:2009)
- zamijenjena s: HRN EN 62040-3:2011

HZN/TO E31, *Eksplozivne atmosfere*

HRN EN 1127-2:2009 en
Eksplozivne atmosfere – Sprječavanje eksplozije i zaštita – 2. dio: Osnovna načela i metodologija za rudarstvo (EN 1127-2:2002+A1:2008)
Explosive atmospheres – Explosion prevention and protection – Part 2: Basic concepts and methodology for mining (EN 1127-2:2002+A1:2008)
- zamijenjena s: HRN EN 1127-2:2014

HZN/TO E34, *Žarulje, svjetiljke i pripadna oprema*

HRN EN 60929:2009 en
Elektroničke prigušnice koje se napajaju izmjeničnom strujom namijenjene fluorescentnim cijevima – Izvedbeni zahtjevi (IEC 60929:2006; EN 60929:2006)
AC-supplied electronic ballasts for tubular fluorescent lamps – Performance requirements (IEC 60929:2006; EN 60929:2006)
- zamijenjena s: HRN EN 60929:2012

HRN EN 61167:2008 en
Metalhalogene žarulje (IEC 61167:1992+am1:1995+am2:1997+am3:1998; EN 61167:1994+A1:1995+A2:1997+A3:1998)
Metal halide lamps (IEC 61167:1992+am1:1995+am2:1997+am3:1998; EN 61167:1994+A1:1995+A2:1997+A3:1998)
- zamijenjena s: HRN EN 61167:2012

HRN EN 61199:2008 en
Fluorescentne cijevi s jednim podnoškom – Sigurnosni zahtjevi (IEC 61199:1999; EN 61199:1999)
Single-capped fluorescent lamps – Safety specifications (IEC 61199:1999; EN 61199:1999)
- zamijenjena s: HRN EN 61199:2012

HRN EN 61347-2-3:2008 en
Predspojne naprave – Dio 2-3: Posebni zahtjevi za elektroničke prigušnice koje se napajaju izmjeničnom strujom namijenjene fluorescentnim cijevima (IEC 61347-2-3:2000+am1:2004+am2:2006; EN 61347-2-3:2001+A1:2004+A2:2006)
Lamp controlgear – Part 2-3: Particular requirements for a.c. supplied electronic ballasts for fluorescent lamps (IEC 61347-2-3:2000+am1:2004+am2:2006; EN 61347-2-3:2001+A1:2004+A2:2006)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-3:2008/Ispr.1:2012 en
Predspojne naprave – Dio 2-3: Posebni zahtjevi za elektroničke prigušnice koje se napajaju izmjeničnom strujom namijenjene fluorescentnim cijevima (EN 61347-2-3:2001/AC:2003)
Lamp controlgear – Part 2-3: Particular requirements for a.c. supplied electronic ballasts for fluorescent lamps (EN 61347-2-3:2001/AC:2003)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-3:2008/Ispr.2:2012 en
Predspojne naprave – Dio 2-3: Posebni zahtjevi za elektroničke prigušnice koje se napajaju izmjeničnom strujom namijenjene fluorescentnim cijevima (EN 61347-2-3:2001/AC:2010)
Lamp controlgear – Part 2-3: Particular requirements for a.c. supplied electronic ballasts for fluorescent lamps (EN 61347-2-3:2001/AC:2010)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-4:2008 en
Predspojne naprave – Dio 2-4: Posebni zahtjevi za elektroničke prigušnice koje se napajaju istosmjernom strujom namijenjene općoj rasvjeti (IEC 61347-2-4:2000; EN 61347-2-4:2001)
Lamp controlgear – Part 2-4: Particular requirements for d.c. supplied electronic ballasts for general lighting (IEC 61347-2-4:2000; EN 61347-2-4:2001)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-4:2008/Ispr.1:2012 en
Predspojne naprave – Dio 2-4: Posebni zahtjevi za elektroničke prigušnice koje se napajaju istosmjernom strujom namijenjene općoj rasvjeti (EN 61347-2-4:2001/AC:2003)
Lamp controlgear – Part 2-4: Particular requirements for d.c. supplied electronic ballasts for general lighting (EN 61347-2-4:2001/AC:2003)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-4:2008/Ispr.2:2012 en
Predspojne naprave – Dio 2-4: Posebni zahtjevi za elektroničke prigušnice koje se napajaju istosmjernom strujom namijenjene općoj rasvjeti (EN 61347-2-4:2001/AC:2010)
Lamp controlgear – Part 2-4: Particular requirements for d.c. supplied electronic ballasts for general lighting (EN 61347-2-4:2001/AC:2010)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-5:2008 en
Predspojne naprave – Dio 2-5: Posebni zahtjevi za elektroničke prigušnice koje se napajaju istosmjernom strujom namijenjene rasvjeti u javnome prijevozu (IEC 61347-2-5:2000; EN 61347-2-5:2001)
Lamp controlgear – Part 2-5: Particular requirements for d.c. supplied electronic ballasts for public transport lighting (IEC 61347-2-5:2000; EN 61347-2-5:2001)
- zamijenjena s: HRN EN 61347-2-3:2012

HRN EN 61347-2-6:2008 en
Predspojne naprave – Dio 2-6: Posebni zahtjevi za elektroničke prigušnice koje se napajaju istosmjernom strujom namijenjene rasvjeti u zrakoplovima (IEC 61347-2-6:2000; EN 61347-2-6:2001)
Lamp controlgear – Part 2-6: Particular requirements for d.c. supplied electronic ballasts for aircraft lighting (IEC 61347-2-6:2000; EN 61347-2-6:2001)
- zamijenjena s: HRN EN 61347-2-3:2012

HZN/TO E55, *Žice za namote*

HRN IEC 60317-51:2001 en
Specifikacije pojedinih vrsta žica za namote – 51. dio: Poliuretanom lakirana lemljiva okrugla bakrena žica, razreda 180 (IEC 60317-51:2001)
Specifications for particular types of winding wires – Part 51: Solderable polyurethane enamelled round copper wire, class 180 (IEC 60317-51:2001)
- zamijenjena s: HRN EN 60317-51:2014

HZN/TO E62, *Električna oprema u medicinskoj praksi*

HRN HD 364 S2:2003 en
Utikači i utičnice na visokonaponskim kabelima za medicinsku rendgensku opremu (IEC 60526:1978, modified; HD 364 S2:1983)
High-voltage cable plug and socket connections for medical X-ray equipment (IEC 60526:1978, modified; HD 364 S2:1983)
- zamijenjena s: HRN EN 60526:2008

HRN HD 395.1 S2:2008 en
Sigurnost medicinskih električnih uređaja – 1. dio: Opći zahtjevi (IEC 60601-1:1977+am1:1984; HD 395.1 S2:1988)
Safety of medical electrical equipment – Part 1: General requirements (IEC 60601-1:1977+am1:1984; HD 395.1 S2:1988)
- zamijenjena s: HRN EN 60601-1:1999

HRN HD 395.1 S2:2008/A1:2008 en
Sigurnost medicinskih električnih uređaja – 1. dio: Opći zahtjevi (HD 395.1 S2:1988/A1:1993)
Safety of medical electrical equipment – Part 1: General requirements (HD 395.1 S2:1988/A1:1993)
- zamijenjena s: HRN EN 60601-1:1999

HRN HD 513 S1:2003 en
Određivanje polja zračenja s najvećom simetrijom kod rendgenskih cijevi s rotirajućom anodom namijenjenih za medicinsku dijagnostiku (IEC 60806:1984; HD 513 S1:1989)
Determination of the maximum symmetrical radiation field from a rotating anode X-ray tube for medical diagnosis (IEC 60806:1984; HD 513 S1:1989)
- zamijenjena s: HRN EN 60806:2008

HRN EN 60601-1:2008/A11:2012 en
Medicinski električni uređaji – 1. dio: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke (EN 60601-1:2006/A11:2011)
Medical electrical equipment – Part 1: General requirements for basic safety and essential performance (EN 60601-1:2006/A11:2011)
- zamijenjena s: HRN EN 60601-1:2008/A1:2014

HRN EN 60601-1-2:2003 en
Medicinska električna oprema – Dio 1-2: Opći zahtjevi za sigurnost – Popratna norma: Elektromagnetska kompatibilnost – Zahtjevi i ispitivanja (IEC 60601-1-2:2001; EN 60601-1-2:2001)
Medical electrical equipment – Part 1-2: General requirements for safety – Collateral standard: Electromagnetic compatibility – Requirements and tests (IEC 60601-1-2:2001; EN 60601-1-2:2001)
- zamijenjena s: HRN EN 60601-1-2:2008

HRN EN 60601-1-2:2003/A1:2008 en
Medicinski električni uređaji – Dio 1-2: Opći zahtjevi za sigurnost – Popratna norma: Elektromagnetska kompatibilnost – Zahtjevi i ispitivanja (IEC 60601-1-2:2001/am1:2004; EN 60601-1-2:2001/A1:2006)
Medical electrical equipment – Part 1-2: General requirements for safety – Collateral standard: Electromagnetic compatibility – Requirements and tests (IEC 60601-1-2:2001/am1:2004; EN 60601-1-2:2001/A1:2006)
- zamijenjena s: HRN EN 60601-1-2:2008

HRN EN 60601-1-3:1999 en
Medicinski električni uređaji – 1. dio: Opći sigurnosni zahtjevi – 3. Popratna norma: Opći zahtjevi za zaštitu od zračenja u dijagnostičkoj opremi s X-zračenjem (IEC 60601-1-3:1994; EN 60601-1-3:1994)
Medical electrical equipment – Part 1: General requirements for safety – 3. Collateral standard: General requirements for radiation protection in diagnostic X-ray equipment (IEC 60601-1-3:1994; EN 60601-1-3:1994)
- zamijenjena s: HRN EN 60601-1-3:2008

HRN EN 60601-1-6:2008 en
Medicinski električni uređaji – Dio 1-6: Opći zahtjevi za sigurnost – Popratna norma: Upotrebljivost
(IEC 60601-1-6:2004; EN 60601-1-6:2004)
Medical electrical equipment – Part 1-6: General requirements for safety – Collateral standard: Usability
(IEC 60601-1-6:2004; EN 60601-1-6:2004)
- zamijenjena s: HRN EN 60601-1-6:2009

HRN EN 60601-1-6:2009 en
Medicinski električni uređaji – Dio 1-6: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke – Popratna norma: Upotrebljivost (IEC 60601-1-6:2006; EN 60601-1-6:2007)
Medical electrical equipment – Part 1-6: General requirements for basic safety and essential performance – Collateral Standard: Usability
(IEC 60601-1-6:2006; EN 60601-1-6:2007)
- zamijenjena s: HRN EN 60601-1-6:2011

HRN EN 60601-1-6:2009/Ispr.1:2011 en
Medicinski električni uređaji – Dio 1-6: Opći zahtjevi za osnovnu sigurnost i bitne radne značajke – Popratna norma: Upotrebljivost (EN 60601-1-6:2007/AC:2010)
Medical electrical equipment – Part 1-6: General requirements for basic safety and essential performance – Collateral Standard: Usability
(EN 60601-1-6:2007/AC:2010)
- bez zamjene

HRN EN 60601-1-8:2008 en
Medicinski električni uređaji – Dio 1-8: Opći zahtjevi za sigurnost – Popratna norma: Opći zahtjevi, ispitivanja i smjernice za alarmne sustave u medicinskim električnim uređajima i opremi
(IEC 60601-1-8:2003+am1:2006; EN 60601-1-8:2004+A1:2006+Corr.:2006)
Medical electrical equipment – Part 1-8: General requirements for safety – Collateral standard: General requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems (IEC 60601-1-8:2003+am1:2006; EN 60601-1-8:2004+A1:2006+Corr.:2006)
- zamijenjena s: HRN EN 60601-1-8:2009

HRN EN 60601-2-19:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za dječje inkubatore
(IEC 60601-2-19:1990+am1:1996; EN 60601-2-19:1996+A1:1996)
Medical electrical equipment – Part 2: Particular requirements for the safety of baby incubators
(IEC 60601-2-19:1990+am1:1996; EN 60601-2-19:1996+A1:1996)
- zamijenjena s: HRN EN 60601-2-19:2010

HRN EN 60601-2-20:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za prijevozne inkubatore
(IEC 60601-2-20:1990+am1:1996; EN 60601-2-20:1996)
Medical electrical equipment – Part 2: Particular requirements for the safety of transport incubators
(IEC 60601-2-20:1990+am1:1996; EN 60601-2-20:1996)
- zamijenjena s: HRN EN 60601-2-20:2010

HRN EN 60601-2-21:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za grijače djece koji griju zračenjem
(IEC 60601-2-21:1994+am1:1996; EN 60601-2-21:1994+A1:1996)
Medical electrical equipment – Part 2: Particular requirements for the safety of infant radiant warmers
(IEC 60601-2-21:1994+am1:1996; EN 60601-2-21:1994+A1:1996)
- zamijenjena s: HRN EN 60601-2-21:2010

HRN EN 60601-2-28:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za sklopove izvora X-zraka i sklopove medicinskih dijagnostičkih cijevi za X-zračenje
(IEC 60601-2-28:1993; EN 60601-2-28:1993)
Medical electrical equipment – Part 2: Particular requirements for the safety of X-ray source assemblies and X-ray tube assemblies for medical diagnosis
(IEC 60601-2-28:1993; EN 60601-2-28:1993)
- zamijenjena s: HRN EN 60601-2-28:2011

HRN EN 60601-2-29:2000 en
Medicinski električni uređaji – Dio 2-29: Posebni zahtjevi za sigurnost radioterapijskih simulatora
(IEC 60601-2-29:1999; EN 60601-2-29:1999)
Medical electrical equipment – Part 2-29: Particular requirements for the safety of radiotherapy simulators
(IEC 60601-2-29:1999; EN 60601-2-29:1999)
- zamijenjena s: HRN EN 60601-2-29:2010

HRN EN 60601-2-30:2003 en
Medicinska električna oprema – Dio 2-30: Posebni zahtjevi za sigurnost, uključivo i bitne zahtjeve, opreme za automatsko cikličko neinvazivno nadziranje krvnoga tlaka (IEC 60601-2-30:1999; EN 60601-2-30:2000)
Medical electrical equipment – Part 2-30: Particular requirements for the safety, including essential performance, of automatic cycling non-invasive blood pressure monitoring equipment (IEC 60601-2-30:1999; EN 60601-2-30:2000)
- zamijenjena s: HRN EN 80601-2-30:2011

HRN EN 60601-2-31:2000 en
Medicinski električni uređaji – Dio 2-31: Posebni zahtjevi za sigurnost vanjskih elektrostimulatora srca s vlastitim izvorom napajanja
(IEC 60601-2-30:1994+am1:1998; EN 60601-2-31:1995+A1:1998)
Medical electrical equipment – Part 2-31: Particular requirements for the safety of external cardiac pacemakers with internal power source
(IEC 60601-2-30:1994+am1:1998; EN 60601-2-31:1995+A1:1998)
- zamijenjena s: HRN EN 60601-2-31:2008

HRN EN 60601-2-32:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za prateću opremu uređaja za X-zračenje
(IEC 60601-2-32:1994; EN 60601-2-32:1994)
Medical electrical equipment – Part 2: Particular requirements for the safety of associated equipment of X-ray equipment (IEC 60601-2-32:1994; EN 60601-2-32:1994)
- zamijenjena s: HRN EN 60601-2-54:2010

HRN EN 60601-2-33:2003 en
Medicinska električna oprema – Dio 2-33: Posebni zahtjevi za sigurnost opreme za medicinsku dijagnostiku s pomoću magnetske rezonancije
(IEC 60601-2-33:2002; EN 60601-2-33:2002)
Medical electrical equipment – Part 2-33: Particular requirements for the safety of magnetic resonance equipment for medical diagnosis
(IEC 60601-2-33:2002; EN 60601-2-33:2002)
- zamijenjena s: HRN EN 60601-2-33:2011

HRN EN 60601-2-33:2003/A1:2008 en
Medicinski električni uređaji – Dio 2-33: Posebni zahtjevi za sigurnost opreme za medicinsku dijagnostiku pomoću magnetske rezonancije
(IEC 60601-2-33:2002/am1:2005; EN 60601-2-33:2002/A1:2005)
Medical electrical equipment – Part 2-33: Particular requirements for the safety of magnetic resonance equipment for medical diagnosis
(IEC 60601-2-33:2002/am1:2005; EN 60601-2-33:2002/A1:2005)
- zamijenjena s: HRN EN 60601-2-33:2011

HRN EN 60601-2-33:2003/A2:2008 en
Medicinski električni uređaji – Dio 2-33: Posebni zahtjevi za sigurnost opreme za medicinsku dijagnostiku pomoću magnetske rezonancije
(IEC 60601-2-33:2002/am2:2007;
EN 60601-2-33:2002/A2:2008+AC:2008)
Medical electrical equipment – Part 2-33: Particular requirements for the safety of magnetic resonance equipment for medical diagnosis
(IEC 60601-2-33:2002/am2:2007;
EN 60601-2-33:2002/A2:2008+AC:2008)
- zamijenjena s: HRN EN 60601-2-33:2011

HRN EN 60601-2-35:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za grijaće deke, jastuke i madrace u medicinskoj uporabi (IEC 60601-2-35:1996;
EN 60601-2-35:1996)
Medical electrical equipment – Part 2: Particular requirements for the safety of blankets, pads and mattresses, intended for heating in medical use
(IEC 60601-2-35:1996; EN 60601-2-35:1996)
- zamijenjena s: HRN EN 80601-2-35:2010

HRN EN 60601-2-37:2003 en
Medicinska električna oprema – Dio 2-37: Posebni zahtjevi za sigurnost ultrazvučne opreme za dijagnostiku i nadzor (IEC 60601-2-37:2001;
EN 60601-2-37:2001)
Medical electrical equipment – Part 2-37: Particular requirements for the safety of ultrasonic medical diagnostic and monitoring equipment
(IEC 60601-2-37:2001; EN 60601-2-37:2001)
- zamijenjena s: HRN EN 60601-2-37:2008

HRN EN 60601-2-37:2003/A1:2008 en
Medicinski električni uređaji – Dio 2-37: Posebni zahtjevi za sigurnost ultrazvučne opreme za dijagnostiku i nadzor (IEC 60601-2-37:2001/am1:2004;
EN 60601-2-37:2001/A1:2005)
Medical electrical equipment – Part 2-37: Particular requirements for the safety of ultrasonic medical diagnostic and monitoring equipment
(IEC 60601-2-37:2001/am1:2004;
EN 60601-2-37:2001/A1:2005)
- zamijenjena s: HRN EN 60601-2-37:2008

HRN EN 60601-2-37:2003/A2:2008 en
Medicinski električni uređaji – Dio 2-37: Posebni zahtjevi za sigurnost ultrazvučne opreme za dijagnostiku i nadzor (IEC 60601-2-37:2001/am2:2005;
EN 60601-2-37:2001/A2:2005)
Medical electrical equipment – Part 2-37: Particular requirements for the safety of ultrasonic medical diagnostic and monitoring equipment
(IEC 60601-2-37:2001/am2:2005;
EN 60601-2-37:2001/A2:2005)
- zamijenjena s: HRN EN 60601-2-37:2008

HRN EN 60601-2-38:1999 en
Medicinski električni uređaji – 2. dio: Posebni sigurnosni zahtjevi za električne bolničke krevete
(IEC 60601-2-38:1996; EN 60601-2-38:1996)
Medical electrical equipment – Part 2: Particular requirements for the safety of electrically operated hospital beds (IEC 60601-2-38:1996;
EN 60601-2-38:1996)
- zamijenjena s: HRN EN 60601-2-52:2011

HRN EN 60601-2-38:1999/A1:2003 en
Medicinska električna oprema – Dio 2-38: Posebni zahtjevi za sigurnost električnih bolničkih kreveta
(IEC 60601-2-38:1996/am1:1999;
EN 60601-2-38:1996/A1:2000)
Medical electrical equipment – Part 2-38: Particular requirements for the safety of electrically operated hospital beds (IEC 60601-2-38:1996/am1:1999;
EN 60601-2-38:1996/A1:2000)
- zamijenjena s: HRN EN 60601-2-52:2011

HRN EN 60601-2-41:2003 en
Medicinska električna oprema – Dio 2-41: Posebni zahtjevi za sigurnost kirurške i dijagnostičke opreme za osvjetljavanje (IEC 60601-2-41:2000;
EN 60601-2-41:2000)
Medical electrical equipment – Part 2-41: Particular requirements for the safety of surgical luminaires and luminaires for diagnosis (IEC 60601-2-41:2000;
EN 60601-2-41:2000)
- zamijenjena s: HRN EN 60601-2-41:2010

HRN EN 60601-2-4:2003 en
Medicinska električna oprema – Dio 2-4: Posebni zahtjevi za sigurnost srčanih defibrilatora
(IEC 60601-2-4:2002; EN 60601-2-4:2003)
Medical electrical equipment – Part 2-4: Particular requirements for the safety of cardiac defibrilators
(IEC 60601-2-4:2002; EN 60601-2-4:2003)
- zamijenjena s: HRN EN 60601-2-4:2012

HRN EN 60601-2-43:2003 en
Medicinska električna oprema – Dio 2-43: Posebni zahtjevi za sigurnost rendgenske opreme za intervencijske zahvate (IEC 60601-2-43:2000;
EN 60601-2-43:2000)
Medical electrical equipment – Part 2-43: Particular requirements for the safety of X-ray equipment for interventional procedures (IEC 60601-2-43:2000;
EN 60601-2-43:2000)
- zamijenjena s: HRN EN 60601-2-43:2011

HRN EN 60601-2-44:2003 en
Medicinska električna oprema – Dio 2-44: Posebni zahtjevi za sigurnost rendgenske opreme za kompjutoriziranu tomografiju
(IEC 60601-2-44:2001+am1:2002+Corr. 1:2006;
EN 60601-2-44:2001+A1:2003)
Medical electrical equipment – Part 2-44: Particular requirements for the safety of X-ray equipment for computed tomography
(IEC 60601-2-44:2001+am1:2002+Corr. 1:2006;
EN 60601-2-44:2001+A1:2003)
- zamijenjena s: HRN EN 60601-2-44:2010

HRN EN 60601-2-45:2003 en
Medicinska električna oprema – Dio 2-45: Posebni zahtjevi za sigurnost mamografske rendgenske opreme i mamografskih stereotaktičkih naprava
(IEC 60601-2-45:2001; EN 60601-2-45:2001)
Medical electrical equipment – Part 2-45: Particular requirements for the safety of mammographic X-ray equipment and mammographic stereotactic devices
(IEC 60601-2-45:2001; EN 60601-2-45:2001)
- zamijenjena s: HRN EN 60601-2-45:2012

HRN EN 60601-2-46:2000 en
Medicinski električni uređaji – Dio 2-46: Posebni zahtjevi za sigurnost operacijskih stolova
(IEC 60601-2-46:1998; EN 60601-2-46:1998)
Medical electrical equipment – Part 2-46: Particular requirements for the safety of operating tables
(IEC 60601-2-46:1998; EN 60601-2-46:1998)
- zamijenjena s: HRN EN 60601-2-46:2012

HRN EN 60601-2-50:2003 en
Medicinska električna oprema – Dio 2-50: Posebni zahtjevi za sigurnost opreme za fototerapiju novorođenčadi (IEC 60601-2-50:2000+Corr.1:2001;
EN 60601-2-50:2002)
Medical electrical equipment – Part 2-50: Particular requirements for the safety of infant phototherapy equipment (IEC 60601-2-50:2000+Corr.1:2001;
EN 60601-2-50:2002)
- zamijenjena s: HRN EN 60601-2-50:2010

HRN EN 60601-2-7:2000 en
Medicinski električni uređaji – Dio 2-7: Posebni zahtjevi za sigurnost visokonaponskih generatora dijagnostičkih izvora rendgenskog zračenja
(IEC 60601-2-7:1998; EN 60601-2-7:1998)

Medical electrical equipment – Part 2-7: Particular requirements for the safety of high-voltage generators of diagnostic X-ray generators (IEC 60601-2-7:1998; EN 60601-2-7:1998)
- zamijenjena s: HRN EN 60601-2-54:2010

HRN EN 60613:1999 en
Električne, toplinske i opteretne značajke medicinskih dijagnostičkih cijevi za X-zračenje s rotirajućom anodom (IEC 60613:1989; EN 60613:1990)
Electrical, thermal and loading characteristics of rotating anode X-ray tubes for medical diagnosis (IEC 60613:1989; EN 60613:1990)
- zamijenjena s: HRN EN 60613:2011

HRN EN 60976:2003 en
Medicinska električna oprema – Medicinski elektronski akceleratori – Funkcionalne radne značajke (IEC 60976:1989+am1:2000; EN 60976:1999+A1:2000)
Medical electrical equipment – Medical electron accelerators – Functional performance characteristics (IEC 60976:1989+am1:2000; EN 60976:1999+A1:2000)
- zamijenjena s: HRN EN 60976:2008

HRN EN 61223-2-6:2000 en
Vrednovanje i redovito ispitivanje u medicinskoj slikovnoj dijagnostici – Dio 2-6: Ispitivanje stabilnosti – Rendgenski uređaji za kompjutoriziranu tomografiju (IEC 61223-2-6:1994; EN 61223-2-6:1994)
Evaluation and routine testing in medical imaging departments – Part 2-6: Constancy tests – X-ray equipment for computed tomography (IEC 61223-2-6:1994; EN 61223-2-6:1994)
- zamijenjena s: HRN EN 61223-2-6:2008

HRN EN 61223-3-1:2000 en
Vrednovanje i redovito ispitivanje u medicinskoj slikovnoj dijagnostici – Dio 3-1: Prihvatna ispitivanja – Slikovne radne značajke rendgenskih uređaja za radiografske i radioskopske sustave (IEC 61223-3-1:1999; EN 61223-3-1:1999)
Evaluation and routine testing in medical imaging departments – Part 3-1: Acceptance tests – Imaging performance of X-ray equipment for radiographic and radioscopic systems (IEC 61223-3-1:1999; EN 61223-3-1:1999)
- bez zamjene

HRN EN 61223-3-2:2000 en
Vrednovanje i redovito ispitivanje u medicinskoj slikovnoj dijagnostici – Dio 3-2: Prihvatna ispitivanja – Slikovne radne značajke mamografskih rendgenskih uređaja (IEC 61223-3-2:1996; EN 61223-3-2:1996)
Evaluation and routine testing in medical imaging departments – Part 3-2: Acceptance tests – Imaging performance of mammographic X-ray equipment (IEC 61223-3-2:1996; EN 61223-3-2:1996)
- zamijenjena s: HRN EN 61223-3-2:2008

HRN EN 61953:2000 en
Dijagnostički rendgenski uređaji za snimanje – Značajke rešetaka protiv rasipanja zračenja u mamografiji (IEC 61953:1997; EN 61953:1998)
Diagnostic X-ray imaging equipment – Characteristics of mammographic anti-scatter grids (IEC 61953:1997; EN 61953:1998)
- zamijenjena s: HRN EN 60627:2003

HRN EN 62083:2003 en
Medicinska električna oprema – Zahtjevi za sigurnost radioterapijskih (opreme) sustava za planiranje terapije (IEC 62083:2000; EN 62083:2001)
Medical electrical equipment – Requirements for the safety of radiotherapy treatment planning systems (IEC 62083:2000; EN 62083:2001)
- zamijenjena s: HRN EN 62083:2010

HZN/TO E80, *Pomorska navigacijska i radiokomunikacijska oprema i sustavi*

HRN EN 60872-1:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Pomagala za radarsko ucrtavanje – 1. dio: Pomagala za automatsko radarsko ucrtavanje (ARPA) – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60872-1:1998; EN 60872-1:1998)
Maritime navigation and radiocommunication equipment and systems – Radar plotting aids – Part 1: Automatic radar plotting aids (ARPA) – Methods of testing and required test results (IEC 60872-1:1998; EN 60872-1:1998)
- zamijenjena s: HRN EN 62388:2008

HRN EN 60872-2:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Pomagala za radarsko ucrtavanje – 2. dio: Pomagala za automatsko praćenje (ATA) – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60872-2:1999; EN 60872-2:1999)
Maritime navigation and radiocommunication equipment and systems – Radar plotting aids – Part 2: Automatic tracking aids (ATA) – Methods of testing and required test results (IEC 60872-2:1999; EN 60872-2:1999)
- zamijenjena s: HRN EN 62388:2008

HRN EN 60872-3:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Pomagala za radarsko ucrtavanje – 3. dio: Pomagala za elektroničko ucrtavanje (EPA) – Izvedbeni zahtjevi – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60872-3:2000; EN60872-3:2001)
Maritime navigation and radiocommunication equipment and systems – Radar plotting aids – Part 3: Electronic plotting aid (EPA) – Performance requirements – Methods of testing and required test results (IEC 60872-3:2000; EN 60872-3:2001)
- zamijenjena s: HRN EN 62388:2008

HRN EN 60936-1:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Radar – 1. dio: Brodski radar – Izvedbeni zahtjevi – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60936-1:1999; EN 60936-1:2000)
Maritime navigation and radiocommunication equipment and systems – Radar – Part 1: Shipborne radar – Performance requirements – Methods of testing and required test results (IEC 60936-1:1999; EN 60936-1:2000)
- zamijenjena s: HRN EN 62388:2008

HRN EN 60936-1/A1:2003 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Radar – 1. dio: Brodski radar – Izvedbeni zahtjevi – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60936-1:1999/A1:2002; EN 60936-1:2000/A1:2002)
Maritime navigation and radiocommunication equipment and systems – Radar – Part 1: Shipborne radar – Performance requirements – Methods of testing and required test results (IEC 60936-1:1999/A1:2002; EN 60936-1:2000/A1:2002)
- zamijenjena s: HRN EN 62388:2008

HRN EN 60936-2:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Radar – 2. dio: Brodski radar za brza plovila (HSC) – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60936-2:1998; EN 60936-2:1999)
Maritime navigation and radiocommunication equipment and systems – Radar – Part 2: Shipborne radar for high-speed craft (HSC) – Methods of testing and required test results (IEC 60936-2:1998; EN 60936-2:1999)
- zamijenjena s: HRN EN 62388:2008

HRN EN 60936-3:2003 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Radar – 3. dio: Radar s mogućnostima prikazivanja pomorskih karata – Izvedbeni zahtjevi – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 60936-3:2002; EN 60936-3:2002)
Maritime navigation and radiocommunication equipment and systems – Radar – Part 3: Radar with chart facilities – Performance requirements – Methods of testing and required test results (IEC 60936-3:2002; EN 60936-3:2002)
- zamijenjena s: HRN EN 62388:2008

HRN EN 61023:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Pomorska oprema za mjerenje brzine i prijeđenog puta (SDME) – Izvedbeni zahtjevi – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 61023:1999; EN 61023:1999)
Maritime navigation and radiocommunication equipment and systems – Marine speed and distance measuring equipment (SDME) – Performance requirements – Methods of testing and required test results (IEC 61023:1999; EN 61023:1999)
- zamijenjena s: HRN EN 61023:2008

HRN EN 61075:2003 en
Loran-C prijemnici za brodove – Minimalne izvedbene norme – Načini ispitivanja i zahtjevani rezultati ispitivanja (IEC 61075:1991, preinačeno; EN 61075:1993)
Loran-C receivers for ships – Minimum performance standards – Methods of testing and required test results (IEC 61075:1991, modified; EN 61075:1993)
- bez zamjene

HRN EN 61097-1:2003 en
Svjetski pomorski sustav pogibelji i sigurnosti (GMDSS) – 1. dio: Radarski transponder – Traganje i spašavanje na moru (SART) – Radni i izvedbeni zahtjevi, načini ispitivanja i zahtjevani rezultati ispitivanja (IEC 61097-1:1992; EN 61097-1:1993)
Global maritime distress and safety system (GMDSS) – Part 1: Radar transponder – Marine search and rescue (SART) – Operational and performance requirements, methods of testing and required test results (IEC 61097-1:1992; EN 61097-1:1993)
- zamijenjena s: HRN EN 61097-1:2008

HRN EN 61135:2003 en
Sustav Decca Navigator: Prijemnici za brodove – Minimalne izvedbene norme – Načini ispitivanja i zahtjevani rezultati ispitivanja (IEC 61135:1992; EN 61135:1994)
Decca Navigator system: Receivers for ships – Minimum performance standards – Methods of testing and required test results (IEC 61135:1992; EN 61135:1994)
- bez zamjene

HRN EN 61162-1:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Digitalna sučelja – 1. dio: Jedan govornik i više slušatelja (IEC 61162-1:2000; EN 61162-1:2000)
Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners (IEC 61162-1:2000; EN 61162-1:2000)
- zamijenjena s: HRN EN 61162-1:2008

HRN EN 61162-1:2008 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Digitalna sučelja – 1. dio: Jedan govornik i više slušatelja (IEC 61162-1:2007; EN 61162-1:2008)
Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners (IEC 61162-1:2007; EN 61162-1:2008)
- zamijenjena s: HRN EN 61162-1:2011

HRN EN 61174:2003 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Elektroničke karte s informacijskim sustavom (ECDIS) – Radni i izvedbeni zahtjevi, metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 61174:2001; EN 61174:2001)
Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results (IEC 61174:2001; EN 61174:2001)
- zamijenjena s: HRN EN 61174:2010

HRN EN 61209:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Integrirani sustavi mosta – Radni i izvedbeni zahtjevi, metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 61209:1999; EN 61209:1999)
Maritime navigation and radiocommunication equipment and systems – Integrated bridge systems (IBS) – Operational and performance requirements, methods of testing and required test results (IEC 61209:1999; EN 61209:1999)
- bez zamjene

HRN EN 61924:2008 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Integrirani navigacijski sustavi – Radni i izvedbeni zahtjevi, metode ispitivanja i zahtijevani rezultati ispitivanja (IEC 61924:2006; EN 61924:2006)
Maritime navigation and radiocommunication equipment and systems – Integrated navigation systems – Operational and performance requirements, methods of testing and required test results (IEC 61924:2006; EN 61924:2006)
- bez zamjene

HRN EN 61996:2002 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Brodski zapisivač podataka o vožnji (VDR) – Izvedbeni zahtjevi – Metode ispitivanja i zahtjevani rezultati ispitivanja (IEC 61996:2000; EN 61996:2000)
Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR) – Performance requirements – Methods of testing and required test results (IEC 61996:2000; EN 61996:2000)
- zamijenjena s: HRN EN 61996-1:2008

HRN EN 61996-2:2008 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Brodski zapisivač podataka o putovanju (VDR) – 2. dio: Pojednostavljeni zapisivač podataka o putovanju (S-VDR) – Izvedbeni zahtjevi, metode ispitivanja i zahtijevani rezultati ispitivanja (IEC 61996-2:2006; EN 61996-2:2006)
Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR) – Part 2: Simplified voyage data recorder (S-VDR) – Performance requirements, methods of testing and required test results (IEC 61996-2:2006; EN 61996-2:2006)
- zamijenjena s: HRN EN 61996-2:2010

HRN IEC 61996-2:2008 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Brodski zapisivač podataka o putovanju (VDR) – 2. dio: Pojednostavljeni zapisivač podataka o putovanju (S-VDR) – Izvedbeni zahtjevi, metode ispitivanja i zahtijevani rezultati ispitivanja (IEC 61996-2:2007)
Maritime navigation and radiocommunication equipment and systems – Shipborne voyage data recorder (VDR) – Part 2: Simplified voyage data recorder (S-VDR) – Performance requirements, methods of testing and required test results (IEC 61996-2:2007)
- zamijenjena s: HRN EN 61996-2:2010

HRN EN 62287-1:2008 en
Pomorska navigacijska i radiokomunikacijska oprema i sustavi – Brodska oprema razreda B sustava automatske identifikacije (AIS) – 1. dio: Tehnike višestrukog pristupa s vremenskom podjelom detekcije nosioca (CSTDMA) (IEC 62287-1:2006; EN 62287-1:2006)
Maritime navigation and radiocommunication equipment and systems – Class B shipborne equipment of the automatic identification system (AIS) – Part 1: Carrier-sense time division multiple access (CSTDMA) techniques (IEC 62287-1:2006; EN 62287-1:2006)
- zamijenjena s: HRN EN 62287-1:2011

HZN/TO E85, *Oprema za mjerenje električnih i elektromagnetskih veličina*

HRN EN 61557-1:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 1: General requirements (IEC 61557-1:1997; EN 61557-1:1997)
- zamijenjena s: HRN EN 61557-1:2009

HRN EN 61557-2:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 2: Insulation resistance (IEC 61557-2:1997; EN 61557-2:1997)
- zamijenjena s: HRN EN 61557-2:2009

HRN EN 61557-3:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 3: Loop impedance (IEC 61557-3:1997; EN 61557-3:1997)
- zamijenjena s: HRN EN 61557-3:2009

HRN EN 61557-4:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 4: Resistance of earth connection and equipotential bonding (IEC 61557-4:1997; EN 61557-4:1997)
- zamijenjena s: HRN EN 61557-4:2009

HRN EN 61557-5:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 5: Resistance to earth (IEC 61557-5:1997; EN 61557-5:1997)
- zamijenjena s: HRN EN 61557-5:2009

HRN EN 61557-6:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 6: Residual current devices (RCD) in TT, TN and IT systems (IEC 61557-6:1997, MOD; EN 61557-6:1998)
- zamijenjena s: HRN EN 61557-6:2009

HRN EN 61557-7:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 7: Phase sequence (IEC 61557-7:1997; EN 61557-7:1997)
- zamijenjena s: HRN EN 61557-7:2009

HRN EN 61557-8:2008 en
Electrical safety in low voltage distribution systems up to 1 kV a.c. and 1,5 kV d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 8: Insulation monitoring devices for IT systems (IEC 61557-8:1997; EN 61557-8:1997)
- zamijenjena s: HRN EN 61557-8:2009

HRN EN 61557-9:2008 en
Električna sigurnost u niskonaponskim distribucijskim sustavima do 1000 V izmjenične struje i 1500 V istosmjerne struje – Oprema za ispitivanje, mjerenje ili nadzor stupnjeva zaštite – 9. dio: Oprema za određivanje mjesta loše izolacije u IT sustavima (IEC 61557-9:1999; EN 61557-9:1999)
Electrical safety in low voltage distribution systems up to 1000 V a.c. and 1500 V d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 9: Equipment for insulation fault location in IT systems (IEC 61557-9:1999; EN 61557-9:1999)
- zamijenjena s: HRN EN 61557-9:2009

HZN/TO E100, *Audio, video i multimedijski sustavi te njihova oprema*

HRN EN 50083-2:2002 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 2. dio: Elektromagnetska kompatibilnost za opremu (EN 50083-2:2001+Cor:2002)
Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment (EN 50083-2:2001+Cor:2002)
- zamijenjena s: HRN EN 50083-2:2008

HRN EN 50083-2:2002/A1:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 2. dio: Elektromagnetska kompatibilnost za opremu (EN 50083-2:2001/A1:2005)
Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment (EN 50083-2:2001/A1:2005)
- zamijenjena s: HRN EN 50083-2:2008

HRN EN 50083-2:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 2. dio: Elektromagnetska kompatibilnost za opremu (EN 50083-2:2006)
Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment (EN 50083-2:2006)
- zamijenjena s: HRN EN 50083-2:2013

HRN EN 50083-3:2002 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 3. dio: Aktivna širokopojasna oprema za mreže suosnih kabela (EN 50083-3:2002)
Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for coaxial cable networks (EN 50083-3:2002)
- zamijenjena s: HRN EN 60728-3:2012

HRN EN 50083-3:2002/Ispr.1:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 3. dio: Aktivna širokopojasna oprema za mreže suosnih kabela (EN 50083-3:2002/AC:2006)
Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for coaxial cable networks (EN 50083-3:2002/AC:2006)
- zamijenjena s: HRN EN 60728-3:2012

HRN EN 50083-4:2002 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 4. dio: Pasivna širokopojasna oprema za mreže suosnih kabela (EN 50083-4:1998+Cor:1999)

Cable networks for television signals, sound signals and interactive services – Part 4: Passive wideband equipment for coaxial cable networks
(EN 50083-4:1998+Cor:1999)
- zamijenjena s: HRN EN 60728-4:2008

HRN EN 50083-5:2002 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 5. dio: Oprema glavne postaje (EN 50083-5:2001)
Cable networks for television signals, sound signals and interactive services – Part 5: Headend equipment (EN 50083-5:2001)
- zamijenjena s: HRN EN 60728-5:2008

HRN EN 50083-7:2002 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 7. dio: Značajke sustava (EN 50083-7:1996+Cor:2000+A1:2000)
Cable networks for television signals, sound signals and interactive services – Part 7: System performance (EN 50083-7:1996+Cor:2000+A1:2000)
- zamijenjena s: HRN EN 60728-1:2008

HRN EN 50083-7:2002/Ispr.1:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 7. dio: Značajke sustava (EN 50083-7:1996/AC:2005)
Cable networks for television signals, sound signals and interactive services – Part 7: System performance (EN 50083-7:1996/AC:2005)
- bez zamjene

HRN EN 50083-7:2002/Ispr.2:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 7. dio: Značajke sustava (EN 50083-7:1996/AC:2007)
Cable networks for television signals, sound signals and interactive services – Part 7: System performance (EN 50083-7:1996/AC:2007)
- zamijenjena s: HRN EN 60728-1:2008

HRI CLC/TR 50083-10-1:2011 en
Cable networks for television signals, sound signals and interactive services – Part 10-1: Guidelines for the implementation of return paths in cable networks (CLC/TR 50083-10-1:2009)
- zamijenjena s: HRI CLC/TR 50083-10-1:2014

HRN EN 60728-3:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 3. dio: Aktivna širokopojasna oprema za mreže suosnih kabela (IEC 60728-3:2005; EN 60728-3:2006)
Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for coaxial cable networks
(IEC 60728-3:2005; EN 60728-3:2006)
- zamijenjena s: HRN EN 60728-3:2012

HRN EN 60728-6:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 6. dio: Optička (optoelektronička) oprema (IEC 60728-6:2003; EN 60728-6:2003)
Cable networks for television signals, sound signals and interactive services – Part 6: Optical equipment (IEC 60728-6:2003; EN 60728-6:2003)
- zamijenjena s: HRN EN 60728-6:2012

HRN EN 60728-7-3:2008 en
Cable networks for television signals, sound signals and interactive services – Part 7-3: Hybrid Fibre Coax Outside Plant Status Monitoring – Power supply to Transponder Interface Bus (PSTIB) Specification (IEC 60728-7-3:2003; EN 60728-7-3:2005)
- zamijenjena s: HRN EN 60728-7-3:2011

HRN EN 60728-11:2008 en
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 11. dio: Sigurnost (IEC 60728-11:2005, MOD; EN 60728-11:2005)
Cable networks for television signals, sound signals and interactive services – Part 11: Safety
(IEC 60728-11:2005, MOD; EN 60728-11:2005)
- zamijenjena s: HRN EN 60728-11:2011

HRN EN 61937-1:2008 en
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General (IEC 61937-1:2003+Corr.1:2004; EN 61937-1:2003)
- zamijenjena s: HRN EN 61937-1:2011

HRN EN 61937-2:2008 en
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Burst-info (IEC 61937-2:2003+Corr.1:2004; EN 61937-2:2003)
- zamijenjena s: HRN EN 61937-2:2011

HRN EN 61937-3:2008 en
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 3: Non-linear PCM bitstreams according to the AC-3 format (IEC 61937-3:2003+Corr.1:2004; EN 61937-3:2003)
- zamijenjena s: HRN EN 61937-3:2011

HRN EN 61937-5:2008 en
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s) (IEC 61937-5:2002; EN 61937-5:2002)
- zamijenjena s: HRN EN 61937-5:2011

HRN EN 61937-6:2008 en
Digital Audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC format (IEC 61937-6:2002; EN 61937-6:2002)
- zamijenjena s: HRN EN 61937-6:2011

HZN/TO Z2, *Ocjenjivanje sukladnosti i akreditacija*

HRN EN 45503:2008 en
Norma za potvrđivanje ocjenjivanja postupaka ugovaranja entiteta koji posluju u vodnom, energetskom, prometnom ili telekomunikacijskom sektoru (EN 45503:1996)
Attestation Standard for the assessment of contract award procedures of entities operating in the water, energy, transport and telecommunication sectors
(EN 45503:1996)
- bez zamjene

HZN/TU I2, *Strojarstvo 2*

HRN EN 791:2009 en
Oprema za bušenje – Sigurnost (EN 791:1995+A1:2009)
Drill rigs – Safety (EN 791:1995+A1:2009)
- zamijenjena s: HRN EN 16228-1:2014, HRN EN 16228-2:2014, HRN EN 16228-3:2014, HRN EN 16228-4:2014, HRN EN 16228-5:2014, HRN EN 16228-6:2014, HRN EN 16228-7:2014

HRN EN 996:2009 en
Oprema za bušenje rupa za zabijanje stupova – Sigurnosni zahtjevi (EN 996:1995+A3:2009)
Piling equipment – Safety requirements
(EN 996:1995+A3:2009)
- zamijenjena s: HRN EN 16228-1:2014, HRN EN 16228-2:2014, HRN EN 16228-3:2014, HRN EN 16228-4:2014, HRN EN 16228-5:2014, HRN EN 16228-6:2014, HRN EN 16228-7:2014

HRN EN 12881-1:2008 en
Transportne trake – Ispitivanje zapaljivosti simulacijom požara – 1. dio: Ispitivanje propan plamenikom
(EN 12881-1:2005+A1:2008)
Conveyor belts – Fire simulation flammability testing – Part 1: Propane burner tests
(EN 12881-1:2005+A1:2008)
- zamijenjena s: HRN EN 12881-1:2014

HZN/TU S1, *Zdravlje, okoliš i medicinska oprema 1*

HRN EN ISO 11499:2008 en
Stomatologija – Jednokratne ampule za lokalnu anesteziju (ISO 11499:2007; EN ISO 11499:2007)
Dentistry – Single-use cartridges for local anaesthetics (ISO 11499:2007; EN ISO 11499:2007)
- zamijenjena s: HRN EN ISO 11499:2014

HRN EN 12006-3:2011 en
Neaktivni kirurški implantati – Posebni zahtjevi za srčane i vaskularne implantate – 3. dio: Endovaskularna sredstva (EN 12006-3:1998+A1:2009)
Non active surgical implants – Particular requirements for cardiac and vascular implants – Part 3: Endovascular devices (EN 12006-3:1998+A1:2009)
- zamijenjena s: HRN EN ISO 25539-1:2011,
HRN EN ISO 25539-2:2011,
HRN EN ISO 25539-3:2012

HZN/TU T1, *Prijevoz, rukovanje materijalima i pakiranje 1*

HRN EN 415-1:2010 en
Sigurnost strojeva za pakiranje – 1. dio: Nazivlje i podjela strojeva za pakiranje i pripadajuće opreme (EN 415-1:2000+A1:2009)
Packaging machines safety – Part 1: Terminology and classification of packaging machines and associated equipment (EN 415-1:2000+A1:2009)
- zamijenjena s: HRN EN 415-1:2014

HRN EN 12312-2:2010 en
Oprema za zemaljsku podršku zrakoplovu – Posebni zahtjevi – 2. dio: Vozilo za catering
(EN 12312-2:2002+A1:2009)
Aircraft ground support equipment – Specific requirements – Part 2: Catering vehicles
(EN 12312-2:2002+A1:2009)
- zamijenjena s: HRN EN 12312-2:2014

HRN EN 12312-4:2010 en
Oprema za zemaljsku podršku zrakoplovu – Posebni zahtjevi – 4. dio: Mostovi za ukrcaj putnika
(EN 12312-4:2003+A1:2009)
Aircraft ground support equipment – Specific requirements – Part 4: Passenger boarding bridges
(EN 12312-4:2003+A1:2009)
- zamijenjena s: HRN EN 12312-4:2014

HRN EN 12312-14:2010 en
Oprema za zemaljsku podršku zrakoplovu – Posebni zahtjevi – 14. dio: Isključena/onesposebljena vozila za ukrcaj putnika (EN 12312-14:2006+A1:2009)
Aircraft ground support equipment – Specific requirements – Part 14: Disabled/incapacitated passenger boarding vehicles
(EN 12312-14:2006+A1:2009)
- zamijenjena s: HRN EN 12312-14:2014

HRN EN 14764:2008 en
Bicikli za gradsku i polaganu vožnju – Sigurnosni zahtjevi i metode ispitivanja (EN 14764:2005)
City and trekking bicycles – Safety requirements and test methods (EN 14764:2005)
- zamijenjena s: HRN EN ISO 4210-1:2014,
HRN EN ISO 4210-2:2014, HRN EN ISO 4210-3:2014,
HRN EN ISO 4210-4:2014, HRN EN ISO 4210-5:2014,
HRN EN ISO 4210-6:2014, HRN EN ISO 4210-7:2014,
HRN EN ISO 4210-8:2014, HRN EN ISO 4210-9:2014

HRN EN 14765:2008 en
Bicikli za malu djecu – Sigurnosni zahtjevi i metode ispitivanja (EN 14765:2005+A1:2008)
Bicycles for young children – Safety requirements and test methods (EN 14765:2005+A1:2008)
- zamijenjena s: HRN EN ISO 8098:2014

HRN EN 14766:2008 en
Brdski bicikli – Sigurnosni zahtjevi i metode ispitivanja (EN 14766:2005)
Mountain-bicycles – Safety requirements and test methods (EN 14766:2005)
- zamijenjena s: HRN EN ISO 4210-1:2014,
HRN EN ISO 4210-2:2014, HRN EN ISO 4210-3:2014,
HRN EN ISO 4210-4:2014, HRN EN ISO 4210-5:2014,
HRN EN ISO 4210-6:2014, HRN EN ISO 4210-7:2014,
HRN EN ISO 4210-8:2014, HRN EN ISO 4210-9:2014

HRN EN 14781:2008 en
Trkaći bicikli – Sigurnosni zahtjevi i metode ispitivanja (EN 14781:2005)
Racing bicycles – Safety requirements and test methods (EN 14781:2005)
- zamijenjena s: HRN EN ISO 4210-1:2014,
HRN EN ISO 4210-2:2014, HRN EN ISO 4210-3:2014,
HRN EN ISO 4210-4:2014, HRN EN ISO 4210-5:2014,
HRN EN ISO 4210-6:2014, HRN EN ISO 4210-7:2014,
HRN EN ISO 4210-8:2014, HRN EN ISO 4210-9:2014

HZN/TU V1, *Elektronika 1*

HRN EN 60793-2-30:2008 en
Optical fibres – Part 2-30: Product specifications – Sectional specification for category A3 multimode fibres (IEC 60793-2-30:2002; EN 60793-2-30:2002)
- zamijenjena s: HRN EN 60793-2-30:2009

1.5 Povučeni nacrti hrvatskih norma

HZN/TO E13, *Oprema za mjerenje električne energije te upravljanje tarifom i potrošnjom*

nHRN IEC 61358 hr pp
Pregled za prihvaćanje statičkih brojila djelatne električne energije izmjenične struje s izravnim priključkom na mrežu (razreda točnosti 1 i 2)
(IEC 61358:1995)
Acceptance inspection for direct connected alternating current static watt-hour meters for active energy (Classes 1 and 2) (IEC 61358:1995)

1.6 Ispravci hrvatskih norma

U popisima hrvatskih norma objavljenim u ranijim brojevima službenog glasila potkrale su se pogreške.
Niže navodimo ispravne oznake i naslove hrvatskih norma.

HZN/TO 21, *Protupožarna i vatrogasna oprema*

- **umjesto**

HRN EN 13204:2012
Dvoradni hidraulični alati za spašavanje **za uporabu pri gašenju požara i spašavanju** – Zahtjevi za sigurnost i svojstva (EN 13204:2004+A1:2012)
Double acting hydraulic rescue tools for fire and rescue service use – Safety and performance requirements (EN 13204:2004+A1:2012)

- **treba biti**

HRN EN 13204:2012
Dvoradni hidraulični alati za spašavanje **u vatrogastvu i spasilačkoj službi** – Zahtjevi za sigurnost i svojstva (EN 13204:2004+A1:2012)
Double acting hydraulic rescue tools for fire and rescue service use – Safety and performance requirements (EN 13204:2004+A1:2012)

- **umjesto**

HRN EN 16327:2014
Vatrogastvo – **Sustavi s nadtlačnim doziranjem pjenila** (PPPS) i sustavi komprimirane zračne pjene (CAFS) (EN 16327:2014)
Fire-fighting – Positive-pressure proportioning systems (PPPS) and compressed-air foam systems (CAFS) (EN 16327:2014)

- **treba biti**

HRN EN 16327:2014
Vatrogastvo – **Nadtlačni sustavi pjenila** (PPPS) i sustavi komprimirane zračne pjene (CAFS)
(EN 16327:2014)
Fire-fighting – Positive-pressure proportioning systems (PPPS) and compressed-air foam systems (CAFS) (EN 16327:2014)

HZN/TO 43, *Akustika*

- **umjesto**

HRN EN ISO 11203:2010
Akustika – Buka koju emitiraju strojevi i oprema – Određivanje razina zvučnoga tlaka na radnome mjestu i drugim specificiranim mjestima iz razine zvučne snage (ISO 11203:1995; EN ISO 11203:2009)
Acoustics – Noise emitted by machinery and equipment – Determination of emission sound pressure levels at a work station and at other specified positions from the sound power level
(ISO 11203:1995; EN ISO 11203:2009)

- **treba biti**

HRN EN ISO 11203:2010
Akustika – Buka koju emitiraju strojevi i oprema – Određivanje razina zvučnoga tlaka **emisije** na radnome mjestu i drugim specificiranim mjestima iz razine zvučne snage (ISO 11203:1995;
EN ISO 11203:2009)
Acoustics – Noise emitted by machinery and equipment – Determination of emission sound pressure levels at a work station and at other specified positions from the sound power level
(ISO 11203:1995; EN ISO 11203:2009)

- **umjesto**

HRN EN ISO 11205:2010
Akustika – Buka koju emitiraju strojevi i oprema – Inženjerska metoda za određivanje **razine** zvučnog tlaka emisije in situ na radnome mjestu i drugim specificiranim mjestima uporabom jakosti zvuka
(ISO 11205:2003; EN ISO 11205:2009)
Acoustics – Noise emitted by machinery and equipment – Engineering method for the determination of emission sound pressure levels in situ at the work station and at other specified positions using sound intensity (ISO 11205:2003; EN ISO 11205:2009)

- **treba biti**

HRN EN ISO 11205:2010
Akustika – Buka koju emitiraju strojevi i oprema – Inženjerska metoda za određivanje **razina** zvučnog tlaka emisije in situ na radnome mjestu i drugim specificiranim mjestima uporabom jakosti zvuka
(ISO 11205:2003; EN ISO 11205:2009)
Acoustics – Noise emitted by machinery and equipment – Engineering method for the determination of emission sound pressure levels in situ at the work station and at other specified positions using sound intensity (ISO 11205:2003; EN ISO 11205:2009)

HZN/TO E34, *Žarulje, svjetiljke i pripadna oprema*

- **umjesto**

HRN EN 60081:2008
Fluorescentne cijevi s **dvama podnošcima** – Izvedbeni zahtjevi
(IEC 60081:1997+am1:2000+am2:2003+am3:2005; EN 60081:1998+A1:2002+A2:2003+A3:2005)
Double-capped fluorescent lamps – Performance specifications
(IEC 60081:1997+am1:2000+am2:2003+am3:2005; EN 60081:1998+A1:2002+A2:2003+A3:2005)

- **treba biti**

HRN EN 60081:2008
Fluorescentne cijevi s **dva podnoška** – Izvedbeni zahtjevi
(IEC 60081:1997+am1:2000+am2:2003+am3:2005; EN 60081:1998+A1:2002+A2:2003+A3:2005)
Double-capped fluorescent lamps – Performance specifications
(IEC 60081:1997+am1:2000+am2:2003+am3:2005; EN 60081:1998+A1:2002+A2:2003+A3:2005)

- **umjesto**

HRN EN 60081:2008/A4:2012
Fluorescentne cijevi s **dvama podnošcima** – Izvedbeni zahtjevi (IEC 60081:1997/am4:2010; EN 60081:1998/A4:2010)
Double-capped fluorescent lamps – Performance specifications (IEC 60081:1997/am4:2010; EN 60081:1998/A4:2010)

- **treba biti**

HRN EN 60081:2008/A4:2012
Fluorescentne cijevi s **dva podnoška** – Izvedbeni zahtjevi (IEC 60081:1997/am4:2010; EN 60081:1998/A4:2010)
Double-capped fluorescent lamps – Performance specifications (IEC 60081:1997/am4:2010; EN 60081:1998/A4:2010)

- **umjesto**

HRN EN 60081:2008/A5:2014
Fluorescentne cijevi s **dvama podnošcima** – Izvedbeni zahtjevi (IEC 60081:1997/am5:2013; EN 60081:1998/A5:2013)
Double-capped fluorescent lamps – Performance specifications (IEC 60081:1997/am5:2013; EN 60081:1998/A5:2013)

- **treba biti**

HRN EN 60081:2008/A5:2014
Fluorescentne cijevi s **dva podnoška** – Izvedbeni zahtjevi (IEC 60081:1997/am5:2013; EN 60081:1998/A5:2013)
Double-capped fluorescent lamps – Performance specifications (IEC 60081:1997/am5:2013; EN 60081:1998/A5:2013)

HZN/TO Z1, *Informacijska tehnologija*

- **umjesto**

HRI CEN/TR 16674:2014
Information technology – **RFID privacy impact assessment analysis for specific sectors**
(CEN/TR 16674:2014)
Informacijska tehnologija – Analize koje se odnose na RFID, metodologija procjene utjecaja na privatnost (CEN/TR 16674:2014)

- **treba biti**

HRI CEN/TR 16674:2014
Information technology – **Analysis of privacy impact assessment methodologies relevant to RFID** (CEN/TR 16674:2014)
Informacijska tehnologija – Analize koje se odnose na RFID, metodologija procjene utjecaja na privatnost (CEN/TR 16674:2014)

1.7 Naslovi objavljenih hrvatskih norma na hrvatskome jeziku

Te su hrvatske norme ranije objavljene samo s naslovima na engleskome jeziku pa se sada objavljuju njihovi naslovi na hrvatskome jeziku.

HZN/TO 35, *Boje i lakovi*

HRN EN ISO 787-25:2008
Opće metode ispitivanja pigmenata i punila – 25. dio: Usporedba obojenja, u potpuno zaštićenim sustavima, bijelih, crnih i obojenih pigmenata – Kolorimetrijska metoda (ISO 787-25:1993; EN ISO 787-25:2006)
General methods of test for pigments and extenders – Part 25: Comparison of the colour, in full-shade systems, of white, black and coloured pigments – Colorimetric method (ISO 787-25:1993; EN ISO 787-25:2006)

HRN EN ISO 8130-1:2010
Praškasti prekrivni materijali – 1. dio: Određivanje raspodjele veličine čestica prosijavanjem (ISO 8130-1:1992; EN ISO 8130-1:2010)
Coating powders – Part 1: Determination of particle size distribution by sieving (ISO 8130-1:1992; EN ISO 8130-1:2010)

HRN EN ISO 8130-2:2010
Praškasti prekrivni materijali – 2. dio: Određivanje gustoće pomoću plinskog piknometra (referentna metoda) (ISO 8130-2:1992; EN ISO 8130-2:2010)
Coating powders – Part 2: Determination of density by gas comparison pyknometer (referee method) (ISO 8130-2:1992; EN ISO 8130-2:2010)

HRN EN ISO 8130-3:2010
Praškasti prekrivni materijali – 3. dio: Određivanje gustoće pomoću piknometra istiskivanjem tekućine (ISO 8130-3:1992; EN ISO 8130-3:2010)
Coating powders – Part 3: Determination of density by liquid displacement pyknometer (ISO 8130-3:1992; EN ISO 8130-3:2010)

HRN EN ISO 8130-4:2010
Praškasti prekrivni materijali – 4. dio: Izračunavanje donje granice eksplozivnosti (ISO 8130-4:1992+Cor 1:1993; EN ISO 8130-4:2010)
Coating powders – Part 4: Calculation of lower explosion limit (ISO 8130-4:1992+Cor 1:1993; EN ISO 8130-4:2010)

HRN EN ISO 8130-5:2010
Praškasti prekrivni materijali – 5. dio: Određivanje svojstava tečenja mješavine prašak/zrak (ISO 8130-5:1992; EN ISO 8130-5:2010)
Coating powders – Part 5: Determination of flow properties of a powder/air mixture (ISO 8130-5:1992; EN ISO 8130-5:2010)

HRN EN ISO 8130-6:2010
Praškasti prekrivni materijali – 6. dio: Određivanje vremena geliranja termoreaktivnih praškastih prekrivnih materijala pri zadanoj temperaturi (ISO 8130-6:1992+Amd 1:1998; EN ISO 8130-6:2010)
Coating Powders – Part 6: Determination of gel time of thermosetting coating powders at a given temperature (ISO 8130-6:1992+Amd 1:1998; EN ISO 8130-6:2010)

HRN EN ISO 8130-7:2010
Praškasti prekrivni materijali – 7. dio: Određivanje gubitka mase pri pečenju (ISO 8130-7:1992; EN ISO 8130-7:2010)
Coating powders – Part 7: Determination of loss of mass on stoving (ISO 8130-7:1992; EN ISO 8130-7:2010)

HRN EN ISO 8130-8:2010
Praškasti prekrivni materijali – 8. dio: Procjena stabilnosti termoreaktivnih praškastih prekrivnih materijala pri skladištenju (ISO 8130-8:1994; EN ISO 8130-8:2010)
Coating powders – Part 8: Assessment of the storage stability of thermosetting powders (ISO 8130-8:1994; EN ISO 8130-8:2010)

HRN EN ISO 8130-10:2010
Praškasti prekrivni materijali – 10. dio: Određivanje učinkovitosti nanošenja (ISO 8130-10:1998; EN ISO 8130-10:2010)
Coating powders – Part 10: Determination of deposition efficiency (ISO 8130-10:1998; EN ISO 8130-10:2010)

HRN EN ISO 8130-11:2010
Praškasti prekrivni materijali – 11. dio: Ispitivanje rasprostiranja na kosini (ISO 8130-11:1997; EN ISO 8130-11:2010)
Coating powders – Part 11: Inclined-plane flow test (ISO 8130-11:1997; EN ISO 8130-11:2010)

HRN EN ISO 8130-12:2010
Praškasti prekrivni materijali – 12. dio: Određivanje kompatibilnosti (ISO 8130-12:1998; EN ISO 8130-12:2010)
Coating powders – Part 12: Determination of compatibility (ISO 8130-12:1998; EN ISO 8130-12:2010)

HRN EN ISO 8130-13:2010
Praškasti prekrivni materijali – 13. dio: Analiza veličine čestica laserskom difrakcijom (ISO 8130-13:2001; EN ISO 8130-13:2010)
Coating powders – Part 13: Particle size analysis by laser diffraction (ISO 8130-13:2001; EN ISO 8130-13:2010)

HRN EN ISO 277:2010
Veziva za boje i lakove – Sirovo tung ulje – Zahtjevi i metode ispitivanja (ISO 277:2002; EN ISO 277:2010)
Binders for paints and varnishes – Raw tung oil – Requirements and methods of test (ISO 277:2002; EN ISO 277:2010)

HRN EN 14260:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: cestovni katrani – Karakteristike i metode ispitivanja (EN 14260:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Road tars – Characteristics and test methods (EN 14260:2003)

HRN EN 14261:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: vatrostalna veziva – Karakteristike i metode ispitivanja (EN 14261:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Refractory binders – Characteristics and test methods (EN 14261:2003)

HRN EN 14262:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: briketi – Karakteristike i metode ispitivanja (EN 14262:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Briquetting pitch – Characteristics and test methods (EN 14262:2003)

HRN EN 14263:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: ugljikova vezivna smola – Karakteristike i metode ispitivanja (EN 14263:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Carbon binder pitch – Characteristics and test methods (EN 14263:2003)

HRN EN 14264:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: smola za impregnaciju – Karakteristike i metode ispitivanja (EN 14264:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Impregnating pitch – Characteristics and test methods (EN 14264:2003)

HRN EN 14265:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: katran za ličenje – Karakteristike i metode ispitivanja (EN 14265:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Painting tar – Characteristics and test methods (EN 14265:2003)

HRN EN 14266:2008
Derivati dobiveni pirolizom ugljena – Veziva bazirana na katranu kamenog ugljena i smoli i srodni proizvodi: katran za premazivanje – Karakteristike i metode ispitivanja (EN 14266:2003)
Derivatives from coal pyrolysis – Coal tar and pitch based binders and related products: Coating tar – Characteristics and test methods (EN 14266:2003)

HRN EN 14155:2008
Derivati dobiveni pirolizom ugljena – Sirovina za čađu – Specifikacije i metode ispitivanja (EN 14155:2003)
Derivatives from coal pyrolysis – Carbon black feedstock – Specifications and test methods (EN 14155:2003)

HRN EN 14156:2008
Derivati dobiveni pirolizom ugljena – Ulja bazirana na katranu kamenog ugljena: gorivo od katrana kamenog ugljena – Specifikacije i metode ispitivanja (EN 14156:2003)
Derivatives from coal pyrolysis – Coal tar based oils: Coal tar fuel – Specifications and test methods (EN 14156:2003)

HRN EN 13991:2008
Derivati dobiveni pirolizom ugljena – Ulja bazirana na katranu kamenog ugljena: kreozotno ulje – Specifikacije i metode ispitivanja (EN 13991:2003)
Derivatives from coal pyrolysis – Coal tar based oils: Creosotes – Specifications and test methods (EN 13991:2003)

HRN EN 13523-29:2011
Metali zaštićeni trakom – Metode ispitivanja – 29. dio: Otpornost na nečistoću iz okoliša (Nakupljanje nečistoće i nastanak pruga) (EN 13523-29:2010)
Coil coated metals – Test methods – Part 29: Resistance to environmental soiling (Dirt pick-up and striping) (EN 13523-29:2010)

HRN ISO 18329:2010
Mlijeko i mliječni proizvodi – Određivanje udjela furozina – Metoda reverzno-fazne tekućinske kromatografije visoke djelotvornosti (ISO 18329:2004)
Milk and milk products – Determination of furosine content – Ion-pair reverse-phase high-performance liquid chromatography method (ISO 18329:2004)

HZN/TO 46, *Bibliotekarstvo, dokumentacija i informacije*

HRN EN 15981:2013
Mobilnost europskog učenika – Podaci o postignuću (EuroLMAI) (EN 15981:2011)
European Learner Mobility – Achievement information (EuroLMAI) (EN 15981:2011)

HZN/TO 536, *Vrata, prozori i staklo u graditeljstvu*

HRN EN ISO 14438:2008
Staklo u graditeljstvu – Određivanje energetske ravnoteže – Proračunske metode (ISO 14438:2002; EN ISO 14438:2002)
Glass in building – Determination of energy balance value – Calculation method (ISO 14438:2002; EN ISO 14438:2002)

HZN/TO 559, *Zaporni, regulacijski i sigurnosni uređaji*

HRN EN 15714-1:2010
Industrijski zaporni uređaji – Pokretači – 1. dio: Nazivlje i definicije (EN 15714-1:2009)
Industrial valves – Actuators – Part 1: Terminology and definitions (EN 15714-1:2009)

HRN EN 15714-2:2010
Industrijski zaporni uređaji – Pokretači – 2. dio: Električni pokretači za industrijske zaporne uređaje – Osnovni zahtjevi (EN 15714-2:2009)
Industrial valves – Actuators – Part 2: Electric actuators for industrial valves – Basic requirements (EN 15714-2:2009)

HRN EN 15714-3:2010
Industrijski zaporni uređaji – Pokretači – 3. dio: Preumatski zakretni pokretači za industrijske zaporne uređaje – Osnovni zahtjevi (EN 15714-3:2009)
Industrial valves – Actuators – Part 3: Pneumatic part-turn actuators for industrial valves – Basic requirements (EN 15714-3:2009)

HRN EN 15714-4:2010
Industrijski zaporni uređaji – Pokretači – 4. dio: Hidraulički zakretni pokretači za industrijske zaporne uređaje – Osnovni zahtjevi (EN 15714-4:2009)
Industrial valves – Actuators – Part 4: Hydraulic part-turn actuators for industrial valves – Basic requirements (EN 15714-4:2009)

HZN/TO E100, *Audio, video i multimedijski sustavi te njihova oprema*

HRN EN 61937-1:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 1. dio: Općenito (IEC 61937-1:2007; EN 61937-1:2007)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General (IEC 61937-1:2007; EN 61937-1:2007)

HRN EN 61937-6:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 6. dio: Nelinearni tokovi bitova kodiranih pulsno kodnom modulacijom (PCM) prema MPEG-2 AAC i MPEG-4 AAC formatima (IEC 61937-6:2006; EN 61937-6:2006)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC and MPEG-4 AAC formats (IEC 61937-6:2006; EN 61937-6:2006)

HRN EN 62481-3:2012
Preporuke za zajednički rad DLNA (Digital living network alliance) kućnih umreženih uređaja – 3. dio: Zaštita veze (IEC 62481-3:2010; EN 62481-3:2011)
Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 3: Link protection (IEC 62481-3:2010; EN 62481-3:2011)

HRN EN 60728-1-1:2011
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – Dio 1-1: RF kabliranje za dvosmjerne kućne mreže (IEC 60728-1-1:2010; EN 60728-1-1:2010)
Cable networks for television signals, sound signals and interactive services – Part 1-1: RF cabling for two way home networks (IEC 60728-1-1:2010; EN 60728-1-1:2010)

HRN EN 60728-1-2:2011
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – Dio 1-2: Zahtjevi za osobine signala na izlaznom priključku tijekom rada (IEC 60728-1-2:2009; EN 60728-1-2:2009)
Cable networks for television signals, sound signals and interactive services – Part 1-2: Performance requirements for signals delivered at the system outlet in operation (IEC 60728-1-2:2009; EN 60728-1-2:2009)

HRN EN 60728-1:2008
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – 1. dio: Značajke sustava smjerova otpreme (IEC 60728-1:2007; EN 60728-1:2008)
Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward paths (IEC 60728-1:2007; EN 60728-1:2008)

HRN EN 60728-7-1:2008
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – Dio 7-1: Nadziranje stanja hibridnih suosnih (koaksijalnih) vlakana vanjske opreme – Specifikacija fizičkog sloja (IEC 60728-7-1:2003; EN 60728-7-1:2005)
Cable networks for television signals, sound signals and interactive services – Part 7-1: Hybrid Fibre Coax Outside Plant Status Monitoring – Physical (PHY) Layer Specification (IEC 60728-7-1:2003; EN 60728-7-1:2005)

HRN EN 60728-7-2:2008
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – Dio 7-2: Nadziranje stanja hibridnih suosnih (koaksijalnih) vlakana vanjske opreme – Specifikacija sloja nadzora pristupa sredstvima (IEC 60728-7-2:2003; EN 60728-7-2:2005)
Cable networks for television signals, sound signals and interactive services – Part 7-2: Hybrid Fibre Coax Outside Plant Status Monitoring – Media access Control (MAC) Layer Specification (IEC 60728-7-2:2003; EN 60728-7-2:2005)

HRN EN 60728-7-3:2011
Kabelske mreže za televizijske signale, zvučne signale i usluge uzajamnog djelovanja – Dio 7-3: Nadziranje stanja hibridnih suosnih (koaksijalnih) vlakana vanjske opreme – Izvor napajanja sabirnice sučelja transpondera (IEC 60728-7-3:2009; EN 60728-7-3:2009)
Cable networks for television signals, sound signals and interactive services – Part 7-3: Hybrid fibre coax outside plant status monitoring – Power supply to transponder interface bus (PSTIB) (IEC 60728-7-3:2009; EN 60728-7-3:2009)

HRN EN 61937-10:2012
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 10. dio: Nelinearni tokovi bitova kodiranih pulsno kodnom modulacijom (PCM) prema formatu MPEG-4 Audio Lossless Coding (ALS) (IEC 61937-10:2011; EN 61937-10:2011)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 10: Non-linear PCM bitstreams according to the MPEG-4 Audio Lossless Coding (ALS) format (IEC 61937-10:2011; EN 61937-10:2011)

HRN EN 61937-11:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 11. dio: MPEG-4 AAC i njegova proširenja u LATM/LOAS (IEC 61937-11:2010; EN 61937-11:2010)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 11: MPEG-4 AAC and its extensions in LATM/LOAS (IEC 61937-11:2010; EN 61937-11:2010)

HRN EN 61937-12:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 12. dio: Nelinearni tokovi bitova kodiranih pulsno kodnom modulacijom (PCM) prema DRA formatima (IEC 61937-12:2010; EN 61937-12:2010)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 12: Non-linear PCM bitstreams according to the DRA formats (IEC 61937-12:2010; EN 61937-12:2010)

HRN EN 61937-2:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 2. dio: Obavijest o prepunjenosti (IEC 61937-2:2007; EN 61937-2:2007)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Burst-info (IEC 61937-2:2007; EN 61937-2:2007)

HRN EN 61937-2:2011/A1:2012
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 2. dio: Obavijest o prepunjenosti (IEC 61937-2:2007/am1:2011; EN 61937-2:2007/A1:2011)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Burst-info (IEC 61937-2:2007/am1:2011; EN 61937-2:2007/A1:2011)

HRN EN 61937-3:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 3. dio: Nelinearni tokovi bitova kodiranih pulsno-kodnom modulacijom (PCM) prema formatima AC-3 i unaprijeđenom AC-3 (IEC 61937-3:2007; EN 61937-3:2009)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 3: Non-linear PCM bitstreams according to the AC-3 and enhanced AC-3 formats (IEC 61937-3:2007; EN 61937-3:2009)

HRN EN 61937-4:2008
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 4. dio: Nelinearni tokovi bitova kodiranih pulsno-kodnom modulacijom (PCM) prema MPEG audio formatu (IEC 61937-4:2003+Corr.1:2004; EN 61937-4:2003)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 4: Non-linear PCM bitstreams according to the MPEG audio format (IEC 61937-4:2003+Corr.1:2004; EN 61937-4:2003)

HRN EN 61937-5:2011
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 5. dio: Nelinearni tokovi bitova kodiranih pulsno-kodnom modulacijom (PCM) prema formatu/ima sustava digitalnog kazališta (Digital Theater Systems - DTS) (IEC 61937-5:2006; EN 61937-5:2006)

Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s) (IEC 61937-5:2006; EN 61937-5:2006)

HRN EN 61937-7:2008
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 7. dio: Nelinearni tokovi bitova kodiranih pulsno-kodnom modulacijom (PCM) prema formatima ATRAC, ATRAC2/3 i ATRAC-X (IEC 61937-7:2004; EN 61937-7:2005)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 7: Non-linear PCM bitstreams according to the ATRAC, ATRAC2/3 and ATRAC-X formats (IEC 61937-7:2004; EN 61937-7:2005)

HRN EN 61937-8:2008
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 8. dio: Nelinearni tokovi bitova kodiranih pulsno-kodnom modulacijom (PCM) prema formatu Windows Media Audio (WMA) Professional (IEC 61937-8:2006; EN 61937-8:2007)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 8: Non-linear PCM bitstreams according to the Windows Media Audio (WMA) Professional format (IEC 61937-8:2006; EN 61937-8:2007)

HRN EN 61937-9:2008
Digitalni audio – Sučelje za nelinearne tokove audio bitova kodiranih pulsno-kodnom modulacijom (PCM) koji primjenjuju IEC 60958 – 9. dio: Nelinearni tokovi bitova kodiranih pulsno-kodnom modulacijom (PCM) prema formatu MAT (IEC 61937-9:2007; EN 61937-9:2007)
Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 9: Non-linear PCM bitstreams according to the MAT format (IEC 61937-9:2007; EN 61937-9:2007)

HZN/TU T1, *Prijevoz, rukovanje materijalima i pakiranje 1*

HRN EN 2030:2014
Nizovi o zrakoplovstvu – Čelik X105CrMo17 (1.3544) – Cementiran i poboljšan – Šipke – De ≤ 150 mm (EN 2030:2013)
Aerospace series – Steel X105CrMo17 (1.3544) – Hardened and tempered – Bars – De ≤ 150 mm (EN 2030:2013)

HRN EN 2346-005:2014
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Radne temperature između – 65 °C i 260 °C – 005. dio: DW porodica, samostalno ispisivanje UV laserom i višežilni sklop – Male težine – Norma za proizvod (EN 2346-005:2013)
Aerospace series – Cable, electrical, fire resistant – Operating temperatures between – 65 °C and 260 °C – Part 005: DW family, single UV laser printable and multicore assembly – Light weight – Product standard (EN 2346-005:2013)

HRN EN 3375-012:2014
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 012.dio: Jednostruko pleteni – Četverožilni 100 Oma – 260 °C – Tip KH – Norma za proizvod (EN 3375-012:2013)
Aerospace series – Cable, electrical, for digital data transmission – Part 012: Single braid – Star Quad 100 ohms – 260 °C – Type KH – Product standard (EN 3375-012:2013)

HRN EN 4156:2014
Nizovi o zrakoplovstvu – Krajevi šipke, sa samoporavnavajućim dvorednim kugličnim ležajevima i strukom od čelika s navojem – Unutrašnji prsten i kugle od čelika otpornog na koroziju – Dimenzije i opterećenja – Inčne serije (EN 4156:2013)
Aerospace series – Rod ends, with self-aligning double row ball bearings and threaded shank in steel – Inner ring and balls in corrosion resisting steel – Dimensions and loads – Inch series (EN 4156:2013)

HRN EN 2954-002:2011
Nizovi o zrakoplovstvu – Makrostruktura kovanih proizvoda od titana i legure titana – 002. dio: Makrostruktura šipki, profila, materijala za kovanje i otkivaka (EN 2954-002:2010)
Aerospace series – Macrostructure of titanium and titanium alloy wrought products – Part 002: Macrostructure of bar, section, forging stock and forgings (EN 2954-002:2010)

HRN EN 2955:2008
Nizovi o zrakoplovstvu – Recikliranje titana i otpadaka legure titana (EN 2955:1993+AC:1995)
Aerospace series – Recycling of titanium and titanium alloy scrap (EN 2955:1993+AC:1995)

HRN EN 2985:2008
Nizovi o zrakoplovstvu – Nikal-kadmij baterije, format tipa A (EN 2985:1996)
Aerospace series – Nickel-cadmium batteries of format A type (EN 2985:1996)

HRN EN 2986:2008
Nizovi o zrakoplovstvu – Nikal-kadmij baterije, format tipa B (EN 2986:1996)
Aerospace series – Nickel-cadmium batteries of format B type (EN 2986:1996)

HRN EN 2987:2008
Nizovi o zrakoplovstvu – Nikal-kadmij baterije, format tipa C (EN 2987:1996)
Aerospace series – Nickel-cadmium batteries of format C type (EN 2987:1996)

HRN EN 2988:2008
Nizovi o zrakoplovstvu – Nikal-kadmij baterije, format tipa D (EN 2988:1996)
Aerospace series – Nickel-cadmium batteries of format D type (EN 2988:1996)

HRN EN 2991:2008
Nizovi o zrakoplovstvu – Nikal-kadmij baterije, format tipa E (EN 2991:1996)
Aerospace series – Nickel-cadmium batteries of format E type (EN 2991:1996)

HRN EN 2993:2008
Nizovi o zrakoplovstvu – Nikal-kadmij baterije, format tipa F (EN 2993:1996)
Aerospace series – Nickel-cadmium batteries of format F type (EN 2993:1996)

HRN EN 2995-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivne struje 1 A do 25 A – 001. dio: Tehnička specifikacija (EN 2995-001:2006)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 1 A to 25 A – Part 001: Technical specification (EN 2995-001:2006)

HRN EN 2995-004:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivne struje 1 A do 25 A – 004. dio: Sa signalnim kontaktom – Norma za proizvod (EN 2995-004:2006)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 1 A to 25 A – Part 004: With signal contact – Product standard (EN 2995-004:2006)

HRN EN 2995-005:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivne struje 1 A do 25 A – 005. dio: S polariziranim signalnim kontaktom – Norma za proizvod (EN 2995-005:2006)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 1 A to 25 A – Part 005: With polarized signal contact – Product standard (EN 2995-005:2006)

HRN EN 2996-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivne struje 1 A do 25 A – 001. dio: Tehnička specifikacija (EN 2996-001:2006)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated current 1 A to 25 A – Part 001: Technical specification (EN 2996-001:2006)

HRN EN 2996-004:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivne struje 1 A do 25 A – 004. dio: Sa signalnim kontaktom – Norma za proizvod (EN 2996-004:2006)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated current 1 A to 25 A – Part 004: With signal contact – Product standard (EN 2996-004:2006)

HRN EN 2996-005:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivne struje 1 A do 25 A – 005. dio: S polariziranim signalnim kontaktom – Norma za proizvod (EN 2996-005:2006)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated current 1 A to 25 A – Part 005: With polarized signal contact – Product standard (EN 2996-005:2006)

HRN EN 2997-001:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 001. dio: Tehnička specifikacija (EN 2997-001:2011)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 001: Technical specification (EN 2997-001:2011)

HRN EN 2997-002:2012
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 002. dio: Specifikacije značajki i položaji kontakta (EN 2997-002:2012)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 002: Specification of performance and contact arrangements (EN 2997-002:2012)

HRN EN 2997-003:2012
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 003. dio: Utičnica s kvadratnom prirubnicom – Norma za proizvod (EN 2997-003:2012)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 003: Square flange receptacle – Product standard (EN 2997-003:2012)

HRN EN 2997-004:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 004. dio: Utičnica s kontra maticom – Norma za proizvod (EN 2997-004:2006)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 004: Jam-nut mounted receptacle – Product standard (EN 2997-004:2006)

HRN EN 2997-005:2012
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 005. dio: Utičnica s kvadratnom prirubnicom bez dotoka zraka – Norma za proizvod (EN 2997-005:2012)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 005: Hermetic square flange receptacle – Product standard (EN 2997-005:2012)

HRN EN 2997-006:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 006. dio: Utičnica s kontra maticom bez dotoka zraka – Norma za proizvod (EN 2997-006:2006)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 006: Hermetic jam-nut mounted receptacle – Product standard (EN 2997-006:2006)

HRN EN 2997-007:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 007. dio: Utičnica bez dotoka zraka s okruglom prirubnicom spojenom zavarivanjem ili lemljenjem – Norma za proizvod (EN 2997-007:2006)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 007: Hermetic receptacle with round flange attached by welding or brazing – Product standard (EN 2997-007:2006)

HRN EN 2997-008:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 008. dio: Utikač – Norma za proizvod (EN 2997-008:2006)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 008: Plug – Product standard (EN 2997-008:2006)

HRN EN 2997-009:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 009. dio: Zaštitni omotač za utičnicu – Norma za proizvod (EN 2997-009:2010)

Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 009: Protective cover for receptacle – Product standard (EN 2997-009:2010)

HRN EN 2997-010:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 010. dio: Zaštitni omotač za utikač – Norma za proizvod (EN 2997-010:2010)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 010: Protective cover for plug – Product standard (EN 2997-010:2010)

HRN EN 2997-011:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 011. dio: Prazne utičnice – Norma za proizvod (EN 2997-011:2010)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 011: Dummy receptacle – Product standard (EN 2997-011:2010)

HRN EN 2997-012:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 012. dio: Kontra matica za utičnice s kontra maticom – Norma za proizvod (EN 2997-012:2009)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 012: Jam-nut for jam-nut receptacles – Product standard (EN 2997-012:2009)

HRN EN 2997-013:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 013. dio: O-prsten brtva za utičnice s kontra maticom – Norma za proizvod (EN 2997-013:2009)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 013: O-ring seal for jam-nut receptacles – Product standard (EN 2997-013:2009)

HRN EN 2997-014:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 014. dio: Utičnica s kvadratnom prirubnicom s uključenom dodatnom opremom – Norma za proizvod (EN 2997-014:2011)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 014: Square flange receptacle with integrated accessory – Product standard (EN 2997-014:2011)

HRN EN 2997-015:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 015. dio: Utičnica s kontra maticom s ugrađenim dodacima – Norma za proizvod (EN 2997-015:2011)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak – Part 015: Jam-nut mounted receptacle with integrated accessory – Product standard (EN 2997-015:2011)

HRN EN 2997-016:2011
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, opremljene s navojnim prstenom, otporne na vatru ili neotporne na vatru, radne temperature -65 °C do 175 °C neprekidno, 200 °C neprekidno, 260 °C vršno – 016. dio: Utikač s uključenom dodatnom opremom – Norma za proizvod (EN 2997-016:2010)
Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire-resistant or non fire-resistant, operating temperatures -65 °C to 175°C continuous, 200°C continuous, 260°C peak – Part 016: Plug with integrated accessory – Product standard (EN 2997-016:2010)

HRN EN 2998:2008
Nizovi o zrakoplovstvu – Podloške, ravne, od čelika otpornog na toplinu, pasivizirane (EN 2998:1996)
Aerospace series – Washers, flat, in heat resisting steel, passivated (EN 2998:1996)

HRN EN 3004:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, MJ navoji, od čelika otpornog na toplinu FE-PA2601 (A286) – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/650 °C – Tehnička specifikacija (EN 3004:1997)
Aerospace series – Nuts, self-locking, MJ threads, in heat resisting steel FE-PA2601 (A286) – Classification: 1 100 MPa (at ambient temperature)/650 °C – Technical specification (EN 3004:1997)

HRN EN 3005:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, MJ navoji, legura na bazi nikla otporna na toplinu NI-PH1302 (Waspaloy), prevučene srebrom ili bez prevlake – Klasifikacija: 1 210 MPa (pri temperaturi okoline)/730 °C – Tehnička specifikacija (EN 3005:2004)
Aerospace series – Nuts, self-locking, MJ threads, in heat resisting nickel base alloy NI-PH1302 (Waspaloy), silver plated or uncoated – Classification: 1 210 MPa (at ambient temperature)/730 °C – Technical specification (EN 3005:2004)

HRN EN 3006:2008
Nizovi o zrakoplovstvu – Vijci, sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 3006:1994)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286) – Classification: 900 MPa (at ambient temperature)/650 °C (EN 3006:1994)

HRN EN 3007:2008
Nizovi o zrakoplovstvu – Vijci, sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 3007:1996)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 900 MPa (at ambient temperature)/650 °C (EN 3007:1996)

HRN EN 3008:2008
Nizovi o zrakoplovstvu – Vijci, sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od legura na bazi nikla otporne na toplinu NI-P100HT (Inconel 718) – Klasifikacija: 1 275 MPa (pri temperaturi okoline)/650 °C (EN 3008:1998)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P100HT (Inconel 718) – Classification: 1 275 MPa (at ambient temperature)/650 °C (EN 3008:1998)

HRN EN 3009:2008
Nizovi o zrakoplovstvu – Vijci, sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od legura na bazi nikla otporne na toplinu NI-P100HT (Inconel 718), prevučeni srebrom – Klasifikacija: 1 275 MPa (pri temperaturi okoline)/650 °C (EN 3009:1998)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P100HT (Inconel 718), silver plated – Classification: 1 275 MPa (at ambient temperature)/650 °C (EN 3009:1998)

HRN EN 3010:2008
Nizovi o zrakoplovstvu – Vijci, sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od legura na bazi nikla otporne na toplinu NI-P100HT NI-P101HT (Waspaloy) – Klasifikacija: 1 210 MPa (pri temperaturi okoline)/730 °C (EN 3010:1998)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy) – Classification: 1 210 MPa (at ambient temperature)/730 °C (EN 3010:1998)

HRN EN 3011:2008
Nizovi o zrakoplovstvu – Vijci, sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od legura na bazi nikla otporne na toplinu NI-P100HT NI-P101HT (Waspaloy), prevučeni srebrom – Klasifikacija: 1 210 MPa (pri temperaturi okoline)/730 °C (EN 3011:1998)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated – Classification: 1 210 MPa (at ambient temperature)/730 °C (EN 3011:1998)

HRN EN 3012:2008
Nizovi o zrakoplovstvu – Samozatvarajući dupli šesterokutni vijci, od legure na bazi nikla otporne na toplinu NI-P101HT (Waspaloy) – Klasifikacija: 1 210 MPa (pri temperaturi okoline)/730 °C (EN 3012:1995)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy NI-P101HT (Waspaloy) – Classification: 1 210 MPa (at ambient temperature)/730 °C (EN 3012:1995)

HRN EN 3013:2008
Nizovi o zrakoplovstvu – Samozatvarajući dupli šesterokutni vijci, od legure na bazi nikla otporne na toplinu NI-P101HT (Waspaloy), prevučeni srebrom – Klasifikacija: 1 210 MPa (pri temperaturi okoline)/730 °C (EN 3013:1995)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated – Classification: 1 210 MPa (at ambient temperature)/730 °C (EN 3013:1995)

HRN EN 3014:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, nazubljen, od čelika otpornog na toplinu FE-PA2601 (A286) – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/650 °C (EN 3014:2001)
Aerospace series – Shank nuts, self-locking, serrated, in heat resisting steel FE-PA2601 (A286) – Classification: 1 100 MPa (at ambient temperature)/650 °C (EN 3014:2001)

HRN EN 3015:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, nazubljen, od čelika otpornog na toplinu FE-PA2601 (A286), prevučeni srebrom – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/650 °C (EN 3015:2001)
Aerospace series – Shank nuts, self-locking, serrated, in heat resisting steel FE-PA2601 (A286), silver plated – Classification: 1 100 MPa (at ambient temperature)/650 °C (EN 3015:2001)

HRN EN 3016:2008
Nizovi o zrakoplovstvu – Podloške upuštene, za raspoređeno opterećenje – Čelik otporan na toplinu (EN 3016:2008)
Aerospace series – Washers countersunk, load spreading – Heat resisting steel (EN 3016:2008)

HRN EN 3017:2008
Nizovi o zrakoplovstvu – Podloške, za oblaganje/pakiranje – Čelik otporan na toplinu (EN 3017:2008)
Aerospace series – Washers, facing/packing – Heat resisting steel (EN 3017:2008)

HRN EN 3019:2008
Nizovi o zrakoplovstvu – Samozatvarajuće ravne matice, plivajuće, s dva uha, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/650 °C (EN 3019:2008)
Aerospace series – Self-locking plate nuts, floating, two-lug, in heat resisting steel FE-PA92HT (A286) – Classification: 1 100 MPa (at ambient temperature)/650 °C (EN 3019:2008)

HRN EN 3020:2008
Nizovi o zrakoplovstvu – Samo samozatvarajućizatvarajuće ravne matice, plivajuće, s dva uha, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/650 °C (EN 3020:2008)
Aerospace series – Self-locking plate nuts, floating, two-lug, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1 100 MPa (at ambient temperature)/650 °C (EN 3020:2008)

HRN EN 3026:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja za suhi film maziva – Ispitivanje korozije na uzorcima čelika (EN 3026:1994)
Aerospace series – Test method for dry film lubricants – Corrosion test on steels specimens (EN 3026:1994)

HRN EN 3027:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja za suhi film maziva – Ispitivanje slanim sprejom (EN 3027:1994)
Aerospace series – Test method for dry film lubricants – Salt spray test (EN 3027:1994)

HRN EN 3030:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja za suhi film maziva – Sadržaj čvrste tvari (EN 3030:1994)
Aerospace series – Test method for dry film lubricants – Solids content (EN 3030:1994)

HRN EN 3032:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja za suhi film maziva – Mjerenje debljine (EN 3032:1994)
Aerospace series – Test method for dry film lubricants – Thickness measurement (EN 3032:1994)

HRN EN 3033:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, šesterokutne s podloškom za zatvaranje, od čelika otpornog na toplinu FE-PA2601 (A286), bez prevlake – Klasifikacija : 1 100 MPa/425 °C (EN 3033:2008)
Aerospace series – Nuts, self-locking, hexagonal with captive washer, in heat resisting steel FE-PA2601 (A286), uncoated – Classification : 1 100 MPa/425 °C (EN 3033:2008)

HRN EN 3034:2011
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, šesterokutne s podloškom za zatvaranje – Od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom – Klasifikacija: 1 100 MPa/425 °C (EN 3034:2009)
Aerospace series – Nuts, self-locking, hexagonal with captive washer – In heat resisting steel FE-PA92HT (A286), silver coated Classification: 1 100 MPa/425 °C (EN 3034:2009)

HRN EN 3034:2011/Ispr.1:2012
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, šesterokutne s podloškom za zatvaranje – Od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom Klasifikacija: 1 100 MPa/425 °C (EN 3034:2009/AC:2011)
Aerospace series – Nuts, self-locking, hexagonal with captive washer – In heat resisting steel FE-PA92HT (A286), silver coated Classification: 1 100 MPa/425 °C (EN 3034:2009/AC:2011)

HRN EN 3035:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od legure čelika, prevučeni kadmijem – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/235 °C (EN 3035:1996)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, close tolerance normal shank, short thread, in alloy steel, cadmium plated – Classification: 1 100 MPa (at ambient temperature)/235 °C (EN 3035:1996)

HRN EN 3037:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od legure titana, anodizirani, podmazani s MoS2 – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/315 °C (EN 3037:1996)
Aerospace series – Screws, pan head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1 100 MPa (at ambient temperature)/315 °C (EN 3037:1996)

HRN EN 3038:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od čelika otpornog na toplinu i koroziju, pasiviziran – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/425 °C (EN 3038:1996)
Aerospace series – Screws, pan head, offset cruciform recess, close tolerance normal shank, short thread, in heat and corrosion resisting steel, passivated – Classification: 1 100 MPa (at ambient temperature)/425 °C (EN 3038:1996)

HRN EN 3043:2008
Nizovi o zrakoplovstvu – Stege, s vanjskim navojem, od čelika otpornog na toplinu FE PA92HT (A286) – Klasifikacija: 900 MPa/650 °C, izborna metoda proizvodnje – Tehnička specifikacija (EN 3043:2008)
Aerospace series – Fasteners, externally threaded, in heat resisting steel FE PA92HT (A286) – Classification: 900 MPa/650 °C, manufacturing method optional – Technical specification (EN 3043:2008)

HRN EN 3044:2008
Nizovi o zrakoplovstvu – Ugradbene rupe za umetke, s navojima vijka, sa spiralnim svitkom, samozatvarajuće – Norma za projektiranje (EN 3044:1998)
Aerospace series – Installation holes for inserts, screw thread, helical coil, self-locking – Design standard (EN 3044:1998)

HRN EN 3045:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti jednoredni valjni ležajevi od čelika – Serije promjera 0 i 2 – Tip smanjene zračnosti – Dimenzije i opterećenja (EN 3045:1993)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel – Diameter series 0 and 2 – Reduced clearance category – Dimensions and loads (EN 3045:1993)

HRN EN 3046:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti jednoredni ležajevi od čelika prevučeni kadmijem – Serije promjera 0 i 2 – Tip smanjene zračnosti – Dimenzije i opterećenja (EN 3046:1993)
Aerospace series – Bearings, airframe rolling – Rigid single row bearings in steel, cadmium plated – Diameter series 0 and 2 – Reduced clearance category – Dimensions and loads (EN 3046:1993)

HRN EN 3047:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti jednoredni kuglični ležajevi od čelika otpornog na koroziju – Serije promjera 0 i 2 – Tip smanjene zračnosti – Dimenzije i opterećenja (EN 3047:1993)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in corrosion resisting steel – Diameter series 0 and 2 – Reduced clearance category – Dimensions and loads (EN 3047:1993)

HRN EN 3048:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa samopodmazujućim prstenom izrađeni od čelika otpornog na koroziju – Lagane serije – Visoko opterećeni pri temperaturi okoline – Dimenzije i opterećenja (EN 3048:2001)
Aerospace series – Bearings, spherical plain in corrosion resisting steel with self-lubricating liner – Light series – Elevated load at ambient temperature – Dimensions and loads (EN 3048:2001)

HRN EN 3049:2008
Nizovi o zrakoplovstvu – O-prsteni, od fluorougljične gume (FKM), set za nisku kompresiju – Tvrdoća 80 IRHD (EN 3049:1998)
Aerospace series – O-rings, in fluorocarbon rubber (FKM), low compression set – Hardness 80 IRHD (EN 3049:1998)

HRN EN 3050:2008
Nizovi o zrakoplovstvu – O-prsteni, od fluorougljične gume (FKM), set za nisku kompresiju – Tehnička specifikacija (EN 3050:1998)
Aerospace series – O-rings, in fluorocarbon rubber (FKM), low compression set – Technical specification (EN 3050:1998)

HRN EN 3052:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka uske tolerancije, kratkog navoja, od čelika otpornog na koroziju i toplinu, pasivizirani – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/425 °C (EN 3052:2009)
Aerospace series – Bolts, normal hexagonal head, close tolerance normal shank, short thread, in heat and corrosion resisting steel, passivated – Classification: 1 100 MPa (at ambient temperature)/425 °C (EN 3052:2009)

HRN EN 3053:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Jednoredni, samoprilagodljivi, valjni ležajevi od čelika – Dimenzije i opterećenja (EN 3053:1994)
Aerospace series – Bearings, airframe rolling – Single row self-aligning roller bearings in steel – Dimensions and loads (EN 3053:1994)

HRN EN 3054:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Jednoredni, samoprilagodljivi, valjni ležajevi od čelika, prevučeni kadmijem – Dimenzije i opterećenja (EN 3054:1994)
Aerospace series – Bearings, airframe rolling – Single row self-aligning roller bearings in steel, cadmium plated – Dimensions and loads (EN 3054:1994)

HRN EN 3055:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Jednoredni, samoprilagodljivi, valjni ležajevi od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 3055:1994)
Aerospace series – Bearings, airframe rolling – Single row self-aligining roller bearings in corrosion resisting steel – Dimensions and loads (EN 3055:1994)

HRN EN 3056:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti dvoredni kuglični ležajevi od čelika – Dimenzije i opterećenja (EN 3056:1994)
Aerospace series – Bearings, airframe rolling – Rigid double row ball bearings in steel – Dimensions and loads (EN 3056:1994)

HRN EN 3057:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti dvoredni kuglični ležajevi od čelika, prevučeni kadmijem – Dimenzije i opterećenja (EN 3057:1994)
Aerospace series – Bearings, airframe rolling – Rigid double row ball bearings in steel, cadmium plated – Dimensions and loads (EN 3057:1994)

HRN EN 3058:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti dvoredni kuglični ležajevi od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 3058:1994)
Aerospace series – Bearings, airframe rolling – Rigid double row ball bearings in corrosion resisting steel – Dimensions and loads (EN 3058:1994)

HRN EN 3059:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti jednoredni valjni ležajevi od čelika s kućištem i ravnom prirubnicom, prevučeni kadmijem – Dimenzije i opterećenja (EN 3059:2007)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel with flanged alignment housing, cadmium plated – Dimensions and loads (EN 3059:2007)

HRN EN 3060:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, valjni ležajevi od čelika, prevučeni kadmijem, s kućištem i ravnom prirubnicom, prevučeni kadmijem – Dimenzije i opterećenja (EN 3060:2007)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel, cadmium plated, with flanged alignment housing, cadmium plated – Dimensions and loads (EN 3060:2007)

HRN EN 3061:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, kuglični ležajevi od čelika otpornog na koroziju, s kućištem i ravnom prirubnicom – Dimenzije i opterećenja (EN 3061:2007)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in corrosion resisting steel, with flanged alignment housing – Dimensions and loads (EN 3061:2007)

HRN EN 3063:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, struk s uskom tolerancijom, srednje dužine navoja, legura na bazi nikla otpornih na toplinu NI-P101HT (Waspaloy) – Klasifikacija: 1 210 MPa (pri temperaturi okoline)/730 °C (EN 3063:1994)
Aerospace series – Bolts, double hexagon head, close tolerance shank, medium length thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy) – Classification: 1 210 MPa (at ambient temperature)/ 730 °C (EN 3063:1994)

HRN EN 3064:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, nazubljen – Postupak ugradnje (EN 3064:1996)
Aerospace series – Shank nuts, self-locking, serrated – Installation procedure (EN 3064:1996)

HRN EN 3065:2008
Nizovi o zrakoplovstvu – Instalacija otvora za samozatvarajući nazubljeni držač matica – Norma za projektiranje (EN 3065:1996)
Aerospace series – Installation holes for self-locking, serrated shank nuts – Design standard (EN 3065:1996)

HRN EN 3079:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8°30' do 28 000 kPa – Spojnice – Metrički nizovi – Tehnička specifikacija (EN 3079:2006)
Aerospace series – Pipe coupling 8°30' up to 28 000 kPa – Adaptors – Metric series – Technical specification (EN 3079:2006)

HRN EN 3080:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene, s maticom i potisnom žicom (EN 3080:2006)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced, branch with thrust wire nut (EN 3080:2006)

HRN EN 3081:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Čahure, zavarene s krajevima zabrtvljenim dinamičkim mlazom, za popravak (EN 3081:2001)
Aerospace series – Pipe coupling 8° 30' in titanium alloy – Ferrules, welded with dynamic beam seal end, for repair (EN 3081:2001)

HRN EN 3082:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, s pregradnim zavarenim krajem, za popravak (EN 3082:2001+AC:2003)
Aerospace series – Pipe coupling 8° 30' in titanium alloy – Unions, bulkhead welded end, for repair (EN 3082:2001+AC:2003)

HRN EN 3083:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, s pregradom, s dugim zavarenim krajem, za popravak (EN 3083:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, bulkhead, long welded end, for repair (EN 3083:2001+AC:2003)

HRN EN 3084:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, zavareni kraj s navojem za popravak (EN 3084:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, welded end threaded for repair (EN 3084:2001+AC:2003)

HRN EN 3112:2008
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, s navojem do glave, od legura čelika, prevučeni kadmijem – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 3112:1995)
Aerospace series – Bolts, normal hexagonal head, threaded to head, in alloy steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/ 235 °C (EN 3112:1995)

HRN EN 3114-001:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja – Mikrostruktura (α + β) proizvoda kovanih od legura titana – 001. dio: Opći zahtjevi (EN 3114-001:2006)
Aerospace series – Test method – Microstructure of (α + β) titanium alloy wrought products – Part 001: General requirements (EN 3114-001:2006)

HRN EN 3114-002:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja – Mikrostruktura (α + β) proizvoda kovanih od legura titana – 002. dio: Mikrostruktura od šipki, profili, materijal namijenjen kovanju i otkivci (EN 3114-002:2007)
Aerospace series – Test method – Microstructure of (α + β) titanium alloy wrought products – Part 002: Microstructure of bars, sections, forging stock and forgings (EN 3114-002:2007)

HRN EN 3114-003:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja – Mikrostruktura (α + β) proizvoda kovanih od legura titana – 003. dio: Mikrostruktura od ploča (EN 3114-003:2006)
Aerospace series – Test method – Microstructure of (α + β) titanium alloy wrought products – Part 003: Microstructure of plate (EN 3114-003:2006)

HRN EN 3114-004:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja – Mikrostruktura (α + β) proizvoda kovanih od legura titana – 004. dio: Mikrostruktura od limova za superplastično oblikovanje (EN 3114-004:2006)
Aerospace series – Test method – Microstructure of (α + β) titanium alloy wrought products – Part 004: Microstructure of sheet for superplastic forming (EN 3114-004:2006)

HRN EN 3115:2011
Nizovi o zrakoplovstvu – Legura aluminija 7050-T73 – Žica za čvrste zakovice – D = 10 mm (EN 3115:2009)
Aerospace series – Aluminium alloy 7050-T73 – Wire for solid rivets – D = 10 mm (EN 3115:2009)

HRN EN 3120:2012
Nizovi o zrakoplovstvu – Legure titana TI-P64003 – Hladno valjana i rasterećena – Bešavna cijev za sustave pod tlakom – 4 mm = D = 51 mm – 690 MPa = Rm = 1 030 MPa (EN 3120:2012)
Aerospace series – Titanium alloy TI-P64003 – Cold worked and stress relieved – Seamless tube for pressure systems – 4 mm = D = 51 mm – 690 MPa = Rm = 1 030 MPa (EN 3120:2012)

HRN EN 3135:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, univerzalna glava, od čelika otpornog na koroziju FE-PA11, pasivizirane, inčne serije (EN 3135:1996)
Aerospace series – Rivets, solid, universal head, in corrosion resisting steel FE-PA11, passivated, inch based series (EN 3135:1996)

HRN EN 3136:2008
Nizovi o zrakoplovstvu – Zakovice, univerzalna glava, od čelika otpornog na koroziju FE-PA92HT, pasivizirane, inčne serije (EN 3136:1996)
Aerospace series – Rivets, universal head, in corrosion resisting steel FE-PA92HT, passivated, inch based series (EN 3136:1996)

HRN EN 3138:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100 ° upuštenom normalnom glavom s kupolom, od nehrđajućeg čelika FE-PA2601, pasivizirane, nizovi inčne serije (EN 3138:2001)
Aerospace series – Rivets, solid, 100° countersunk normal head with dome, in corrosion resisting steel FE-PA2601, passivated, inch based series (EN 3138:2001)

HRN EN 3139:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom od čelika otpornog na koroziju FE-PA2601, pasivizirane, nizovi inčne serije (EN 3139:2001)
Aerospace series – Rivets, solid, 100° countersunk normal head, in corrosion resisting steel FE-PA11, passivated, inch based series (EN 3139:2001)

HRN EN 3140:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom od čelika otpornog na koroziju FE-PA2601, pasivizirane, nizovi inčne serije (EN 3140:2001)
Aerospace series – Rivets, solid, 100° countersunk normal head, in corrosion resisting steel FE-PA2601, passivated, inch based series (EN 3140:2001)

HRN EN 3141:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, s univerzalnom glavom, od legure na bazi nikla otporne na toplinu NI-P11, prevučene kadmijem, nizovi inčne serije (EN 3141:1996)
Aerospace series – Rivets, solid, universal head, in heat resisting nickel base alloy NI-P11, cadmium plated, inch based series (EN 3141:1996)

HRN EN 3142:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, s univerzalnom glavom, od legure na bazi nikla otporne na toplinu NI-P11, nizovi inčne serije (EN 3142:1996)
Aerospace series – Rivets, solid, universal head, in heat resisting nickel base alloy NI-P11, inch based series (EN 3142:1996)

HRN EN 3145:2008
Nizovi o zrakoplovstvu – Okrugle šipke, toplo valjane od čelika – Normalne tolerancije – Promjer 6 mm < D < 250 mm – Dimenzije (EN 3145:2001)
Aerospace series – Round bars, hot rolled in steel – Normal tolerances – Diameter 6 mm < D < 250 mm – Dimensions (EN 3145:2001)

HRN EN 3146:2008
Nizovi o zrakoplovstvu – Okrugle šipke, toplo valjane od čelika – Uske tolerancije – Promjer 6 mm <= D <= 250 mm – Dimenzije (EN 3146:2001)
Aerospace series – Round bars, hot rolled in steel – Close tolerances – Diameter 6 mm <= D <= 250 mm – Dimensions (EN 3146:2001)

HRN EN 3148:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, skraćena prirubnica – Postupak ugradnje (EN 3148:2008)
Aerospace series – Shank nuts, self-locking, flange restrained – Installation procedure (EN 3148:2008)

HRN EN 3149:2008
Nizovi o zrakoplovstvu – Držač matica – Rupe za ugradnju, 60° kalup, prirubnice – Norma za projektiranje (EN 3149:1996)
Aerospace series – Shank nuts – Installation holes, 60° swage, flanges – Design standard (EN 3149:1996)

HRN EN 3150:2008
Nizovi o zrakoplovstvu – Umeci, s obodom, bez glave, od legure na bazi nikla otporne na toplinu NI-P100HT (Inconel 718) (EN 3150:1995)
Aerospace series – Pins, shoulder, headless, in heat resisting nickel base alloy NI-P100HT (Inconel 718) (EN 3150:1995)

HRN EN 3151:2008
Nizovi o zrakoplovstvu – Umeci, ravni, od legure na bazi nikla otporne na toplinu NI-P100HT (Inconel 718) (EN 3151:1995)
Aerospace series – Dowels, plain, in heat resisting nickel base alloy NI-P100HT (Inconel 718) (EN 3151:1995)

HRN EN 3152:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, MJ navoji, od čelika otpornog na toplinu FE-PA2601 (A286), prevučene srebrom ili bez prevlake – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/ 425 °C – Tehnička specifikacija (EN 3152:2004)
Aerospace series – Nuts, self-locking, MJ threads, in heat resisting steel FE-PA2601 (A286), silver plated or uncoated – Classification: 1 100 MPa (at ambient temperature)/425 °C – Technical specification (EN 3152:2004)

HRN EN 3155-001:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 001. dio: Tehnička specifikacija (EN 3155-001:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 001: Technical specification (EN 3155-001:2009)

HRN EN 3155-002:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 002. dio: Popis upotrebe kontakta (EN 3155-002:2011)
Aerospace series – Electrical contacts used in elements of connection – Part 002: List and utilization of contacts (EN 3155-002:2011)

HRN EN 3155-003:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 003. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-003:2005)
Aerospace series – Electrical contacts used in elements of connection – Part 003: Contacts, electrical, female, type A, crimp, class S – Product standard (EN 3155-003:2005)

HRN EN 3155-004:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 004. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda T – Norma za proizvod (EN 3155-004:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 004: Contacts, electrical, male, type A, crimp, class T – Product standard (EN 3155-004:2007)

HRN EN 3155-005:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 005. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda T – Norma za proizvod (EN 3155-005:2006+AC:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 005: Contacts, electrical, female, type A, crimp, class T – Product standard (EN 3155-005:2006+AC:2006)

HRN EN 3155-008:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 008. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-008:2005)
Aerospace series – Electrical contacts used in elements of connection – Part 008: Contacts, electrical, male, type A, crimp, class S – Product standard (EN 3155-008:2005)

HRN EN 3155-009:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 009. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-009:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 009: Contacts, electrical, female, type A, crimp, class S – Product standard (EN 3155-009:2009)

HRN EN 3155-012:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 012. dio: Kontakti, električni, troosni, veličine 8, muški, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-012:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 012: Contacts, electrical, triaxial, size 8, male, type D, solder, class R – Product standard (EN 3155-012:2006)

HRN EN 3155-013:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 013. dio: Kontakti, električni, troosni, veličine 8, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-013:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 013: Contacts, electrical, triaxial, size 8, female, type D, solder, class R – Product standard (EN 3155-013:2006)

HRN EN 3155-014:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 014. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-014:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 014: Contacts, electrical, male, type A, crimp, class S – Product standard (EN 3155-014:2006)

HRN EN 3155-015:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 015. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-015:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 015: Contacts, electrical, female, type A, crimp, class S – Product standard (EN 3155-015:2006)

HRN EN 3155-016:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 016. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-016:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 016: Contacts, electrical, male, type A, crimp, class S – Product standard (EN 3155-016:2006)

HRN EN 3155-017:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 017. dio: Kontakti, električni, relejna osnova, ženski, tip A, za krimpanje, razreda P – Norma za proizvod (EN 3155-017:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 017: Contacts, electrical, relay base, female, type A, crimp, class P – Product standard (EN 3155-017:2006)

HRN EN 3155-018:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 018. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-018:2005)
Aerospace series – Electrical contacts used in elements of connection – Part 018: Contacts, electrical, male, type A, crimp, class S – Product standard (EN 3155-018:2005)

HRN EN 3155-019:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 019. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-019:2005)
Aerospace series – Electrical contacts used in elements of connection – Part 019: Contacts, electrical, female, type A, crimp, class S – Product standard (EN 3155-019:2005)

HRN EN 3155-022:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 022. dio: Kontakti, električni pravokutni, muški, tip A, za krimpanje, razreda R – Norma za proizvod (EN 3155-022:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 022: Contacts, electrical rectangular, male, type A, crimp, class R – Product standard (EN 3155-022:2006)

HRN EN 3155-023:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 023. dio: Kontakti, električni pravokutni, ženski, tip A, za krimpanje, razreda R – Norma za proizvod (EN 3155-023:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 023: Contacts, electrical rectangular, female, type A, crimp, class R – Product standard (EN 3155-023:2006)

HRN EN 3155-024:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 024. dio: Kontakti, električni, troosni, veličine 8, muški, tip D, za krimpanje, razreda P – Norma za proizvod (EN 3155-024:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 024: Contacts, electrical, triaxial, size 8, male, type D, crimp, class S – Product standard (EN 3155-024:2006)

HRN EN 3155-025:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 025. dio: Kontakti, električni, troosni, veličina 8, ženski, tip D, za krimpanje, razreda S – Norma za proizvod (EN 3155-025:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 025: Contacts, electrical, triaxial, size 8, female, type D, crimp, class S – Product standard (EN 3155-025:2006)

HRN EN 3155-026:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 026. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda R – Norma za proizvod (EN 3155-026:2010)
Aerospace series – Electrical contacts used in elements of connection – Part 026: Contacts, electrical, male, type A, crimp, class R – Product standard (EN 3155-026:2010)

HRN EN 3155-027:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 027. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda R – Norma za proizvod (EN 3155-027:2006+AC:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 027: Contacts, electrical, female, type A, crimp, class R – Product standard (EN 3155-027:2006+AC:2006)

HRN EN 3155-028:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 028. dio: Kontakti, električni, koaksijalni, oklopljeni, veličine 16, muški, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-028:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 028: Contacts, electrical, coaxial, shielded, size 16, male, type D, crimp, class R – Product standard (EN 3155-028:2006)

HRN EN 3155-029:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 029. dio: Kontakti, električni, koaksijalni, oklopljeni, veličine 16, ženski, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-029:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 029: Contacts, electrical, coaxial, shielded, size 16, female, type D, crimp, class R – Product standard (EN 3155-029:2007)

HRN EN 3155-030:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 030. dio: Kontakti, električni, koaksijalni, oklopljeni, veličine 12, muški, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-030:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 030: Contacts, electrical, coaxial, shielded, size 12, male, type D, crimp, class R – Product standard (EN 3155-030:2006)

HRN EN 3155-031:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 031. dio: Kontakti, električni, koaksijalni, oklopljeni, veličine 12, ženski, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-031:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 031: Contacts, electrical, coaxial, shielded, size 12, female, type D, crimp, class R – Product standard (EN 3155-031:2006)

HRN EN 3155-032:2012
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 032. dio: Kontakti, električni, koaksijalni, 50 oma, veličina 5, muški, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-032:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 032: Contacts, electrical, coaxial, 50 ohms, size 5, male, type D, crimp, class R – Product standard (EN 3155-032:2009)

HRN EN 3155-033:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 033. dio: Kontakti, električni, koaksijalni, 50 oma, veličina 5, ženski, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-033:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 033: Contacts, electrical, coaxial, 50 ohms, size 5, female, type D, crimp, class R – Product standard (EN 3155-033:2009)

HRN EN 3155-034:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 034. dio: Kontakti, električni, troosni, veličina 08, muški, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-034:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 034: Contacts, electrical, triaxial, size 08, male, type D, crimp, class R – Product standard (EN 3155-034:2007)

HRN EN 3155-035:2012
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 035. dio: Kontakti, električni, troosni, veličina 08, ženski, tip D, za krimpanje, razreda R – Norma za proizvod (EN 3155-035:2012)
Aerospace series – Electrical contacts used in elements of connection – Part 035: Contacts, electrical, triaxial, size 08, female, type D, crimp, class R – Product standard (EN 3155-035:2012)

HRN EN 3155-039:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 039. dio: Kontakti, električni, koaksijalni, veličina 16, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-039:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 039: Contacts, electrical, coaxial, size 16, female, type D, solder, class R – Product standard (EN 3155-039:2007)

HRN EN 3155-040:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 040. dio: Kontakti, električni, koaksijalni, veličina 12, muški, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-040:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 040: Contacts, electrical, coaxial, size 12, male, type D, solder, class R – Product standard (EN 3155-040:2007)

HRN EN 3155-041:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 041. dio: Kontakti, električni, koaksijalni, veličina 12, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-041:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 041: Contacts, electrical, coaxial, size 12, female, type D, solder, class R – Product standard (EN 3155-041:2007)

HRN EN 3155-042:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 042. dio: Kontakti, električni, troosni, veličina 08, muški 042, tip D, za lemljenje, razreda P – Norma za proizvod (EN 3155-042:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 042: Contacts, electrical, triaxial, size 08, male 042, type D, solder, class P – Product standard (EN 3155-042:2006)

HRN EN 3155-043:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 043. dio: Kontakti, električni, troosni, veličina 08, ženski 043, tip D, za lemljenje, razreda P – Norma za proizvod (EN 3155-043:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 043: Contacts, electrical, triaxial, size 08, female 043, type D, solder, class P – Product standard (EN 3155-043:2006)

HRN EN 3155-044:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 044. dio: Kontakti, električni, muški 044, tip A, dvostruko krimpani, razreda T – Norma za proizvod (EN 3155-044:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 044: Contacts, electrical, male 044, type A, double crimping, class T – Product standard (EN 3155-044:2007)

HRN EN 3155-045:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 045. dio: Kontakti, električni, ženski, tip A, dvostruko krimpani, razreda T – Norma za proizvod (EN 3155-045:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 045: Contacts, electrical, female, type A, double crimping, class T – Product standard (EN 3155-045:2006)

HRN EN 3155-046:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 046. dio: Kontakti, električni, muški, tip A, dvostruko krimpani, razreda S – Norma za proizvod (EN 3155-046:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 046: Contacts, electrical, male, type A, double crimping, class S – Product standard (EN 3155-046:2007)

HRN EN 3155-047:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 047. dio: Kontakti, električni, ženski, tip A, dvostruko krimpani, razreda S – Norma za proizvod (EN 3155-047:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 047: Contacts, electrical, female, type A, double crimping, class S – Product standard (EN 3155-047:2007)

HRN EN 3155-052:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 052. dio: Kontakti, električni, muški 052, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-052:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 052: Contacts, electrical, male 052, type A, crimp, class S – Product standard (EN 3155-052:2007)

HRN EN 3155-053:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 053. dio: Kontakti, električni, ženski 053, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-053:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 053: Contacts, electrical, female 053, type A, crimp, class S – Product standard (EN 3155-053:2007)

HRN EN 3155-054:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 054. dio: Kontakti, električni, muški termopar NiAl, tip C, za krimpanje, razreda T – Norma za proizvod (EN 3155-054:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 054: Contacts, electrical, male thermocouple NiAl, type C, crimp, class T – Product standard (EN 3155-054:2006)

HRN EN 3155-055:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 055. dio: Kontakti,električni, ženski, termopar NiAl, tip C, za krimpanje, razreda T – Norma za proizvod (EN 3155-055:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 055: Contacts, electrical, female, thermocouple NiAl, type C, crimp, class T – Product standard (EN 3155-055:2006)

HRN EN 3155-056:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 056. dio: Kontakti, električni, muški, termopar NiCr, tip C, za krimpanje, razreda T – Norma za proizvod (EN 3155-056:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 056: Contacts, electrical, male, thermocouple NiCr, type C, crimp, class T – Product standard (EN 3155-056:2006)

HRN EN 3155-057:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 057. dio: Kontakti, električni, ženski, termopar NiCr, tip C, za krimpanje, razreda T – Norma za proizvod (EN 3155-057:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 057: Contacts, electrical, female, thermocouple NiCr, type C, crimp, class T – Product standard (EN 3155-057:2006)

HRN EN 3155-058:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 058. dio: Kontakti, električni, koaksijalni, veličina 16, muški, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-058:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 058: Contacts, electrical, coaxial, size 16, male, type D, solder, class R Product standard (EN 3155-058:2006)

HRN EN 3155-059:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 059. dio: Kontakti, električni, koaksijalni, veličina 16, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-059:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 059: Contacts, electrical, coaxial, size 16, female, type D, solder, class R – Product standard (EN 3155-059:2006)

HRN EN 3155-060:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 060. dio: Kontakti, električni, koaksijalni, veličina 12, muški, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-060:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 060: Contacts, electrical, coaxial, size 12, male, type D, solder, class R – Product standard (EN 3155-060:2006)

HRN EN 3155-061:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 061. dio: Kontakti, električni, koaksijalni, veličina 12, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-061:2006)
Aerospace series – Electrical contacts used in elements of connection – Part 061: Contacts, electrical, coaxial, size 12, female, type D, solder, class R – Product standard (EN 3155-061:2006)

HRN EN 3155-063:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 063. dio: Kontakti, električni, koaksijalni, 50 oma, veličina 1, muški, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-063:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 063: Contacts, electrical, coaxial, 50 ohms, size 1, male, type D, solder, class R – Product standard (EN 3155-063:2009)

HRN EN 3155-064:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 064. dio: Kontakti, električni, koaksijalni, 50 oma, veličina 1, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-064:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 064: Contacts, electrical, coaxial, 50 ohms, size 1, female, type D, solder, class R – Product standard (EN 3155-064:2009)

HRN EN 3155-065:2014
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 065. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda S, veličina 8 – Norma za proizvod (EN 3155-065:2013)
Aerospace series – Electrical contacts used in elements of connection – Part 065: Contacts, electrical, male, type A, crimp, class S, size 8 – Product standard (EN 3155-065:2013)

HRN EN 3155-066:2014
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 066. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda S, veličina 8 – Norma za proizvod (EN 3155-066:2013)
Aerospace series – Electrical contacts used in elements of connection – Part 066: Contacts, electrical, female, type A, crimp, class S, size 8 – Product standard (EN 3155-066:2013)

HRN EN 3155-067:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 067. dio: Kontakti, električni, koaksijalni, veličina 08, muški, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-067:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 067: Contacts, electrical, coaxial, size 08, male, type D, solder, class R – Product standard (EN 3155-067:2009)

HRN EN 3155-068:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 068. dio: Kontakti, električni, koaksijalni, veličina 08, ženski, tip D, za lemljenje, razreda R – Norma za proizvod (EN 3155-068:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 068: Contacts, electrical, coaxial, size 08, female, type D, solder, class R – Product standard (EN 3155-068:2009)

HRN EN 3155-069:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 069. dio: Kontakti, električni, koaksijalni, veličina 16, ženski, tip D, za lemljenje, razreda P – Norma za proizvod (EN 3155-069:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 069: Contacts, electrical, coaxial, size 16, female, type D, solder, class P – Product standard (EN 3155-069:2009)

HRN EN 3155-070:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 070. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-070:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 070: Contacts, electrical, male, type A, crimp, class S – Product standard (EN 3155-070:2007)

HRN EN 3155-071:2008
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 071. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda S – Norma za proizvod (EN 3155-071:2007)
Aerospace series – Electrical contacts used in elements of connection – Part 071: Contacts, electrical, female, type A, crimp, class S – Product standard (EN 3155-071:2007)

HRN EN 3155-074:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 074. dio: Kontakti, električni, kvadratni, veličina 8, muški, tip E, za krimpanje, razreda R – Norma za proizvod (EN 3155-074:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 074: Contacts, electrical, quadrax, size 8, male, type E, crimp, class R – Product standard (EN 3155-074:2009)

HRN EN 3155-075:2011
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 075. dio: Kontakti, električni, kvadratni, veličina 8, ženski, tip E, za krimpanje, razreda R – Norma za proizvod (EN 3155-075:2009)
Aerospace series – Electrical contacts used in elements of connection – Part 075: Contacts, electrical, quadrax, size 8, female, type E, crimp, class R – Product standard (EN 3155-075:2009)

HRN EN 3155-076:2012
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 076. dio: Kontakti, električni, muški, tip A, za krimpanje, razreda R – Norma za proizvod (EN 3155-076:2012)
Aerospace series – Electrical contacts used in elements of connection – Part 076: Contacts, electrical, male, type A, crimp, class R – Product standard (EN 3155-076:2012)

HRN EN 3155-077:2012
Nizovi o zrakoplovstvu – Električni kontakti koji se upotrebljavaju u elementima za povezivanje – 077. dio: Kontakti, električni, ženski, tip A, za krimpanje, razreda R – Norma za proizvod (EN 3155-077:2012)
Aerospace series – Electrical contacts used in elements of connection – Part 077: Contacts, electrical, female, type A, crimp, class R – Product standard (EN 3155-077:2012)

HRN EN 3160:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3801 (X5CrNiCu17-4) – Taljen na zraku, tretiran otopinom i precipitatom, šipke a ili D ≤ 200 mm, Rm ≥ 1310 MPa (EN 3160:2007)
Aerospace series – Steel FE-PM3801 (X5CrNiCu17-4) – Air melted, solution treated and precipitation treated, bar a or D ≤ 200 mm, Rm ≥ 1310 MPa (EN 3160:2007)

HRN EN 3161:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3801 (X5CrNiCu17-4) – Taljen na zraku, tretiran otopinom i precipitatom, šipke a ili D ≤ 200 mm, Rm ≥ 930 MPa (EN 3161:2007)
Aerospace series – Steel FE-PM3801 (X5CrNiCu17-4) – Air melted, solution treated and precipitation treated, bar a or D ≤ 200 mm, Rm ≥ 930 MPa (EN 3161:2007)

HRN EN 3162:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3801 (X5CrNiCu17-4) – Taljen na zraku, tretiran otopinom i precipitatom, lim i traka a ≤ 6 mm, Rm ≥ 930 MPa (EN 3162:2007)
Aerospace series – Steel FE-PM3801 (X5CrNiCu17-4) – Air melted, solution treated and precipitation treated, sheet and strip a ≤ 6 mm, Rm ≥ 930 MPa (EN 3162:2007)

HRN EN 3163:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3801 (X5CrNiCu17-4) – Taljen na zraku, omekšan, materijal namijenjen kovanju a ili D ≤ 300 mm (EN 3163:2007)
Aerospace series – Steel FE-PM3801 (X5CrNiCu17-4) – Air melted, softened, forging stock a or D ≤ 300 mm (EN 3163:2007)

HRN EN 3182:2012
Nizovi o zrakoplovstvu – Kuglični ležajevi, kruti, od čelika otpornog na koroziju prevučenog kadmijem, za koloture kontrolnih kabela – Dimenzije i opterećenja (EN 3182:2012)
Aerospace series – Ball bearings, rigid in corrosion resisting steel cadmium plated, for control cable pulleys – Dimensions and loads (EN 3182:2012)

HRN EN 3196:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3196:1994)
Aerospace series – Nuts, hexagonal, self-locking, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa (at ambient temperature)/ 425 °C (EN 3196:1994)

HRN EN 3197:2011
Nizovi o zrakoplovstvu – Oblikovanje i ugradnja električkog i optičkog sustava za povezivanje u zrakoplovu (EN 3197:2010)
Aerospace series – Design and installation of aircraft electrical and optical interconnection systems (EN 3197:2010)

HRN EN 3201:2008
Nizovi o zrakoplovstvu – Otvori za pričvršćivače s metričkim navojem – Norma za projektiranje (EN 3201:2008)
Aerospace series – Holes for metric threaded fasteners – Design standard (EN 3201:2008)

HRN EN 3202:2008
Nizovi o zrakoplovstvu – Otvori i upusti u otvorima za vijke s T oblikom glave – Norma za projektiranje (EN 3202:1995)
Aerospace series – Holes and traps for T-head bolts – Design standard (EN 3202:1995)

HRN EN 3207:2008
Nizovi o zrakoplovstvu – Gumene smjese – Tehnička specifikacija (EN 3207:1998)
Aerospace series – Rubber compounds – Technical specification (EN 3207:1998)

HRN EN 3212:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Ispitivanje korozije naizmjeničnim potapanjem u puferovanu otopinu natrijev klorida (EN 3212:1995)
Aerospace series – Paints and varnishes – Corrosion test by alternate immersion in a buffered sodium chloride solution (EN 3212:1995)

HRN EN 3218-001:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 001. dio: Tehnička specifikacija (EN 3218-001:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 001: Technical specification (EN 3218-001:2006)

HRN EN 3218-002:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 002. dio: Specifikacije značajki i položaj kontakata (EN 3218-002:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 002: Specification of performance and contact arrangements (EN 3218-002:2006)

HRN EN 3218-005:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 005. dio: Utikač s nerastavljivim zalemljenim kontaktima veličine 22 – Norma za proizvod (EN 3218-005:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 005: Plug with non-removable size 22 solder contacts – Product standard (EN 3218-005:2006)

HRN EN 3218-006:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 006. dio: Utičnica s nepomičnim zalemljenim kontaktima veličine 22 – Norma za proizvod (EN 3218-006:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 006: Receptacle with non-removable size 22 solder contacts – Product standard (EN 3218-006:2006)

HRN EN 3218-007:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 007. dio: Utikač s unatrag pomičnim zalemljenim krimpanim kontaktima veličine 20 – Norma za proizvod (EN 3218-007:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 007: Plug with rear-removable size 20 crimp contacts – Product standard (EN 3218-007:2006)

HRN EN 3218-008:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 008. dio: Utičnica s unatrag pomičnim krimpanim kontaktima veličine 20 – Norma za proizvod (EN 3218-008:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 008: Receptacle with rear-removable size 20 crimp contacts – Product standard (EN 3218-008:2006)

HRN EN 3218-009:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 009. dio: Zaštitna pokrivala za EN 3218-005 i EN 3218-007 spojnice – Norma za proizvod (EN 3218-009:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 009: Protective covers for EN 3218-005 and EN 3218-007 connectors – Product standard (EN 3218-009:2006)

HRN EN 3218-010:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 010. dio: Zaštitna pokrivala za EN 3218-006 i E N 3218-008 spojnice – Norma za proizvod (EN 3218-010:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 010: Protective covers for EN 3218-006 and EN 3218-008 connectors – Product standard (EN 3218-010:2006)

HRN EN 3218-011:2008
Nizovi o zrakoplovstvu – Spojnice, pravokutne, s metalnim kućištem i zaključane pomoću navoja – 011. dio: Alati za vađenje umetaka za spojnice od EN 3218-005 do EN 3218-008 – Norma za proizvod (EN 3218-011:2006)
Aerospace series – Connectors, rectangular, with metallic shells and screw-locking – Part 011: Tool, insert extraction for EN 3218-005 to EN 3218-008 connectors – Product standard (EN 3218-011:2006)

HRN EN 3226:2011
Matice, šesterokutne, ravne, normalne visine, s normalnim ravnim presjekom, čelične, prevučene kadmijem – Klasifikacija 1100 MPa/235 °C (EN 3226:2009)
Nuts, hexagon, plain, normal height, normal across flats, steel, cadmium plated – Classification 1100 MPa/235 °C (EN 3226:2009)

HRN EN 3227:2011
Nizovi o zrakoplovstvu – Matice, šesterokutne, ravne, normalne visine, s normalnim ravnim presjekom, od čelika, prevučene kadmijem, lijevi navoj – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 3227:2010)
Aerospace series – Nuts, hexagonal, plain, normal height, normal across flats, in steel, cadmium plated, left hand thread – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 3227:2010)

HRN EN 3228:2011
Nizovi o zrakoplovstvu – Matice, šesterokutne, ravne, skraćene visine, s normalnim ravnim presjekom, od čelika, prevučene kadmijem – Klasifikacija: 900 MPa (pri temperaturi okoline) / 235 °C (EN 3228:2010)
Aerospace series – Nuts, hexagonal, plain, reduced height, normal across flats, in steel, cadmium plated – Classification: 900 MPa (at ambient temperature) / 235 °C (EN 3228:2010)

HRN EN 3229:2011
Nizovi o zrakoplovstvu – Matice, šesterokutne, ravne, skraćene visine, s normalnim ravnim presjekom, od čelika, prevučene kadmijem, lijevi navoj – Klasifikacija: 900 MPa (pri temperaturi okoline) / 235 °C (EN 3229:2009)
Aerospace series – Nuts, hexagonal, plain, reduced height, normal across flats, in steel, cadmium plated, left hand thread – Classification: 900 MPa (at ambient temperature) / 235 °C (EN 3229:2009)

HRN EN 3230:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, s prorezom/krunaste, skraćene visine, s normalnim ravnim presjekom, od čelika, prevučene kadmijem – Klasifikacija: 900 MPa (pri temperaturi okoline)/ 235 °C (EN 3230:2001)
Aerospace series – Nuts, hexagon, slotted/ castellated, reduced height, normal across flats, in steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/235 °C (EN 3230:2001)

HRN EN 3236:2008
Nizovi o zrakoplovstvu – Zatici, s tankim zidom, samozatvarajući, kratki, legura na bazi nikla otporna na toplinu NI-P100HT (Inconel 718), unutrašnji navoj prevučen srebrom (EN 3236:1998)
Aerospace series – Inserts, thin wall, self-locking, short, in heat resisting nickel base alloy NI-P100HT (Inconel 718), silver plated internal thread (EN 3236:1998)

HRN EN 3237:2008
Nizovi o zrakoplovstvu – Zatici, s tankim zidom, samozatvarajući, dugi, legura na bazi nikla otporna na toplinu NI-P100HT (Inconel 718), unutrašnji navoj prevučen srebrom (EN 3237:1998)
Aerospace series – Inserts, thin wall, self-locking, long, in heat resisting nickel base alloy NI-P100HT (Inconel 718), silver plated internal thread (EN 3237:1998)

HRN EN 3238:2011
Nizovi o zrakoplovstvu – Metalni materijali – Metoda ispitivanja – Ispitivanje smicanjem za žice i zakovice (EN 3238:2010)
Aerospace series – Metallic materials – Test method – Shear test for wires and rivets (EN 3238:2010)

HRN EN 3239:2008
Nizovi o zrakoplovstvu – Samozatvarajući dupli šesterokutni vijci, od legure na bazi nikla otporne na toplinu NI-P101HT (Waspaloy), navoj prevučen srebrom – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 3239:1995)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated thread – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 3239:1995)

HRN EN 3240:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, sa spojnicom, od čelika otpornog na toplinu FE-PA2601 (A286), bez prevlake – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 3240:2007)
Aerospace series – Nuts, self-locking, clip, in heat resisting steel FE-PA2601 (A286), uncoated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 3240:2007)

HRN EN 3241:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, sa spojnicom, od čelika otpornog na toplinu FE-PA 92 HT (A 286), prevučene srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 3241:2008)
Aerospace series – Nuts, self-locking, clip, in heat resisting steel FE-PA 92 HT (A 286), silver coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 3241:2008)

HRN EN 3243:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Čahure, zavarene, s krajevima zabrtvljenim dinamičkim mlazom (EN 3243:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Ferrules, welded, with dynamic beam seal end (EN 3243:2001)

HRN EN 3244:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, ravni (EN 3244:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, straight (EN 3244:2001)

HRN EN 3245:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, ravni, skraćeni (EN 3245:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, straight, reducer (EN 3245:2001)

HRN EN 3246:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, ravni, s pregradom (EN 3246:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, straight, bulkhead (EN 3246:2001)

HRN EN 3247:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, s pregradom, zavareni kraj (EN 3247:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, bulkhead, welded end (EN 3247:2001)

HRN EN 3248:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojnice, skraćeni kraj cijevi, s osiguračem (EN 3248:2001)
Aerospace series – Pipe coupling 8° 30' in titanium alloy – Adaptors, reduced pipe end, with lockring (EN 3248:2001)

HRN EN 3264:2011
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Matice potisne žice (EN 3264:2010)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Thrust wire nuts (EN 3264:2010)

HRN EN 3266:2008
Nizovi o zrakoplovstvu – Priključak cijevi od legure titana – Matice s pregradom (EN 3266:2001)
Aerospace series – Pipe coupling in titanium alloy – Bulkhead nuts (EN 3266:2001)

HRN EN 3267:2008
Nizovi o zrakoplovstvu – Podloške, s pregradom od legure titana (EN 3267:2001)
Aerospace series – Washers, bulkhead in titanium alloy (EN 3267:2001)

HRN EN 3268:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Utikači pod tlakom (EN 3268:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Pressure plugs (EN 3268:2001)

HRN EN 3269:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Čahure, slijepe, s krajevima zabrtvljenim dinamičkim mlazom (EN 3269:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Ferrules, blind, with dynamic beam seal end (EN 3269:2001)

HRN EN 3270:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Prazni utikači s osiguračem (EN 3270:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Blanking plugs with lockring (EN 3270:2001+AC:2003)

HRN EN 3272:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8°30' – Krajevi zabrtvljeni dinamičkim mlazom za čahure, zavareni – Geometrijska konfiguracija (EN 3272:2001)
Aerospace series – Pipe coupling 8°30' – Dynamic beam seal end for ferrule, welded – Geometric configuration (EN 3272:2001)

HRN EN 3273:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8°30' – Krajevi zabrtvljeni dinamičkim mlazom za koljena, T-račve i križanja – Geometrijska konfiguracija (EN 3273:2001)
Aerospace series – Pipe coupling 8°30' – Dynamic beam seal end for elbows, tees and crosses – Geometric configuration (EN 3273:2001)

HRN EN 3274:2011
Nizovi o zrakoplovstvu – Priključak cijevi 8°30' – Završetak navoja – Geometrijska konfiguracija (EN 3274:2010)
Aerospace series – Pipe coupling 8°30' – Thread end – Geometric configuration (EN 3274:2010)

HRN EN 3275:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8°30' up to 28000 kPa – Brtve s dinamičkim snopom – Metrički nizovi – Tehnička specifikacija (EN 3275:2002)
Aerospace series – Pipe coupling 8°30' up to 28000 kPa – Dynamic beam seal – Metric series – Technical specification (EN 3275:2002)

HRN EN 3278:2012
Nizovi o zrakoplovstvu – Navlake, cjevaste, s izbočenom glavom, od čelika otpornog na koroziju, pasivizirane (debljine zida 0,25 mm) (EN 3278:2012)
Aerospace series – Sleeves, tubular, protruding head, in corrosion resisting steel, passivated (0,25 mm wall thickness) (EN 3278:2012)

HRN EN 3280:2011
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova, kruti ili samoprilagodljivi – Tehnička specifikacija (EN 3280:2011)
Aerospace series – Bearings, airframe rolling, rigid or self-aligning – Technical specification (EN 3280:2011)

HRN EN 3281:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti jednoredni valjni ležajevi od čelika – Nizovi promjera 8 i 9 – Dimenzije i opterećenja (EN 3281:1994)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel – Diameter series 8 and 9 – Dimensions and loads (EN 3281:1994)

HRN EN 3282:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, valjni ležajevi od čelika, prevučeni kadmijem – Nizovi promjera 8 i 9 – Dimenzije i opterećenja (EN 3282:1994)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel, cadmium plated – Diameter series 8 and 9 – Dimensions and loads (EN 3282:1994)

HRN EN 3283:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, kuglični ležajevi od čelika otpornog na koroziju – Nizovi promjera 8 i 9 – Dimenzije i opterećenja (EN 3283:1994)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in corrosion resisting steel – Diameter series 8 and 9 – Dimensions and loads (EN 3283:1994)

HRN EN 3284:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti jednoredni valjni ležajevi od čelika – Nizovi promjera 0 i 2 – Tip normalne zračnosti – Dimenzije i opterećenja (EN 3284:1994)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel – Diameter series 0 and 2 – Normal clearance category – Dimensions and loads (EN 3284:1994)

HRN EN 3285:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, valjni ležajevi od čelika, prevučeni kadmijem – Nizovi promjera 0 i 2 – Tip normalne zračnosti – Dimenzije i opterećenja (EN 3285:1994)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in steel, cadmium plated – Diameter series 0 and 2 – Normal clearance category – Dimensions and loads (EN 3285:1994)

HRN EN 3286:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, kuglični ležajevi od čelika otpornog na koroziju – Nizovi promjera 0 i 2 – Tip normalne zračnosti – Dimenzije i opterećenja (EN 3286:1994)

Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in corrosion resisting steel – Diameter series 0 and 2 – Normal clearance category – Dimensions and loads (EN 3286:1994)

HRN EN 3287:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Dvoredni, samoprilagodljivi, kuglični ležajevi od čelika – Nizovi promjera 2 – Dimenzije i opterećenja (EN 3287:1994)
Aerospace series – Bearings, airframe rolling – Double row self-aligning ball bearings in steel – Diameter series 2 – Dimensions and loads (EN 3287:1994)

HRN EN 3288:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Dvoredni, samoprilagodljivi, kuglični ležajevi od čelika, prevučeni kadmijem – Nizovi promjera 2 – Dimenzije i opterećenja (EN 3288:1994)
Aerospace series – Bearings, airframe rolling – Double row self-aligning ball bearings in steel, cadmium plated – Diameter series 2 – Dimensions and loads (EN 3288:1994)

HRN EN 3289:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Dvoredni, samoprilagodljivi, kuglični ležajevi od čelika otpornog na koroziju – Nizovi promjera 2 – Dimenzije i opterećenja (EN 3289:1994)
Aerospace series – Bearings, airframe rolling – Double row self-aligning ball bearings in corrosion resisting steel – Diameter series 2 – Dimensions and loads (EN 3289:1994)

HRN EN 3290:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Jednoredni, samoprilagodljivi, valjni ležajevi od čelika – Nizovi promjera 3 i 4 – Dimenzije i opterećenja (EN 3290:1994)
Aerospace series – Bearings, airframe rolling – Single row self-aligning roller bearings in steel – Diameter series 3 and 4 – Dimensions and loads (EN 3290:1994)

HRN EN 3291:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Jednoredni, samoprilagodljivi, valjni ležajevi od čelika, prevučeni kadmijem – Nizovi promjera 3 i 4 – Dimenzije i opterećenja (EN 3291:1994)
Aerospace series – Bearings, airframe rolling – Single row self-aligning roller bearings in steel, cadmium plated – Diameter series 3 and 4 – Dimensions and loads (EN 3291:1994)

HRN EN 3292:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Jednoredni, samoprilagodljivi, valjni ležajevi od čelika otpornog na koroziju – Nizovi promjera 3 i 4 – Dimenzije i opterećenja (EN 3292:1994)
Aerospace series – Bearings, airframe rolling – Single row self-aligning roller bearings in corrosion resisting steel – Diameter series 3 and 4 – Dimensions and loads (EN 3292:1994)

HRN EN 3293:2008
Nizovi o zrakoplovstvu – Vijci, T-glava, uske tolerancije, srednje dužine navoja, legura na bazi nikla otporna na toplinu NI-P100HT (Inconel 718), bez prevlake – Klasifikacija: 1275 MPa/650 °C (EN 3293:2008)
Aerospace series – Bolts, T-head, close tolerance, medium thread length, in heat resisting nickel base alloy NI-P100HT (Inconel 718), uncoated – Classification: 1275 MPa/650 °C (EN 3293:2008)

HRN EN 3294:2008
Nizovi o zrakoplovstvu – Vijci, T-glava, uske tolerancije, legura na bazi nikla otporna na toplinu NI-P101HT (Waspaloy), bez prevlake za matice povećane dužine – Klasifikacija: 1210 MPa/730 °C (EN 3294:2008)
Aerospace series – Bolts, T-head, close tolerance, in heat resisting nickel base alloy NI-P101HT (Waspaloy), uncoated for increased height nuts – Classification: 1210 MPa/730 °C (EN 3294:2008)

HRN EN 3297:2008
Nizovi o zrakoplovstvu – Zatici, s tankim zidom, samozatvarajući, MJ navoji, legura na bazi nikla otporna na toplinu NI-P100HT (Inconel 718) – Tehnička specifikacija (EN 3297:1998)
Aerospace series – Inserts, thin wall, self-locking, MJ threads, in heat resisting nickel base alloy NI-P100HT (Inconel 718) – Technical specification (EN 3297:1998)

HRN EN 3298:2008
Nizovi o zrakoplovstvu – Zatici, s tankim zidom, samozatvarajući – Postupak ugradnje i uklanjanja (EN 3298:2008)
Aerospace series – Inserts, thin wall, self-locking – Installation and removal procedure (EN 3298:2008)

HRN EN 3299:2008
Nizovi o zrakoplovstvu – Osovinske matice i navojni prsteni, samozatvarajući, lijevi ili desni MJ navoji, od čelika otpornog na toplinu FE-PA2601 (A286), prevučene srebrom – Tehnička specifikacija (EN 3299:2007)
Aerospace series – Shaft-nuts and threaded rings, self-locking, right- or left-hand MJ threads, in heat resisting steel FE-PA2601 (A286), silver plated – Technical specification (EN 3299:2007)

HRN EN 3301:2008
Nizovi o zrakoplovstvu – Vijci, T-glava, uske tolerancije srednje dužine navoja od čelika otpornog na toplinu FE-PM1708 (FV535), bez prevlake – Klasifikacija: 1000 MPa/550 °C (EN 3301:2007)
Aerospace series – Bolts, T-head, close tolerance medium thread length in heat resisting steel FE-PM1708 (FV535), uncoated – Classification: 1000 MPa/550 °C (EN 3301:2007)

HRN EN 3302:2008
Nizovi o zrakoplovstvu – Vijci od čelika otpornog na toplinu FE-PM1708 (FV535) – Klasifikacija: 1000 MPa/550 °C – Tehnička specifikacija (EN 3302:2007)
Aerospace series – Bolts in heat resisting steel FE-PM1708 (FV535) – Classification: 1000 MPa/550 °C – Technical specification (EN 3302:2007)

HRN EN 3303:2008
Nizovi o zrakoplovstvu – Vijci, kapasta glava, imbus, normalnog struka grube tolerancije, srednje dužine navoja, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 3303:1997)
Aerospace series – Screws, cap head, hexagon socket, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature)/235 °C (EN 3303:1997)

HRN EN 3304:2008
Nizovi o zrakoplovstvu – Vijci, upuštena stanjena glava od 100°, s ujednačenim križnim urezom, s normalnim strukom uske tolerancije, s kratkim navojem, od legure titana, anodizirani, podmazivani s MoS2- Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3304:1996)
Aerospace series – Screws, 100° countersunk reduced head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3304:1996)

HRN EN 3305:2008
Nizovi o zrakoplovstvu – Vijci, upuštena stanjena glava od 100°, s ujednačenim križnim urezom, s normalnim strukom uske tolerancije, s kratkim navojem, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C(EN 3305:1996)

Aerospace series – Screws, 100° countersunk reduced head, offset cruciform recess, close tolerance normal shank, short thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature)/ 235 °C (EN 3305:1996)

HRN EN 3306:2008
Nizovi o zrakoplovstvu – Vijci, upuštena stanjena glava od 100°, s ujednačenim križnim urezom, s navojem do glave, od legure titana, anodizirani, podmazivani s MoS2- Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3306:1996)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, threaded to head, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/ 315 °C (EN 3306:1996)

HRN EN 3307:2008
Nizovi o zrakoplovstvu – Vijci, upuštena, poluokrugla glava, s ujednačenim križnim urezom, s navojem do glave, od legure titana, anodizirani, podmazivani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3307:1996)
Aerospace series – Screws, pan head, offset cruciform recess, threaded to head, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3307:1996)

HRN EN 3308:2008
Nizovi o zrakoplovstvu – Vijci, normalna šesterokutna glava, s navojem do glave, od legure titana, anodizirani, podmazivani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3308:1996)
Aerospace series – Screws, normal hexagonal head, threaded to head, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3308:1996)

HRN EN 3310:2012
Nizovi o zrakoplovstvu – Legure titana TI-P64001 (Ti-6Al-4V) – Toplinski neobrađeni – Materijal namijenjen kovanju, za kaljene otkivke – De = 360 mm (EN 3310:2011)
Aerospace series – Titanium alloy TI-P64001 (Ti-6Al-4V) – Not heat treated – Forging stock, for annealed forgings – De = 360 mm (EN 3310:2011)

HRN EN 3311:2011
Nizovi o zrakoplovstvu – Legure titana TI-P64001 (Ti-6Al-4V) – Kaljeni – Šipke za strojnu obradu – D < 110 mm (EN 3311:2009)
Aerospace series – Titanium alloy TI-P64001 (Ti-6Al-4V) – Annealed – Bar for machining – D < 110 mm (EN 3311:2009)

HRN EN 3312:2012
Nizovi o zrakoplovstvu – Legure titana Ti-6Al-4V – Kaljeni – Otkivci De = 150 mm (EN 3312:2012)
Aerospace series – Titanium alloy Ti-6Al-4V – Annealed – Forgings De = 150 mm (EN 3312:2012)

HRN EN 3323:2011
Nizovi o zrakoplovstvu – Vijci s dvanaestorokutnom glavom, sa stanjenim strukom, dugog navoja – Od čelika otpornog na toplinu FE-PM 38 (FV 535) – Klasifikacija: 1000 MPa/550 °C (EN 3323:2009)
Aerospace series – Bolts with double hexagon head, relieved shank, long thread – In heat resisting steel FE-PM 38 (FV 535) – Classification: 1000 MPa/ 550 °C (EN 3323:2009)

HRN EN 3324:2008
Nizovi o zrakoplovstvu – Matice, šesterokutna glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PM1708 (FV535) – Klasifikacija: 1000 MPa/550 °C – Neprevučeni (EN 3324:2007)
Aerospace series – Bolts, hexagon head, relieved shank, long thread, in heat resisting steel FE-PM1708 (FV535) – Classification: 1000 MPa/550 °C – Unplated (EN 3324:2007)

HRN EN 3325:2008
Nizovi o zrakoplovstvu – Vijci, T-glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu, FE-PM1708 (FV535) – Klasifikacija: 1000 MPa/ 550 °C – Neprevučeni (EN 3325:2007)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting steel, FE-PM1708 (FV535) – Classification: 1000 MPa/550 °C – Unplated (EN 3325:2007)

HRN EN 3326:2008
Nizovi o zrakoplovstvu – Matice, D-glava, uske tolerancije, srednje dužine navoja, legura na bazi nikla otporna na toplinu NI-PH2601 (INCO 718) – Klasifikacija: 1275 MPa/650 °C, neprevučeni (EN 3326:2007)
Aerospace series – Bolts, D-head, close tolerance, medium thread length, in heat resisting nickel base alloy NI-PH2601 (INCO 718) – Classification: 1275 MPa/650 °C, unplated (EN 3326:2007)

HRN EN 3327:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, uske tolerancije, srednje dužine navoja, legura na bazi nikla otporna na toplinu NI-P100HT (Inconel 718), bez prevlake – Klasifikacija: 1275 MPa/650 °C (EN 3327:2008)
Aerospace series – Bolts, double hexagon head, close tolerance, medium thread length, in heat resisting nickel base alloy NI-P100HT (Inconel 718), uncoated – Classification: 1275 MPa/650 °C (EN 3327:2008)

HRN EN 3328:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, uske tolerancije, srednje dužine navoja, od čelika otpornog na toplinu FE-PM38 (FV535), bez prevlake – Klasifikacija: 1000 MPa/550 °C (EN 3328:2008)
Aerospace series – Bolts, double hexagon head, close tolerance, medium thread length, in heat resisting steel FE-PM38 (FV535), uncoated – Classification: 1000 MPa/550 °C (EN 3328:2008)

HRN EN 3329:2011
Nizovi o zrakoplovstvu – Čelik FE-PL1503 (35CrMo4) – Kaljeni – Lim i traka – 0,3 mm = a = 2 mm – Za pričvršćivanje obrtnih matica (EN 3329:2009)
Aerospace series – Steel FE-PL1503 (35CrMo4) – Annealead – Sheet and strip – 0,3 mm = a = 2 mm – For prevailing torque nuts (EN 3329:2009)

HRN EN 3330:2011
Nizovi o zrakoplovstvu – Čelik FE-PL1503 (35CrMo4) – Kaljeni – Šipka i žica – De = 40 mm – Za pričvršćivanje obrtnih matica (EN 3330:2009)
Aerospace series – Steel FE-PL1503 (35CrMo4) – Annealead – Bar and wire – De = 40 mm – For prevailing torque nuts (EN 3330:2009)

HRN EN 3332:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7475-T762 – Prevučeni lim i traka – 1,0 mm (EN 3332:2005)
Aerospace series – Aluminium alloy AL-P7475-T762 – Clad sheet and strip – 1,0 mm (EN 3332:2005)

HRN EN 3333:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7475-T762 – Lim i traka – 0,6 mm (EN 3333:2005)
Aerospace series – Aluminium alloy AL-P7475-T762 – Sheet and strip – 0,6 mm (EN 3333:2005)

HRN EN 3335:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7475-O2 – Lim za superplastično oblikovanje (SPF) – 0,8 mm (EN 3335:2005)
Aerospace series – Aluminium alloy AL-P7475-O2 – Sheet for superplastic forming (SPF) – 0,8 mm (EN 3335:2005)

HRN EN 3338:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7050 – T74511 – Ekstrudirane šipke i profili – a ili D (EN 3338:2005)
Aerospace series – Aluminium alloy AL-P7050 – T74511 – Extruded bar and section – a or D (EN 3338:2005)

HRN EN 3339:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7010-T76 – Otkivci kovani u ukovnjima – a ≤ 200 mm (EN 3339:2006)
Aerospace series – Aluminium alloy AL-P7010-T76 – Die forgings – a ≤ 200 mm (EN 3339:2006)

HRN EN 3341:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6061-T4 or T42 – Lim i traka – 0,4 mm (EN 3341:2005)
Aerospace series – Aluminium alloy AL-P6061-T4 or T42 – Sheet and strip – 0,4 mm (EN 3341:2005)

HRN EN 3342:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6061 – T4 or T42 – Vučene ili ekstrudirane šipke i profili – a ili D (EN 3342:2005)
Aerospace series – Aluminium alloy AL-P6061 – T4 or T42 – Drawn or extruded bar and section – a or D (EN 3342:2005)

HRN EN 3344:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7050 – T76511 – Ekstrudirane šipke i profili – a ili D (EN 3344:2005)
Aerospace series – Aluminium alloy AL-P7050 – T76511 – Extruded bar and section – a or D (EN 3344:2005)

HRN EN 3347:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024 – T8511 – Ekstrudirane šipke i profili – a ili D (EN 3347:2005)
Aerospace series – Aluminium alloy AL-P2024 – T8511 – Extruded bar and section – a or D (EN 3347:2005)

HRN EN 3355:2012
Nizovi o zrakoplovstvu – Legure titana TI-P64001 (Ti-6Al-4V) – Kaljeni – Ekstrudirani profili – De = 150 mm – 900 MPa = Rm = 1160 MPa (EN 3355:2012)
Aerospace series – Titanium alloy TI-P64001 (Ti-6Al-4V) – Annealed – Extruded section – De = 150 mm – 900 MPa = Rm = 1160 MPa (EN 3355:2012)

HRN EN 3359:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1503 (X3CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom, omekšan, materijal namijenjen kovanju a ili D ≤ 300 mm (EN 3359:2007)
Aerospace series – Steel FE-PM1503 (X3CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted, softened, forging stock a or D ≤ 300 mm (EN 3359:2007)

HRN EN 3361:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen elektrodom za zavarivanje, tretiran otopinom i precipitatom, lim i traka a ≤ 6mm, 1070 MPa ≤ Rm ≤ 1220 MPa (EN 3361:2007)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted, solution treated and precipitation treated, sheet and strip a ≤ 6mm, 1070 MPa ≤ Rm ≤ 1220 MPa (EN 3361:2007)

HRN EN 3364:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen elektrodom za zavarivanje, omekšan, materijal namijenjen kovanju a ili D ≤ 300 mm (EN 3364:2007)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted, softened, forging stock a or D ≤ 300 mm (EN 3364:2007)

HRN EN 3365:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3901 (X15CrNi17-3) – Taljen na zraku, omekšan, materijal namijenjen kovanju a ili D ≤ 300 mm (EN 3365:2007)
Aerospace series – Steel FE-PM3901 (X15CrNi17-3) – Air melted, softened, forging stock a or D ≤ 300 mm (EN 3365:2007)

HRN EN 3368:2008
Nizovi o zrakoplovstvu – Norma za projektiranje u zrakoplovstvu – Otvori za položaje igli (EN 3368:2008)
Aerospace series – Aerospace design standard – Holes for locating pins (EN 3368:2008)

HRN EN 3372-001:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 001. dio: Tehnička specifikacija (EN 3372-001:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 001: Technical specification (EN 3372-001:2007)

HRN EN 3372-002:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 002. dio: Specifikacije značajki i raspored kontakata (EN 3372-002:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 002: Specification of performance and contact arrangements (EN 3372-002:2007)

HRN EN 3372-003:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 003. dio: Utičnica s kvadratnom prirubnicom – Norma za proizvod (EN 3372-003:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 003: Square flange receptacle – Product standard (EN 3372-003:2007)

HRN EN 3372-005:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 005. dio: Utičnica, bez dotoka zraka, okrugla prirubnica, ugradnja lemljenjem – Norma za proizvod (EN 3372-005:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 005: Receptacle, hermetic, round flange, solder mounting – Product standard (EN 3372-005:2007)

HRN EN 3372-006:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 006. dio: Zaštitni poklopac za utičnicu – Norma za proizvod (EN 3372-006:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 006: Protective cover for receptacle – Product standard (EN 3372-006:2007)

HRN EN 3372-007:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 007. dio: Zaštitni poklopac za utikač – Norma za proizvod (EN 3372-007:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 007: Protective cover for plug – Product standard (EN 3372-007:2007)

HRN EN 3372-008:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 008. dio: Slobodni utikač s oprugom za uzemljenje – Norma za proizvod (EN 3372-008:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 008: Free plug with grounding spring – Product standard (EN 3372-008:2007)

HRN EN 3372-009:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 009. dio: Utičnica, ugradnja s kontra maticom – Norma za proizvod (EN 3372-009:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 009: Receptacle, jam nut mounting – Product standard (EN 3372-009:2007)

HRN EN 3372-011:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, srednje ili visoke gustoće kontakta, sa zaštićenom bajonet spojnicom, radne temperature – 65 °C do 175 °C ili 200 °C neprekidno – 011. dio: Prazne utičnice – Norma za proizvod (EN 3372-011:2007)
Aerospace series – Connectors, electrical, circular, medium and high contact density, scoop-proof with bayonet coupling, operating temperature – 65 °C to 175 °C or 200 °C continuous – Part 011: Dummy receptacle – Product standard (EN 3372-011:2007)

HRN EN 3373-001:2008
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 001. dio: Tehnička specifikacija (EN 3373-001:2007)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 001: Technical specification (EN 3373-001:2007)

HRN EN 3373-002:2011
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 002. dio: Općenito i popis norma za proizvod (EN 3373-002:2009)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 002: General and list of product standard (EN 3373-002:2009)

HRN EN 3373-007:2012
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 007. dio: Aluminijske zadnje stopice prevučene niklom za krimpanje na aluminijskom kabelu prevučenom niklom za inčne serije držača – Norma za proizvod (EN 3373-007:2012)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 007: Nickel plated aluminium terminal lugs for crimping on nickel plated aluminium cable for inch series studs – Product standard (EN 3373-007:2012)

HRN EN 3373-008:2012
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 008. dio: Bakarne stopice prevučene niklom s prstenom, oblikovane za bakarne vodiče prevučene niklom za inčne serije držača do 340 °C – Norma za proizvod (EN 3373-008:2012)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 008: Copper lugs nickel plated ring shaped for copper conductors nickel plated for inch series studs up to 340 °C – Product standard (EN 3373-008:2012)

HRN EN 3373-010:2011
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 010. dio: Zadnje stopice, oblika prstena, prevučene kositrom, za krimpanje na bakrenim vodičima, na temperaturi do 150 °C za serije držača čije su dimenzije izražene u metrima i inčima – Norma za proizvod (EN 3373-010:2009)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 010: Terminal lugs, ring shaped, tin plated, for crimping on copper conductors, temperature up to 150 °C for metric and inch stud series – Product standard (EN 3373-010:2009)

HRN EN 3373-011:2011
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 011. dio: Zadnje stopice, oblika prstena, prevučene niklom za krimpanje na bakrenim vodičima, na temperaturi do 260 °C za serije držača čije su dimenzije izražene u metrima i inčima – Norma za proizvod (EN 3373-011:2009)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 011: Terminal lugs, ring shaped, nickel plated, for crimping on copper conductors, temperature up to 260 °C for metric and inch stud series – Product standard (EN 3373-011:2009)

HRN EN 3373-012:2008
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 012. dio: Redni nastavci, izolirani i zatvoreni, za krimpanje na bakrenim vodičima, na temperaturi do 150 °C – Norma za proizvod (EN 3373-012:2005)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 012: In-line splices, insulated and sealed, for crimping on copper conductors, temperature up to 150 °C – Product standard (EN 3373-012:2005)

HRN EN 3373-013:2008
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 013. dio: Redni nastavci, izolirani i otporni na vlagu, za krimpanje na bakrenim vodičima, na temperaturi do 260 °C – Norma za proizvod (EN 3373-013:2005)
Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 013: In-line splices, insulated and moisture resistant, for crimping on copper conductors, temperature up to 260 °C – Product standard (EN 3373-013:2005)

HRN EN 3373-014:2011
Nizovi o zrakoplovstvu – Zadnje stopice i redni nastavci za krimpanje na električnim vodičima – 014. dio: Redni nastavci, izolirani i zatvoreni, za krimpanje na bakrenim vodičima, na temperaturi do 200 °C – Norma za proizvod (EN 3373-014:2009)

Aerospace series – Terminal lugs and in-line splices for crimping on electric conductors – Part 014: In-line splices, insulated and sealed, for crimping on copper conductors, temperature up to 200 °C – Product standard (EN 3373-014:2009)

HRN EN 3375-001:2008
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 001. dio: Tehnička specifikacija (EN 3375-001:2007)
Aerospace series – Cable, electrical, for digital data transmission – Part 001: Technical specification (EN 3375-001:2007)

HRN EN 3375-002:2012
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 002. dio: Općenito (EN 3375-002:2012)
Aerospace series – Cable, electrical, for digital data transmission – Part 002: General (EN 3375-002:2012)

HRN EN 3375-003:2008
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 003. dio: Jednostruko pleteni – 77 Oma – Tip KG – Norma za proizvod (EN 3375-003:2007)
Aerospace series – Cable, electrical, for digital data transmission – Part 003: Single braid – 77 Ohms – Type KG – Product standard (EN 3375-003:2007)

HRN EN 3375-004:2008
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 004. dio: Dvostruko pleteni – 77 Oma – Tip WJ – Norma za proizvod (EN 3375-004:2007)
Aerospace series – Cable, electrical, for digital data transmission – Part 004: Double braid – 77 Ohms – Type WJ – Product standard (EN 3375-004:2007)

HRN EN 3375-005:2008
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 005. dio: Dvostruko pleteni + metalni sloj – 77 Oma – Tip WV – Norma za proizvod (EN 3375-005:2007)
Aerospace series – Cable, electrical, for digital data transmission – Part 005: Double braid + metallic layer – 77 Ohms – Type WV – Product standard (EN 3375-005:2007)

HRN EN 3375-006:2008
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 006. dio: Jednostruko pleteni – 78 Oma – Tip XM – Norma za proizvod (EN 3375-006:2006)
Aerospace series – Cable, electrical, for digital data transmission – Part 006: Single braid – 78 Ohms – Type XM – Product standard (EN 3375-006:2006)

HRN EN 3375-007:2008
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 007. dio: Dvostruko pleteni – 77 Oma – Tip WW – Norma za proizvod (EN 3375-007:2006)
Aerospace series – Cable, electrical, for digital data transmission – Part 007: Double braid – 77 Ohms – Type WW – Product standard (EN 3375-007:2006)

HRN EN 3375-008:2011
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 008. dio: Jednostruko pleteni – Četverožilni 100 Oma – Tip KD – Norma za proizvod (EN 3375-008:2009)
Aerospace series – Cable, electrical, for digital data transmission – Part 008: Single braid – Star Quad 100 ohms – Type KD – Product standard (EN 3375-008:2009)

HRN EN 3375-009:2011
Nizovi o zrakoplovstvu – Električni kabeli za prijenos digitalnih podataka – 009. dio: Jednostruko pleteni – CAN protokol spajanja – 120 Oma – Tip WX – Norma za proizvod (EN 3375-009:2009)
Aerospace series – Cable, electrical, for digital data transmission – Part 009: Single braid – CAN Bus – 120 Ohms – Type WX – Product standard (EN 3375-009:2009)

HRN EN 3377:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3377:1996)
Aerospace series – Nuts, hexagonal, self-locking, in heat resisting steel FE-PA92HT (A286) – Classification: 1100 MPa (at ambient temperature)/425 °C (EN 3377:1996)

HRN EN 3379:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, struk s uskom tolerancijom, srednje dužine navoja, legura na bazi nikla otporna na toplinu NI-P101HT (Waspaloy), za matice s povećanom glavom – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 3379:1996)
Aerospace series – Bolts, double hexagon head, close tolerance shank, medium length thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy), for increased height nuts – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 3379:1996)

HRN EN 3380:2008
Nizovi o zrakoplovstvu – Prsteni, osiguravajući – Tehnička specifikacija (EN 3380:1996)
Aerospace series – Rings, retaining – Technical specification (EN 3380:1996)

HRN EN 3381:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od titana, anodizirani, podmazani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 315 °C (EN 3381:1996)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, close tolerance normal shank, short thread, in titanium, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3381:1996)

HRN EN 3382:2012
Nizovi o zrakoplovstvu – Prsteni za osiguranje, unutarnji, aksijalno ugradivi, čelični, fosfatirani (EN 3382:2012)
Aerospace series – Rings retaining, internal, axial mounting, steel, phosphated (EN 3382:2012)

HRN EN 3383:2012
Nizovi o zrakoplovstvu – Prsteni za osiguranje, unutarnji, aksijalno ugradivi, čelični, vakumski prevučeni kadmijem (EN 3383:2012)
Aerospace series – Rings retaining, internal, axial mounting, steel, vacuum cadmium plated (EN 3383:2012)

HRN EN 3384:2012
Nizovi o zrakoplovstvu – Prsteni za osiguranje, vanjski, aksijalno ugradivi, čelični, fosfatirani (EN 3384:2012)
Aerospace series – Rings retaining, external, axial mounting, steel, phosphated (EN 3384:2012)

HRN EN 3385:2012
Nizovi o zrakoplovstvu – Prsteni za osiguranje, vanjski, aksijalno ugradivi, čelični, vakumski prevučeni kadmijem (EN 3385:2012)
Aerospace series – Rings retaining, external, axial mounting, steel, vacuum cadmium plated (EN 3385:2012)

HRN EN 3386:2012
Nizovi o zrakoplovstvu – Prsteni za osiguranje, radijalno ugradivi, čelični, fosfatirani (EN 3386:2012)
Aerospace series – Rings retaining, radial mounting, steel, phosphated (EN 3386:2012)

HRN EN 3388:2011
Nizovi o zrakoplovstvu – Pričvršćivači, s vanjskim navojem, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718) – Klasifikacija 1275 MPa/650 °C – Izborna metoda proizvodnje – Tehnička specifikacija (EN 3388:2009)
Aerospace series – Fasteners, externally threaded, in heat resisting nickel base alloy NI-PH2601 (Inconel 718) – Classification 1275 MPa/650 °C – Manufacturing method optional – Technical specification (EN 3388:2009)

HRN EN 3389:2011
Nizovi o zrakoplovstvu – Pričvršćivači, s vanjskim navojem, legura na bazi nikla otporna na toplinu NI-PH1302 (Waspaloy) – Klasifikacija: 1210 MPa/ 730 °C – Izborna metoda proizvodnje – Tehnička specifikacija (EN 3389:2009)
Aerospace series – Fasteners, externally threaded, in heat resisting nickel base alloy NI-PH1302 (Waspaloy) – Classification: 1210 MPa/730 °C – Manufacturing method optional – Technical specification (EN 3389:2009)

HRN EN 3417:2012
Nizovi o zrakoplovstvu – Zakovice, čvrste, univerzalna glava, od legura na bazi nikla NI-P11, metrički nizovi (EN 3417:2012)
Aerospace series – Rivets, solid, universal head, in nickel base alloy NI-P11, metric series (EN 3417:2012)

HRN EN 3425:2008
Nizovi o zrakoplovstvu – Dimenzije žlijeba za aksijalnu ugradnju sigurnosnih prstenova unutrašnjeg tipa (EN 3425:2006)
Aerospace series – Groove dimensions for axial mouting internal type retaining rings (EN 3425:2006)

HRN EN 3426:2008
Nizovi o zrakoplovstvu – Dimenzije žlijeba za aksijalnu ugradnju sigurnosnih prstenova vanjskog tipa (EN 3426:2006)
Aerospace series – Groove dimensions for axial mounting external type retaining rings (EN 3426:2006)

HRN EN 3427:2008
Nizovi o zrakoplovstvu – Dimenzije žlijeba za radijalnu ugradnju sigurnosnih prstenova (EN 3427:2006)
Aerospace series – Groove dimensions for radial mounting retaining rings (EN 3427:2006)

HRN EN 3431:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, s upustom i uhvatljivom podloškom, od čelika otpornog na toplinu, prevučene srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 3431:2007)
Aerospace series – Nuts, hexagonal, self-locking, with counterbore and captive washer, in heat resisting steel, silver plated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 3431:2007)

HRN EN 3435:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, plivajuće, dvokrilne, skraćene serije, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 3435:2010)
Aerospace series – Nuts, anchor, self-locking, floating, two lug, reduced series, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 3435:2010)

HRN EN 3444:2008
Nizovi o zrakoplovstvu – Matice, velikom davaesterokutnom glavom, normalni struk uske tolerancije, srednje dužine navoja, legura na bazi nikla otporna na toplinu, pasiviziran – Klasifikacija: 1250 MPa (pri temperaturi okoline) /650 °C (EN 3444:2006)
Aerospace series – Bolt, large bihexagonal head, close tolerance normal shank, medium length thread, in heat resisting nickel base alloy, passivated – Classification: 1250 MPa (at ambient temperature) /650 °C (EN 3444:2006)

HRN EN 3446:2008
Nizovi o zrakoplovstvu – Precizni kuglični ležajevi bez oboda izrađeni od čelika otpornog na koroziju, za instrumente i opremu – Dimenzije i opterećenja (EN 3446:1995)
Aerospace series – Bearings, precision ball without flange in corrosion resisting steel, for instruments and equipment – Dimensions and loads (EN 3446:1995)

HRN EN 3456:2012
Nizovi o zrakoplovstvu – Legura titana TI-P64001 (Ti-6Al-4V) – Kaljeni – Lim i traka, toplo valjana – a = 6 mm (EN 3456:2012)
Aerospace series – Titanium alloy TI-P64001 (Ti-6Al-4V) – Annealed – Sheet and strip, hot rolled – a = 6 mm (EN 3456:2012)

HRN EN 3459:2011
Nizovi o zrakoplovstvu – Legura titana TI-P63001 (Ti-4Al-4Mo-2Sn) – Izložena otopini i starenju – Ploča – 6 mm < a = 50 mm (EN 3459:2010)
Aerospace series – Titanium alloy TI-P63001 (Ti-4Al-4Mo-2Sn) – Solution treated and aged – Plate – 6 mm < a = 50 mm (EN 3459:2010)

HRN EN 3464:2012
Nizovi o zrakoplovstvu – Legura titana Ti-6Al-4V – Kaljeni – Ploča – 6 mm < a = 100 mm (EN 3464:2012)
Aerospace series – Titanium alloy Ti-6Al-4V – Annealed – Plate – 6 mm < a = 100 mm (EN 3464:2012)

HRN EN 3469:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen topljivom elektrodom — Tretiran otopinom i precipitatom – Otkivci – a ili D = 200 mm – Rm = 1310 MPa (EN 3469:2009)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D = 200 mm – Rm = 1310 MPa (EN 3469:2009)

HRN EN 3474:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T81 – Lim i traka – 0,25 mm (EN 3474:2005)
Aerospace series – Aluminium alloy AL-P2024-T81 – Sheet and strip – 0,25 mm (EN 3474:2005)

HRN EN 3475-100:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 100. dio: Općenito (EN 3475-100:2010)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 100: General (EN 3475-100:2010)

HRN EN 3475-201:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 201. dio: Vizualno ispitivanje (EN 3475-201:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 201: Visual examination (EN 3475-201:2002)

HRN EN 3475-202:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 202. dio: Masa (EN 3475-202:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 202: Mass (EN 3475-202:2002)

HRN EN 3475-203:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 203. dio: Dimenzije(EN 3475-203:2006)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 203: Dimensions (EN 3475-203:2006)

HRN EN 3475-301:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 301. dio: Omski otpor po jedinici dužine (EN 3475-301:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 301: Ohmic resistance per unit length (EN 3475-301:2002)

HRN EN 3475-302:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 302. dio: Potvrda ispitivanja napona (EN 3475-302:2006)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 302: Voltage proof test (EN 3475-302:2006)

HRN EN 3475-303:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 303. dio: Otpor izolacije (EN 3475-303:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 303: Insulation resistance (EN 3475-303:2002)

HRN EN 3475-304:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 304. dio: Otpor površine (EN 3475-304:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 304: Surface resistance (EN 3475-304:2002)

HRN EN 3475-305:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 305. dio: Otpornost preopterećenja (EN 3475-305:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 305: Overload resistance (EN 3475-305:2002)

HRN EN 3475-306:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 306. dio: Stabilnost vodiča (EN 3475-306:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 306: Continuity of conductors (EN 3475-306:2005)

HRN EN 3475-307:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 307. dio: Napon vijenca pri gašenju (EN 3475-307:2010)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 307: Corona extinction voltage (EN 3475-307:2010)

HRN EN 3475-401:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 401. dio: Ubrzano starenje (EN 3475-401:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 401: Accelerated ageing (EN 3475-401:2002)

HRN EN 3475-402:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 402. dio: Skupljanje i pucanje (EN 3475-402:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 402: Shrinkage and delamination (EN 3475-402:2002)

HRN EN 3475-403:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 403. dio: Pucanje i blokiranje (EN 3475-403:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 403: Delamination and blocking (EN 3475-403:2002)

HRN EN 3475-404:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 404. dio: Toplinski šok (EN 3475-404:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 404: Thermal shock (EN 3475-404:2002)

HRN EN 3475-405:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 405. dio: Savijanje pri temperaturi okoline (EN 3475-405:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 405: Bending at ambient temperature (EN 3475-405:2002)

HRN EN 3475-406:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 406. dio: Savijanje pri povišenoj hladnoći (EN 3475-406:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 406: Cold bend test (EN 3475-406:2002)

HRN EN 3475-407:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 407. dio: Zapaljivost (EN 3475-407:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 407: Flammability (EN 3475-407:2009)

HRN EN 3475-408:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 408. dio: Otpornost na vatru (EN 3475-408:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 408: Fire resistance (EN 3475-408:2005)

HRN EN 3475-409:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 409. dio: Starenje bez dotoka zraka (EN 3475-409:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 409: Air-excluded ageing (EN 3475-409:2002)

HRN EN 3475-410:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 410. dio: Toplinska izdržljivost (EN 3475-410:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 410: Thermal endurance (EN 3475-410:2002)

HRN EN 3475-411:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 411. dio: Otpornost na fluide (EN 3475-411:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 411: Resistance to fluids (EN 3475-411:2005)

HRN EN 3475-412:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 412. dio: Otpornost na vlagu (EN 3475-412:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 412: Humidity resistance (EN 3475-412:2002)

HRN EN 3475-413:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 413. dio: Ispitivanje motanjem unatrag (EN 3475-413:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 413: Wrap back test (EN 3475-413:2002)

HRN EN 3475-414:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 414. dio: Diferencijalni kalorimetar za skeniranje (DSC ispitivanje) (EN 3475-414:2005)

Aerospace series – Cables, electrical, aircraft use – Test methods – Part 414: Differential scanning calorimeter (DSC test) (EN 3475-414:2005)

HRN EN 3475-415:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 415. dio: Nagla izmjena temperature (EN 3475-415:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 415: Rapid change of temperature (EN 3475-415:2005)

HRN EN 3475-416:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 416. dio: Toplinska stabilnost (EN 3475-416:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 416: Thermal stability (EN 3475-416:2005)

HRN EN 3475-417:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 417. dio: Otpornost na zapaljenje kabela unutar kablovskog snopa (EN 3475-417:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 417: Fire resistance of cables confined inside a harness (EN 3475-417:2009)

HRN EN 3475-418:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 418. dio: Toplinska izdržljivost vodiča (EN 3475-418:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 418: Thermal endurance for conductors (EN 3475-418:2007)

HRN EN 3475-501:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 501. dio: Dinamičko rezanje kroz presjek (EN 3475-501:2006)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 501: Dynamic cut-through (EN 3475-501:2006)

HRN EN 3475-502:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 502. dio: Širenje ureza (EN 3475-502:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 502: Notch propagation (EN 3475-502:2002)

HRN EN 3475-503:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 503. dio: Trošenje kod struganja (EN 3475-503:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 503: Scrape abrasion (EN 3475-503:2002)

HRN EN 3475-504:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 504. dio: Uvijanje (EN 3475-504:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 504: Torsion (EN 3475-504:2002)

HRN EN 3475-505:2012
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 505. dio: Ispitivanje zatezanjem vodiča i pramenova (EN 3475-505:2012)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 505: Tensile test on conductors and strands (EN 3475-505:2012)

HRN EN 3475-506:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 506. dio: Jednolikost prevlake (EN 3475-506:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 506: Plating continuity (EN 3475-506:2007)

HRN EN 3475-507:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 507. dio: Prianjanje prevlake (EN 3475-507:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 507: Adherence of plating (EN 3475-507:2007)

HRN EN 3475-508:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 508. dio: Debljina prevlake (EN 3475-508:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 508: Plating thickness (EN 3475-508:2007)

HRN EN 3475-509:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 509. dio: Lemljivost (EN 3475-509:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 509: Solderability (EN 3475-509:2002)

HRN EN 3475-510:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 510. dio: Zatezna čvrstoća i istezljivost ekstrudirane izolacije, materijal za unutrašnju i vanjsku izolaciju (EN 3475-510:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 510: Tensile strength and elongation of extruded insulation, sheath and jacket material (EN 3475-510:2002)

HRN EN 3475-511:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 511. dio: Trošenje kabela međusobnim dodirom (EN 3475-511:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 511: Cable-to-cable abrasion (EN 3475-511:2002)

HRN EN 3475-512:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 512. dio: Izdržljivost pri savijanju (EN 3475-512:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 512: Flexure endurance (EN 3475-512:2002)

HRN EN 3475-513:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 513. dio: Otpornost na deformaciju (instalacija sa plastičnim obujmicama) (EN 3475-513:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 513: Deformation resistance (Installation with plastic cable ties) (EN 3475-513:2005)

HRN EN 3475-514:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 514. dio: Poroznost bakrenih obloga na višežilnim aluminijskim kabelima (EN 3475-514:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 514: Porosity of copper cladding on aluminium strands (EN 3475-514:2007)

HRN EN 3475-515:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 515. dio: Otpornost na gužvanje (EN 3475-515:2009)
Aerospace series – Cable, electrical, aircraft use – Test methods – Part 515: Crush resistance (EN 3475-515:2009)

HRN EN 3475-601:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 601. dio: Gustoća dima (EN 3475-601:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 601: Smoke density (EN 3475-601:2007)

HRN EN 3475-602:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 602. dio: Otrovnost (EN 3475-602:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 602: Toxicity (EN 3475-602:2007)

HRN EN 3475-603:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 603. dio: Otpornost na iskrenje u vlazi (EN 3475-603:2011)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 603: Resistance to wet arc tracking (EN 3475-603:2011)

HRN EN 3475-603:2011/Ispr.1:2012
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 603. dio: Otpornost na iskrenje u vlazi (EN 3475-603:2011/AC:2011)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 603: Resistance to wet arc tracking (EN 3475-603:2011/AC:2011)

HRN EN 3475-604:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 604. dio: Otpornost na iskrenje u suhoj sredini (EN 3475-604:2010)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 604: Resistance to dry arc propagation (EN 3475-604:2010)

HRN EN 3475-605:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 605. dio: Ispitivanje kratkog spoja u vlazi (EN 3475-605:2010)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 605: Wet short circuit test (EN 3475-605:2010)

HRN EN 3475-701:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 701. dio: Sposobnost skidanja i prianjanja izolacije na vodiču (EN 3475-701:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 701: Strippability and adherence of insulation to the conductor (EN 3475-701:2002)

HRN EN 3475-702:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 702. dio: Sposobnost potiskivanja oklopa (EN 3475-702:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 702: Screen pushback capability (EN 3475-702:2002)

HRN EN 3475-703:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 703. dio: Postojanost oznake proizvođača (EN 3475-703:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 703: Permanence of manufacturer's marking (EN 3475-703:2002)

HRN EN 3475-704:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 704. dio: Savitljivost (EN 3475-704:2007)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 704: Flexibility (EN 3475-704:2007)

HRN EN 3475-705:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 705. dio: Mjerenje kontrasta (EN 3475-705:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 705: Contrast measurement (EN 3475-705:2005)

HRN EN 3475-706:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 706. dio: Sposobnost laserskog označavanja (EN 3475-706:2005)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 706: Laser markability (EN 3475-706:2005)

HRN EN 3475-801:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 801. dio: Kapacitet po jedinici dužine (EN 3475-801:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 801: Capacitance per unit length (EN 3475-801:2002)

HRN EN 3475-802:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 802. dio: Neujednačenost kapaciteta (EN 3475-802:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 802: Capacitance unbalance (EN 3475-802:2009)

HRN EN 3475-803:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 803. dio: Promjenjivost kapaciteta (EN 3475-803:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 803: Capacitance variation (EN 3475-803:2002)

HRN EN 3475-804:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 804. dio: Brzina prostiranja (EN 3475-804:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 804: Velocity of propagation (EN 3475-804:2002)

HRN EN 3475-805:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 805. dio: Značajke otpora (EN 3475-805:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 805: Characteristic impedance (EN 3475-805:2002)

HRN EN 3475-806:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 806. dio: Slabljenje (EN 3475-806:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 806: Attenuation (EN 3475-806:2002)

HRN EN 3475-807:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 807. dio: Otpor prijenosa (EN 3475-807:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 807: Transfer impedance (EN 3475-807:2002)

HRN EN 3475-808:2008
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 808. dio: Preklapanje signala (EN 3475-808:2002)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 808: Cross-talk (EN 3475-808:2002)

HRN EN 3475-809:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 809. dio: Nejednakost otpora (EN 3475-809:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 809: Resistance unbalance (EN 3475-809:2009)

HRN EN 3475-810:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 810. dio: Strukturni povratni gubici (EN 3475-810:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 810: Structural return loss (EN 3475-810:2009)

HRN EN 3475-811:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 811. dio: Slabljenje zbog nejednakosti (EN 3475-811:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 811: Unbalance attenuation (EN 3475-811:2009)

HRN EN 3475-812:2011
Nizovi o zrakoplovstvu – Električni kabeli za upotrebu u zrakoplovstvu – Metode ispitivanja – 812. dio: Gubitak povrata (VSWR) (EN 3475-812:2009)
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 812: Return loss (VSWR) (EN 3475-812:2009)

HRN EN 3476:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1501 (30CrMo12) – Taljen na zraku – Omekšan – Materijal namijenjen kovanju – a ili D ≤ 300 mm (EN 3476:2006)
Aerospace series – Steel FE-PL1501 (30CrMo12) – Air melted – Softened – Forging stock – a or D ≤ 300 mm (EN 3476:2006)

HRN EN 3479:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen topljivom elektrodom — Tretiran otopinom i precipitatom – Ploča – 6 mm < a ≤ 20 mm – 1070 MPa ≤ Rm ≤ 1220 MPa (EN 3479:2007)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted – Solution treated and precipitation treated – Plate – 6 mm < a ≤ 20 mm – 1070 MPa ≤ Rm ≤ 1220 MPa (EN 3479:2007)

HRN EN 3480:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3601 (X6CrNiTi18-10) – Taljen na zraku – Omekšan – Ploča – 6 mm < a ≤ 50 mm – 500 MPa ≤ Rm ≤ 700 MPa (EN 3480:2007)
Aerospace series – Steel FE-PA3601 (X6CrNiTi18-10) – Air melted – Softened – Plate – 6 mm < a ≤ 50 mm – 500 MPa ≤ Rm ≤ 700 MPa (EN 3480:2007)

HRN EN 3487:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3601 (X6CrNiTi18-10) – Taljen na zraku – Omekšan – Šipke za strojnu obradu – a ili D ≤ 250 mm – 500 MPa ≤ Rm ≤ 700 MPa (EN 3487:2007)
Aerospace series – Steel FE-PA3601 (X6CrNiTi18-10) – Air melted – Softened – Bar for machining – a or D ≤ 250 mm – 500 MPa ≤ Rm ≤ 700 MPa (EN 3487:2007)

HRN EN 3488:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3601 (X6CrNiTi18-10) – Taljen na zraku – Omekšan – Lim i traka – a ≤ 6 mm – 500 MPa ≤ Rm ≤ 700 MPa (EN 3488:2007)
Aerospace series – Steel FE-PA3601 (X6CrNiTi18-10) – Air melted – Softened – Sheet and strip – a ≤ 6 mm – 500 MPa ≤ Rm ≤ 700 MPa (EN 3488:2007)

HRN EN 3490:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3901 (X15CrNi17-3) – Taljen na zraku – Kaljen i termički obrađen – Šipke za strojnu obradu – De ≤ 200 mm – 900 MPa ≤ Rm ≤ 1100 MPa (EN 3490:2007)
Aerospace series – Steel FE-PM3901 (X15CrNi17-3) – Air melted – Hardened and tempered – Bar for machining – De ≤ 200 mm – 900 MPa ≤ Rm ≤ 1100 MPa (EN 3490:2007)

HRN EN 3491:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3901 (X15CrNi17-3) – Taljen na zraku – Kaljen i termički obrađen – Otkivci – De ≤ 100 mm – 900 MPa ≤ Rm ≤ 1100 MPa (EN 3491:2006)
Aerospace series – Steel FE-PM3901 (X15CrNi17-3) – Air melted – Hardened and tempered – Forgings – De ≤ 100 mm – 900 MPa ≤ Rm ≤ 1100 MPa (EN 3491:2006)

HRN EN 3506:2008
Nizovi o zrakoplovstvu – Toplo valjani limovi i ploče od legura otpornih na toplinu – Debljina 2,0 mm <= a <= 100 mm – Dimenzije (EN 3506:2001)
Aerospace series – Hot rolled sheets and plates in heat resisting alloys – Thickness 2,0 mm <= a <= 100 mm – Dimensions (EN 3506:2001)

HRN EN 3507:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1501 (30CrMo12) – Taljen na zraku – Kaljen i termički obrađen – Otkivci – De ≤ 100 mm – 930 MPa ≤ Rm ≤ 1080 MPa (EN 3507:2006)
Aerospace series – Steel FE-PL1501 (30CrMo12) – Air melted – Hardened and tempered – Forgings – De ≤ 100 mm – 930 MPa ≤ Rm ≤ 1080 MPa (EN 3507:2006)

HRN EN 3523:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1505 (15CrMoV6) – Taljen na zraku – Kaljen i termički obrađen – Šipke za strojnu obradu – De ≤ 100 mm – 1080 MPa ≤ Rm ≤ 1280 MPa (EN 3523:2007)
Aerospace series – Steel FE-PL1505 (15CrMoV6) – Air melted – Hardened and tempered – Bar for machining – De ≤ 100 mm – 1080 MPa ≤ Rm ≤ 1280 MPa (EN 3523:2007)

HRN EN 3524:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1505 (15CrMoV6) – Taljen na zraku – Kaljen i termički obrađen – Lim i traka – 2 mm ≤ a ≤ 6 mm – 1080 MPa ≤ Rm ≤ 1280 MPa (EN 3524:2007)
Aerospace series – Steel FE-PL1505 (15CrMoV6) – Air melted – Hardened and tempered – Sheet and strip – 2 mm ≤ a ≤ 6 mm – 1080 MPa ≤ Rm ≤ 1280 MPa (EN 3524:2007)

HRN EN 3525:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1505 (15CrMoV6) – Taljen na zraku – Kaljen i termički obrađen – Ploča – 6 mm < a ≤ 20 mm – 1080 MPa ≤ Rm ≤ 1280 MPa (EN 3525:2007)
Aerospace series – Steel FE-PL1505 (15CrMoV6) – Air melted – Hardened and tempered – Plate – 6 mm < a ≤ 20 mm – 1080 MPa ≤ Rm ≤ 1280 MPa (EN 3525:2007)

HRN EN 3526:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1505 (15CrMoV6) – Taljen na zraku – Kaljen i termički obrađen – Lim i traka – 0,5 mm ≤ a ≤ 6 mm – 980 MPa ≤ Rm ≤ 1180 MPa (EN 3526:2007)
Aerospace series – Steel FE-PL1505 (15CrMoV6) – Air melted – Hardened and tempered – Sheet and strip – 0,5 mm ≤ a ≤ 6 mm – 980 MPa ≤ Rm ≤ 1180 MPa (EN 3526:2007)

HRN EN 3527:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1504 (33CrMoV12) – Taljen na zraku – Omekšan – Materijal namijenjen kovanju – a ili D ≤ 300 mm (EN 3527:2007)
Aerospace series – Steel FE-PL1504 (33CrMoV12) – Air melted – Softened – Forging stock – a or D ≤ 300 mm (EN 3527:2007)

HRN EN 3529:2011
Nizovi o zrakoplovstvu – Čelik FE-PM2701 (X2NiCoMo18-8-5) – Topljen vakuumskom indukcijom i pretopljen vakuumskim lukom – Tretiran otopinom i precipitatom – Otkivci – a ili D = 150 mm – 1750 MPa = Rm = 2000 MPa (EN 3529:2010)
Aerospace series – Steel FE-PM2701 (X2NiCoMo18-8-5) – Vacuum induction melted and vacuum arc remelted – Solution treated and precipitation treated – Forgings – a or D = 150 mm – 1750 MPa = Rm = 2000 MPa (EN 3529:2010)

HRN EN 3531:2008
Nizovi o zrakoplovstvu – Čelik FE-PM2701 (X2NiCoMo18-8-5) – Topljen vakuumskom indukcijom i pretopljen vakuumskim lukom – Tretiran otopinom i precipitatom – Lim i traka – a ≤ 6 mm – 1750 MPa ≤ Rm ≤ 2000 MPa (EN 3531:2007)
Aerospace series – Steel FE-PM2701 (X2NiCoMo18-8-5) – Vacuum induction melted and vacuum arc remelted – Solution treated and precipitation treated – Sheet and strip – a ≤ 6 mm – 1750 MPa ≤ Rm ≤ 2000 MPa (EN 3531:2007)

HRN EN 3532:2008
Nizovi o zrakoplovstvu – Čelik FE-PM2701 (X2NiCoMo18-8-5) – Topljen vakuumskom indukcijom i pretopljen vakuumskim lukom – Tretiran otopinom i precipitatom – Ploča – 6 mm < a ≤ 40 mm – 1750 MPa ≤ Rm ≤ 2000 MPa (EN 3532:2007)
Aerospace series – Steel FE-PM2701 (X2NiCoMo18-8-5) – Vacuum induction melted and vacuum arc remelted – Solution treated and precipitation treated – Plate – 6 mm < a ≤ 40 mm – 1750 MPa ≤ Rm ≤ 2000 MPa (EN 3532:2007)

HRN EN 3536:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3536:2006)
Aerospace series – Nuts, hexagon, self-locking, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3536:2006)

HRN EN 3537:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, fiksne, dvoje uši, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 315 °C (EN 3537:2010)
Aerospace series – Nuts, anchor, self-locking, fixed, two lug, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3537:2010)

HRN EN 3538:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, fiksne, dvoje uši, skraćene serije, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3538:2010)
Aerospace series – Nuts, anchor, self-locking, fixed, two lug, reduced series, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3538:2010)

HRN EN 3539:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, jedno uho, fiksne, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 3539:2010)
Aerospace series – Nuts, anchor, self-locking, one lug, fixed, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 3539:2010)

HRN EN 3541:2008
Nizovi o zrakoplovstvu – Krajevi šipke, prilagodljivi, samoprilagodljivi kuglični ležajevi sa navojnim strukom – Mjere, momenti, zračnosti i opterećenja (EN 3541:1992)
Aerospace series – Rod ends, adjustable, self-aligning ball bearing with threaded shank – Dimensions, torques, clearances and loads (EN 3541:1992)

HRN EN 3542:2008
Nizovi o zrakoplovstvu – Zatici, spiralnog navoja, spiralnog svitka, samozatvarajući, legura na bazi nikla otporna na toplinu NI-PH2801 (Inconel X750) (EN 3542:1998)
Aerospace series – Inserts, screw thread, helical coil, self-locking, in heat resisting nickel base alloy NI-PH2801 (Inconel X750) (EN 3542:1998)

HRN EN 3543:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od čelika otpornog na toplinu i koroziju, pasivizirani – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 425 °C (EN 3543:1997)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, close tolerance normal shank, short thread, in heat and corrosion resisting steel, passivated – Classification: 1100 MPa (at ambient temperature)/425 °C (EN 3543:1997)

HRN EN 3545-001:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 001. dio: Tehnička specifikacija (EN 3545-001:2008)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 001: Technical specification (EN 3545-001:2008)

HRN EN 3545-002:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 002. dio: Specifikacije značajki i položaj kontakata (EN 3545-002:2008)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 002: Specification of performance and contact arrangements (EN 3545-002:2008)

HRN EN 3545-003:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 003. dio: Spojnice sa ženskim kontaktima – Norma za proizvod (EN 3545-003:2005)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 003: Connectors with female contacts – Product standard (EN 3545-003:2005)

HRN EN 3545-004:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 004. dio: Spojnice s muškim kontaktima – Norma za proizvod (EN 3545-004:2005)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 004: Connectors with male contacts – Product standard (EN 3545-004:2005)

HRN EN 3545-005:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 005. dio: Žensko kodiranje i priključni sustav za ugradnju na slobodno kućište (utikač) – Norma za proizvod
(EN 3545-005:2006)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 005: Female coding and attachment System for mounting on free housing (plug) – Product standard (EN 3545-005:2006)

HRN EN 3545-006:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 006. dio: Priključini sustav s muškim kodiranjem za ugradnju na slobodno kućište (utičnica) – Norma za proizvod
(EN 3545-006:2006)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 006: Male coding and attachment System for mounting on fixed housing (receptacle) – Product standard (EN 3545-006:2006)

HRN EN 3545-007:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 007. dio: Držač kabela – Norma za proizvod (EN 3545-007:2005)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 007: Cable clamp – Product standard (EN 3545-007:2005)

HRN EN 3545-008:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 008. dio: Alat za spajanje/uklanjanje kodiranih i priključnih sustava – Norma za proizvod (EN 3545-008:2006)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 008: Tools for assembly/removal of coding and attachment system – Product standard (EN 3545-008:2006)

HRN EN 3545-009:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, zabrtvljene ili nezabrtvljenje sa zadnje strane, plastično kućište, uređaj za osiguranje, radne temperature od – 55 °C do 175 °C – 009. dio: Zaštitni omotač za utikač i utičnicu – Norma za proizvod
(EN 3545-009:2008)
Aerospace series – Connectors, electrical, rectangular, with sealed and non-sealed rear, plastic housing, locking device, operating temperature – 55 °C to 175 °C – Part 009: Protective cover for plug and receptacle – Product standard (EN 3545-009:2008)

HRN EN 3552:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2618A-T6 or T62 – Prevučeni lim i traka – 0,4 mm (EN 3552:2005)
Aerospace series – Aluminium alloy AL-P2618A-T6 or T62 – Clad sheet and strip – 0,4 mm (EN 3552:2005)

HRN EN 3553:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2618A – T6511 – Ekstrudirane šipke i profili – a ili D
(EN 3553:2004)
Aerospace series – Aluminium alloy AL-P2618A – T6511 – Extruded bar and section – a or D
(EN 3553:2004)

HRN EN 3561:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Čahure s krajevima zabrtvljenim dinamičkim mlazom, zavareni i skraćeni na kraju cijevi
(EN 3561:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Ferrules with dynamic beam seal end, welded and reduced at pipe end (EN 3561:2001+AC:2003)

HRN EN 3566:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojnice s osiguračem
(EN 3566:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Adaptors with lockring (EN 3566:2001+AC:2003)

HRN EN 3567-001:2008
Nizovi o zrakoplovstvu – Redne spojnice za upotrebu u sustava sabirnica sa mnogostrukim podacima u skladu sa MIL-STD-1553B – 001. dio: Tehnička specifikacija
(EN 3567-001:2001)
Aerospace series – In-line couplers for use in multiplex data bus systems in accordance with MIL-STD-1553B – Part 001: Technical specification (EN 3567-001:2001)

HRN EN 3567-003:2008
Nizovi o zrakoplovstvu – Redne spojnice za upotrebu u sustava sabirnica sa mnogostrukim podacima u skladu sa MIL-STD-1553B – 003. dio: Jednostruke redne spojnice – Norma za proizvod (EN 3567-003:2001)
Aerospace series – In-line couplers for use in multiplex data bus systems in accordance with MIL-STD-1553B – Part 003: Single in-line couplers – Product standard (EN 3567-003:2001)

HRN EN 3567-004:2008
Nizovi o zrakoplovstvu – Redne spojnice za upotrebu u sustava sabirnica s mnogostrukim podacima u skladu sa MIL-STD-1553B – 004. dio: Dvostruke redne spojnice – Norma za proizvod (EN 3567-004:2001)
Aerospace series – In-line couplers for use in multiplex data bus systems in accordance with MIL-STD-1553B – Part 004: Double in-line couplers – Product standard (EN 3567-004:2001)

HRN EN 3611:2008
Nizovi o zrakoplovstvu – Preklopni spojevi — Dimenzije i izbor usklađivanja – Norma za projektiranje
(EN 3611:1995)
Aerospace series – Spigots – Dimensions and fit selection – Design standard (EN 3611:1995)

HRN EN 3612:2008
Nizovi o zrakoplovstvu – Utori na poluosovinama – Norma za projektiranje (EN 3612:1996)
Aerospace series – Undercuts for splines – Design standard (EN 3612:1996)

HRN EN 3613:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučeni srebrom – Klasifikacija: 1275 MPa/650 °C (EN 3613:2009)
Aerospace series – Bolts, normal hexagonal head, relieved shank, long thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated – Classification: 1275 MPa/650 °C (EN 3613:2009)

HRN EN 3614:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA2601 (A286), prevučeni srebrom – Klasifikacija: 900 MPa / 650 °C (EN 3614:2009)
Aerospace series – Bolts, normal hexagonal head, relieved shank, long thread, in heat resisting steel FE-PA2601 (A286), silver plated – Classification: 900 MPa / 650 °C (EN 3614:2009)

HRN EN 3626:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće od čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 3626:2006)
Aerospace series – Nuts, hexagon, self-locking in steel, cadmium plated, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/235 °C (EN 3626:2006)

HRN EN 3630:2008
Nizovi o zrakoplovstvu – Brtve za fluide, s prirubnicom, ravne – Brtvljenje s O-prstenom za cijevi debljine stijenke 0,8 mm (EN 3630:2008)
Aerospace series – Fluid fittings, flanged, straight – Sealing by O-ring for 0,8 mm thick tubes (EN 3630:2008)

HRN EN 3631:2008
Nizovi o zrakoplovstvu – Brtve za fluide, s prirubnicom, ravne, s koljenom od 90° – Brtvljenje s O-prstenom za cijevi debljine stijenke 0,8 mm (EN 3631:2008)
Aerospace series – Fluid fittings, flanged, 90° elbowed – Sealing by O-ring for 0,8 mm thick tubes (EN 3631:2008)

HRN EN 3633:2008
Nizovi o zrakoplovstvu – Ugradbeni otvori za brtvljenja za fluide, s prirubnicom (EN 3633:2008)
Aerospace series – Installation hole for fluid fittings, flanged (EN 3633:2008)

HRN EN 3635:2008
Nizovi o zrakoplovstvu – Zavarivanje rubova – Geometrijska konfiguracija (EN 3635:2008)
Aerospace series – Weld lip – Geometrical configuration (EN 3635:2008)

HRN EN 3636:2008
Nizovi o zrakoplovstvu – Vijci, sa skraćenom ravnom glavom, s ujednačenim križnim urezom, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 900 MPa/650 °C (EN 3636:2008)
Aerospace series – Screws, reduced pan head, offset cruciform recess, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 900 MPa/650 °C (EN 3636:2008)

HRN EN 3637:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, dvanaesterokutne (dvostruko skraćene), legura na bazi nikla otporna na toplinu – NI-P101HT (Waspaloy), prevučene srebrom, Klasifikacija: 1210 MPa/730 °C (EN 3637:2008)
Aerospace series – Nuts, self-locking, bi-hexagonal (double reduced), in heat resisting nickel base alloy – NI-P101HT (Waspaloy), silver plated, Classification: 1210 MPa/730 °C (EN 3637:2008)

HRN EN 3638:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu FE-PA2601 (X6NiCrTiMoV26-15) – Pretopljena elektrodom za zavarivanje – Izložena otopini i precipitatu – Lim, traka i ploča – 0,5 mm ≤ a ≤ 10 mm (EN 3638:2007)
Aerospace series – Heat resisting alloy FE-PA2601 (X6NiCrTiMoV26-15) – Consumable electrode remelted – Solution and precipitation treated – Sheet, strip and plate – 0,5 mm ≤ a ≤ 10 mm (EN 3638:2007)

HRN EN 3642:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom u obliku kupole, od titana TI-PO2, anodizirane, nizovi inčne serije (EN 3642:1996)
Aerospace series – Rivets, solid, 100° countersunk normal head with dome, in titanium TI-PO2, anodized, inch based series (EN 3642:1996)

HRN EN 3643:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom u obliku kupole, od titana TI-PO2, anodizirane, nizovi inčne serije (EN 3643:1996)
Aerospace series – Rivets, solid, 100° countersunk normal head, in titanium TI-PO2, anodized, inch based series (EN 3643:1996)

HRN EN 3644:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, univerzalna glava, od titana TI-PO2, anodizirane, nizovi inčne serije (EN 3644:1996)
Aerospace series – Rivets, solid, universal head, in titanium TI-PO2, anodized, inch based series (EN 3644:1996)

HRN EN 3645-002:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 002. dio: Specifikacije značajki i položaj kontakata (EN 3645-002:2007)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 002: Specification of performance and contact arrangements (EN 3645-002:2007)

HRN EN 3645-003:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 003. dio: Utičnica s kvadratnom prirubnicom za montažu – Norma za proizvod (EN 3645-003:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 003: Receptacle square flange mounting – Product standard (EN 3645-003:2006)

HRN EN 3645-004:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 004. dio: Utičnica, bez dotoka zraka, s kvadratnom prirubnicom za montažu – Norma za proizvod (EN 3645-004:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 004: Receptacle, hermetic, square flange mounting – Product standard (EN 3645-004:2006)

HRN EN 3645-005:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 005. dio: Utičnica, bez dotoka zraka, okrugla prirubnica, ugradnja lemljenjem – Norma za proizvod (EN 3645-005:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 005: Receptacle, hermetic, round flange, brasage mounting – Product standard (EN 3645-005:2006)

HRN EN 3645-006:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 006. dio: Zaštitni omotač za utičnicu – Norma za proizvod (EN 3645-006:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 006: Protective cover for receptacle – Product standard (EN 3645-006:2006)

HRN EN 3645-007:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 007. dio: Zaštitni omotač za utikač – Norma za proizvod (EN 3645-007:2007)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 007: Protective cover for plug – Product standard (EN 3645-007:2007)

HRN EN 3645-008:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 008. dio: Neoslobađajući utikači s prstenom za uzemljenje – Norma za proizvod (EN 3645-008:2007)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 008: Non release plug with grounding ring – Product standard (EN 3645-008:2007)

HRN EN 3645-009:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 009. dio: Utičnica, okrugla prirubnica, ugradanja sa kontra maticom – Norma za proizvod (EN 3645-009:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 009: Receptacle, round flange, jam nut mounting – Product standard (EN 3645-009:2006)

HRN EN 3645-010:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 010. dio: Utičnica, bez dotoka zraka, okrugla prirubnica, ugradnja s kontra maticom – Norma za proizvod (EN 3645-010:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 010: Receptacle, hermetic, round flange, jam nut mounting – Product standard (EN 3645-010:2006)

HRN EN 3645-011:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 011. dio: Uže za oslobađanje utikača sa prstenom za uzemljenje – Tip 1 – Norma za proizvod (EN 3645-011:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 011: Lanyard release plug with grounding fingers – Type 1 – Product standard (EN 3645-011:2006)

HRN EN 3645-012:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 012. dio: Uže za oslobađanje utikača sa prstenom za uzemljenje – Tip 2 – Norma za proizvod (EN 3645-012:2006)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 012: Lanyard release plug with grounding fingers – Type 2 – Product standard (EN 3645-012:2006)

HRN EN 3645-013:2008
Nizovi o zrakoplovstvu – Spojnice, električne, okrugle, sa zaštitom od dodira, za spajanje pomoću trostrukog navoja, stalne radne temperature 175 °C ili 200 °C – 013. dio: Prazne utičnice – Norma za proizvod (EN 3645-013:2007)
Aerospace series – Connectors, electrical, circular, scoop-proof, triple start threaded coupling, operating temperature 175 °C or 200 °C continuous – Part 013: Dummy receptacle – Product standard (EN 3645-013:2007)

HRN EN 3646-001:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 001. dio: Tehnička specifikacija (EN 3646-001:2007)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 001: Technical specification (EN 3646-001:2007)

HRN EN 3646-002:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 002. dio: Specifikacije značajki i položaj kontakta (EN 3646-002:2007)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 002: Specification of performance and contact arrangements (EN 3646-002:2007)

HRN EN 3646-003:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 003. dio: Utičnica, s kvadratnom prirubnicom za montažu – Norma za proizvod (EN 3646-003:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 003: Receptacle, square flange mounting – Product standard (EN 3646-003:2006)

HRN EN 3646-005:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 005. dio: Utičnica, bez dotoka zraka, s kvadratnom prirubnicom za montažu – Norma za proizvod (EN 3646-005:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 005: Receptacle, hermetic, square flange mounting – Product standard (EN 3646-005:2006)

HRN EN 3646-006:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 006. dio: Utičnica, bez dotoka zraka, ugradnja s kontra maticom – Norma za proizvod (EN 3646-006:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 006: Receptacle, hermetic, jam-nut mounting – Product standard (EN 3646-006:2006)

HRN EN 3646-007:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 007. dio: Utičnica, bez dotoka zraka, okrugla prirubnica, ugradnja zavarivanjem ili lemljenjem – Norma za proizvod (EN 3646-007:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 007: Receptacle, hermetic, round flange, welding or brazing mounting – Product standard (EN 3646-007:2006)

HRN EN 3646-008:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 008. dio: Utikač – Norma za proizvod (EN 3646-008:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 008: Plug – Product standard (EN 3646-008:2006)

HRN EN 3646-009:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 009. dio: Zaštitni omotač za utičnicu – Norma za proizvod (EN 3646-009:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 009: Protective cover for receptacle – Product standard (EN 3646-009:2006)

HRN EN 3646-010:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 010. dio: Zaštitni omotač za utikač – Norma za proizvod (EN 3646-010:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 010: Protective cover for plug – Product standard (EN 3646-010:2006)

HRN EN 3646-011:2008
Nizovi o zrakoplovstvu – Spojnice, električne, kružne, bajonetni spoj, stalne radne temperature 175 °C ili 200 °C – 011. dio: Prazna utičnica – Norma za proizvod (EN 3646-011:2006)
Aerospace series – Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous – Part 011: Dummy receptacle – Product standard (EN 3646-011:2006)

HRN EN 3653:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, plivajuće, samoprilagodljive, s jednim uhom, od čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline) / 235 °C (EN 3653:2010)
Aerospace series – Nuts, anchor, self-locking, floating, self-aligning, one lug, in steel, cadmium plated, MoS2 lubricated – Classification: 900 MPa (at ambient temperature) / 235 °C (EN 3653:2010)

HRN EN 3658:2008
Nizovi o zrakoplovstvu – Radijusi savijenih cijevi, za primjenu na motorima – Norma za projektiranje (EN 3658:2008)
Aerospace series – Tube bend radii, for engine application – Design standard (EN 3658:2008)

HRN EN 3660-001:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 001. dio: Tehnička specifikacija (EN 3660-001:2006)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 001: Technical specification (EN 3660-001:2006)

HRN EN 3660-002:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 002. dio: Indeks norma za proizvod (EN 3660-002:2006)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 002: Index of product standards (EN 3660-002:2006)

HRN EN 3660-003:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 03. dio: Uvodna matica, tip A za EN 2997 i EN 4067 – Norma za proizvod (EN 3660-003:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 003: Grommet nut, style A for EN 2997 and EN 4067 – Product standard (EN 3660-003:2009)

HRN EN 3660-004:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 004. dio: Kabelski izlaz, tip A, ravni, nebrtvljeni sa spojnicom kabela za rasterećenje po EN 2997 i EN 4067 – Norma za proizvod (EN 3660-004:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 004: Cable outlet, style A, straight, unsealed with clamp strain relief for EN 2997 and EN 4067 – Product standard (EN 3660-004:2009)

HRN EN 3660-005:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 005. dio: Kabelski izlaz, tip A, 90°, nebrtvljen sa spojnicom kabela za rasterećenje za EN 2997 i EN 4067 – Norma za proizvod (EN 3660-005:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 005: Cable outlet, style A, 90°, unsealed with clamp strain relief for EN 2997 and EN 4067 – Product standard (EN 3660-005:2009)

HRN EN 3660-006:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 006. dio: Kabelski izlaz, samozatvarajući, tip C, ravni, oklopljeni (konusnim uzemljenjem), nebrtvljen sa spojnicom kabela za rasterećenje – Norma za proizvod (EN 3660-006:2010)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 006: Cable outlet, self-locking, style C, straight, shielded (cone grounding), unsealed with clamp strain relief – Product standard (EN 3660-006:2010)

HRN EN 3660-007:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 007. dio: Kabelski izlaz, samozatvarajući, tip C, 90°, oklopljeni (konusnim uzemljenjem), nebrtvljen sa spojnicom kabela za rasterećenje – Norma za proizvod (EN 3660-007:2010)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 007: Cable outlet, self-locking, style C, 90°, shielded (cone grounding), unsealed with clamp strain relief – Product standard (EN 3660-007:2010)

HRN EN 3660-008:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 008. dio: Kabelski izlaz, samozatvarajući, tip C, 45°, oklopljeni (konusnim uzemljenjem), nebrtvljen sa spojnicom kabela za rasterećenje – Norma za proizvod (EN 3660-008:2010)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 008: Cable outlet, self-locking, style C, 45°, shielded (cone grounding), unsealed with clamp strain relief – Product standard (EN 3660-008:2010)

HRN EN 3660-009:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 009. dio: Kabelski izlaz, tip J, ravni, zabrtvljen, za elemente koje se skupljaju na toplini – Norma za proizvod (EN 3660-009:2007)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 009: Cable outlet, style J, straight, sealed, for heat shrinkable boot – Product standard (EN 3660-009:2007)

HRN EN 3660-010:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 010. dio: Kabelski izlaz, tip K, ravni, oklopljeni, zabrtvljen, za elemente koje se skupljaju na toplini – Norma za proizvod (EN 3660-010:2010)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 010: Cable outlet, style K, straight, shielded, sealed, for heat shrinkable boot – Product standard (EN 3660-010:2010)

HRN EN 3660-011:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 011. dio: Kabelski izlaz, tip K, 90°, oklopljen, zabrtvljen, za elemente koji se skupljaju na toplini – Norma za proizvod (EN 3660-011:2010)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 011: Cable outlet, style K, 90°, shielded, sealed, for heat shrinkable boot – Product standard (EN 3660-011:2010)

HRN EN 3660-012:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 012. dio: Uvodna matica, tip A for EN 3372 – Norma za proizvod (EN 3660-012:2008)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 012: Grommet nut, style A for EN 3372 – Product standard (EN 3660-012:2008)

HRN EN 3660-013:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 013. dio: Kabelski izlaz, tip A, ravni, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-013:2008)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 013: Cable outlet, style A, straight, unsealed, with cable tie strain relief – Product standard (EN 3660-013:2008)

HRN EN 3660-014:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 014. dio: Kabelski izlaz, tip A, 90°, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-014:2008)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 014: Cable outlet, style A, 90°, unsealed, with cable tie strain relief – Product standard (EN 3660-014:2008)

HRN EN 3660-015:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 015. dio: Kabelski izlaz, tip A, 45°, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-015:2008)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 015: Cable outlet, style A, 45°, unsealed, with cable tie strain relief – Product standard (EN 3660-015:2008)

HRN EN 3660-016:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 016. dio: Uvodna matica, tip A, samozatvarajuća i nesamozatvarajuća za EN 3645 – Norma za proizvod (EN 3660-016:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 016: Grommet nut, style A, self-locking and non self-locking for EN 3645 – Product standard (EN 3660-016:2009)

HRN EN 3660-017:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 017. dio: Kabelski izlaz, tip A, ravni, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-017:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 017: Cable outlet, style A, straight, unsealed, with cable tie strain relief – Product standard (EN 3660-017:2009)

HRN EN 3660-018:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 018. dio: Kabelski izlaz, tip A, 90°, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-018:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 018: Cable outlet, style A, 90°, unsealed, with cable tie strain relief – Product standard (EN 3660-018:2009)

HRN EN 3660-019:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 019. dio: Kabelski izlaz, tip A, 45°, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-019:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 019: Cable outlet, style A, 45°, unsealed, with cable tie strain relief – Product standard (EN 3660-019:2009)

HRN EN 3660-020:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 020. dio: Kabelski izlaz, tip A, ravni, nezabrtvljen, samozatvarajući sa spojnicom kabela za rasterećenje prema EN 3645 – Norma za proizvod (EN 3660-020:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 020: Cable outlet, style A, straight, unsealed, self-locking with clamp strain relief for EN 3645 – Product standard (EN 3660-020:2009)

HRN EN 3660-021:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 021. dio: Kabelski izlaz, tip A, 90°, nezabrtvljen, samozatvarajući sa spojnicom kabela za rasterećenje za EN 3645 – Norma za proizvod (EN 3660-021:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 021: Cable outlet, style A, 90°, unsealed, self-locking with clamp strain relief for EN 3645 – Product standard (EN 3660-021:2009)

HRN EN 3660-022:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 022. dio: Kabelski izlaz, tip A, ravni, kompozitni, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-022:2008)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 022: Cable outlet, style A, straight, composite, unsealed, with cable tie strain relief – Product standard (EN 3660-022:2008)

HRN EN 3660-023:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 023. dio: Kabelski izlaz, tip A, 90°, kompozitni, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja – Norma za proizvod (EN 3660-023:2008)

Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 023: Cable outlet, style A, 90°, composite, unsealed, with cable tie strain relief – Product standard (EN 3660-023:2008)

HRN EN 3660-024:2008
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 024. dio: Uvodna matica, tip A, kompozitni – Norma za proizvod (EN 3660-024:2008)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 024: Grommet nut, style A, composite – Product standard (EN 3660-024:2008)

HRN EN 3660-026:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 026. dio: Kabelski izlaz, tip A, 90°, nezabrtvljen, s učvršćivačima kabela za smanjenje istezanja za EN 3646 – Norma za proizvod (EN 3660-026:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 026: Cable outlet, style A , 90°, unsealed, with cable tie strain relief for EN 3646 – Product standard (EN 3660-026:2009)

HRN EN 3660-036:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 036. dio: Odstojni jastučić za kabelski izlaz, tip Z – Norma za proizvod (EN 3660-036:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 036: spacer pad for cable outlet, style Z – Product standard (EN 3660-036:2009)

HRN EN 3660-037:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 037. dio: Trakaste čahure, od elastomera, za kabelski izlaz, tip Z – Norma za proizvod (EN 3660-037:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 037: bushing strip, elastomer, for cable outlet, style Z Product standard (EN 3660-037:2009)

HRN EN 3660-062:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 062. dio: Kabelski izlaz, tip K, 90°, za elemente koje se skupljaju na toplini, oklopljeni, zabrtvljeni, samozatvarajući za EN 3645 – Norma za proizvod (EN 3660-062:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 062: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed, self-locking for EN 3645 – Product standard (EN 3660-062:2009)

HRN EN 3660-063:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 063. dio: Kabelski izlaz, tip K, ravni, za elemente koje se skupljaju na toplini, oklopljeni, zabrtvljeni, samozatvarajući za EN 3645 – Norma za proizvod (EN 3660-063:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 063: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed, self-locking for EN 3645 – Product standard (EN 3660-063:2009)

HRN EN 3660-064:2011
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 064. dio: Kabelski izlaz, tip K, ravni, za elemente koje se skupljaju na toplini, oklopljeni, zabrtvljeni, samozatvarajući za EN 2997 i EN 4067 – Norma za proizvod (EN 3660-064:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 064: Cable outlet, style K, straight, for heat shrinkable boot, shielded, sealed, self-locking for EN 2997 and EN 4067 – Product standard (EN 3660-064:2009)

HRN EN 3660-065:2012
Nizovi o zrakoplovstvu – Oprema utičnice kabela za kružne i kvadratne električne i optičke spojnice – 065. dio: Kabelski izlaz, tip K, 90°, za elemente koje se skupljaju na toplini, oklopljeni, zabrtvljeni, samozatvarajući za EN 2997 i EN 4067 – Norma za proizvod (EN 3660-065:2009)
Aerospace series – Cable outlet accessories for circular and rectangular electrical and optical connectors – Part 065: Cable outlet, style K, 90°, for heat shrinkable boot, shielded, sealed, self-locking for EN 2997 and EN 4067 – Product standard (EN 3660-065:2009)

HRN EN 3661-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivne struje 20 A do 50 A – 001. dio: Tehnička specifikacija (EN 3661-001:2006)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 20 A to 50 A – Part 001: Technical specification (EN 3661-001:2006)

HRN EN 3661-005:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivne struje 20 A do 50 A – 005. dio: S polariziranim signalnim kontaktom – Norma za proizvod (EN 3661-005:2006)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 20 A to 50 A – Part 005: With polarized signal contact – Product standard (EN 3661-005:2006)

HRN EN 3661-006:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivne struje 20 A do 50 A – 006. dio: S polariziranim signalnim kontaktom – Verzija sa sabirnom trakom – Norma za proizvod (EN 3661-006:2006)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated current 20 A to 50 A – Part 006: With polarized signal contact – Bus bar version – Product standard (EN 3661-006:2006)

HRN EN 3662-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivne struje 20 A do 50 A – 001. dio: Tehnička specifikacija (EN 3662-001:2006)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated current 20 A to 50 A – Part 001: Technical specification (EN 3662-001:2006)

HRN EN 3662-005:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivne struje 20 A do 50 A – 005. dio: S polariziranim signalnim kontaktom – Norma za proizvod (EN 3662-005:2006)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated current 20 A to 50 A – Part 005: With polarized signal contact – Product standard (EN 3662-005:2006)

HRN EN 3662-006:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivne struje 20 A do 50 A – 006. dio: S polariziranim signalnim kontaktom – Verzija sa sabirnom trakom – Norma za proizvod (EN 3662-006:2006)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated current 20 A to 50 A – Part 006: With polarized signal contact – Bus-bar version – Product standard (EN 3662-006:2006)

HRN EN 3663:2008
Nizovi o zrakoplovstvu – Priključak cijevi – O-prsteni od gume NBR, 75 IRHD – Temperaturni raspon: -55 °C do +135 °C (EN 3663:2001+AC:2003)
Aerospace series – Pipe coupling – O-rings in rubber NBR, 75 IRHD – Temperature range: -55 °C to +135 °C (EN 3663:2001+AC:2003)

HRN EN 3665:2008
Nizovi o zrakoplovstvu – Metode ispitivanja za boje i lakove – Ispitivanje otpornosti na mrežastu vrstu korozije za legure aluminija (EN 3665:1997)
Aerospace series – Test methods for paints and varnishes – Filiform corrosion resistance test on aluminium alloys (EN 3665:1997)

HRN EN 3668:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-PH2301 (NiCr21Fe18Mo9) – Neizložena toplini – Materijal namijenjen kovanju – a ili D ≤ 250 mm (EN 3668:2006)
Aerospace series – Heat resisting alloy NI-PH2301 (NiCr21Fe18Mo9) – Non heat treated – Forging stock – a or D ≤ 250 mm (EN 3668:2006)

HRN EN 3671:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-PH3601 (NiCr22Mo9Nb) – Neizložena toplini – Materijal namijenjen kovanju – a ili D ≤ 250 mm (EN 3671:2007)
Aerospace series – Heat resisting alloy NI-PH3601 (NiCr22Mo9Nb) – Non heat treated – Forging stock – a or D ≤ 250 mm (EN 3671:2007)

HRN EN 3672:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, legura na bazi nikla otporna na toplinu NI-P101HT (Waspaloy), prevučena srebrom, za kalup od 30° – Klasifikacija: 1210 MPa (pri temperaturi okoline)/ 730 °C (EN 3672:2008)
Aerospace series – Shank nuts, self-locking, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated, for 30° swage – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 3672:2008)

HRN EN 3676:2008
Nizovi o zrakoplovstvu – Zatici, s tankim zidom, samozatvarajući – Norma za projektiranje (EN 3676:1998)
Aerospace series – Inserts, thin wall, self-locking – Design standard (EN 3676:1998)

HRN EN 3677:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3801 (X5CrNiCu17-4) – Taljen na zraku – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 200 mm – Rm ≥ 1310 MPa (EN 3677:2007)
Aerospace series – Steel FE-PM3801 (X5CrNiCu17-4) – Air melted – Solution treated and precipitation treated – Forgings – a or D ≤ 200 mm – Rm ≥ 1310 MPa (EN 3677:2007)

HRN EN 3678:2008
Nizovi o zrakoplovstvu – Čelik FE-PM3801 (X5CrNiCu17-4) – Taljen na zraku – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 200 mm – Rm ≥ 930 MPa (EN 3678:2007)
Aerospace series – Steel FE-PM3801 (X5CrNiCu17-4) – Air melted – Solution treated and precipitation treated – Forgings – a or D ≤ 200 mm – Rm ≥ 930 MPa (EN 3678:2007)

HRN EN 3683:2008
Nizovi o zrakoplovstvu – Metode ispitivanja – Gnječeni proizvodi od legura titana – Određivanje primarnog α sadržaja – Metoda izračuna točke i metoda linijskog isječka (EN 3683:2007)
Aerospace series – Test methods – Titanium alloy wrought products – Determination of primary α content – Point count method and line intercept method (EN 3683:2007)

HRN EN 3684:2008
Nizovi o zrakoplovstvu – Metode ispitivanja – Gnječeni proizvodi od legura titana – Određivanje β transus temperature – Metalografska metoda (EN 3684:2007)
Aerospace series – Test methods – Titanium alloy wrought products – Determination of β transus temperature – Metallographic method (EN 3684:2007)

HRN EN 3685:2008
Nizovi o zrakoplovstvu – Matice od čelika otpornog na toplinu FE-PA2601 (A286) – Klasifikacija: 1100 MPa/650 °C – Tehnička specifikacija (EN 3685:2008)
Aerospace series – Bolts in heat resisting steel FE-PA2601 (A286) – Classification: 1100 MPa/ 650 °C – Technical specification (EN 3685:2008)

HRN EN 3686:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 1100 MPa/650 °C (EN 3686:2008)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa/650 °C (EN 3686:2008)

HRN EN 3686:2008/Ispr.1:2013
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 1100 MPa/650 °C (EN 3686:2008/AC:2009)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa/650 °C (EN 3686:2008/AC:2009)

HRN EN 3687:2011
Nizovi o zrakoplovstvu – Matice, normalne šesterokutne glave, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom – Klasifikacija: 1100 MPa/650 °C (EN 3687:2010)
Aerospace series – Bolts, normal hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa/650 °C (EN 3687:2010)

HRN EN 3687:2011/Ispr.1:2012
Nizovi o zrakoplovstvu – Matice, normalne šesterokutne glave, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA2601 (A286), prevučene srebrom – Klasifikacija: 1100 MPa/650 °C (EN 3687:2010/AC:2011)
Aerospace series – Bolts, normal hexagon head, relieved shank, long thread, in heat resisting steel FE-PA2601 (A286), silver plated – Classification: 1100 MPa/650 °C (EN 3687:2010/AC:2011)

HRN EN 3688:2008
Nizovi o zrakoplovstvu – Punila s T-prstenom od legure titana za zavarivanje cijevi – 14000 kPa nazivni tlak (EN 3688:2001+AC:2003)
Aerospace series – T-ring fillers in titanium alloy for welding pipes – 14000 kPa nominal pressure (EN 3688:2001+AC:2003)

HRN EN 3689:2008
Nizovi o zrakoplovstvu – Punila s T-prstenom od legure titana za zavarivanje cijevi – 28000 kPa nazivni tlak (EN 3689:2001+AC:2003)
Aerospace series – T-ring fillers in titanium alloy for welding pipes – 28000 kPa nominal pressure (EN 3689:2001+AC:2003)

HRN EN 3690:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, s pregradom, dugi (EN 3690:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, bulkhead, long (EN 3690:2001+AC:2003)

HRN EN 3691:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, s pregradom, dugi zavareni kraj (EN 3691:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, bulkhead, long welded end (EN 3691:2001+AC:2003)

HRN EN 3696:2008
Nizovi o zrakoplovstvu – Podloške od čelika otpornog na toplinu (EN 3696:2001)
Aerospace series – Washers in heat resisting steel (EN 3696:2001)

HRN EN 3706:2012
Nizovi o zrakoplovstvu – Utikači s navojem bez glave, s križnim utorom, od legure aluminija 5086 (EN 3706:2012)
Aerospace series – Headless threaded plugs, cross recess, in aluminium alloy 5086 (EN 3706:2012)

HRN EN 3707:2012
Nizovi o zrakoplovstvu – Utikači s navojem bez glave – Otvori za ugradnju (EN 3707:2012)
Aerospace series – Headless threaded plugs – Installation holes (EN 3707:2012)

HRN EN 3708-001:2008
Nizovi o zrakoplovstvu – Sustavi modularnog povezivanja - Sustavi terminalnih priključaka – 001. dio: Tehnička specifikacija (EN 3708-001:2006)
Aerospace series – Modular interconnection systems – Terminal junction systems – Part 001: Technical specification (EN 3708-001:2006)

HRN EN 3708-002:2008
Nizovi o zrakoplovstvu – Sustavi modularnog povezivanja - Sustavi terminalnih priključaka – 002. dio: Izvedbeni zahtjevi (EN 3708-002:2006)
Aerospace series – Modular interconnection systems – Terminal junction systems – Part 002: Performance specification (EN 3708-002:2006)

HRN EN 3708-003:2008
Nizovi o zrakoplovstvu – Sustavi modularnog povezivanja - Sustavi terminalnih priključaka – 003. dio: Demontažna verzija modula s povratnom spregom, zabrtvljeni – Norma za proizvod (EN 3708-003:2006)
Aerospace series – Modular interconnection systems – Terminal junction systems – Part 003: Removable feedback modules version, sealed – Product standard (EN 3708-003:2006)

HRN EN 3708-004:2008
Nizovi o zrakoplovstvu – Sustavi modularnog povezivanja - Sustavi terminalnih priključaka – 004. dio: Demontažna verzija modula sa povratnom spregom, nezabrtvljeni – Norma za proizvod (EN 3708-004:2006)
Aerospace series – Modular interconnection systems – Terminal junction systems – Part 004: Removable feedback modules version, unsealed – Product standard (EN 3708-004:2006)

HRN EN 3708-005:2008
Nizovi o zrakoplovstvu – Sustavi modularnog povezivanja - Sustavi terminalnih priključaka – 005. dio: Okviri s opremom za module s povratnom spregom, zabrtvljeni i nezabrtvljeni – Norma za proizvod (EN 3708-005:2006)
Aerospace series – Modular interconnection systems – Terminal junction systems – Part 005: Frames with accessories for feedback modules version, sealed and unsealed – Product standard (EN 3708-005:2006)

HRN EN 3709:2008
Nizovi o zrakoplovstvu – Ključevi i utičnice, dvanaestorokutne – Tehnička specifikacija (EN 3709:2006)
Aerospace series – Wrenches and sockets, bi-hexagonal – Technical specification (EN 3709:2006)

HRN EN 3710:2008
Nizovi o zrakoplovstvu – Utičnice, dvanaestorokutne – Tehnička specifikacija (EN 3710:2008)
Aerospace series – Sockets, bi-hexagonal – Technical Specification (EN 3710:2008)

HRN EN 3711:2008
Nizovi o zrakoplovstvu – Ključ sa dva kraja, dvanaestorokutni – Ravni, zglobni, upušteni (EN 3711:2008)
Aerospace series – Wrench-double ended, bi-hexagonal – Straight, cranked, offset (EN 3711:2008)

HRN EN 3712:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, jedno uho, nepomične, skraćene serije, s upustom, od čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 3712:2007)
Aerospace series – Nuts, anchor, self-locking, one lug, fixed, reduced series, with counterbore, in steel, cadmium plated, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 3712:2007)

HRN EN 3716-001:2008
Nizovi o zrakoplovstvu – Spojnice, jednostrane s troosnim sučeljem, za prijenos digitalnih podataka – 001. dio: Tehnička specifikacija (EN 3716-001:2006)
Aerospace series – Connector, single-way, with triaxial interface, for transmission of digital data – Part 001: Technical specification (EN 3716-001:2006)

HRN EN 3716-002:2008
Nizovi o zrakoplovstvu – Spojnice, jednostrane s troosnim sučeljem, za prijenos digitalnih podataka – 002. dio: Uvjeti upotrebe i popis norma za proizvod (EN 3716-002:2006)
Aerospace series – Connectors, single-way with triaxial interface, for transmission of digital data – Part 002: Conditions of use and list of product standards (EN 3716-002:2006)

HRN EN 3716-003:2008
Nizovi o zrakoplovstvu – Spojnice, jednostrane s troosnim sučeljem, za prijenos digitalnih podataka – 003. dio: Lemljena utičnica – Norma za proizvod (EN 3716-003:2006)
Aerospace series – Connectors, single-way with triaxial interface, for transmission of digital data – Part 003: Solder receptacle – Product standard (EN 3716-003:2006)

HRN EN 3716-004:2008
Nizovi o zrakoplovstvu – Spojnice, jednostrane s troosnim sučeljem, za prijenos digitalnih podataka – 004. dio: Lemljeni utikač – Norma za proizvod (EN 3716-004:2006)
Aerospace series – Connectors, single-way with triaxial interface, for transmission of digital data – Part 004: Solder plug – Product standard (EN 3716-004:2006)

HRN EN 3716-005:2008
Nizovi o zrakoplovstvu – Spojnice, jednostrane s troosnim sučeljem, za prijenos digitalnih podataka – 005. dio: Krimpana utičnica – Norma za proizvod (EN 3716-005:2006)
Aerospace series – Connector, single-way with triaxial interface, for transmission of digital data – Part 005: Crimp receptacle – Product standard (EN 3716-005:2006)

HRN EN 3716-006:2008
Nizovi o zrakoplovstvu – Spojnice, jednostrane s troosnim sučeljem, za prijenos digitalnih podataka – 006. dio: Krimpani utikač-- Norma za proizvod (EN 3716-006:2006)
Aerospace series – Connector, single-way with triaxial interface, for transmission of digital data – Part 006: Crimp plug – Product standard (EN 3716-006:2006)

HRN EN 3717:2009
Nizovi o zrakoplovstvu – Cijevi – Odabir za sustave fluida za motore (EN 3717:2008)
Aerospace series – Tubes – Selection for engines fluid systems (EN 3717:2008)

HRN EN 3718:2012
Nizovi o zrakoplovstvu – Metode ispitivanja metalnih materijala – Ultrazvučno ispitivanje cijevi (EN 3718:2012)
Aerospace series – Test method for metallic materials – Ultrasonic inspection of tubes (EN 3718:2012)

HRN EN 3719:2011
Nizovi o zrakoplovstvu – Vodiči za električne kabele od aluminija ili legura aluminija – Norma za proizvod (EN 3719:2010)
Aerospace series – Aluminium or aluminium alloy conductors for electrical cables – Product standard (EN 3719:2010)

HRN EN 3720:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3720:1995)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting steel FE-PA92HT (A286), MoS2 coated – Classification: 1100 MPa (at ambient temperature)/ 425 °C (EN 3720:1995)

HRN EN 3721:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, duboki upust, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 425 °C (EN 3721:1995)
Aerospace series – Nuts, bihexagonal, self-locking, deep counterbored, in heat resisting steel FE-PA92HT (A286), MoS2 coated – Classification: 1100 MPa (at ambient temperature)/425 °C (EN 3721:1995)

HRN EN 3722:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, od čelika otpornog na toplinu FE-PA92HT (A286), prevučen s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3722:1995)
Aerospace series – Shank nuts, self-locking, in heat resisting steel FE-PA92HT (A286), MoS2 coated – Classification: 1100 MPa (at ambient temperature)/ 425 °C (EN 3722:1995)

HRN EN 3723:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3723:1996)
Aerospace series – Nuts, hexagonal, self-locking, in heat resisting steel FE-PA92HT (A286), MoS2 coated – Classification: 1100 MPa (at ambient temperature)/ 425 °C (EN 3723:1996)

HRN EN 3724:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, od legure titana TI-P64001, prevučeni s MoS2 – Snaga razreda: 1100 MPa (pri temperaturi okoline) (EN 3724:2004)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in titanium alloy TI-P64001, MoS2 coated – Strength Class: 1100 MPa (at ambient temperature) (EN 3724:2004)

HRN EN 3725:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, imbus vijak sa šesterokutnom glavom, normalni struk, dugog navoja, od legure titana TI-P64001, anodizirani, prevučeni s MoS2 – Snaga razreda: 1100 MPa (pri temperaturi okoline) (EN 3725:2004)
Aerospace series – Screws, pan head, six lobe recess, normal shank, long thread, in titanium alloy TI-P64001, anodized, MoS2 coated – Strength class: 1100 MPa (at ambient temperature) (EN 3725:2004)

HRN EN 3726:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, s kopčom, od čelika otpornog na toplinu FE-PA2601 (A286), prevučen s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3726:2004)
Aerospace series – Nuts, self-locking, clip, in heat resisting steel FE-PA2601 (A286), MoS2 coated – Classification: 1100 MPa (at ambient temperature)/ 425 °C (EN 3726:2004)

HRN EN 3727:2008
Nizovi o zrakoplovstvu – Kruti kuglični ležajevi za konstrukciju zrakoplova s kućištem i ravnom prirubnicom – Tehnička specifikacija (EN 3727:2006)
Aerospace series – Bearings, airframe rolling rigid with flanged alignment housing – Technical specification (EN 3727:2006)

HRN EN 3728:2008
Nizovi o zrakoplovstvu – Matice za osovine, samozatvarajuće, lijevi navoj, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom (EN 3728:2008)
Aerospace series – Shaft-nuts, self-locking, left-hand thread, in heat resisting steel FE-PA92HT (A286), silver plated (EN 3728:2008)

HRN EN 3729:2008
Nizovi o zrakoplovstvu --Prsteni, s navojem, samozatvarajući, lijevi navoj, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom (EN 3729:2008)
Aerospace series – Rings, threaded, self-locking, left-hand thread, in heat resisting steel FE-PA92HT (A286), silver plated (EN 3729:2008)

HRN EN 3730:2012
Nizovi o zrakoplovstvu – Stege, sedlaste u fiksnom ili klizajućem obliku od legure aluminija, s gumenim jastučićima – Dimenzije, mase (EN 3730:2009)
Aerospace series – Clamps, saddle fixed and sliding version in aluminium alloy with rubber cushioning – Dimension, masses (EN 3730:2009)

HRN EN 3733-001:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 001. dio: Tehnička specifikacija (EN 3733-001:2009)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 001: Technical specification (EN 3733-001:2009)

HRN EN 3733-002:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature 150 °C – 002. dio: Popis norma za proizvod (EN 3733-002:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous – Part 002: List of product standards (EN 3733-002:2008)

HRN EN 3733-003:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature 150 °C – 003. dio: Utikač spojnica za kabel u skladu s EN 4532, norma za proizvod (EN 3733-003:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous – Part 003: Plug connector for cable according to EN 4532, product standard (EN 3733-003:2008)

HRN EN 3733-004:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature 150 °C – 004. dio: Utičnica, spojnica, sa četiri otvora za učvršćivanje kabela u skladu sa EN 4532, norma za proizvod (EN 3733-004:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous – Part 004: Receptacle, connector, four hole fixing cable according to EN 4532, product standard (EN 3733-004:2008)

HRN EN 3733-005:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature 150 °C – 005. dio: Utičnica, spojnica, s dva otvora za učvršćivanje kabela u skladu s EN 4532, norma za proizvod (EN 3733-005:2007)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous – Part 005: Receptacle, connector, two hole fixing cable according to EN 4532, product standard (EN 3733-005:2007)

HRN EN 3733-006:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature 150 °C – 006. dio: Utičnica, spojnica, kontra matica za učvršćivanje kabela u skladu s EN 4532, norma za proizvod (EN 3733-006:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature 150 °C continuous – Part 006: Receptacle, connector, jam nut fixing for cable according to EN 4532, product standard (EN 3733-006:2008)

HRN EN 3733-007:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 007. dio: Čahure (optički kontakt) za EN 4532 (200 μm/280 μm vlakno) – Norma za proizvod (EN 3733-007:2007)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 007: Ferrule (optical contact) for EN 4532 (200 μm/280 μm fibre) – Product standard (EN 3733-007:2007)

HRN EN 3733-008:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 008. dio: Podsklop utikača za kabel prema EN 4532 (200 μm/280 μm vlakno) – Norma za proizvod (EN 3733-008:2006)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 008: Plug sub-assembly for cable to EN 4532 (200 μm/280 μm fibre) – Product standard (EN 3733-008:2006)

HRN EN 3733-009:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 009. dio: Podsklopovi utičnice za kabel prema EN 4532 (200 μm/280 μm vlakno) – Norma za proizvod (EN 3733-009:2006)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 009: Receptacle sub-assembly for cable to EN 4532 (200 μm/280 μm fibre) – Product standard (EN 3733-009:2006)

HRN EN 3733-101:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 101. dio: Zaštitni pokrivač za utičnicu – Norma za proizvod (EN 3733-101:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 101: Protective cover receptacle – Product standard (EN 3733-101:2008)

HRN EN 3733-103:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 103. dio: Zaštitni pokrivač za utičnicu s kontra maticom – Norma za proizvod (EN 3733-103:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 103: Protective cover jam nut receptacle – Product standard (EN 3733-103:2008)

HRN EN 3733-104:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 104. dio: Prazne utičnice spojnice sa četiri otvora za učvršćivanje kabela – Norma za proizvod (EN 3733-104:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 104: Receptacle connector dummy four holes fixing – Product standard (EN 3733-104:2008)

HRN EN 3733-105:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 105. dio: Prazne utičnice spojnice s dva otvora za učvršćivanje kabela – Norma za proizvod (EN 3733-105:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 105: Receptacle connector dummy two holes fixing – Product standard (EN 3733-105:2008)

HRN EN 3733-106:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 106. dio: Prazne utičnice spojnice s kontramaticom – Norma za proizvod (EN 3733-106:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 106: Receptacle connector dummy jam nut – Product standard (EN 3733-106:2008)

HRN EN 3733-108:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednokanalne, opremljene sa samozatvarajućim prstenom, stalne radne temperature do 150 °C – 108. dio: Zaštitna kapica kabela – Norma za proizvod (EN 3733-108:2008)
Aerospace series – Connector, optical, circular, single channel, coupled by self-locking ring, operating temperature up to 150 °C continuous – Part 108: Cable support boot – Product standard (EN 3733-108:2008)

HRN EN 3740:2008
Nizovi o zrakoplovstvu – Matice, s jačim strukom, tanke šesterokutne glave, struk s uskom tolerancijom, kratki navoj, od legure titana, anodizirani, podmazani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 315 °C (EN 3740:1996)

Aerospace series – Bolts, shouldered, thin hexagonal head, close tolerance shank, short thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3740:1996)

HRN EN 3741:2008
Nizovi o zrakoplovstvu – Matice, s kopčom, metričke – Otvori za ugradnju i dodaci (EN 3741:2004)
Aerospace series – Nuts, clip, metric – Installation holes and assembly (EN 3741:2004)

HRN EN 3745-100:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 100. dio: Općenito (EN 3745-100:2008)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 100: General (EN 3745-100:2008)

HRN EN 3745-201:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 201. dio: Vizualno ispitivanje (EN 3745-201:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 201: Visual examination (EN 3745-201:2002)

HRN EN 3745-202:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 202.dio: Dimenzije vlakana (EN 3745-202:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 202: Fibre dimensions (EN 3745-202:2005)

HRN EN 3745-203:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 203.dio: Dimenzije kabela (EN 3745-203:2008)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 203: Cable dimensions (EN 3745-203:2008)

HRN EN 3745-205:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 205.dio: Longitudinalna dimenzijska stabilnost kabela (EN 3745-205:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 205: Cable longitudinal dimensional stability (EN 3745-205:2002)

HRN EN 3745-302:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 302.dio: Numerički otvor (EN 3745-302:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 302: Numerical aperture (EN 3745-302:2002)

HRN EN 3745-303:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 303.dio: Širina propusnosti frekvencija (EN 3745-303:2007)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 303: Bandwidth (EN 3745-303:2007)

HRN EN 3745-305:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 305.dio: Otpornost spojnice na prikupljanje svjetlosti iz okoline (EN 3745-305:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 305: Immunity to ambient light coupling (EN 3745-305:2002)

HRN EN 3745-306:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 306.dio: Promjene slabljenja tijekom temperaturnog ciklusa (EN 3745-306:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 306: Variation of attenuation during temperature cycling (EN 3745-306:2005)

HRN EN 3745-401:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 401. dio: Ubrzano starenje (EN 3745-401:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 401: Accelerated ageing (EN 3745-401:2005)

HRN EN 3745-402:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 402. dio: Temperaturni ciklus (EN 3745-402:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 402: Temperature cycling (EN 3745-402:2005)

HRN EN 3745-404:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 404. dio: Toplinski šok (EN 3745-404:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 404: Thermal shock (EN 3745-404:2005)

HRN EN 3745-405:2012
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 405. dio: Ispitivanje savijanja na niskoj/visokoj temperaturi (EN 3745-405:2012)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 405: Low/High temperature bend test (EN 3745-405:2012)

HRN EN 3745-406:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 406. dio: Savijanje pri povišenoj hladnoći (EN 3745-406:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 406: Cold bend test (EN 3745-406:2005)

HRN EN 3745-407:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 407. dio: Zapaljivost (EN 3745-407:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 407: Flammability (EN 3745-407:2005)

HRN EN 3745-410:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 410. dio: Toplinski vijek (EN 3745-410:2007)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 410: Thermal life (EN 3745-410:2007)

HRN EN 3745-411:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 411. dio: Otpornost na fluide (EN 3745-411:2007)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 411: Resistance to fluids (EN 3745-411:2007)

HRN EN 3745-412:2009
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 412. dio: Otpornost na vlagu (EN 3745-412:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 412: Humidity resistance (EN 3745-412:2005)

HRN EN 3745-501:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 501. dio: Probno ispitivanje optičkog vlakna (EN 3745-501:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 501: Optical fibre proof test (EN 3745-501:2005)

HRN EN 3745-502:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 502. dio: Zatezna čvrstoća za kratka optička vlakna (EN 3745-502:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 502: Tensile stength for short length of optical fibres (EN 3745-502:2005)

HRN EN 3745-503:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 503. dio: Trošenje zbog struganja (EN 3745-503:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 503: Scrape abrasion (EN 3745-503:2005)

HRN EN 3745-504:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 504. dio: Ispitivanje mikro savitljivosti (EN 3745-504:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 504: Micro bending test (EN 3745-504:2002)

HRN EN 3745-505:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 505. dio: Zatezna čvrstoća kabela (EN 3745-505:2007)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 505: Cable tensile strength (EN 3745-505:2007)

HRN EN 3745-506:2011
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 506. dio: Otpornost na udar (EN 3745-506:2009)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 506: Impact resistance (EN 3745-506:2009)

HRN EN 3745-507:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 507. dio: Presijecanje (EN 3745-507:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 507: Cut-through (EN 3745-507:2002)

HRN EN 3745-508:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 508. dio: Uvijanje (EN 3745-508:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 508: Torsion (EN 3745-508:2002)

HRN EN 3745-509:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 509. dio: Ispitivanje namotavanjem (EN 3745-509:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 509: Kink test (EN 3745-509:2002)

HRN EN 3745-510:2012
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 510. dio: Ispitivanje savijanjem (EN 3745-510:2012)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 510: Bending test (EN 3745-510:2012)

HRN EN 3745-511:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 511. dio: Habanje dodirivanjem kabela o kabel (EN 3745-511:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 511: Cable-to-cable abrasion (EN 3745-511:2002)

HRN EN 3745-512:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 512. dio: Izdržljivost na savijanje (EN 3745-512:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 512: Flexure endurance (EN 3745-512:2005)

HRN EN 3745-513:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 513. dio: Otpornost na gužvanje (EN 3745-513:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 513: Crush resistance (EN 3745-513:2005)

HRN EN 3745-514:2011
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 514. dio: Savijanje kabela uvrtanjem (EN 3745-514:2009)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 514: Cable twist bend (EN 3745-514:2009)

HRN EN 3745-515:2012
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 515. dio: Mjerenje sile umetanja zaštitnog omotoča (EN 3745-515:2012)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 515: Buffer insertion force (EN 3745-515:2012)

HRN EN 3745-516:2012
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 516. dio: Ispitivanje kabela velikim savijanjem (EN 3745-516:2012)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 516: Severe cable bend test (EN 3745-516:2012)

HRN EN 3745-517:2012
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 517. dio: Ispitivanje stezanja pričvršćivača kabela (EN 3745-517:2012)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 517: Cable tie clamping test (EN 3745-517:2012)

HRN EN 3745-601:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 601. dio: Gustoća dima (EN 3745-601:2007)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 601: Smoke density (EN 3745-601:2007)

HRN EN 3745-602:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 602. dio: Otrovnost (EN 3745-602:2008)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 602: Toxicity (EN 3745-602:2008)

HRN EN 3745-603:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 603. dio: Nuklearno zračenje (EN 3745-603:2008)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 603: Nuclear radiation (EN 3745-603:2008)

HRN EN 3745-701:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 701. dio: Uklonjivost (EN 3745-701:2002)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 701: Strippability (EN 3745-701:2002)

HRN EN 3745-703:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 703. dio: Izdržljivost oznaka proizvođača (EN 3745-703:2005)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 703: Durability of manufacturer's marking (EN 3745-703:2005)

HRN EN 3745-705:2008
Nizovi o zrakoplovstvu – Vlakna i kabeli, optički, za zrakoplove – Metode ispitivanja – 705. dio: Mjerenje kontrasta (EN 3745-705:2007)
Aerospace series – Fibres and cables, optical, aircraft use – Test methods – Part 705: Contrast measurement (EN 3745-705:2007)

HRN EN 3746:2008
Nizovi o zrakoplovstvu – O-prsteni, u fluorosilikonskoj gumi (FVMQ) – Tvrdoća 80 IRHD (EN 3746:2007)
Aerospace series – O-rings, in fluorosilicone rubber (FVMQ) – Hardness 80 IRHD (EN 3746:2007)

HRN EN 3747:2008
Nizovi o zrakoplovstvu – O-prsteni, u fluorosilikonskoj gumi (FVMQ) – Tehnička specifikacija (EN 3747:2007)
Aerospace series – O-rings, in fluorosilicone rubber (FVMQ) – Technical specification (EN 3747:2007)

HRN EN 3748:2008
Nizovi o zrakoplovstvu – O-prsten utori – Dimenzije (EN 3748:2001)
Aerospace series – O-ring grooves – Dimensions (EN 3748:2001)

HRN EN 3750:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, nepomične, 90° kut, skraćene serije, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 3750:2010)
Aerospace series – Nuts, anchor, self-locking, fixed, 90° corner, reduced series, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 3750:2010)

HRN EN 3752:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, MJ navoji, od čelika otpornog na toplinu FE-PA2601 (A286), prevučene s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C – Tehnička specifikacija (EN 3752:2004)
Aerospace series – Nuts, self-locking, MJ threads, in heat resisting steel FE-PA2601 (A286), MoS2 coated – Classification: 1100 MPa (at ambient temperature)/ 425 °C – Technical specification (EN 3752:2004)

HRN EN 3753:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, nepomične, 60° kut, s upustom, od legure čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 3753:2010)
Aerospace series – Nuts, anchor, self-locking, fixed, 60° corner, with counterbore, in alloy steel, cadmium plated, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 3753:2010)

HRN EN 3757:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, plivajuće, samoprilagodljive, s dva uha, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline) / 315 °C (EN 3757:2009)
Aerospace series – Nuts, anchor, self-locking, floating, self-aligning, two lugs, in heat resisting steel, MoS2 lubricated – Classification: 900 MPa (at ambient temperature) / 315 °C (EN 3757:2009)

HRN EN 3759:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, s navojem do glave, od čelika otpornog na toplinu i koroziju, pasivizirani – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 425 °C (EN 3759:1996)
Aerospace series – Screws, pan head, offset cruciform recess, threaded to head, in heat and corrosion resisting steel, passivated – Classification: 1100 MPa (at ambient temperature)/425 °C (EN 3759:1996)

HRN EN 3760:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, s navojem do glave, od čelika otpornog na toplinu i koroziju, pasivizirani – Klasifikacija: 1100 MPa (pri temperaturi okoline)/425 °C (EN 3760:1996)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, threaded to head, in heat and corrosion resisting steel, passivated – Classification: 1100 MPa (at ambient temperature)/ 425 °C (EN 3760:1996)

HRN EN 3763:2011
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, kuglasti dosjed, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline)/315 °C (EN 3763:2010)
Aerospace series – Nuts, hexagonal, self-locking, ball seat, in heat resisting steel, MoS2 lubricated – Classification: 900 MPa (at ambient temperature) / 315 °C (EN 3763:2010)

HRN EN 3768:2012
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, s jednim uhom, nepomične, skraćene serije, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3768:2012)
Aerospace series – Nuts, anchor, self-locking, one lug, fixed, reduced series, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 3768:2012)

HRN EN 3769:2008
Nizovi o zrakoplovstvu – Elektrolitičko poliranje čelika otpornih na koroziju i legura otpornih na toplinu (EN 3769:1997)
Aerospace series – Electrolytic polishing of corrosion resisting steels and heat resisting alloys (EN 3769:1997)

HRN EN 3773-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivnih struja 1 A do 25 A, kapaciteta prekidanja 65 /n/1000 A max. – 001. dio: Tehnička specifikacija (EN 3773-001:1999)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A, switching capacity 65 /n/1000 A max. – Part 001: Technical specification (EN 3773-001:1999)

HRN EN 3773-003:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivnih struja 1 A do 25 A, kapaciteta prekidanja 65 /n/1000 A max. – 003. dio: Terminali s metričkim navojem – Norma za proizvod (EN 3773-003:1999)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A, switching capacity 65 /n/1000 A max. – Part 003: Metric thread terminals – Product standard (EN 3773-003:1999)

HRN EN 3773-004:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivnih struja 1 A do 25 A, kapaciteta prekidanja 65 /n/1000 A max. – 004. dio: Terminali s UNC navojima – Norma za proizvod (EN 3773-004:1999)

Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 1 A to 25 A, switching capacity 65 /n/1000 A max. – Part 004: UNC thread terminals – Product standard (EN 3773-004:1999)

HRN EN 3774-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 2 A do 25 A, kapaciteta prekidanja 25 /n – 001. dio: Tehnička specifikacija (EN 3774-001:1999)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 2 A to 25 A, switching capacity 25 /n – Part 001: Technical specification (EN 3774-001:1999)

HRN EN 3774-003:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 2 A do 25 A, kapaciteta prekidanja 65 /n – 003. dio: Terminali s metričkim navojem – Norma za proizvod (EN 3774-003:1999)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 2 A to 25 A, switching capacity 65 /n – Part 003: Metric thread terminals – Product standard (EN 3774-003:1999)

HRN EN 3774-004:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 2 A do 25 A, kapaciteta prekidanja 65 /n – 004. dio: Terminali s UNC navojima – Norma za proizvod (EN 3774-004:1999)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 2 A to 25 A, switching capacity 65 /n – Part 004: UNC thread terminals – Product standard (EN 3774-004:1999)

HRN EN 3777:2011
Nizovi o zrakoplovstvu – Umeci, brzo oslobađajući, sa jednim i sa dvostrukim djelovanjem – Tehnička specifikacija (EN 3777:2010)
Aerospace series – Pins, quick release, single and double acting – Technical specification (EN 3777:2010)

HRN EN 3781:2008
Nizovi o zrakoplovstvu – Utori za spiralne osiguravajuće prstene – Norma za projektiranje (EN 3781:2008)
Aerospace series – Grooves for spiral wound retaining rings – Design standard (EN 3781:2008)

HRN EN 3782:2008
Nizovi o zrakoplovstvu – Rupe za vijke sa 100° upuštenom glavom – Norma za projektiranje (EN 3782:2008)
Aerospace series – Holes for 100° countersunk head screws – Design standard (EN 3782:2008)

HRN EN 3788:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8°30' – Zaštitne kape (EN 3788:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' – Protective caps (EN 3788:2001+AC:2003)

HRN EN 3789:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8° 30' – Zaštitni utikači sa vanjskim navojima (EN 3789:2001+AC:2003)
Aerospace series – Pipe coupling 8° 30' – Protective plugs with external threads (EN 3789:2001+AC:2003)

HRN EN 3790:2008
Nizovi o zrakoplovstvu – Priključak cijevi 8° 30' – Zaštitni utikači sa unutarnjim navojima (EN 3790:2001+AC:2003)
Aerospace series – Pipe coupling 8° 30' – Protective caps with internal threads (EN 3790:2001+AC:2003)

HRN EN 3816:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3601 (X6CrNiTi18-10) – Taljen na zraku – Omekšan i hladno valjan – Lim i traka a ≤ 3 mm – Rm ≥ 800 MPa (EN 3816:2006)
Aerospace series – Steel FE-PA3601 (X6CrNiTi18-10) – Air melted – Softened and cold rolled – Sheet and strip a ≤ 3 mm – Rm ≥ 800 MPa (EN 3816:2006)

HRN EN 3818:2008
Nizovi o zrakoplovstvu – Matice, MJ navoji, od legure titana TI-P64001 – Razred snage: 1100 MPa (pri temperaturi okoline) – Tehnička specifikacija (EN 3818:2004)
Aerospace series – Bolts, MJ threads, in titanium alloy TI-P64001 – Strength class: 1100 MPa (at ambient temperature) – Technical specification (EN 3818:2004)

HRN EN 3819:2008
Nizovi o zrakoplovstvu – Zračnosti za nasadne ključeve (EN 3819:2008)
Aerospace series – Clearance for wrenches and sockets (EN 3819:2008)

HRN EN 3820:2008
Nizovi o zrakoplovstvu – Metričke matice, normalna šesterokutna glava, normalnog struka grube tolerancije, kratki navoj, od legure titana, anodizirane, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 3820:2006)
Aerospace series – Metric bolts, normal hexagon head, coarse tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/ 315 °C (EN 3820:2006)

HRN EN 3831:2008
Nizovi o zrakoplovstvu – Zatici, tanke stijenke, samozatvarajući, MJ navoji, od čelika otpornog na toplinu FE-PM3801 (17-4PH), prevučeni s MoS2 (EN 3831:2004)
Aerospace series – Inserts, thickwall, self-locking, MJ threads, in heat resisting steel FE-PM3801 (17-4PH), MoS2 coated (EN 3831:2004)

HRN EN 3832:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718) – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 650 °C (EN 3832:2004)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718) – Classification: 1550 MPa (at ambient temperature)/650 °C (EN 3832:2004)

HRN EN 3833:2008
Nizovi o zrakoplovstvu – Vijci, s "MJ" navojem, otporni na toplinu od legure na bazi nikla NI-PH2601 (Inconel 718), pasivizirani – Klasifikacija: 1550 MPa (pri temperaturi okoline)/650 °C – Tehnička specifikacija (EN 3833:2004)
Aerospace series – Bolts, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), passivated – Classification: 1550 MPa (at ambient temperature)/650 °C – Technical specification (EN 3833:2004)

HRN EN 3834:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, plivajuće, s dva uha, sa dodatnim upustom, od čelika otpornog na koroziju, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline) / 315 °C (EN 3834:2010)
Aerospace series – Nuts, anchor, self-locking, floating, two lug, incremental counterbore, in corrosion resisting steel, MoS2 lubricated – Classification: 900 MPa (at ambient temperature) / 315 °C (EN 3834:2010)

HRN EN 3838:2011
Nizovi o zrakoplovstvu – Zahtjevi i ispitivanja korisničkih oznaka na električnim kabelima za zrakoplovstvo (EN 3838:2010)
Aerospace series – Requirements and tests on user-applied markings on aircraft electrical cables (EN 3838:2010)

HRN EN 3840:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Tehnička specifikacija (EN 3840:2007)
Aerospace series – Paints and varnishes – Technical specification (EN 3840:2007)

HRN EN 3841-100:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 100. dio: Općenito (EN 3841-100:2004)
Aerospace series – Circuit breakers – Test methods – Part 100: General (EN 3841-100:2004)

HRN EN 3841-201:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 201. dio: Vizualni pregled (EN 3841-201:2004)
Aerospace series – Circuit breakers – Test methods – Part 201: Visual inspection (EN 3841-201:2004)

HRN EN 3841-202:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 202. dio: Dimenzije i mase (EN 3841-202:2004)
Aerospace series – Circuit breakers – Test methods – Part 202: Dimensions and masses (EN 3841-202:2004)

HRN EN 3841-301:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 301. dio: Pad napona (EN 3841-301:2004)
Aerospace series – Circuit breakers – Test methods – Part 301: Voltage drop (EN 3841-301:2004)

HRN EN 3841-302:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 302. dio: Otpor izolacije (EN 3841-302:2004)
Aerospace series – Circuit breakers – Test methods – Part 302: Insulation resistance (EN 3841-302:2004)

HRN EN 3841-303:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 303. dio: Dielektrična snaga (EN 3841-303:2004)
Aerospace series – Circuit breakers – Test methods – Part 303: Dielectric strength (EN 3841-303:2004)

HRN EN 3841-304:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 304. dio: Točke okidanja (EN 3841-304:2004)
Aerospace series – Circuit breakers – Test methods – Part 304: Tripping points (EN 3841-304:2004)

HRN EN 3841-305:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 305. dio: Značajke kratkog spoja (EN 3841-305:2004)
Aerospace series – Circuit breakers – Test methods – Part 305: Short-circuit performance (EN 3841-305:2004)

HRN EN 3841-306:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 306. dio: Radni vijek (EN 3841-306:2004)
Aerospace series – Circuit breakers – Test methods – Part 306: Service life (EN 3841-306:2004)

HRN EN 3841-307:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 307. dio: Radne značajke s blokiranim sustavom okidanja (EN 3841-307:2004)
Aerospace series – Circuit breakers – Test methods – Part 307: Performance with a locked tripping system (EN 3841-307:2004)

HRN EN 3841-308:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 308. dio: Djelovanje groma (EN 3841-308:2004)
Aerospace series – Circuit breakers – Test methods – Part 308: Lightning (EN 3841-308:2004)

HRN EN 3841-401:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 401. dio: Pijesak i prašina (EN 3841-401:2004)
Aerospace series – Circuit breakers – Test methods – Part 401: Sand and dust (EN 3841-401:2004)

HRN EN 3841-402:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 402. dio: Korozija (EN 3841-402:2004)
Aerospace series – Circuit breakers – Test methods – Part 402: Corrosion (EN 3841-402:2004)

HRN EN 3841-403:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 403. dio: Vlažnost (EN 3841-403:2004)
Aerospace series – Circuit breakers – Test methods – Part 403: Humidity (EN 3841-403:2004)

HRN EN 3841-404:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 404. dio: Otpornost na eksploziju (EN 3841-404:2004)
Aerospace series – Circuit breakers – Test methods – Part 404: Explosion proofness (EN 3841-404:2004)

HRN EN 3841-405:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 405. dio: Otpornost na fluide (EN 3841-405:2004)
Aerospace series – Circuit breakers – Test methods – Part 405: Fluid resistance (EN 3841-405:2004)

HRN EN 3841-406:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 406. dio: Zapaljivost (EN 3841-406:2004)
Aerospace series – Circuit breakers – Test methods – Part 406: Flammability (EN 3841-406:2004)

HRN EN 3841-407:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 407. dio: Izmjene temperature (EN 3841-407:2004)
Aerospace series – Circuit breakers – Test methods – Part 407: Temperature variation (EN 3841-407:2004)

HRN EN 3841-501:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 501. dio: Kretanje dugmeta za pokretanje (EN 3841-501:2004)
Aerospace series – Circuit breakers – Test methods – Part 501: Actuator button travel (EN 3841-501:2004)

HRN EN 3841-502:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 502. dio: Radne sile (EN 3841-502:2004)
Aerospace series – Circuit breakers – Test methods – Part 502: Operating forces (EN 3841-502:2004)

HRN EN 3841-503:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 503. dio: Snaga pokretačkih dijelova (EN 3841-503:2004)
Aerospace series – Circuit breakers – Test methods – Part 503: Strength of actuating components (EN 3841-503:2004)

HRN EN 3841-504:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 504. dio: Snaga ugradbenih dijelova (EN 3841-504:2004)
Aerospace series – Circuit breakers – Test methods – Part 504: Strength of mounting elements (EN 3841-504:2004)

HRN EN 3841-505:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 505. dio: Snaga glavnih terminala (EN 3841-505:2004)
Aerospace series – Circuit breakers – Test methods – Part 505: Strength of main terminals (EN 3841-505:2004)

HRN EN 3841-506:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 506. dio: Značajke vibracija (EN 3841-506:2004)
Aerospace series – Circuit breakers – Test methods – Part 506: Vibration performance (EN 3841-506:2004)

HRN EN 3841-507:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 507. dio: Mehanički šok (EN 3841-507:2004)
Aerospace series – Circuit breakers – Test methods – Part 507: Mechanical shocks (EN 3841-507:2004)

HRN EN 3841-508:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 508. dio: Centrifugalno ubrzanje (EN 3841-508:2004)
Aerospace series – Circuit breakers – Test methods – Part 508: Centrifugal acceleration (EN 3841-508:2004)

HRN EN 3841-509:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 509. dio: Sile uvlačenja i izvlačenja terminala signalnog kontakta (EN 3841-509:2004)
Aerospace series – Circuit breakers – Test methods – Part 509: Insertion and extraction forces of signal contact terminals (EN 3841-509:2004)

HRN EN 3841-510:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 510. dio: Čvrstoća signalnih kontaktnih terminala (EN 3841-510:2004)
Aerospace series – Circuit breakers – Test methods – Part 510: Strength of signal contact terminals (EN 3841-510:2004)

HRN EN 3841-511:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Metode ispitivanja – 511. dio: Kombinirao ispitivanje: temperature, visine i vibracija (EN 3841-511:2004)
Aerospace series – Circuit breakers – Test methods – Part 511: Combined test: temperature, altitude and vibration (EN 3841-511:2004)

HRN EN 3842:2008
Nizovi o zrakoplovstvu – Cijevi savijene u krug za fluide od čelika otpornog na koroziju – Promjer 3,2 mm <= D <= 100 mm – Debljina 0,32 mm <= a <= 2,5 mm – Dimenzije (EN 3842:2001)
Aerospace series – Circular tubes for fluids in corrosion resistant steel – Diameter 3,2 mm <= D <= 100 mm – Thickness 0,32 mm <= a <= 2,5 mm – Dimensions (EN 3842:2001)

HRN EN 3843:2011
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, s upustom, od čelika otpornog na toplinu, pasivizirane – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 650 °C (EN 3843:2010)
Aerospace series – Nuts, bihexagonal, self-locking, with counterbore, in heat resisting steel, passivated – Classification: 1100 MPa (at ambient temperature) / 650 °C (EN 3843:2010)

HRN EN 3844-1:2012
Nizovi o zrakoplovstvu – Zapaljivost nemetalnih materijala – 1. dio: Ispitivanje malim plamenikom, vertikalno – Određivanje vertikalnog rasprostiranja plamena (EN 3844-1:2011)
Aerospace series – Flammability of non metallic materials – Part 1: Small burner test, vertical – Determination of the vertical flame propagation (EN 3844-1:2011)

HRN EN 3844-2:2012
Nizovi o zrakoplovstvu – Zapaljivost nemetalnih materijala – 2. dio: Ispitivanje malim plamenikom, horizontalno – Određivanje horizontalnog rasprostiranja plamena (EN 3844-2:2011)
Aerospace series – Flammability of non metallic materials – Part 2: Small burner test, horizontal – Determination of the horizontal flame propagation (EN 3844-2:2011)

HRN EN 3844-3:2012
Nizovi o zrakoplovstvu – Zapaljivost nemetalnih materijala – 3. dio: Ispitivanje malim plamenikom, 45° – Određivanje otpornosti materijala na plamen i rasprostiranje plamena te prodor plamena (EN 3844-3:2011)
Aerospace series – Flammability of non metallic materials – Part 3: Small burner test, 45° – Determination of the resistance of material to flame and glow propagation and to flame penetration (EN 3844-3:2011)

HRN EN 3848:2008
Nizovi o zrakoplovstvu – Poluzavršeni metalni proizvodi – Metode mjerenja odstupanja od oblika (EN 3848:2001)
Aerospace series – Semi-finished metallic products – Methods of measuring form deviations (EN 3848:2001)

HRN EN 3851:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Obrtne matice, ravne (EN 3851:2003)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Swivel nuts, straight (EN 3851:2003)

HRN EN 3852:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Ravni spojevi, zavareni, s navojem (EN 3852:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Straight unions, welded, threaded (EN 3852:2002)

HRN EN 3853:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Ravni spojevi, s navojem (EN 3853:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Straight unions, threaded (EN 3853:2002)

HRN EN 3854:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Čahure, zavarene (EN 3854:2002)
Aerospace series – Pipe couplings, 60°, spherical in titanium alloy TI-P64001 – Ferrules, welded (EN 3854:2002)

HRN EN 3855:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Poklopci (EN 3855:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Caps (EN 3855:2002)

HRN EN 3856:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Obrtne matice za potisnu žicu (EN 3856:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Swivel nuts for thrust wire (EN 3856:2002)

HRN EN 3857:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Koljena od 90°, zavarena (EN 3857:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Elbows 90°, welded (EN 3857:2002)

HRN EN 3858:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana TI-P64001 – Potisne žice od čelika FE-PA 13 (EN 3858:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy TI-P64001 – Thrust wires in steel FE-PA 13 (EN 3858:2002)

HRN EN 3867:2008
Nizovi o zrakoplovstvu – Priključci cijevi, slobodne prirubnice i brtve – Prirubnice od legure titana TI-P64001 (EN 3867:2004)
Aerospace series – Pipe couplings, loose flanges and seals – Flanges in titanium alloy TI-P64001 (EN 3867:2004)

HRN EN 3868:2008
Nizovi o zrakoplovstvu – Priključci cijevi, slobodne prirubnice i brtve – Prirubnice spojnica, zavarene, od legure titana TI-P64001 (EN 3868:2004)
Aerospace series – Pipe couplings, loose flanges and seals – Flange connectors, welded, in titanium alloy TI-P64001 (EN 3868:2004)

HRN EN 3869:2008
Nizovi o zrakoplovstvu – Priključci cijevi, slobodne prirubnice i brtve – Brtve od fluorugljenične gume i armatura od legure aluminija (EN 3869:2004)
Aerospace series – Pipe couplings, loose flanges and seals – Seals in fluorocarbon rubber and armature in aluminium alloy (EN 3869:2004)

HRN EN 3872:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-R39002-H112 – Otkivci kovani u ukovnjima – a<200 mm (EN 3872:2005)
Aerospace series – Aluminium alloy AL-R39002-H112 – Die forgings – a<200 mm (EN 3872:2005)

HRN EN 3873:2011
Nizovi o zrakoplovstvu – Metode ispitivanja za metalne materijale – Određivanje brzine rasta pukotine zbog zamora materijala uporabom dijelova Corner-Cracked (CC) ispitivanja (EN 3873:2010)
Aerospace series – Test methods for metallic materials – Determination of fatigue crack growth rates using Corner-Cracked (CC) test pieces (EN 3873:2010)

HRN EN 3882:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH1801 (NiCr20Co18Ti3Al2) – Dodatni materijal za zavarivanje (EN 3882:2001)
Aerospace series – Heat resisting alloy NI-WH1801 (NiCr20Co18Ti3Al2) – Filler metal for welding (EN 3882:2001)

HRN EN 3883:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH2301 (NiCr22Fe19Mo9Co2) – Dodatni materijal za zavarivanje (EN 3883:2001)
Aerospace series – Heat resisting alloy NI-WH2301 (NiCr22Fe19Mo9Co2) – Filler metal for welding (EN 3883:2001)

HRN EN 3884:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH2601 (NiCr19Nb5Mo3Ti) – Dodatni materijal za zavarivanje (EN 3884:2001)
Aerospace series – Heat resisting alloy NI-WH2601 (NiCr19Nb5Mo3Ti) – Filler metal for welding (EN 3884:2001)

HRN EN 3885:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH3601 (NiCr22Mo9Nb4) – Dodatni materijal za zavarivanje (EN 3885:2001)
Aerospace series – Heat resisting alloy NI-WH3601 (NiCr22Mo9Nb4) – Filler metal for welding (EN 3885:2001)

HRN EN 3886:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH1303 (NiCo20Cr20Mo5Ti2Al) – Dodatni materijal za zavarivanje (EN 3886:2001)
Aerospace series – Heat resisting alloy NI-WH1303 (NiCo20Cr20Mo5Ti2Al) – Filler metal for welding (EN 3886:2001)

HRN EN 3887:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu CO-WH4101 (CoCr20W15Ni) – Dodatni materijal za zavarivanje (EN 3887:2001)
Aerospace series – Heat resisting alloy CO-WH4101 (CoCr20W15Ni) – Filler metal for welding (EN 3887:2001)

HRN EN 3888:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu CO-WH1402 (CoCr22Ni22W15) – Dodatni materijal za zavarivanje (EN 3888:2001)
Aerospace series – Heat resisting alloy CO-WH1402 (CoCr22Ni22W15) – Filler metal for welding (EN 3888:2001)

HRN EN 3889:2008
Nizovi o zrakoplovstvu – Čelik FE-WM3801 (X5CrNiCu17-4) – Dodatni materijal za zavarivanje (EN 3889:2001)
Aerospace series – Steel FE-WM3801 (X5CrNiCu17-4) – Filler metal for welding (EN 3889:2001)

HRN EN 3890:2008
Nizovi o zrakoplovstvu – Čelik FE-WM1502 (X11CrNiMoVN12-3) – Dodatni materijal za zavarivanje (EN 3890:2001)
Aerospace series – Steel FE-WM1502 (X11CrNiMoVN12-3) – Filler metal for welding (EN 3890:2001)

HRN EN 3892:2008
Nizovi o zrakoplovstvu – Legura titana TI-W64001 – Dodatni materijal za zavarivanje (EN 3892:2001)
Aerospace series – Titanium alloy TI-W64001 – Filler metal for welding (EN 3892:2001)

HRN EN 3893:2008
Nizovi o zrakoplovstvu – Legura titana TI-W19001 – Dodatni materijal za zavarivanje (EN 3893:2001)
Aerospace series – Titanium alloy TI-W19001 – Filler metal for welding (EN 3893:2001)

HRN EN 3894:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WD3201 (NiMo25Fe6Cr5) – Dodatni materijal za zavarivanje (EN 3894:2001)
Aerospace series – Heat resisting alloy NI-WD3201 (NiMo25Fe6Cr5) – Filler metal for welding (EN 3894:2001)

HRN EN 3895:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH3901 (NiCr16Mo15) – Dodatni materijal za zavarivanje (EN 3895:2001)
Aerospace series – Heat resisting alloy NI-WH3901 (NiCr16Mo15) – Filler metal for welding (EN 3895:2001)

HRN EN 3896:2008
Nizovi o zrakoplovstvu – Čelik FE-WM1501 (X13CrNiMoCo12-3-2-2) – Dodatni materijal za zavarivanje (EN 3896:2001)
Aerospace series – Steel FE-WM1501 (X13CrNiMoCo12-3-2-2) – Filler metal for welding (EN 3896:2001)

HRN EN 3897:2008
Nizovi o zrakoplovstvu – Čelik FE-WA4801 (X6CrNiMnNb18-10) – Dodatni materijal za zavarivanje (EN 3897:2001)
Aerospace series – Steel FE-WA4801 (X6CrNiMnNb18-10) – Filler metal for welding (EN 3897:2001)

HRN EN 3899:2008
Nizovi o zrakoplovstvu – Zatici, tanke stijenke, samozatvarajući, MJ navoji, od čelika otpornog na toplinu FE-PM3801 (17-4PH) – Tehnička specifikacija (EN 3899:2004)
Aerospace series – Inserts, thickwall, self-locking, MJ threads, in heat resisting steel FE-PM3801 (17-4PH) – Technical specification (EN 3899:2004)

HRN EN 3905:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom za matice – Tehnička specifikacija (EN 3905:2008)
Aerospace series – Six lobe recesses for bolts – Technical specification (EN 3905:2008)

HRN EN 3907:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, normali struk, dugog navoja, od legure titana TI-P64001, prevučeni s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/350 °C (EN 3907:2004)
Aerospace series – Bolts, double hexagon head, normal shank, long thread, in titanium alloy TI-P64001, MoS2 coated – Classification: 1100 MPa (at ambient temperature)/350 °C (EN 3907:2004)

HRN EN 3909:2008
Nizovi o zrakoplovstvu – Ispitni fluidi i metode ispitivanja za električne dijelove i podsklopove (EN 3909:2007)
Aerospace series – Test fluids and test methods for electric components and sub-assemblies (EN 3909:2007)

HRN EN 3911:2011
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Geometrijska definicija (EN 3911:2010)
Aerospace series – Six lobe recess – Geometrical definition (EN 3911:2010)

HRN EN 3912:2008
Nizovi o zrakoplovstvu – Matice, s ravnom glavom, imbus vijak sa šesterokutnom glavom, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA2601 (FE-PA92HT, A286), prevučene srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 650 °C (EN 3912:2007)
Aerospace series – Bolts, pan head, six lobe recess, relieved shank, long thread, in heat resisting steel FE-PA2601 (FE-PA92HT, A286), silver plated – Classification: 1100 MPa (at ambient temperature) / 650 °C (EN 3912:2007)

HRN EN 3913:2008
Nizovi o zrakoplovstvu – Umetak, s tankim zidom, samozatvarajući, kratki, legura na bazi nikla otporna na toplinu NI-PH2601 (Ni-P100HT, Inconel 718), unutrašnji navoj prevučen srebrom, za popravak dijelova (EN 3913:2007)
Aerospace series – Insert, thin wall, self-locking, short, in heat resisting nickel base alloy NI-PH2601 (Ni-P100HT, Inconel 718), silver plated on internal thread, for salvage of components (EN 3913:2007)

HRN EN 3914:2008
Nizovi o zrakoplovstvu – Umetak, s tankim zidom, samozatvarajući, dugi, legura na bazi nikla otporna na toplinu NI-PH2601 (NI-P100HT, Inconel 718), s unutrašnjim navojem prevučenim srebrom, za popravku dijelova (EN 3914:2008)
Aerospace series – Insert, thin wall, self-locking, long, in heat resisting nickel base alloy NI-PH2601 (NI-P100HT, Inconel 718), silver plated on internal thread, for salvage of components (EN 3914:2008)

HRN EN 3915:2008
Nizovi o zrakoplovstvu – Umetak, s tankim zidom, samozatvarajući, MJ navoji, legura na bazi nikla otporna na toplinu NI-PH2601 (NI-P100HT, Inconel 718), za popravak dijelova – Klasifikacija: 1275 MPa (pri temperaturi okoline) / 550 °C – Tehnička specifikacija (EN 3915:2008)
Aerospace series – Insert, thin wall, self-locking, MJ threads, in heat resisting nickel base alloy NI-PH2601 (NI-P100HT, Inconel 718), for salvage of components – Classification: 1275 MPa (at ambient temperature) / 550 °C – Technical specification (EN 3915:2008)

HRN EN 3916:2008
Nizovi o zrakoplovstvu – Umetak, s tankim zidom – Postupak popravka za dijelove (EN 3916:2008)
Aerospace series – Insert, thin wall – Salvage procedure for components (EN 3916:2008)

HRN EN 3917:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41201 (NiCr14Si5B3C) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3917:1998)
Aerospace series – Nickel base alloy NI-B41201 (NiCr14Si5B3C) – Filler metal for brazing – Powder or paste (EN 3917:1998)

HRN EN 3918:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41201 (NiCr14Si5B3C) – Dodatni materijal za tvrdo lemljenje – Traka (EN 3918:1998)
Aerospace series – Nickel base alloy NI-B41201 (NiCr14Si5B3C) – Filler metal for brazing – Tape (EN 3918:1998)

HRN EN 3919:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41202 (NiCr14Si5B3) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3919:1998)
Aerospace series – Nickel base alloy NI-B41202 (NiCr14Si5B3) – Filler metal for brazing – Amorphous foil (EN 3919:1998)

HRN EN 3920:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41202 (NiCr14Fe5Si5B3) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3920:2001)
Aerospace series – Nickel base alloy NI-B41202 (NiCr14Fe5Si5B3) – Filler metal for brazing – Powder or paste (EN 3920:2001)

HRN EN 3921:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41203 (NiCr7Si5B3) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3921:2001)
Aerospace series – Nickel base alloy NI-B41203 (NiCr7Si5B3) – Filler metal for brazing – Amorphous foil (EN 3921:2001)

HRN EN 3922:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41203 (NiCr7Si5B3) – Dodatni materijal za tvrdo lemljenje – Boridna folija (EN 3922:1998)
Aerospace series – Nickel base alloy NI-B41203 (NiCr7Si5B3) – Filler metal for brazing – Borided foil (EN 3922:1998)

HRN EN 3923:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41203 (NiCr7Si5B3Fe3) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3923:2001)
Aerospace series – Nickel base alloy NI-B41203 (NiCr7Si5B3Fe3) – Filler metal for brazing – Powder or paste (EN 3923:2001)

HRN EN 3924:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41203 (NiCr7Si5B3) – Dodatni materijal za tvrdo lemljenje – Traka (EN 3924:1998)
Aerospace series – Nickel base alloy NI-B41203 (NiCr7Si5B3) – Filler metal for brazing – Tape (EN 3924:1998)

HRN EN 3925:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40001 (NiSi5B3) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3925:2001)
Aerospace series – Nickel base alloy NI-B40001 (NiSi5B3) – Filler metal for brazing – Amorphous foil (EN 3925:2001)

HRN EN 3926:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40001 (NiSi5B3) – Dodatni materijal za tvrdo lemljenje – Boridna folija (EN 3926:2001)
Aerospace series – Nickel base alloy NI-B40001 (NiSi5B3) – Filler metal for brazing – Borided foil (EN 3926:2001)

HRN EN 3927:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40001 (NiSi5B3) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3927:2001)
Aerospace series – Nickel base alloy NI-B40001 (NiSi5B3) – Filler metal for brazing – Powder or paste (EN 3927:2001)

HRN EN 3928:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40001 (NiSi5B3) – Dodatni materijal za tvrdo lemljenje – Traka (EN 3928:1998)
Aerospace series – Nickel base alloy NI-B40001 (NiSi5B3) – Filler metal for brazing – Tape (EN 3928:1998)

HRN EN 3930:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B31001 (NiCr19Si10) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3930:2001)
Aerospace series – Nickel base alloy NI-B31001 (NiCr19Si10) – Filler metal for brazing – Powder or paste (EN 3930:2001)

HRN EN 3931:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B31001 (NiCr19Si10) – Dodatni materijal za tvrdo lemljenje – Traka (EN 3931:1998)
Aerospace series – Nickel base alloy NI-B31001 (NiCr19Si10) – Filler metal for brazing – Tape (EN 3931:1998)

HRN EN 3932:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B13001 (NiP11) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3932:2001)
Aerospace series – Nickel base alloy NI-B13001 (NiP11) – Filler metal for brazing – Amorphous foil (EN 3932:2001)

HRN EN 3933:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B13001 (NiP11) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3933:2001)
Aerospace series – Nickel base alloy NI-B13001 (NiP11) – Filler metal for brazing – Powder or paste (EN 3933:2001)

HRN EN 3934:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B21001 (NiCr15B4) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3934:2001)
Aerospace series – Nickel base alloy NI-B21001 (NiCr15B4) – Filler metal for brazing – Amorphous foil (EN 3934:2001)

HRN EN 3935:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B21001 (NiCr15B4) – Dodatni materijal za tvrdo lemljenje – Boridna folija (EN 3935:2001)
Aerospace series – Nickel base alloy NI-B21001 (NiCr15B4) – Filler metal for brazing – Borided foil (EN 3935:2001)

HRN EN 3936:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B21001 (NiCr15B4) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3936:2001)
Aerospace series – Nickel base alloy NI-B21001 (NiCr15B4) – Filler metal for brazing – Powder or paste (EN 3936:2001)

HRN EN 3937:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B44101 (NiW12Cr10Si4Fe3B3) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3937:2001)
Aerospace series – Nickel base alloy NI-B44101 (NiW12Cr10Si4Fe3B3) – Filler metal for brazing – Powder or paste (EN 3937:2001)

HRN EN 3938:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B46001 (NiCo20Si5B3) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3938:2001)
Aerospace series – Nickel base alloy NI-B46001 (NiCo20Si5B3) – Filler metal for brazing – Amorphous foil (EN 3938:2001)

HRN EN 3939:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B46001 (NiCo20Si5B3) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3939:2001)
Aerospace series – Nickel base alloy NI-B46001 (NiCo20Si5B3) – Filler metal for brazing – Powder or paste (EN 3939:2001)

HRN EN 3940:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B46001 (NiCoSi5B3) – Dodatni materijal za tvrdo lemljenje – Traka (EN 3940:1998)
Aerospace series – Nickel base alloy NI-B46001 (NiCoSi5B3) – Filler metal for brazing – Tape (EN 3940:1998)

HRN EN 3941:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41204 (NiCr13Si4B3) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 3941:2001)
Aerospace series – Nickel base alloy NI-B41204 (NiCr13Si4B3) – Filler metal for brazing – Amorphous foil (EN 3941:2001)

HRN EN 3942:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41204 (NiCr13Si4B3) – Dodatni materijal za tvrdo lemljenje – Boridna folija (EN 3942:2001)
Aerospace series – Nickel base alloy NI-B41204 (NiCr13Si4B3) – Filler metal for brazing – Borided foil (EN 3942:2001)

HRN EN 3943:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41204 (NiCr13Fe4Si4B3) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3943:2001)
Aerospace series – Nickel base alloy NI-B41204 (NiCr13Fe4Si4B3) – Filler metal for brazing – Powder or paste (EN 3943:2001)

HRN EN 3944:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B41204 (NiCr13Si4B3) – Dodatni materijal za tvrdo lemljenje – Traka (EN 3944:1998)
Aerospace series – Nickel base alloy NI-B41204 (NiCr13Si4B3) – Filler metal for brazing – Tape (EN 3944:1998)

HRN EN 3945:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B48801 (NiMn19Si6Cu4B) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3945:2001)
Aerospace series – Nickel base alloy NI-B48801 (NiMn19Si6Cu4B) – Filler metal for brazing – Powder or paste (EN 3945:2001)

HRN EN 3946:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B15701 (NiPd34Au30) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3946:2001)
Aerospace series – Nickel base alloy NI-B15701 (NiPd34Au30) – Filler metal for brazing – Powder or paste (EN 3946:2001)

HRN EN 3947:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B15701 (NiPd34Au30) – Dodatni materijal za tvrdo lemljenje – Valjana folija (EN 3947:1998)
Aerospace series – Nickel base alloy NI-B15701 (NiPd34Au30) – Filler metal for brazing – Rolled foil (EN 3947:1998)

HRN EN 3948:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B15701 (NiPd34Au30) – Dodatni materijal za tvrdo lemljenje – Žica (EN 3948:1998)
Aerospace series – Nickel base alloy NI-B15701 (NiPd34Au30) – Filler metal for brazing – Wire (EN 3948:1998)

HRN EN 3952:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B10001 (AgCu28) – Dodatni materijal za tvrdo lemljenje – Žica (EN 3952:2001)
Aerospace series – Silver base alloy AG-B10001 (AgCu28) – Filler metal for brazing – Wire (EN 3952:2001)

HRN EN 3953:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B12401 (AgCu40Zn5Ni) – Dodatni materijal za tvrdo lemljenje – Žica (EN 3953:2001)
Aerospace series – Silver base alloy AG-B12401 (AgCu40Zn5Ni) – Filler metal for brazing – Wire (EN 3953:2001)

HRN EN 3954:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B12401 (AgCu40Zn5Ni) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3954:2001)
Aerospace series – Silver base alloy AG-B12401 (AgCu40Zn5Ni) – Filler metal for brazing – Powder or paste (EN 3954:2001)

HRN EN 3955:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B12401 (AgCu40Zn5Ni) – Dodatni materijal za tvrdo lemljenje – Valjana folija (EN 3955:2001)
Aerospace series – Silver base alloy AG-B12401 (AgCu40Zn5Ni) – Filler metal for brazing – Rolled foil (EN 3955:2001)

HRN EN 3956:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B14001 (AgCu42Ni2) – Dodatni materijal za tvrdo lemljenje – Žica (EN 3956:2001)
Aerospace series – Silver base alloy AG-B14001 (AgCu42Ni2) – Filler metal for brazing – Wire (EN 3956:2001)

HRN EN 3957:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B14001 (AgCu42Ni2) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3957:2001)
Aerospace series – Silver base alloy AG-B14001 (AgCu42Ni2) – Filler metal for brazing – Powder or paste (EN 3957:2001)

HRN EN 3958:2008
Nizovi o zrakoplovstvu – Legura na bazi srebra AG-B14001 (AgCu42Ni2) – Dodatni materijal za tvrdo lemljenje – Valjana folija (EN 3958:2001)
Aerospace series – Silver base alloy AG-B14001 (AgCu42Ni2) – Filler metal for brazing – Rolled foil (EN 3958:2001)

HRN EN 3959:2008
Nizovi o zrakoplovstvu – Legura na bazi kobalta CO-B41601 (CoCr19Ni17Si8W4) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3959:2001)
Aerospace series – Cobalt base alloy CO-B41601 (CoCr19Ni17Si8W4) – Filler metal for brazing – Powder or paste (EN 3959:2001)

HRN EN 3960:2008
Nizovi o zrakoplovstvu – Legura na bazi zlata AU-B40001 (AuNi18) – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 3960:2001+AC:2002)
Aerospace series – Gold base alloy AU-B40001 (AuNi18) – Filler metal for brazing – Powder or paste (EN 3960:2001+AC:2002)

HRN EN 3961:2008
Nizovi o zrakoplovstvu – Legura na bazi zlata AU-B40001 – Dodatni materijal za tvrdo lemljenje – Valjana folija (EN 3961:2001)
Aerospace series – Gold base alloy AU-B40001 – Filler metal for brazing – Rolled foil (EN 3961:2001)

HRN EN 3962:2008
Nizovi o zrakoplovstvu – Legura na bazi zlata AU-B40001 – Dodatni materijal za tvrdo lemljenje – Žica (EN 3962:2001)
Aerospace series – Gold base alloy AU-B40001 – Filler metal for brazing – Wire (EN 3962:2001)

HRN EN 3963:2008
Nizovi o zrakoplovstvu – Copper CU-BU9001 – Dodatni materijal za tvrdo lemljenje – Valjana folija (EN 3963:2001)
Aerospace series – Copper CU-BU9001 – Filler metal for brazing – Rolled foil (EN 3963:2001)

HRN EN 3964:2008
Nizovi o zrakoplovstvu – Copper CU-BU9001 – Dodatni materijal za tvrdo lemljenje – Žica (EN 3964:2001)
Aerospace series – Copper CU-BU9001 – Filler metal for brazing – Wire (EN 3964:2001)

HRN EN 3965:2008
Nizovi o zrakoplovstvu – Legura titana TI-B17001 – Dodatni materijal za tvrdo lemljenje – Valjana folija (EN 3965:2001)
Aerospace series – Titanium alloy TI-B17001 – Filler metal for brazing – Rolled foil (EN 3965:2001)

HRN EN 3969:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1507 (40CrMoV12) – Taljen na zraku – Kaljen – Materijal namijenjen kovanju – a ili D ≤ 350 mm (EN 3969:2006)
Aerospace series – Steel FE-PL1507 (40CrMoV12) – Air melted – Annealed – Forging stock – a or D ≤ 350 mm (EN 3969:2006)

HRN EN 3971:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1507 (40CrMoV12) – Pretopljen elektrodom za zavarivanje – Kaljen – Materijal namijenjen kovanju – a ili D ≤ 350 mm (EN 3971:2006)
Aerospace series – Steel FE-PL1507 (40CrMoV12) – Consumable electrode remelted – Annealed – Forging stock – a or D ≤ 350 mm (EN 3971:2006)

HRN EN 3972:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1507 (40CrMoV12) – Pretopljen elektrodom za zavarivanje – Kaljen i termički obrađen – Šipke za strojnu obradu – De ≤ 50 mm – 1250 MPa ≤ Rm ≤ 1400 MPa (EN 3972:2006)
Aerospace series – Steel FE-PL1507 (40CrMoV12) – Consumable electrode remelted – Hardened and tempered – Bar for machining – De ≤ 50 mm – 1250 MPa ≤ Rm ≤ 1400 MPa (EN 3972:2006)

HRN EN 3973:2008
Nizovi o zrakoplovstvu – Čelik FE-CM3801 (X5CrNiCuNb16-4) – Homogeniziran, izložen otopini i tretiran precipitatom – Precizno lijevanje – De ≤ 50 mm – Rm ≥ 1030 MPa (EN 3973:2006)
Aerospace series – Steel FE-CM3801 (X5CrNiCuNb16-4) – Homogenized, solution treated and precipitation hardened – Investment casting – De ≤ 50 mm – Rm ≥ 1030 MPa (EN 3973:2006)

HRN EN 3976:2008
Nizovi o zrakoplovstvu – Titan i legure titana – Metoda ispitivanja – Kemijska ispitivanja za određivanje sadržaja vodika (EN 3976:2006)
Aerospace series – Titanium and titanium alloys – Test method – Chemical analysis for the determination of hydrogen content (EN 3976:2006)

HRN EN 3979:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P8090-O2 – Ploče za superplastično oblikovanje (SPF) – 0,8 mm < a < 6 mm (EN 3979:2005)
Aerospace series – Aluminium alloy AL-P8090-O2 – Sheet for superplastic forming (SPF) – 0,8 mm < a < 6 mm (EN 3979:2005)

HRN EN 3987:2011
Nizovi o zrakoplovstvu – Metode ispitivanja za metalne materijale – Ispitivanje zamora materijala visokog ciklusa pomoću sile sa stalnom amplitudom (EN 3987:2009)
Aerospace series – Test methods for metallic materials – Constant amplitude force-controlled high cycle fatigue testing (EN 3987:2009)

HRN EN 3997:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T3 – Lim i traka 0,4 mm ≤ a ≤ 6 mm (EN 3997:2007)
Aerospace series – Aluminium alloy AL-P2024-T3 – Sheet and strip 0,4 mm ≤ a ≤ 6 mm (EN 3997:2007)

HRN EN 3998:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T4 or T42 – Lim i traka 0,3 mm ≤ a ≤ 6 mm (EN 3998:2007)
Aerospace series – Aluminium alloy AL-P2024-T4 or T42 – Sheet and strip 0,3 mm ≤ a ≤ 6 mm (EN 3998:2007)

HRN EN 3999:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T351 – Lim i traka sa poboljšanom sposobnošću kemijskog glodanja 1,6 mm ≤ a ≤ 6 mm (EN 3999:2007)
Aerospace series – Aluminium alloy AL-P2024-T351 – Sheet and strip with improved chemical milling capability 1,6 mm ≤ a ≤ 6 mm (EN 3999:2007)

HRN EN 4000:2008
Nizovi o zrakoplovstvu – Metalni materijali – Pravila za crtanje i prikaz norma za dimenzije metalnih poluzavršenih proizvoda (EN 4000:2001)
Aerospace series – Metallic materials – Rules for the drafting and presentation of dimensional standards for metallic semi-finished products (EN 4000:2001)

HRN EN 4001:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T351 – Prevučeni lim i traka sa poboljšanom sposobnošću kemijskog glodanja 1,6 mm ≤ a ≤ 6 mm (EN 4001:2007)
Aerospace series – Aluminium alloy AL-P2024-T351 – Clad sheet and strip with improved chemical milling capability 1,6 mm ≤ a ≤ 6 mm (EN 4001:2007)

HRN EN 4002:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T81 – Lim i traka 0,5 mm ≤ a ≤ 6 mm (EN 4002:2007)
Aerospace series – Aluminium alloy AL-P2219-T81 – Sheet and strip 0,5 mm ≤ a ≤ 6 mm (EN 4002:2007)

HRN EN 4003:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T87 – Lim i traka 0,5 mm ≤ a ≤ 6 mm (EN 4003:2006)
Aerospace series – Aluminium alloy AL-P2219-T87 – Sheet and strip 0,5 mm ≤ a ≤ 6 mm (EN 4003:2006)

HRN EN 4004:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P3103-H16 – Lim i traka 0,4 mm ≤ a ≤ 6 mm (EN 4004:2007)
Aerospace series – Aluminium alloy AL-P3103-H16 – Sheet and strip 0,4 mm ≤ a ≤ 6 mm (EN 4004:2007)

HRN EN 4005:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P5052-O – Lim i traka 0,3 mm ≤ a ≤ 6 mm (EN 4005:2007)
Aerospace series – Aluminium alloy AL-P5052-O – Sheet and strip 0,3 mm ≤ a ≤ 6 mm (EN 4005:2007)

HRN EN 4006:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6082-T4 or T42 – Lim i traka 0,4 mm ≤ a ≤ 6 mm (EN 4006:2007)
Aerospace series – Aluminium alloy AL-P6082-T4 or T42 – Sheet and strip 0,4 mm ≤ a ≤ 6 mm (EN 4006:2007)

HRN EN 4007:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6082-T6 or T62 – Lim i traka – 0,4 mm (EN 4007:2005)
Aerospace series – Aluminium alloy AL-P6082-T6 or T62 – Sheet and strip – 0,4 mm (EN 4007:2005)

HRN EN 4008-001:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 001. dio: Tehnička specifikacija (EN 4008-001:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 001: Technical specification (EN 4008-001:2006)

HRN EN 4008-002:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 002. dio: Popis norma za proizvod (EN 4008-002:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 002: List of product standards (EN 4008-002:2006)

HRN EN 4008-005:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 005. dio: Utvrđivač položaja alata za krimpanje M22520/2-01 – Norma za proizvod (EN 4008-005:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 005: Positioner for crimping tool M22520/2-01 – Product standard (EN 4008-005:2006)

HRN EN 4008-006:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 006. dio: Utvrđivač položaja alata za krimpanje M22520/7 – Norma za proizvod (EN 4008-006:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 006: Positioner for crimping tool M22520/7 – Product standard (EN 4008-006:2006)

HRN EN 4008-007:2011
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 007. dio: Utvrđivač položaja alata za krimpanje M22520/2-01 – Norma za proizvod (EN 4008-007:2011)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 007: Positioner for crimping tool M22520/2-01 – Product standard (EN 4008-007:2011)

HRN EN 4008-008:2011
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 008. dio: Utvrđivač položaja alata za krimpanje M22520/7-01 – Norma za proizvod (EN 4008-008:2011)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 008: Positioner for crimping tool M22520/7-01 – Product standard (EN 4008-008:2011)

HRN EN 4008-011:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 011. dio: Utvrđivač položaja alata za krimpanje M22520/2-01 – Norma za proizvod (EN 4008-011:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 011: Positioner for crimping tool M22520/2-01 – Product standard (EN 4008-011:2006)

HRN EN 4008-012:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 012. dio: Utvrđivač položaja alata za krimpanje M22520/2-01 – Norma za proizvod (EN 4008-012:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 012: Positioner for crimping tool M22520/2-01 – Product standard (EN 4008-012:2006)

HRN EN 4008-013:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 013. dio: Utvrđivač položaja alata za krimpanje M22520/2-01 – Norma za proizvod (EN 4008-013:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 013: Positioner for crimping tool M22520/2-01 – Product standard (EN 4008-013:2006)

HRN EN 4008-014:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 014. dio: Toranj za alate za krimpanje M22520/31-01 – Norma za proizvod (EN 4008-014:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 014: Turret for crimping tool M22520/31-01 – Product standard (EN 4008-014:2006)

HRN EN 4008-015:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 015. dio: Utvrđivač položaja alata za krimpanje M22520/2-01 – Norma za proizvod (EN 4008-015:2007)
Aerospace series – Elements of electrical and optical connection – Crimping tool and associated accessories – Part 015: Positioner for crimping tool M22520/2-01 – Product standard (EN 4008-015:2007)

HRN EN 4008-017:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Alati za krimpanje i pripadajuća oprema – 017. dio: Glava za alat za krimpanje M22520/4-01 – Norma za proizvod (EN 4008-017:2006)
Aerospace series – Elements of electrical and optical connection – Crimping tools and associated accessories – Part 017: Head for crimping tool M22520/4-01 – Product standard (EN 4008-017:2006)

HRN EN 4009:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, struk s uskom tolerancijom, srednje dužine navoja, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718) – Klasifikacija: 1550 MPa (pri temperaturi okoline)/650 °C (EN 4009:2004)
Aerospace series – Bolts, double hexagon head, close tolerance shank, medium length thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718) – Classification: 1550 MPa (at ambient temperature)/ 650 °C (EN 4009:2004)

HRN EN 4011:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, legura na bazi nikla otporna na toplinu, NI-PH2601 (Inconel 718), prevučene srebrom – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 600 °C (EN 4011:2004)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy, NI-PH2601 (Inconel 718), silver plated – Classification: 1550 MPa (at ambient temperature)/600 °C (EN 4011:2004)

HRN EN 4012:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučene s MoS2 – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 425 °C (EN 4012:2004)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), MoS2 coated – Classification: 1550 MPa (at ambient temperature)/425 °C (EN 4012:2004)

HRN EN 4013:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučen srebrom – Klasifikacija: 1550 MPa (pri temperaturi okoline)/600 °C (EN 4013:2004)
Aerospace series – Shank nuts, self-locking, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated – Classification: 1550 MPa (at ambient temperature)/600 °C (EN 4013:2004)

HRN EN 4014:2008
Nizovi o zrakoplovstvu – Zatici, tanke stijenke, samozatvarajući – Norma za projektiranje (EN 4014:2004)
Aerospace series – Inserts, thickwall, self-locking – Design standard (EN 4014:2004)

HRN EN 4015:2008
Nizovi o zrakoplovstvu – Zatici, tanke stijenke, samozatvarajući – Postupak ugradnje i uklanjanja (EN 4015:2004)
Aerospace series – Inserts, thickwall, self-locking – Installation and removal procedure (EN 4015:2004)

HRN EN 4017:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90° (EN 4017:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° (EN 4017:2001)

HRN EN 4018:2011
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90° s maticom za potisnu žicu (EN 4018:2009)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° with thrust wire nut (EN 4018:2009)

HRN EN 4019:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90°, zavareni kraj (EN 4019:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° welded end (EN 4019:2001)

HRN EN 4020:2011
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90°, zavareni kraj s maticom za potisnu žicu (EN 4020:2009)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90°, welded end with thrust wire nut (EN 4020:2009)

HRN EN 4021:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90°, s pregradom (EN 4021:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90°, bulkhead (EN 4021:2001)

HRN EN 4022:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90°, s pregradom, zavareni kraj (EN 4022:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° bulkhead, welded end (EN 4022:2001)

HRN EN 4023:2011
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 45° (EN 4023:2010)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 45° (EN 4023:2010)

HRN EN 4024:2011
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 45°, zavareni kraj s maticom za potisnu žicu (EN 4024:2009)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 45° welded end with thrust wire nut (EN 4024:2009)

HRN EN 4025:2011
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 45°, s pregradom (EN 4025:2010)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 45°, bulkhead (EN 4025:2010)

HRN EN 4026:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve (EN 4026:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees (EN 4026:2001)

HRN EN 4027:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve s maticom i potisnom žicom (EN 4027:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees branch with thrust wire nut (EN 4027:2001)

HRN EN 4028:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve s maticom i potisnom žicom na spoju (EN 4028:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees with thrust wire nut on run (EN 4028:2001)

HRN EN 4029:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račva s pregradom (EN 4029:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees bulkhead branch (EN 4029:2001)

HRN EN 4030:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račva s pregradom na spoju (EN 4030:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees bulkhead on run (EN 4030:2001)

HRN EN 4031:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Matica za zavarene čahure (EN 4031:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Nut for welded ferrule (EN 4031:2001)

HRN EN 4032:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Potisna žica (EN 4032:2001+AC:2003)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Thrust wire (EN 4032:2001+AC:2003)

HRN EN 4033:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, kuglični ležajevi od čelika otpornog na koroziju – Nizovi promjera 8 i 9, skraćena unutrašnja radijalna zračnost – Dimenzije i opterećenja (EN 4033:2007)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in corrosion resisting steel – Diameter series 8 and 9, reduced internal radial clearance – Dimensions and loads (EN 4033:2007)

HRN EN 4034:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Dvoredni samoprilagodljivi kuglični ležajevi s vanjskom prirubnicom od čelika otpornog na koroziju, skraćena unutrašnja radijalna zračnost – Dimenzije i opterećenja (EN 4034:2007)
Aerospace series – Bearings, airframe rolling – Double row self-aligning ball bearings with flanged outer ring in corrosion resisting steel, reduced internal radial clearance – Dimensions and loads (EN 4034:2007)

HRN EN 4035:2008
Nizovi o zrakoplovstvu – Krajevi šipke, prilagodljivi sa samoporavnavajućim dvorednim kugličnim ležajevima od čelika otpornog na koroziju, skraćena unutrašnja radijalna zračnost i struk s navojem od legure titana – Dimenzije i opterećenja (EN 4035:2006)
Aerospace series – Rod ends, adjustable with self-aligning double row ball bearing in corrosion resisting steel, reduced internal radial clearance and threaded shank in titanium alloy – Dimensions and loads (EN 4035:2006)

HRN EN 4036:2008
Nizovi o zrakoplovstvu – Krajevi šipke, prilagodljivi sa samoprilagodljivim dvorednim kugličnim ležajevima i navojem na stablu od čelika otpornog na koroziju, skraćena unutrašnja radijalna zračnost – Dimenzije i opterećenja (EN 4036:2006)
Aerospace series – Rod ends, adjustable with self-aligning double row ball bearing and threaded shank in corrosion resisting steel, reduced internal radial clearance – Dimensions and loads (EN 4036:2006)

HRN EN 4040:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa samopodmazujućim prstenom izrađeni od čelika otpornog na koroziju sa širokim unutrašnjim prstenom – Povišeno opterećenje pri temperaturi okoline – Dimenzije i opterećenja (EN 4040:2006)
Aerospace series – Bearings, spherical plain in corrosion resisting steel with self-lubricating liner with wide inner ring – Elevated loads at ambient temperature – Dimensions and loads (EN 4040:2006)

HRN EN 4041:2008
Nizovi o zrakoplovstvu – Kuglični ležajevi za konstrukciju zrakoplova – Kruti, jednoredni, kuglični ležajevi od čelika otpornog na koroziju, s produženim unutrašnjim prstenom i čahurom s prirubnicom – Dimenzije i opterećenja (EN 4041:2006)
Aerospace series – Bearings, airframe rolling – Rigid single row ball bearings in corrosion resisting steel, with extended inner ring and flanged alignment bush – Dimensions and loads (EN 4041:2006)

HRN EN 4045:2008
Nizovi o zrakoplovstvu – Kapilarne cijevi, bešavne u legurama otpornim na toplinu –
Promjer 0,6 mm <= D <= 2 mm – Dimenzije (EN 4045:2001)
Aerospace series – Capillary tubes, seamless in heat resisting alloys – Diameter 0,6 mm <= D <= 2 mm – Dimensions (EN 4045:2001)

HRN EN 4047:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, MJ navoj, legura na bazi nikla otporna na toplinu, NI-PH2601 (Inconel 718), prevučene srebrom – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 600 °C – Tehnička specifikacija (EN 4047:2004)
Aerospace series – Nuts, self-locking, MJ threads, in heat resisting nickel base alloy, NI-PH2601 (Inconel 718), silver plated – Classification: 1550 MPa (at ambient temperature)/600 °C – Technical specification (EN 4047:2004)

HRN EN 4048:2008
Nizovi o zrakoplovstvu – Matice, samozatvarajuće, MJ navoj, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučene s MoS2 – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 425 °C – Tehnička specifikacija (EN 4048:2004)
Aerospace series – Nuts, self-locking, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), MoS2 coated – Classification: 1550 MPa (at ambient temperature)/425 °C – Technical specification (EN 4048:2004)

HRN EN 4049-001:2008
Nizovi o zrakoplovstvu – Produžni kabeli termoparova – Radne temperature između – 65 °C to 260 °C – 001. dio: Tehnička specifikacija (EN 4049-001:2006)
Aerospace series – Thermocouple extension cable – Operating tempera-tures between – 65 °C to 260 °C – Part 001: Technical specification (EN 4049-001:2006)

HRN EN 4049-002:2008
Nizovi o zrakoplovstvu – Produžni kabeli termoparova – Radne temperature između – 65 °C to 260 °C – 002. dio: Općenito (EN 4049-002:2005)
Aerospace series – Thermocouple extension cable – Operating temperature between – 65 °C to 260 °C – Part 002: General (EN 4049-002:2005)

HRN EN 4049-003:2008
Nizovi o zrakoplovstvu – Produžni kabeli termoparova – Radne temperature između – 65 °C to 260 °C – 003. dio: Jednožilni nikl krom/nikl aluminij – Norma za proizvod (EN 4049-003:2006)
Aerospace series – Thermocouple extension cable – Operating temperature between – 65 °C to 260 °C – Part 003: Single core nickel chromium/nickel aluminium – Product standard (EN 4049-003:2006)

HRN EN 4049-004:2008
Nizovi o zrakoplovstvu – Produžni kabeli termoparova – Radne temperature između – 65 °C to 260 °C – 004. dio: Dvožilni nikl krom/nikl aluminij oklopljeni i izolirani – Norma za proizvod (EN 4049-004:2006)
Aerospace series – Thermocouple extension cable – Operating temperature between – 65 °C to 260 °C – Part 004: Two core nickel chromium/nickel aluminium shielded and jacketed – Product standard (EN 4049-004:2006)

HRN EN 4051:2008
Nizovi o zrakoplovstvu – Priključci cijevi, 60°, kuglasti, od legure titana – Priključna mjesta (EN 4051:2002)
Aerospace series – Pipe couplings, 60°, spherical, in titanium alloy – Port connection (EN 4051:2002)

HRN EN 4054:2008
Nizovi o zrakoplovstvu – Priključci cijevi, slobodne prirubnice i brtve – Brtve od fluorugljenične gume i armatura od legure aluminija – Tehnička specifikacija (EN 4054:2004)
Aerospace series – Pipe couplings, loose flanges and seals – Seals in fluorocarbon rubber and armature in aluminium alloy – Technical specification (EN 4054:2004)

HRN EN 4056-001:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – 001. dio: Tehnička specifikacija (EN 4056-001:2006)
Aerospace series – Cable ties for harnesses – Part 001: Technical specification (EN 4056-001:2006)

HRN EN 4057-100:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 100. dio: Općenito (EN 4057-100:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 100: General (EN 4057-100:2006)

HRN EN 4057-201:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 201. dio: Vizualno ispitivanje (EN 4057-201:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 201: Visual examination (EN 4057-201:2005)

HRN EN 4057-202:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 202. dio: Ispitivanje mase i dimenzija (EN 4057-202:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 202: Examination of mass and dimensions (EN 4057-202:2005)

HRN EN 4057-301:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 301. dio: Ispitivanje slanom maglom (EN 4057-301:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 301: Salt mist test (EN 4057-301:2005)

HRN EN 4057-302:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 302. dio: Zapaljivost (EN 4057-302:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 302: Flammability (EN 4057-302:2006)

HRN EN 4057-303:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 303. dio: Otpornost na fluide (EN 4057-303:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 303: Resistance to fluids (EN 4057-303:2005)

HRN EN 4057-304:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 304. dio: Sila zatezanja obujmice pri maksimalnoj radnoj temperaturi (EN 4057-304:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 304: Loop tensile strength at maximum working temperature (EN 4057-304:2006)

HRN EN 4057-305:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 305. dio: Postojanost boje (EN 4057-305:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 305: Colour fastness (EN 4057-305:2005)

HRN EN 4057-306:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 306. dio: Ispitivanje starenja zagrijavanjem (EN 4057-306:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 306: Heat ageing test (EN 4057-306:2006)

HRN EN 4057-307:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 307. dio: Otpornost na ultraviolentno zračenje (EN 4057-307:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 307: Resistance to ultra violet radiation (EN 4057-307:2006)

HRN EN 4057-401:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 401. dio: Snaga istezanja petlje (EN 4057-401:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 401: Loop tensile strength (EN 4057-401:2006)

HRN EN 4057-402:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 402. dio: Radni vijek (EN 4057-402:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 402: Life cycle (EN 4057-402:2006)

HRN EN 4057-404:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 404. dio: Ugradnja pri niskoj temperaturi (EN 4057-404:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 404: Low temperature installation (EN 4057-404:2006)

HRN EN 4057-405:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 405. dio: Sigurnosna udaljenost kompasa (EN 4057-405:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 405: Compass safe distance (EN 4057-405:2005)

HRN EN 4057-406:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 406. dio: Zadržavanje uređaja za zaključavanje (EN 4057-406:2006)
Aerospace series – Cable ties for harnesses – Test methods – Part 406: Locking device retention (EN 4057-406:2006)

HRN EN 4057-407:2008
Nizovi o zrakoplovstvu – Obujmice za kabelske snopove – Metode ispitivanja – 407. dio: Provjera podešavanja odgovarajućeg alata (EN 4057-407:2005)
Aerospace series – Cable ties for harnesses – Test methods – Part 407: Verification of application tool settings (EN 4057-407:2005)

HRN EN 4058:2008
Nizovi o zrakoplovstvu – Šipke i žice za zavarivanje u titanu i legurama titana – Promjer 0,5 mm <= D <= 5,0 mm – Dimenzije (EN 4058:2001)
Aerospace series – Filler rods and filler wires for welding in titanium and titanium alloys – Diameter 0,5 mm <= D <= 5,0 mm – Dimensions (EN 4058:2001)

HRN EN 4059:2008
Nizovi o zrakoplovstvu – Šipke i žice za zavarivanje od čelika – Promjer 0,5 mm < D < 5,0 mm – Dimenzije (EN 4059:2001)
Aerospace series – Filler rods and filler wires for welding in steel – Diameter 0,5 mm < D < 5,0 mm – Dimensions (EN 4059:2001)

HRN EN 4060:2008
Nizovi o zrakoplovstvu – Šipke i žice za zavarivanje u legurama otpornim na toplinu – Promjer 0,5 mm <= D <= 5,0 mm – Dimenzije (EN 4060:2001)
Aerospace series – Filler rods and filler wires for welding in heat resisting alloys – Diameter 0,5 mm <= D <= 5,0 mm – Dimensions (EN 4060:2001)

HRN EN 4069:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, ravne, skraćene visine, skraćene uzduž ravnine, od čelika otpornog na toplinu, pasivizirane – Klasifikacija: 600 MPa (pri temperaturi okoline)/650 °C (EN 4069:1996)
Aerospace series – Nuts, hexagon, plain, reduced height, reduced across flats, in heat resisting steel, passivated – Classification: 600 MPa (at ambient temperature)/650 °C (EN 4069:1996)

HRN EN 4071:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka uske tolerancije, kratkog navoja, od legure titana, prevučeni IVD aluminijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 4071:2009)
Aerospace series – Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, aluminium IVD coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 4071:2009)

HRN EN 4072:2011
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od legure titana, prevučeni IVD aluminijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 4072:2009)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, aluminium IVD coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 4072:2009)

HRN EN 4073:2011
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, imbus vijak sa šesterokutnom glavom, normalnog struka grube tolerancije, srednje dužine navoja, od legure čelika, prevučeni kadmijem – Klasifikacija 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4073:2009)
Aerospace series – Screws, pan head, six lobe recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated – Classification 1100 MPa (at ambient temperature) / 235 °C (EN 4073:2009)

HRN EN 4074:2011
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, imbus vijak sa šesterokutnom glavom, normalnog struka grube tolerancije, srednje dužine navoja, od legure titana, prevučeni IVD aluminijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 4074:2009)
Aerospace series – Screws, pan head, six lobe recess, coarse tolerance normal shank, medium length thread, in titanium alloy, aluminium IVD coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 4074:2009)

HRN EN 4075:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, s navojem do glave, od čelika otpornog na koroziju, pasivizirani – Klasifikacija: 490 MPa (pri temperaturi okoline) / 425 °C (EN 4075:2008)
Aerospace series – Screws, pan head, offset cruciform recess, threaded to head, in corrosion resisting steel, passivated – Classification: 490 MPa (at ambient temperature) / 425 °C (EN 4075:2008)

HRN EN 4078:2011
Nizovi o zrakoplovstvu – Zatici, s navojem, s tankim zidom, zatvoreni i samozatvarajući, od čelika otpornog na toplinu, podmazani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4078:2009)
Aerospace series – Inserts, threaded, thin wall, locked and self-locking, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4078:2009)

HRN EN 4084:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, fiksne, dvoje uši, s upustom, od legure čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4084:2009)
Aerospace series – Nuts, anchor, self-locking, fixed, two lug, with counterbore, in alloy steel, cadmium plated, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 4084:2009)

HRN EN 4085:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40002 (NiSi4B2) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 4085:2001)
Aerospace series – Nickel base alloy NI-B40002 (NiSi4B2) – Filler metal for brazing – Amorphous foil (EN 4085:2001)

HRN EN 4098:2008
Nizovi o zrakoplovstvu – Čelik FE-PL1507 (40CrMoV12) – Pretopljen, kaljen i termički obrađen, otkivci De ≤ 50 mm, 1250 MPa ≤ Rm ≤ 1400 MPa (EN 4098:2007)
Aerospace series – Steel FE-PL1507 (40CrMoV12) – Remelted, hardened and tempered, forgings De ≤ 50 mm, 1250 MPa ≤ Rm ≤ 1400 MPa (EN 4098:2007)

HRN EN 4099:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T6 or T62 – Prevučeni lim i traka – 0,5 mm (EN 4099:2005)
Aerospace series – Aluminium alloy AL-P2219-T6 or T62 – Clad sheet and strip – 0,5 mm (EN 4099:2005)

HRN EN 4100:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T6 or T62 – Lim i traka – 0,5 mm (EN 4100:2005)
Aerospace series – Aluminium alloy AL-P2219-T6 or T62 – Sheet and strip – 0,5 mm (EN 4100:2005)

HRN EN 4101:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T4 – Lim i traka sa poboljšanom sposobnošću istezanja – 0,4 mm (EN 4101:2005)
Aerospace series – Aluminium alloy AL-P2024-T4 – Sheet and strip with improved stretch forming capability – 0,4 mm (EN 4101:2005)

HRN EN 4102:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T81 – Prevučeni lim i traka – 0,5 mm (EN 4102:2005)
Aerospace series – Aluminium alloy AL-P2219-T81 – Clad sheet and strip – 0,5 mm (EN 4102:2005)

HRN EN 4103:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40002 (NiSi4B2) – Dodatni materijal za tvrdo lemljenje – Boridna folija (EN 4103:2001)
Aerospace series – Nickel base alloy NI-B40002 (NiSi4B2) – Filler metal for brazing – Borided foil (EN 4103:2001)

HRN EN 4104:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40002 – Dodatni materijal za tvrdo lemljenje – Prah ili pasta (EN 4104:2001)
Aerospace series – Nickel base alloy NI-B40002 – Filler metal for brazing – Powder or paste (EN 4104:2001)

HRN EN 4105:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla NI-B40002 (NiSi4B2) – Dodatni materijal za tvrdo lemljenje – Traka (EN 4105:1998)
Aerospace series – Nickel base alloy NI-B40002 (NiSi4B2) – Filler metal for brazing – Tape (EN 4105:1998)

HRN EN 4108:2008
Nizovi o zrakoplovstvu – Ključevi, na polugu, s priključnim dodatkom, pogonski priključak (EN 4108:2006)
Aerospace series – Wrenches, crow foot, attachment socket, socket drive (EN 4108:2006)

HRN EN 4109:2008
Nizovi o zrakoplovstvu – Ključevi, oblik odvijača (EN 4109:2006)
Aerospace series – Wrenches, face spanner (EN 4109:2006)

HRN EN 4110:2008
Nizovi o zrakoplovstvu – Ključevi, otvoreni kraj, kutija (EN 4110:2006)
Aerospace series – Wrenches, open end, box (EN 4110:2006)

HRN EN 4111:2008
Nizovi o zrakoplovstvu – Ključevi, s utorom, s priključkom za cijev – Tehnička specifikacija (EN 4111:2006)
Aerospace series – Wrenches, splined, socket for pipe fittings – Technical specification (EN 4111:2006)

HRN EN 4113:2011
Nizovi o zrakoplovstvu – Stege, s petljom (tipa „P“) od čelika otpornog na koroziju, pasivizirane s gumenim jastučićima – Dimenzije i mase (EN 4113:2009)
Aerospace series – Clamps, loop (‘’P’’ type) in corrosion resisting steel, passivated with rubber cushioning – Dimensions, masses (EN 4113:2009)

HRN EN 4114:2011
Nizovi o zrakoplovstvu – Stege, s petljom (tipa “P”) od aluminija s gumenim jastučićima – Dimenzije i mase (EN 4114:2009)
Aerospace series – Clamps, loop (‘’P’’ type) in aluminium alloy with rubber cushioning – Dimensions, masses (EN 4114:2009)

HRN EN 4115:2011
Nizovi o zrakoplovstvu – Gumeni jastučić za stege – Dimenzije i mase (EN 4115:2010)
Aerospace series – Cushion, rubber for clamps – Dimensions, masses (EN 4115:2010)

HRN EN 4116:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA2601 (A286), s navojem prevučenim srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 425 °C (EN 4116:2004)
Aerospace series – Nuts, hexagonal, self-locking, in heat resisting steel FE-PA2601 (A286), silver plated on thread – Classification: 1100 MPa (at ambient temperature)/425 °C (EN 4116:2004)

HRN EN 4117:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), s navojem prevučenim srebrom – Klasifikacija: 1550 MPa (pri temperaturi okoline)/600 °C (EN 4117:2004)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated on thread – Classification: 1550 MPa (at ambient temperature)/600 °C (EN 4117:2004)

HRN EN 4118:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA2601 (A286), s navojem prevučenim srebrom – Klasifikacija: 1 100 MPa (pri temperaturi okoline)/ 650 °C (EN 4118:2004)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting steel FE-PA2601 (A286), silver plated on thread – Classification: 1 100 MPa (at ambient temperature)/650 °C (EN 4118:2004)

HRN EN 4119:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, duboki kontra upust, od čelika otpornog na toplinu FE-PA2601 (A286), s navojem prevučenim srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 4119:2004)
Aerospace series – Nuts, bihexagonal, self-locking, deep counterbore, in heat resisting steel FE-PA2601 (A286), silver plated on thread – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 4119:2004)

HRN EN 4120:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, legura na bazi nikla otporna na toplinu NI-PH1302 (Waspaloy), s navojem prevučenim srebrom – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730°C (EN 4120:2004)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting nickel base alloy NI-PH1302 (Waspaloy), sliver plated on thread – Classification: 1210 MPa (at ambient temperature)/730°C (EN 4120:2004)

HRN EN 4121:2008
Nizovi o zrakoplovstvu – Držač matica, nazubljen, samozatvarajući, od čelika otpornog na toplinu FE-PA2601 (A286), s navojem prevučenim srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 4121:2004)
Aerospace series – Shank nuts, serrated, self-locking, in heat resisting steel FE-PA2601 (A286), silver plated on thread – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 4121:2004)

HRN EN 4122:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, od čelika otpornog na toplinu FE-PA2601 (A286), s navojem prevučenim srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 4122:2004)
Aerospace series – Shank nuts, self-locking, in heat resisting steel FE-PA2601 (A286), silver plated on thread – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 4122:2004)

HRN EN 4123:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), s navojem prevučenim srebrom – Klasifikacija: 1550 MPa (pri temperaturi okoline)/600 °C (EN 4123:2004)
Aerospace series – Shank nuts, self-locking, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated on thread – Classification: 1550 MPa (at ambient temperature)/600 °C (EN 4123:2004)

HRN EN 4124:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, legura na bazi nikla otporna na toplinu NI-PH1302 (Waspaloy), s navojem prevučenim srebrom, za 60° kalup – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 4124:2004)
Aerospace series – Shank nuts, self-locking, in heat resisting nickel base alloy NI-PH1302 (Waspaloy), silver plated on thread, for 60° swage – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 4124:2004)

HRN EN 4125:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, fiksne, dvoje uši, skraćene serije, s povećavajućim kontra upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline) / 315 °C (EN 4125:2010)
Aerospace series – Nuts, anchor, self-locking, fixed, two lug, reduced series, with incremental counterbore, in heat resisting steel, MoS2 lubricated – Classification: 900 MPa (at ambient temperature) / 315 °C (EN 4125:2010)

HRN EN 4126:2011
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, plivajuće, dva uha, skraćene serije, s povečavajućim kontra upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline) / 315 °C (EN 4126:2010)
Aerospace series – Nuts, anchor, self-locking, floating, two lug, reduced series, with incremental counterbore, in heat resisting steel, MoS2 lubricated – Classification: 900 MPa (at ambient temperature) / 315 °C (EN 4126:2010)

HRN EN 4127:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, kratki navoj, od legure titana, prevučeni IVD aluminijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 4127:2009)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, short thread, in titanium alloy, aluminium IVD coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 4127:2009)

HRN EN 4128:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, kratkog navoja, legura na bazi nikla otporna na toplinu, prevučeni IVD aluminijem – Klasifikacija: 1250 MPa (pri temperaturi okoline) / 425 °C (EN 4128:2009)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, short thread, in heat resisting nickel base alloy, aluminium IVD coated – Classification: 1250 MPa (at ambient temperature) / 425 °C (EN 4128:2009)

HRN EN 4129:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, srednje dužine navoja, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4129:2009+AC:2010)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 4129:2009+AC:2010)

HRN EN 4130:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, srednje dužine navoja, od legure titana, prevučeni IVD aluminijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 4130:2009+AC:2010)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, medium length thread, in titanium alloy, aluminium IVD coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 4130:2009+AC:2010)

HRN EN 4131:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, srednje dužine navoja, legura na bazi nikla otporna na toplinu, prevučeni IVD aluminijem – Klasifikacija: 1250 MPa (pri temperaturi okoline) / 425 °C (EN 4131:2009+AC:2010)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, medium length thread, in heat resisting nickel base alloy, aluminium IVD coated – Classification: 1250 MPa (at ambient temperature) / 425 °C (EN 4131:2009+AC:2010)

HRN EN 4132:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, dugog navoja, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4132:2009)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 4132:2009)

HRN EN 4133:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, dugog navoja, od legure titana, prevučeni IVD aluminijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 425 °C (EN 4133:2009)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, long thread, in titanium alloy, aluminium IVD coated – Classification: 1100 MPa (at ambient temperature) / 425 °C (EN 4133:2009)

HRN EN 4134:2011
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, dugog navoja, legura na bazi nikla otporna na toplinu, prevučeni IVD aluminijem – Klasifikacija: 1250 MPa (pri temperaturi okoline) / 425°C (EN 4134:2009)
Aerospace series – Bolts, normal hexagonal head, coarse tolerance normal shank, long thread, in heat resisting nickel base alloy, aluminium IVD coated – Classification: 1250 MPa (at ambient temperature) / 425°C (EN 4134:2009)

HRN EN 4135:2011
Nizovi o zrakoplovstvu – Matice, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, srednje dužine navoja, od legure titana, anodizirane, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4135:2009)
Aerospace series – Bolts, normal bi-hexagonal head, coarse tolerance normal shank, medium length thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4135:2009)

HRN EN 4136:2011
Nizovi o zrakoplovstvu – Matice, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, dugog navoja, od legure čelika, prevučene kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4136:2009+AC:2010)
Aerospace series – Bolts, normal bi-hexagonal head, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 4136:2009+AC:2010)

HRN EN 4137:2011
Nizovi o zrakoplovstvu – Matice, normalna dvanaesterokutna glava, stepenastog struka, dugog navoja, od legure titana, anodizirane, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4137:2009)
Aerospace series – Bolts, normal bi-hexagonal head, stepped shank, long thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4137:2009)

HRN EN 4138:2011
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka grube tolerancije, srednje dužine navoja, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4138:2009)
Aerospace series – Screws, pan head, offset cruciform recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated – Classification : 1100 MPa (at ambient temperature) / 235 °C (EN 4138:2009)

HRN EN 4158:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Metoda ispitivanja za mjerenje električnog otpora površine vodljivih slojeva (EN 4158:2006)
Aerospace series – Paints and varnishes – Test method for measurement of electrical surface resistance of conductive layers (EN 4158:2006)

HRN EN 4159:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Određivanje otpornosti na rast mikroba (EN 4159:2011)
Aerospace series – Paints and varnishes – Determination of resistance to microbial growth (EN 4159:2011)

HRN EN 4160:2011
Nizovi o zrakoplovstvu – Boje i lakovi – Određivanje utjecaja izloženosti toplini (EN 4160:2011)
Aerospace series – Paints and varnishes – Determination of the effect of thermal exposure (EN 4160:2011)

HRN EN 4161:2011
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka grube tolerancije, dugog navoja, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4161:2009+AC:2010)
Aerospace series – Screws, pan head, offset cruciform recess, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 4161:2009+AC:2010)

HRN EN 4162:2011
Nizovi o zrakoplovstvu – Vijci sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka grube tolerancije, srednje dužine navoja, od legure čelika, prevučeni kadmijem – 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4162:2009)
Aerospace series – Screws 100° countersunk normal head, offset cruciform recess, coarse tolerance normal shank, medium length thread, in alloy steel, cadmium plated – 1100 MPa (at ambient temperature) / 235 °C (EN 4162:2009)

HRN EN 4163:2011
Nizovi o zrakoplovstvu – Vijci sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka grube tolerancije, dugog navoja, od legure čelika, prevučeni kadmijem – 1100 MPa (pri temperaturi okoline) / 235 °C (EN 4163:2009)
Aerospace series – Screws 100° countersunk normal head, offset cruciform recess, coarse tolerance normal shank, long thread, in alloy steel, cadmium plated – 1100 MPa (at ambient temperature) / 235 °C (EN 4163:2009)

HRN EN 4165-001:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 001. dio: Tehnička specifikacija (EN 4165-001:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 001: Technical specification (EN 4165-001:2007)

HRN EN 4165-002:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 002. dio: Specifikacije značajki i položaj kontakata (EN 4165-002:2007)

Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 002: Specification of performance and contact arrangements (EN 4165-002:2007)

HRN EN 4165-003:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 003. dio: Moduli serije 2 i serije 3 – Norma za proizvod (EN 4165-003:2008)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 003: Modules series 2 and series 3 – Product standard (EN 4165-003:2008)

HRN EN 4165-004:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 004. dio: Ugradbene utičnice za odlaganje modula 2 i 4, serije 2 – Norma za proizvod (EN 4165-004:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 004: Stackable mounting receptacle 2 and 4 modules, series 2 – Product standard (EN 4165-004:2007)

HRN EN 4165-005:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 005. dio: Ugradbene utičnice za odlaganje modula 2 i 4, serije 3 – Norma za proizvod (EN 4165-005:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 005: Stackable mounting receptacle 2 and 4 modules, series 3 – Product standard (EN 4165-005:2007)

HRN EN 4165-006:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 006. dio: Utikač za module 2 i 4, serije 2 – Norma za proizvod (EN 4165-006:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 006: Plug for 2 and 4 modules, series 2 – Product standard (EN 4165-006:2007)

HRN EN 4165-007:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 007. dio: Utikač za module 2 i 4, serije 3 – Norma za proizvod (EN 4165-007:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 007: Plug for 2 and 4 modules, series 3 – Product standard (EN 4165-007:2007)

HRN EN 4165-008:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 008. dio: Priključna kutija i pločasti utikač za module 2 i 4, serije 2 – Norma za proizvod (EN 4165-008:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 008: Rack and panel plug for 2 and 4 modules, series 2 – Product standard (EN 4165-008:2007)

HRN EN 4165-009:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 009. dio: Priključna kutija i pločasti utikač za module 2 i 4, serije 3 – Norma za proizvod (EN 4165-009:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 009: Rack and panel plug for 2 and 4 modules, series 3 – Product standard (EN 4165-009:2007)

HRN EN 4165-010:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 010. dio: Priključna kutija i pločasti utikač ugrađen sa stražnje strane za module 2 i 4, serije 3 – Norma za proizvod (EN 4165-010:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 010: Rack and panel rear mounted plug for 2 and 4 modules, series 2 – Product standard (EN 4165-010:2007)

HRN EN 4165-011:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 011. dio: Utičnica s ugrađenom prirubnicom modula 2 i 4, serije 2 – Norma za proizvod (EN 4165-011:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 011: Flange mounting receptacle 2 and 4 modules, series 2 – Product standard (EN 4165-011:2007)

HRN EN 4165-012:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 012. dio: Utičnica s ugrađenom prirubnicom modula 2 i 4, serije 3 – Norma za proizvod (EN 4165-012:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 012: Flange mounting receptacle 2 and 4 modules, series 3 – Product standard (EN 4165-012:2005)

HRN EN 4165-013:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 013. dio: Stega za kabel za module 2 i 4 za spojnice, serije 2 i serije 3 – Norma za proizvod (EN 4165-013:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 013: Cable clamp 2 and 4 modules for connectors, series 2 and series 3 – Product standard (EN 4165-013:2005)

HRN EN 4165-014:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 014. dio: Obloženo dodatno tijelo, za module 2 i 4 za spojnice, serije 2 i serije 3 – Norma za proizvod (EN 4165-014:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 014: Shielded accessory body, 2 and 4 modules for connectors, series 2 and series 3 – Product standard (EN 4165-014:2005)

HRN EN 4165-015:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 015. dio: Okrugli dimnjak za opremu (1 po šupljini modula) – Norma za proizvod (EN 4165-015:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 015: Round chimney for accessory (1 per module cavity) – Product standard (EN 4165-015:2005)

HRN EN 4165-016:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 016. dio: Dvostruki ovalni dimnjak za opremu (1 po šupljini modula) – Norma za proizvod (EN 4165-016:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 016: Double oval chimney for accessory (1 per 2 modules) – Product standard (EN 4165-016:2005)

HRN EN 4165-017:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 017. dio: Prazni dimnjak za opremu (1 po šupljini modula) – Norma za proizvod (EN 4165-017:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 017: Blank chimney for accessory (1 per module cavity) – Product standard (EN 4165-017:2005)

HRN EN 4165-018:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 018. dio: Zaštitni omotač za utičnice moduli 2 i 4, serije 2 i serije 3 – Norma za proizvod (EN 4165-018:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 018: Protective cover for receptacle 2 and 4 modules, series 2 and series 3 – Product standard (EN 4165-018:2007)

HRN EN 4165-020:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 020. dio: Utor sa sistemom spojnica za utičnicu – Norma za proizvod (EN 4165-020:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 020: Coupling system keyway for receptacle – Product standard (EN 4165-020:2007)

HRN EN 4165-021:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 021. dio: Utor sa sustavom spojnica za utikač – Norma za proizvod (EN 4165-021:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 021: Coupling system keyway for plug – Product standard (EN 4165-021:2007)

HRN EN 4165-022:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 022. dio: Alat za umetanje/izvlačenje za uklanjanje modula-- Norma za proizvod (EN 4165-022:2005)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 022: Insertion/extraction tool for removal of modules – Product standard (EN 4165-022:2005)

HRN EN 4165-023:2008
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 023. dio: Rad alatom za ugradnju dijelova za šifriranje utičnice – Norma za proizvod (EN 4165-023:2007)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 023: Tooling for assembly of receptacle coding component – Product standard (EN 4165-023:2007)

HRN EN 4165-024:2011
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 024. dio: Samostalni modul utikač – Norma za proizvod (EN 4165-024:2011)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 024: Single module plug – Product standard (EN 4165-024:2011)

HRN EN 4165-025:2012
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 025. dio: Modul utičnica – Norma za proizvod (EN 4165-025:2011)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 025: Module receptacle – Product Standard (EN 4165-025:2011)

HRN EN 4165-026:2011
Nizovi o zrakoplovstvu – Spojnice, električne, pravokutne, modularne – Stalna radna temperatura 175 °C – 026. dio: Oprema za samostalne module – Norma za proizvod (EN 4165-026:2011)
Aerospace series – Connectors, electrical, rectangular, modular – Operating temperature 175 °C continuous – Part 026: Accessories for single modules – Product standard (EN 4165-026:2011)

HRN EN 4166:2008
Nizovi o zrakoplovstvu – Obujmice, napregnute oprugom, trodjelne – PTFE posteljice (EN 4166:2004)
Aerospace series – Clips, spring tension, three parts – PTFE bushes (EN 4166:2004)

HRN EN 4167:2008
Nizovi o zrakoplovstvu – Obujmice, napregnute oprugom, trodijelne – Unutarnje obujmice od čelika otpornog na toplinu FE-PA2601 (A286) (EN 4167:2004)
Aerospace series – Clips, spring tension, three parts – Inner clips in heat resisting steel FE-PA2601 (A286) (EN 4167:2004)

HRN EN 4168:2008
Nizovi o zrakoplovstvu – Obujmice, napregnute oprugom, trodjelne – Vanjske obujmice od čelika otpornog na toplinu FE-PA2601 (A286) (EN 4168:2004)
Aerospace series – Clips, spring tension, three parts – Outer clips in heat resisting steel FE-PA2601 (A286) (EN 4168:2004)

HRN EN 4170:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Metoda ispitivanja za mjerenje otpora na hladne lomove pri temperaturnom ciklusu (EN 4170:2007)
Aerospace series – Paints and varnishes – Test method for measurement of resistance to cold crack temperature cycle (EN 4170:2007)

HRN EN 4171:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Metode ispitivanja za određivanje indeksa fosforne kiseline (EN 4171:2011)
Aerospace series – Paints and varnishes – Test method for determination of phosphoric acid index (EN 4171:2011)

HRN EN 4172:2008
Nizovi o zrakoplovstvu – Vijci sa samozatvaranjem, s izbočenom glavom, tip na smicanje, uske tolerancije, od legure titana TI-P64001, anodizirani, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4172:2006)
Aerospace series – Lockbolts, protruding head, sheartype, close tolerance, in titanium alloy TI-P64001, anodized, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4172:2006)

HRN EN 4173:2008
Nizovi o zrakoplovstvu – Vijci sa samozatvaranjem, sa 100° upuštenom normalnom glavom, tip na smicanje, uske tolerancije, od legure titana TI-P64001, anodizirani, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4173:2006)
Aerospace series – Lockbolts, 100° countersunk normal head, sheartype, close tolerance, in titanium alloy TI-P64001, anodized, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4173:2006)

HRN EN 4174:2008
Nizovi o zrakoplovstvu – Prstenasti pritisni stezač za blokiranje, tip na smicanje, od legure aluminija 2024, anodizirane ili kromirane, metrički nizovi (EN 4174:2006)

Aerospace series – Collars, swage locking, sheartype, in aluminium alloy 2024, anodized or chromated, metric series (EN 4174:2006)

HRN EN 4175:2008
Nizovi o zrakoplovstvu – Prstenasti pritisni stezač za blokiranje s prirubnicom, tip na smicanje, od titana TI-P99002, metrički nizovi (EN 4175:2005)
Aerospace series – Collars, flanged swage locking, sheartype, in titanium TI-P99002, metric series (EN 4175:2005)

HRN EN 4176:2008
Nizovi o zrakoplovstvu – Vijak sa samozatvaranjem, sa 100° upuštenom normalnom glavom ili s izbočenom glavom, tip na zatezanje/smicanje, uske tolerancije, od legure titana TI-P64001, anodizirani ili s aluminijski pigmentiranim premazom – Čahura od titana TI-P99002 ili legure aluminija 2024 – metrički nizovi – Tehnička specifikacija (EN 4176:2005)
Aerospace series – Lockbolts, 100° countersunk normal head or protruding head, tension- / sheartype, close tolerance, in titanium alloy TI-P64001, anodized or with aluminium pigmented coating – Collars in titanium TI-P99002 or aluminium alloy 2024 – Metric series – Technical specification (EN 4176:2005)

HRN EN 4178:2011
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, imbus vijak sa šesterokutnom glavom, normalnog struka grube tolerancije, srednje dužine navoja, od legure titana, anodizirani, podmazani s MoS2 – 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4178:2009)
Aerospace series – Screws, pan head, six lobe recess, coarse tolerance normal shank, medium length thread, in titanium alloy, anodized, MoS2 lubricated – 1100 MPa (at ambient temperature) / 315 °C (EN 4178:2009)

HRN EN 4179:2011
Nizovi o zrakoplovstvu – Kvalifikacija i dopuštenje za rad djelatnika u poslovima nerazornog ispitivanja (EN 4179:2009)
Aerospace series – Qualification and approval of personnel for non-destructive testing (EN 4179:2009)

HRN EN 4180:2008
Nizovi o zrakoplovstvu – Cijevi savijene u krug od titana i legura titana za fluide – Široke tolerancije – Promjer 4 mm < D < 40 mm – Dimenzije (EN 4180:2001)
Aerospace series – Circular tubes for fluids in titanium and titanium alloys – Wide tolerances – Diameter 4 mm < D < 40 mm – Dimensions (EN 4180:2001)

HRN EN 4182:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene (EN 4182:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced (EN 4182:2001)

HRN EN 4183:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena od 90° zavareni krajevi (EN 4183:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° welded ends (EN 4183:2001)

HRN EN 4184:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 45° dvostruka, zavareni krajevi (EN 4184:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 45° double, welded ends (EN 4184:2001)

HRN EN 4185:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve s dugom pregradom (EN 4185:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees bulkhead on run long (EN 4185:2001)

HRN EN 4186:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spajanje, prijelazi (EN 4186:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, cross (EN 4186:2001)

HRN EN 4187:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 90° s pregradom, duga (EN 4187:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° bulkhead, long (EN 4187:2001)

HRN EN 4188:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 90° s pregradom, duga, zavareni krajevi (EN 4188:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Elbows 90° bulkhead, long, welded end (EN 4188:2001)

HRN EN 4189:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, s pregradnom granom, duge (EN 4189:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, bulkhead branch, long (EN 4189:2001)

HRN EN 4190:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene s maticom za potisnu žicu na dolaznoj strani (EN 4190:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced with thrust wire nut on run (EN 4190:2001)

HRN EN 4191:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene, s pregradnom granom, duge (EN 4191:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced, bulkhead branch, long (EN 4191:2001)

HRN EN 4192:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene s pregradnom granom (EN 4192:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced bulkhead branch (EN 4192:2001)

HRN EN 4193:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene s pregradom na dugoj dolaznoj strani (EN 4193:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced bulkhead on run long (EN 4193:2001)

HRN EN 4194:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – T-račve, skraćene, s pregradom (EN 4194:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Tees, reduced, bulkhead (EN 4194:2001)

HRN EN 4195:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Metode ispitivanja za određivanje ispuštanja kromata (EN 4195:2011)
Aerospace series – Paints and varnishes – Test method for determination of chromate leaching (EN 4195:2011)

HRN EN 4198:2008
Nizovi o zrakoplovstvu – Krajevi šipki, sa prilagodljivim samoravnajućim ravnim ležajevima sa samopodmazujućim prstenom i strukom s navojem od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 4198:2006)
Aerospace series – Rod-ends, adjustable self-aligning plain bearing with self-lubricating liner and threaded shank in corrosion resisting steel – Dimensions and loads (EN 4198:2006)

HRN EN 4199-002:2008
Nizovi o zrakoplovstvu – Trake za vezanje za zrakoplov – 002. dio: Indeks norma za proizvod (EN 4199-002:2006)
Aerospace series – Bonding straps for aircraft – Part 002: Index of product standard (EN 4199-002:2006)

HRN EN 4199-003:2011
Nizovi o zrakoplovstvu – Trake za vezanje za zrakoplov – 003. dio: Ugradbene trake za vezanje sa ravnim pletenim bakrenim vodičem, prevučen kositrom od – 65 °C do 150 °C i bakarom, prevučene niklom od – 65 °C do 260 °C – Norma za proizvod (EN 4199-003:2009)
Aerospace series – Bonding straps for aircraft – Part 003: Bonding strap assemblies with flat braided conductor copper, tin plated – 65 °C up to 150 °C and copper, nickel plated – 65 °C up to 260 °C – Product standard (EN 4199-003:2009)

HRN EN 4199-004:2011
Nizovi o zrakoplovstvu – Trake za vezanje za zrakoplov – 004. dio: Okrugle trake za vezanje, bakar, prevučen kositrom – 65 °C up to 150 °C i prevučen niklom – 65 °C up to 260 °C – Norma za proizvod (EN 4199-004:2009)
Aerospace series – Bonding straps for aircraft – Part 004: Round bonding straps, copper, tin plated – 65 °C up to 150 °C and nickel plated – 65 °C up to 260 °C – Product standard (EN 4199-004:2009)

HRN EN 4199-005:2011
Nizovi o zrakoplovstvu – Trake za vezanje za zrakoplov – 005. dio: Ravni opleteni vodljivi bakar, prevučen kositrom od – 65 °C do 150 °C i bakrom, prevučen niklom od – 65 °C do 260 °C – Norma za proizvod (EN 4199-005:2009)
Aerospace series – Bonding straps for aircraft – Part 005: Flat braid conductors copper, tin plated - 65 °C up to 150 °C and copper, nickel plated, -65 °C up to 260 °C – Product standard (EN 4199-005:2009)

HRN EN 4199-006:2008
Nizovi o zrakoplovstvu – Trake za vezanje za zrakoplov – 006. dio: Okrugli opleteni vodljivi bakar za trake za vezanje, prevučen kositrom do 150 °C ili prevučen niklom do 260 °C – Norma za proizvod (EN 4199-006:2006)
Aerospace series – Bonding straps for aircraft – Part 006: Round braid copper conductors for bonding straps, tin plated up to 150 °C or nickel plated up to 260 °C – Product standard (EN 4199-006:2006)

HRN EN 4202:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6082-T651 – Ploča – 6 mm (EN 4202:2005)
Aerospace series – Aluminium alloy AL-P6082-T651 – Plate – 6 mm (EN 4202:2005)

HRN EN 4203:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P8090-T89 – Ploča – 0,6 mm (EN 4203:2005)
Aerospace series – Aluminium alloy AL-P8090-T89 – Sheet – 0,6 mm (EN 4203:2005)

HRN EN 4204:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P8090 – T841 – Ploča – 0,6 mm (EN 4204:2005)
Aerospace series – Aluminium alloy AL-P8090 – T841 – Sheet – 0,6 mm (EN 4204:2005)

HRN EN 4209:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T851 – Ploča – 6 mm (EN 4209:2005)
Aerospace series – Aluminium alloy AL-P2219-T851 – Plate – 6 mm (EN 4209:2005)

HRN EN 4211:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T42 – Pokrivena ploča – 6 mm (EN 4211:2005)
Aerospace series – Aluminium alloy AL-P2024-T42 – Clad plate – 6 mm (EN 4211:2005)

HRN EN 4212:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P5086-H111 – Ploča – 6 mm (EN 4212:2005)
Aerospace series – Aluminium alloy AL-P5086-H111 – Plate – 6 mm (EN 4212:2005)

HRN EN 4213:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6061-T651 – Ploča – 6 mm (EN 4213:2005)
Aerospace series – Aluminium alloy AL-P6061-T651 – Plate – 6 mm (EN 4213:2005)

HRN EN 4214:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7010-T651 – Ploča – 6 mm (EN 4214:2005)
Aerospace series – Aluminium alloy AL-P7010-T651 – Plate – 6 mm (EN 4214:2005)

HRN EN 4215:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7175-T651 – Ploča – 6 mm (EN 4215:2005)
Aerospace series – Aluminium alloy AL-P7175-T651 – Plate – 6 mm (EN 4215:2005)

HRN EN 4216:2008
Nizovi o zrakoplovstvu – Čelik FE-CM3801 (GX5CrNiCuNb16-4) – Homogeniziran, izložen otopini i otvrdnut precipitacijom, precizno lijevanje De ≤ 50 mm, Rm ≥ 900 MPa (EN 4216:2007)
Aerospace series – Steel FE-CM3801 (GX5CrNiCuNb16-4) – Homogenized, solution treated and precipitation hardened, investment casting De ≤ 50 mm, Rm ≥ 900 MPa (EN 4216:2007)

HRN EN 4233:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Spojevi, zavarenog kraja i s navojem (EN 4233:2001)
Aerospace series – Pipe coupling 8°30' in titanium alloy – Unions, welded end, threaded (EN 4233:2001)

HRN EN 4234:2011
Nizovi o zrakoplovstvu – Stege, pužni pogon – Dimenzije i mase (EN 4234:2009)
Aerospace series – Clamps, worm drive – Dimensions, masses (EN 4234:2009)

HRN EN 4247:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T42 – Ploča – 6 mm (EN 4247:2005)
Aerospace series – Aluminium alloy AL-P2024-T42 – Plate – 6 mm (EN 4247:2005)

HRN EN 4250:2008
Nizovi o zrakoplovstvu – Legura na bazi nikla s NI-B41001 (NiCr19Si7B) – Dodatni materijal za tvrdo lemljenje – Amorfna folija (EN 4250:2001)
Aerospace series – Nickel base alloys NI-B41001 (NiCr19Si7B) – Filler metal for brazing – Amorphous foil (EN 4250:2001)

HRN EN 4258:2008
Nizovi o zrakoplovstvu – Metalni materijali – Opća organizacija normizacije – Veza između tipova EN norma i njihova upotreba (EN 4258:1998)
Aerospace series – Metallic materials – General organization of standardization – Links between types of EN standards and their use (EN 4258:1998)

HRN EN 4267:2008
Nizovi o zrakoplovstvu – Okrugle šipke od titana i legure titana – Promjer 6 mm <= D <= 160 mm – Dimenzije (EN 4267:2001)
Aerospace series – Round bars in titanium and titanium alloys – Diameter 6 mm <= D <= 160 mm – Dimensions (EN 4267:2001)

HRN EN 4283:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2219-T87 – Ploča – 6 mm (EN 4283:2005)
Aerospace series – Aluminium alloy AL-P2219-T87 – Plate – 6 mm (EN 4283:2005)

HRN EN 4286:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P8090-T89 – Otkivci kovani u ukovnjima – a <125 mm (EN 4286:2005)
Aerospace series – Aluminium alloy AL-P8090-T89 – Die forgings – a <125 mm (EN 4286:2005)

HRN EN 4287:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7010 – Materijal namijenjen kovanju (EN 4287:2005)
Aerospace series – Aluminium alloy AL-P7010 – Forging stock (EN 4287:2005)

HRN EN 4291:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P8090 – Materijal namijenjen kovanju (EN 4291:2005)
Aerospace series – Aluminium alloy AL-P8090 – Forging stock (EN 4291:2005)

HRN EN 4292:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-R39002 – Materijal namijenjen kovanju (EN 4292:2005)
Aerospace series – Aluminium alloy AL-R39002 – Forging stock (EN 4292:2005)

HRN EN 4300:2008
Nizovi o zrakoplovstvu – Identifikacijska metoda označivanja dijelova motora – Norma za projektiranje (EN 4300:2008)
Aerospace series – Identification marking of engine items – Design standard (EN 4300:2008)

HRN EN 4301:2010
Nizovi o zrakoplovstvu – Identifikacijska metoda označivanja dijelova motora – Inženjerski zahtjevi (EN 4301:2009)
Aerospace series – Identification marking methods for engine items – Engineering requirements (EN 4301:2009)

HRN EN 4302:2008
Nizovi o zrakoplovstvu – Alat za ubacivanje sa otvorenim prstenom, kvadratni (EN 4302:2008)
Aerospace series – Open ring insert tool, square drive (EN 4302:2008)

HRN EN 4303:2008
Nizovi o zrakoplovstvu – Čahure za zatezne matice s ravnom glavom, od čelika otpornog na koroziju, pasivizirane, (0,25 mm debljina zida) (EN 4303:2005)
Aerospace series – Sleeves, tubular, for tension screws with flush head, in corrosion resisting steel, passivated, (0,25 mm wall thickness) (EN 4303:2005)

HRN EN 4304:2008
Nizovi o zrakoplovstvu – Čahure, cjevaste, za vijke s ravnom glavom i za smična naprezanja, od čelika otpornog na koroziju, pasivizirane, (0,25 mm debljina zida) (EN 4304:2005)
Aerospace series – Sleeves, tubular, for shear screws with flush head, in corrosion resisting steel, passivated, (0,25 mm wall thickness) (EN 4304:2005)

HRN EN 4306:2008
Nizovi o zrakoplovstvu – Čahure za zatezne matice s ravnom glavom, od čelika otpornog na koroziju, pasivizirane, (0,50 mm debljina zida) (EN 4306:2005)
Aerospace series – Sleeves, tubular, for tension screws with flush head, in corrosion resisting steel, passivated, (0,50 mm wall thickness) (EN 4306:2005)

HRN EN 4307:2008
Nizovi o zrakoplovstvu – Čahure, cjevaste, za vijke s ravnom glavom i za smična naprezanja, od čelika otpornog na koroziju, pasivizirane, (0,50 mm debljina zida) (EN 4307:2005)
Aerospace series – Sleeves, tubular, for shear screws with flush head, in corrosion resisting steel, passivated, (0,50 mm wall thickness) (EN 4307:2005)

HRN EN 4311:2008
Nizovi o zrakoplovstvu – Umeci, stanjenog struka grube tolerancije, srednje dužine navoja, od čelika otpornog na toplinu i koroziju, podmazani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4311:2006)
Aerospace series – Studs, coarse tolerance reduced shank, medium length threads, in heat and corrosion resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4311:2006)

HRN EN 4312:2008
Nizovi o zrakoplovstvu – Umeci, stanjenog struka grube tolerancije, srednje dužine navoja, od čelika otpornog na toplinu i koroziju, s aluminijski pigmentiranim premazom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4312:2006)
Aerospace series – Studs, coarse tolerance reduced shank, medium length thread, in heat and corrosion resisting steel, with aluminium pigmented coating – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4312:2006)

HRN EN 4313:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6013-T6 – Lim i traka – 0,5 mm (EN 4313:2005)
Aerospace series – Aluminium alloy AL-P6013-T6 – Sheet and strip – 0,5 mm (EN 4313:2005)

HRN EN 4314:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu FE-PA2602 (X4NiCrTiMoV26-15) – Neizložena toplini, materijal namijenjen kovanju a ili D ≤ 250 mm (EN 4314:2007)
Aerospace series – Heat resisting alloy FE-PA2602 (X4NiCrTiMoV26-15) – Non heat treated, forging stock a or D ≤ 250 mm (EN 4314:2007)

HRN EN 4315:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu FE-PA2601 (X6NiCrTiMoV26-15) – Tretiran otopinom i precipitatom, šipke i profili a ili D ≤ 100 mm, Rm ≥ 900 MPa (EN 4315:2007)
Aerospace series – Heat resisting alloy FE-PA2601 (X6NiCrTiMoV26-15) – Solution treated and precipitation treated, bar and section a or D ≤ 100 mm, Rm ≥ 900 MPa (EN 4315:2007)

HRN EN 4317:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu FE-PA2601 (X6NiCrTiMoV26-15) – Neizložena toplini, materijal namijenjen kovanju a ili D ≤ 200 mm (EN 4317:2007)
Aerospace series – Heat resisting alloy FE-PA2601 (X6NiCrTiMoV26-15) – Non heat treated, forging stock a or D ≤ 200 mm (EN 4317:2007)

HRN EN 4318:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu FE-PA2601 (X6NiCrTiMoV26-15) – Tretiran otopinom i precipitatom, šipke i profili De ≤ 100 mm, Rm ≥ 960 MPa (EN 4318:2007)
Aerospace series – Heat resisting alloy FE-PA2601 (X6NiCrTiMoV26-15) – Solution treated and precipitation treated, bar and section De ≤ 100 mm, Rm ≥ 960 MPa (EN 4318:2007)

HRN EN 4321:2008
Nizovi o zrakoplovstvu – Vijci, s dvanaestorokutnom glavom sa otvorima za žičane osigurače, sa stanjenim strukom, dugog navoja, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučeni srebrom – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 650 °C (EN 4321:2004)
Aerospace series – Bolts, double hexagon head with lockwire holes, relieved shank, long thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated – Classification: 1550 MPa (at ambient temperature)/650 °C (EN 4321:2004)

HRN EN 4322:2008
Nizovi o zrakoplovstvu – Vijci, s dvanaestorokutnom glavom s otvorima za žičane osigurače, sa stanjenim strukom, dugog navoja, od legure titana TI-P64001, anodizirani, prevučeni s MoS2 – Snaga razreda: 1100 MPa (pri temperaturi okoline) (EN 4322:2004)
Aerospace series – Bolts, double hexagon head with lockwire holes, relieved shank, long thread, in titanium alloy TI-P64001, anodized, MoS2 coated – Strength class: 1100 MPa (at ambient temperature) (EN 4322:2004)

HRN EN 4323:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom glavom, imbus vijak sa šesterokutnom glavom, s navojem do glave, od legure titana TI-P64001, anodizirani, prevučeni s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline)/350 °C (EN 4323:2004)
Aerospace series – Screws, 100° countersunk head, six lobe recess, threaded to head, in titanium alloy TI-P64001, anodized, MoS2 coated – Classification: 900 MPa (at ambient temperature)/350 °C (EN 4323:2004)

HRN EN 4324:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-W42201 – Dodatni materijal za zavarivanje – Šipka (EN 4324:2001)
Aerospace series – Aluminium alloy AL-W42201 – Filler metal for welding – Rod (EN 4324:2001)

HRN EN 4325:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH1302 (NiCr20Co13Mo4Ti3Al) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4325:2001)
Aerospace series – Heat resisting alloy NI-WH1302 (NiCr20Co13Mo4Ti3Al) – Filler metal for welding – Wire and rod (EN 4325:2001)

HRN EN 4326:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu CO-WH4102 (CoCr28W20Ni5V1) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4326:2001)
Aerospace series – Heat resisting alloy CO-WH4102 (CoCr28W20Ni5V1) – Filler metal for welding – Wire and rod (EN 4326:2001)

HRN EN 4327:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu CO-WH1401 (CoCr26Ni11W8) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4327:2001)
Aerospace series – Heat resisting alloy CO-WH1401 (CoCr26Ni11W8) – Filler metal for welding – Wire and rod (EN 4327:2001)

HRN EN 4328:2008
Nizovi o zrakoplovstvu – Čelik FE-WM1601 (X18CrWNi13-3-2) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4328:2002)
Aerospace series – Steel FE-WM1601 (X18CrWNi13-3-2) – Filler metal for welding – Wire and rod (EN 4328:2002)

HRN EN 4329:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH0001 (NiCr20) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4329:2001)
Aerospace series – Heat resisting alloy NI-WH0001 (NiCr20) – Filler metal for welding – Wire and rod (EN 4329:2001)

HRN EN 4330:2008
Nizovi o zrakoplovstvu – Čelik FE-WA4802 (X8CrNiMn27-22-2) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4330:2002)
Aerospace series – Steel FE-WA4802 (X8CrNiMn27-22-2) – Filler metal for welding – Wire and rod (EN 4330:2002)

HRN EN 4331:2008
Nizovi o zrakoplovstvu – Čelik FE-WL1804 (25CrMnMo4-2-2) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4331:2002)
Aerospace series – Steel FE-WL1804 (25CrMnMo4-2-2) – Filler metal for welding – Wire and rod (EN 4331:2002)

HRN EN 4332:2008
Nizovi o zrakoplovstvu – Čelik FE-WL1805 (8CrMnMo12-4-9) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4332:2002)
Aerospace series – Steel FE-WL1805 (8CrMnMo12-4-9) – Filler metal for welding – Wire and rod (EN 4332:2002)

HRN EN 4333:2008
Nizovi o zrakoplovstvu – Čelik FE-WA4902 (X5CrNiCoMoWMn21-20-20-3-3-2) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4333:2002)
Aerospace series – Steel FE-WA4902 (X5CrNiCoMoWMn21-20-20-3-3-2) – Filler metal for welding – Wire and rod (EN 4333:2002)

HRN EN 4334:2008
Nizovi o zrakoplovstvu – Čelik FE-WL1806 (15CrMnMoV5-4-9-3) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4334:2002)
Aerospace series – Steel FE-WL1806 (15CrMnMoV5-4-9-3) – Filler metal for welding – Wire and rod (EN 4334:2002)

HRN EN 4335:2008
Nizovi o zrakoplovstvu – Čelik FE-WA2602 (X4NiCrTiMoV26-15) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4335:2002)
Aerospace series – Steel FE-WA2602 (X4NiCrTiMoV26-15) – Filler metal for welding – Wire and rod (EN 4335:2002)

HRN EN 4336:2008
Nizovi o zrakoplovstvu – Čelik FE-WA3801 (X4CrNiMn20-10-2) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4336:2002)
Aerospace series – Steel FE-WA3801 (X4CrNiMn20-10-2) – Filler metal for welding – Wire and rod (EN 4336:2002)

HRN EN 4337:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH8901 (NiCr16Ti3Mn3) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4337:2001)
Aerospace series – Heat resisting alloy NI-WH8901 (NiCr16Ti3Mn3) – Filler metal for welding – Wire and rod (EN 4337:2001)

HRN EN 4338:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-WH3902 (NiCr25Mo10C) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4338:2001)
Aerospace series – Heat resisting alloy NI-WH3902 (NiCr25Mo10C) – Filler metal for welding – Wire and rod (EN 4338:2001)

HRN EN 4339:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu CO-WH4001 (CoCr29W9) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4339:2001)
Aerospace series – Heat resisting alloy CO-WH4001 (CoCr29W9) – Filler metal for welding – Wire and rod (EN 4339:2001)

HRN EN 4340:2008
Nizovi o zrakoplovstvu – Magnezijeve legure MG-W68001 – Dodatni materijal za zavarivanje – Žica i šipka (EN 4340:2002)
Aerospace series – Magnesium alloy MG-W68001 – Filler metal for welding – Wire and rod (EN 4340:2002)

HRN EN 4341:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-W46431 – Dodatni materijal za zavarivanje – Žica i šipka (EN 4341:2001)

Aerospace series – Aluminium alloy AL-W46431 – Filler metal for welding – Wire and rod (EN 4341:2001)

HRN EN 4342:2008
Nizovi o zrakoplovstvu – Titan TI-W99001 – Dodatni materijal za zavarivanje – Žica i šipka (EN 4342:2001)
Aerospace series – Titanium TI-W99001 – Filler metal for welding – Wire and rod (EN 4342:2001)

HRN EN 4343:2008
Nizovi o zrakoplovstvu – Čelik FE-WM1001 (X13Cr12) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4343:2002)
Aerospace series – Steel FE-WM1001 (X13Cr12) – Filler metal for welding – Wire and rod (EN 4343:2002)

HRN EN 4344:2008
Nizovi o zrakoplovstvu – Čelik FE-WM1002 (X13Cr13) – Dodatni materijal za zavarivanje – Žica i šipka (EN 4344:2001)
Aerospace series – Steel FE-WM1002 (X13Cr13) – Filler metal for welding – Wire and rod (EN 4344:2001)

HRN EN 4346:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom, omekšan, materijal namijenjen kovanju a ili D ≤ 300 mm (EN 4346:2007)
Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted, softended, forging stock a or D ≤ 300 mm (EN 4346:2007)

HRN EN 4347:2008
Nizovi o zrakoplovstvu Steel FE-PM1506 (X3CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom, omekšan, materijal namijenjen kovanju a ili D ≤ 300 mm (EN 4347:2007)
Aerospace series Steel FE-PM1506 (X3CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted, softened, forging stock a or D ≤ 300 mm (EN 4347:2007)

HRN EN 4352:2008
Nizovi o zrakoplovstvu – Vijci, s dvanaestorokutnom glavom s otvorima za žičane osigurače, sa stanjenim strukom, dugog navoja, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučeni s MoS2 – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 425 °C (EN 4352:2004)
Aerospace series – Bolts, double hexagon head with lockwire holes, relieved shank, long thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), MoS2 coated – Classification: 1550 MPa (at ambient temperature)/425 °C (EN 4352:2004)

HRN EN 4354:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Odvijači, za otpuštanje (EN 4354:2006)
Aerospace series – Six lobe recess – Drivers, relieved (EN 4354:2006)

HRN EN 4355:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Odvijači, utični (EN 4355:2008)
Aerospace series – Six lobe recess – Drivers, socket (EN 4355:2008)

HRN EN 4356:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Odvijači, kratki (EN 4356:2006)
Aerospace series – Six lobe recess – Drivers, short (EN 4356:2006)

HRN EN 4357:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Odvijači, rukovanje (EN 4357:2006)
Aerospace series – Six lobe recess – Drivers, handle (EN 4357:2006)

HRN EN 4358:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Odvijači, s dvostrukim krajem, 90° (EN 4358:2006)
Aerospace series – Six lobe recess – Drivers, double ended, 90° (EN 4358:2006)

HRN EN 4359:2008
Nizovi o zrakoplovstvu – Imbus vijak sa šesterokutnom glavom – Odvijači – Tehnička specifikacija (EN 4359:2006)
Aerospace series – Six lobe recess – Drivers – Technical specification (EN 4359:2006)

HRN EN 4372:2011
Nizovi o zrakoplovstvu – Legure nikla s bakrom otporne na toplinu NI-PD9001 (NiCu31) – Žica za čvrste zakovice – D = 10 mm (EN 4372:2009)
Aerospace series – Heat resisting nickel alloy with copper NI-PD9001 (NiCu31) – Wire for solid rivets – D = 10 mm (EN 4372:2009)

HRN EN 4373:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-PD9001 (NiCu31) – Kaljena, bešavna cijev D ≤ 75 mm, a ≤ 3 mm (EN 4373:2007)
Aerospace series – Heat resisting alloy NI-PD9001 (NiCu31) – Annealed, seamless tube D ≤ 75 mm, a ≤ 3 mm (EN 4373:2007)

HRN EN 4379:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-PH3601 (NiCr22Mo9Nb) – Izložena otopini, otkivci De ≤ 200 mm (EN 4379:2007)
Aerospace series – Heat resisting alloy NI-PH3601 (NiCr22Mo9Nb) – Solution treated, forging De ≤ 200 mm (EN 4379:2007)

HRN EN 4382:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-PH3601 (NiCr22Mo9Nb) – Izložena otopini – Bešavne cijevi – Za hidrauličnu primjenu – D ≤ 50 mm, a ≤ 3 mm (EN 4382:2006)
Aerospace series – Heat resisting alloy NI-PH3601 (NiCr22Mo9Nb) – Solution treated – Seamless tubes – For hydraulic application – D ≤ 50 mm, a ≤ 3 mm (EN 4382:2006)

HRN EN 4383:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-CH2601 (NiCr19Fe19Nb5Mo3) – Neizložena toplini – Materijal za pretaljivanje (EN 4383:2006)
Aerospace series – Heat resisting alloy NI-CH2601 (NiCr19Fe19Nb5Mo3) – Non heat treated – Remelting stock (EN 4383:2006)

HRN EN 4384:2008
Nizovi o zrakoplovstvu – Legura otporna na toplinu NI-CH1303 (NiCo20Cr20Mo5Ti2Al) – Neizložena toplini – Materijal za pretaljivanje (EN 4384:2007)
Aerospace series – Heat resisting alloy NI-CH1303 (NiCo20Cr20Mo5Ti2Al) – Non heat treated – Remelting stock (EN 4384:2007)

HRN EN 4396:2008
Nizovi o zrakoplovstvu – Osovinske matice, samozatvarajuće, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom (EN 4396:2008)
Aerospace series – Shaft-nuts, self-locking, in heat resisting steel FE-PA92HT (A286), silver plated (EN 4396:2008)

HRN EN 4399:2008
Nizovi o zrakoplovstvu – Prsteni, s navojem, samozatvarajući, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom (EN 4399:2008)
Aerospace series – Rings, threaded, self-locking, in heat resisting steel FE-PA92HT (A286), silver plated (EN 4399:2008)

HRN EN 4401:2008
Nizovi o zrakoplovstvu – Vijak sa samozatvaranjem, s izbočenom glavom, tip na smicanje, uske tolerancije, od legure titana TI-P64001, s aluminijski pigmentiranim premazom, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4401:2006)
Aerospace series – Lockbolts, protruding head, sheartype, close tolerance, in titanium alloy TI-P64001, with aluminium pigmented coating, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4401:2006)

HRN EN 4402:2008
Nizovi o zrakoplovstvu – Vijak sa samozatvaranjem, sa 100° upuštenom normalnom glavom, tip na smicanje, uske tolerancije, od legure titana TI-P64001, s aluminijski pigmentiranim premazom, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4402:2006)
Aerospace series – Lockbolts, 100° countersunk normal head, sheartype, close tolerance, in titanium alloy TI-P64001, with aluminium pigmented coating, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4402:2006)

HRN EN 4406:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna poliuretanska prevlaka koja otvrdnjava pri niskim temperaturama – Otporonost na trošenje (EN 4406:2006)
Aerospace series – Paints and varnishes – Two component cold curing polyurethane coating – Abrasion resistant (EN 4406:2006)

HRN EN 4408-001:2008
Nizovi o zrakoplovstvu – Tehničko crtanje – Predstavljanje dijelova napravljenih od kompozitnih materijala – 1. dio: Opća pravila (EN 4408-001:2005)
Aerospace series – Technical drawings – Representation of parts made of composite materials – Part 1: General rules (EN 4408-001:2005)

HRN EN 4408-002:2008
Nizovi o zrakoplovstvu – Tehničko crtanje – Predstavljanje dijelova napravljenih od kompozitnih materijala – 2. dio: Laminirani dijelovi (EN 4408-002:2005)
Aerospace series – Technical drawings – Representation of parts made of composite materials – Part 2: Laminated parts (EN 4408-002:2005)

HRN EN 4408-003:2008
Nizovi o zrakoplovstvu – Tehničko crtanje – Predstavljanje dijelova napravljenih od kompozitnih materijala – 3. dio: Dijelovi koji uključuju ključne materijale (EN 4408-003:2005)
Aerospace series – Technical drawings – Representation of parts made of composite materials – Part 3: Parts including core materials (EN 4408-003:2005)

HRN EN 4408-004:2008
Nizovi o zrakoplovstvu – Tehničko crtanje – Predstavljanje dijelova napravljenih od kompozitnih materijala – 4. dio: Dijelovi dobiveni namotavanjem (EN 4408-004:2005)
Aerospace series – Technical drawings – Representation of parts made of composite materials – Part 4: Items obtained by winding (EN 4408-004:2005)

HRN EN 4408-005:2008
Nizovi o zrakoplovstvu – Tehničko crtanje – Predstavljanje dijelova napravljenih od kompozitnih materijala – 5. dio: Šavovi (EN 4408-005:2005)
Aerospace series – Technical drawings – Representation of parts made of composite materials – Part 5: Seams (EN 4408-005:2005)

HRN EN 4408-006:2008
Nizovi o zrakoplovstvu – Tehničko crtanje – Predstavljanje dijelova napravljenih od kompozitnih materijala — 6. dio: Preoblikovanje (EN 4408-006:2005)
Aerospace series – Technical drawings – Representation of parts made of composite materials – Part 6: Preforms (EN 4408-006:2005)

HRN EN 4415:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Tekstil – Gusto tkani materijali – Tehnička specifikacija (EN 4415:2006)
Aerospace series – Non-metallic materials – Textiles – Narrow woven fabrics – Technical specification (EN 4415:2006)

HRN EN 4416:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Tekstil – Rijetko tkani materijali – Tehnička specifikacija (EN 4416:2006)
Aerospace series – Non-metallic materials – Textiles – Wide woven fabrics – Technical specification (EN 4416:2006)

HRN EN 4420:2008
Nizovi o zrakoplovstvu – Obujmice, zategnute oprugom, od legura čelika FE-PA3903 (EN 4420:2003)
Aerospace series – Clips, spring tension, in alloy steel FE-PA3903 (EN 4420:2003)

HRN EN 4421:2008
Nizovi o zrakoplovstvu – Umeci, od legure titana TI-P64001, prevučeni s MoS2, sa zupčastim sigurnosnim prstenom od čelika otpornog na koroziju – Snaga razreda: 1100 MPa (pri temperaturi okoline) (EN 4421:2007)
Aerospace series – Studs, in titanium alloy TI-P64001, MoS2 coated, with serrated locking ring in corrosion resisting steel – Strength class: 1100 MPa (at ambient temperature) (EN 4421:2007)

HRN EN 4424:2008
Nizovi o zrakoplovstvu – Krajevi šipki, prilagodljivi, s jednom viljuškom i strukom s navojima sa spajanjem: 1,5 × promjer s navojima od legura titana – Dimenzije i opterećenja (EN 4424:2006)
Aerospace series – Rod-ends, adjustable, single fork and threaded shank with engagement: 1,5 × thread diameter in titanium alloys – Dimensions and loads (EN 4424:2006)

HRN EN 4425:2008
Nizovi o zrakoplovstvu – Podloške, podloške s ispupčenjem, od čelika otpornog na koroziju za šipke kontrole leta – Dimenzije (EN 4425:2006)
Aerospace series – Washers, tab in corrosion resisting steel for flight control rods – Dimensions (EN 4425:2006)

HRN EN 4429:2008
Nizovi o zrakoplovstvu – Tekstil – Ispitivanje gusto tkanih materijala – Određivanje zakrivljenosti luka (EN 4429:2006)
Aerospace series – Textiles – Testing of narrow woven fabrics – Determination of warp bow (EN 4429:2006)

HRN EN 4434:2008
Nizovi o zrakoplovstvu – Lagani vodiči od bakra i legura bakra za električne kabele – Norma za proizvod (normalne i uske tolerancije) (EN 4434:2005)
Aerospace series – Copper or copper alloy lightweight conductors for electrical cables – Product standard (normal and tight tolerances) (EN 4434:2005)

HRN EN 4443:2012
Nizovi o zrakoplovstvu – Matice, eliptično utvrđene, samozatvarajuće, MJ navoji, od čelika otpornog na toplinu FE-PA2601 (A286), prevučene s MoS2, klasifikacija: 900 MPa (pri temperaturi okoline)/ 425 °C (EN 4443:2012)

Aerospace series – Nuts, elliptical clinch, self-locking, MJ threads, in heat resisting steel FE-PA2601 (A286), MoS2 coated, Classification: 900 MPa (at ambient temperature)/ 425 °C (EN 4443:2012)

HRN EN 4449:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7050 – T76 – Lim – 0,8 mm (EN 4449:2005)
Aerospace series – Aluminium alloy AL-P7050 – T76 – Sheet – 0,8 mm (EN 4449:2005)

HRN EN 4450:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7050-T762 – Lim – 0,8 mm (EN 4450:2005)
Aerospace series – Aluminium alloy AL-P7050-T762 – Sheet – 0,8 mm (EN 4450:2005)

HRN EN 4458:2008
Nizovi o zrakoplovstvu – Umeci, MJ navoji, od legure titana TI-P64001, prevučeni s MoS2, sa zupčastim sigurnosnim prstenom od čelika otpornog na koroziju – Snaga razreda: 1100 MPa (pri temperaturi okoline) – Tehnička specifikacija (EN 4458:2005)
Aerospace series – Studs, MJ threads, in titanium alloy TI-P64001, MoS2 coated, with serrated locking ring in corrosion resisting steel – Strength class: 1100 MPa (at ambient temperature) – Technical specification (EN 4458:2005)

HRN EN 4459:2008
Nizovi o zrakoplovstvu – Umeci, od legure titana TI-P64001, sa zupčastim sigurnosnim prstenom od čelika otpornog na koroziju – Norma za projektiranje (EN 4459:2005)
Aerospace series – Studs, in titanium alloy TI-P64001, with serrated locking ring in corrosion resisting steel – Design standard (EN 4459:2005)

HRN EN 4460:2008
Nizovi o zrakoplovstvu – Umeci, od legure titana TI-P64001, sa zupčastim sigurnosnim prstenom od čelika otpornog na koroziju – Postupak ugradnje i uklanjanja (EN 4460:2005)
Aerospace series – Studs, in titanium alloy TI-P64001, with serrated locking ring in corrosion resisting steel – Installation and removal procedure (EN 4460:2005)

HRN EN 4461:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X5CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4461:2007)
Aerospace series – Steel FE-PM1506 (X5CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bar – a or D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4461:2007)

HRN EN 4462:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X5CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4462:2007)
Aerospace series – Steel FE-PM1506 (X5CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bar – a or D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4462:2007)

HRN EN 4463:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X5CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4463:2007)
Aerospace series – Steel FE-PM1506 (X5CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bar – a or D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4463:2007)

HRN EN 4464:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X5CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4464:2007)
Aerospace series – Steel FE-PM1506 (X5CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4464:2007)

HRN EN 4465:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X5CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4465:2007)
Aerospace series – Steel FE-PM1506 (X5CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4465:2007)

HRN EN 4466:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X5CrNiMoAl13-8-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4466:2007)
Aerospace series – Steel FE-PM1506 (X5CrNiMoAl13-8-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4466:2007)

HRN EN 4467:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4467:2007)
Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bar – a or D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4467:2007)

HRN EN 4468:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4468:2007)
Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bar – a or D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4468:2007)

HRN EN 4469:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4469:2007)
Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bar – a or D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4469:2007)

HRN EN 4470:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4470:2007)

Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 150 mm – Rm ≥ 1200 MPa (EN 4470:2007)

HRN EN 4471:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4471:2007)
Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 150 mm – Rm ≥ 1300 MPa (EN 4471:2007)

HRN EN 4472:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1505 (X1CrNiMoAlTi12-9-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4472:2007)
Aerospace series – Steel FE-PM1505 (X1CrNiMoAlTi12-9-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 150 mm – Rm ≥ 1400 MPa (EN 4472:2007)

HRN EN 4473:2011
Nizovi o zrakoplovstvu – Aluminijski pigmentirani premazi za stezače – Tehnička specifikacija (EN 4473:2010)
Aerospace series – Aluminium pigmented coatings for fasteners – Technical specification (EN 4473:2010)

HRN EN 4474:2011
Nizovi o zrakoplovstvu – Aluminijski pigmentirani premazi – Metode premazivanja (EN 4474:2009)
Aerospace series – Aluminium pigmented coatings – Coating methods (EN 4474:2009)

HRN EN 4476:2011
Nizovi o zrakoplovstvu – Boje i lakovi – Pomoćni premaz za hladnu konzervaciju (EN 4476:2011)
Aerospace series – Paints and varnishes – Cold curing intermediate coat (EN 4476:2011)

HRN EN 4493:2008
Nizovi o zrakoplovstvu – Zatici, s navojnim vijkom, sa spiralnim svitkom, samozatvarajući, legura na bazi nikla otporna na toplinu NI-PH1801 (NI-P96HT, Nimonic 90), prevučeni srebrom (EN 4493:2008)
Aerospace series – Inserts, screw thread, helical coil, self-locking, in heat resisting nickel base alloy NI-PH1801 (NI-P96HT, Nimonic 90), silver plated (EN 4493:2008)

HRN EN 4494:2008
Nizovi o zrakoplovstvu – Obruči, razdvojeni, od čelika otpornog na koroziju (EN 4494:2006)
Aerospace series – Rings, split, in stainless steel (EN 4494:2006)

HRN EN 4495:2008
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka uske tolerancije, kratkog navoja, od legure titana, anodizirani, s aluminijski pigmentiranim premazom, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4495:2006)
Aerospace series – Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4495:2006)

HRN EN 4496:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom normalnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od legure titana, anodizirani, s aluminijski pigmentiranim premazom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4496:2005+AC:2006)
Aerospace series – Screws, 100° countersunk normal head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4496:2005+AC:2006)

HRN EN 4497:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od legure titana, anodizirani, s aluminijski pigmentiranim premazom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4497:2005)
Aerospace series – Screws, pan head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4497:2005)

HRN EN 4498:2008
Nizovi o zrakoplovstvu – Vijci, velika dvanaesterokutna glava, normalni struk uske tolerancije, srednje dužine navoja, od legure na bazi nikla otporne na toplinu, pasivizirani, s aluminijski pigmentiranim premazom – Klasifikacija: 1550 MPa (pri temperaturi okoline) / 315 °C (EN 4498:2005)
Aerospace series – Bolts, large bihexagonal head, close tolerance normal shank, medium length thread, in heat resisting nickel base alloy, passivated, with aluminium pigmented coating – Classification: 1550 MPa (at ambient temperature) / 315 °C (EN 4498:2005)

HRN EN 4499:2011
Nizovi o zrakoplovstvu – Vijci, 100° upuštenom skraćenom glavom, s ujednačenim križnim urezom, normalnog struka uske tolerancije, kratkog navoja, od legure titana, anodizirani, s aluminijski pigmentiranim premazom – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4499:2009)
Aerospace series – Screws, 100° countersunk reduced head, offset cruciform recess, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4499:2009)

HRN EN 4501:2008
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalnog struka uske tolerancije, kratkog navoja, od legure titana, anodizirani, s aluminijski pigmentiranim premazom, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4501:2006)
Aerospace series – Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, with aluminium pigmented coating, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4501:2006)

HRN EN 4508:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Metoda ispitivanja za antiklizajuće površine – Određivanje značajki trenja pri klizanju (EN 4508:2006)
Aerospace series – Paints and varnishes – Test method for anti slip coatings – Determination of the sliding friction behaviour (EN 4508:2006)

HRN EN 4509:2008
Nizovi o zrakoplovstvu – Vijci, 100° sa normalnom upuštenom glavom, s ujednačenim križnim urezom, s navojem do glave, od legure titana, anodizirani, s aluminijski pigmentiranim premazom, metrički nizovi – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4509:2006)
Aerospace series – Screws, 100 countersunk normal head, offset cruciform recess, threaded to head, in titanium alloy, anodized, with aluminium pigmented coating, metric series – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4509:2006)

HRN EN 4528:2011
Nizovi o zrakoplovstvu – Čelik FE-PA3903 (X10CrNi18-8) – Hladno valjani – Traka za opruge – a = 3 mm – 1250 MPa = Rm = 1640 MPa (EN 4528:2009)
Aerospace series – Steel FE-PA3903 (X10CrNi18-8) – Cold rolled – Strip for springs – a = 3 mm – 1250 MPa = Rm = 1640 MPa (EN 4528:2009)

HRN EN 4529-001:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Utikač za brtvljenje – 001. dio: Tehnička specifikacija (EN 4529-001:2006)
Aerospace series – Elements of electrical and optical connection – Sealing plugs – Part 001: Technical specification (EN 4529-001:2006)

HRN EN 4529-002:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Utikač za brtvljenje – 002. dio: Indeks norme za proizvod (EN 4529-002:2006)
Aerospace series – Elements of electrical and optical connection – Sealing plugs – Part 002: Index of product standards (EN 4529-002:2006)

HRN EN 4529-003:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Utikač za brtvljenje – 003. dio: Razreda T – Norma za proizvod (EN 4529-003:2006)
Aerospace series – Elements of electrical and optical connection – Sealing plugs – Part 003: Class T – Product standard (EN 4529-003:2006)

HRN EN 4530-001:2008
Nizovi o zrakoplovstvu – Čahure za brtvljenje koje se upotrebljavaju u elementima povezivanja – 001. dio: Tehnička specifikacija (EN 4530-001:2006)
Aerospace series – Sealing sleeves used in elements of connection – Part 001: Technical specification (EN 4530-001:2006)

HRN EN 4530-002:2008
Nizovi o zrakoplovstvu – Čahure za brtvljenje koje se upotrebljavaju u elementima povezivanja – 002. dio: Popis i upotreba rukava za brtvljenje (EN 4530-002:2006)
Aerospace series – Sealing sleeves used in elements of connection – Part 002: List and utilization of sealing sleeves (EN 4530-002:2006)

HRN EN 4530-005:2008
Nizovi o zrakoplovstvu – Čahure za brtvljenje koje se upotrebljavaju u elementima povezivanja – 005. dio: Čahure za brtvljenje za kabele vanjskog promjera od 3 mm do 4,1 mm – Norma za proizvod (EN 4530-005:2006)
Aerospace series – Sealing sleeves used in elements of connection – Part 005: Sealing sleeves for external diameter cable 3 mm to 4,1 mm – Product standard (EN 4530-005:2006)

HRN EN 4530-006:2008
Nizovi o zrakoplovstvu – Čahure za brtvljenje koje se upotrebljavaju u elementima povezivanja – 006. dio: Čahure za brtvljenje za kabele vanjskog promjera od 4,68 mm do 5,05 mm – Norma za proizvod (EN 4530-006:2006)
Aerospace series – Sealing sleeves used in elements of connection – Part 006: Sealing sleeves for external diameter cable 4,68 mm to 5,05 mm – Product standard (EN 4530-006:2006)

HRN EN 4531-001:2012
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednostruke i s više igala, spajanje navojnim prstenom s trostrukim navojem – Ravni kontakti – 001. dio: Tehnička specifikacija (EN 4531-001:2012)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by triple start threaded ring – Flush contacts – Part 001: Technical specification (EN 4531-001:2012)

HRN EN 4531-002:2012
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednostruke i s više igala, spajanje navojnim prstenom s trostrukim navojem – Ravni kontakti – 002. dio: Specifikacije značajki i položaj kontakata (EN 4531-002:2012)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by triple start threaded ring – Flush contacts – Part 002: Specification of performance and contact arrangements (EN 4531-002:2012)

HRN EN 4531-004:2012
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednostruke i s više igala, spajanje navojnim prstenom s trostrukim navojem – Ravni kontakti – 004. dio: Utičnica s kontra maticom – Norma za proizvod (EN 4531-004:2012)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by triple start threaded ring – Flush contacts – Part 004: Jam nut receptacle – Product standard (EN 4531-004:2012)

HRN EN 4531-005:2012
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednostruke i s više igala, spajanje navojnim prstenom s trostrukim navojem – Ravni kontakti – 005. dio: Utikač – Norma za proizvod (EN 4531-005:2012)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by triple start threaded ring – Flush contacts – Part 005: Plug – Product standard (EN 4531-005:2012)

HRN EN 4531-101:2012
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednostruke i s više igala, spajanje navojnim prstenom s trostrukim navojem – Ravni kontakti – 101. dio: Optički kontakt ZA EN 4641-100 kabel – 55 °C to 125 °C – Norma za proizvod (EN 4531-101:2012)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by triple start threaded ring – Flush contacts – Part 101: Optical contact for EN 4641-100 cable – 55 °C to 125 °C – Product standard (EN 4531-101:2012)

HRN EN 4531-901:2012
Nizovi o zrakoplovstvu – Spojnice, optičke, kružne, jednostruke i s više igala, spajanje navojnim prstenom s trostrukim navojem – Ravni kontakti – dio 901: Utikač za punjenje – Norma za proizvod (EN 4531-901:2012)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by triple start threaded ring – Flush contacts – Part 901: Filler plugs – Product standard (EN 4531-901:2012)

HRN EN 4532:2011
Nizovi o zrakoplovstvu – Kabeli optički, jednožilni 200 μm/280 μm vlakno, 2,5 mm vanjske obloge – Tehnička specifikacija (EN 4532:2009)
Aerospace series – Cables, optical, single core 200 μm/280 μm fibre, 2,5 mm outer jacket – Technical specification (EN 4532:2009)

HRN EN 4533-001:2008
Nizovi o zrakoplovstvu – Sustavi optičkih vlakana – Priručnik – 001. dio: Metode i alati za prekidanje (EN 4533-001:2006)

Aerospace series – Fibre optic systems – Handbook – Part 001: Termination methods and tools (EN 4533-001:2006)

HRN EN 4533-002:2008
Nizovi o zrakoplovstvu – Sustavi optičkih vlakana – Priručnik – 002. dio: Ispitivanje i mjerenje (EN 4533-002:2006)
Aerospace series – Fibre optic systems – Handbook – Part 002: Test and measurement (EN 4533-002:2006)

HRN EN 4533-003:2008
Nizovi o zrakoplovstvu – Sustavi optičkih vlakana – Priručnik – 003. dio: Postavljanje plašta i praksa instaliranja (EN 4533-003:2006)
Aerospace series – Fibre optic systems – Handbook – Part 003: Looming and installation practices (EN 4533-003:2006)

HRN EN 4533-004:2008
Nizovi o zrakoplovstvu – Sustavi optičkih vlakana – Priručnik – 004. dio: Popravak, održavanje i pregled (EN 4533-004:2006)
Aerospace series – Fibre optic systems – Handbook – Part 004: Repair, maintenance and inspection (EN 4533-004:2006)

HRN EN 4534-2:2011
Nizovi o zrakoplovstvu – Čahure, ravne od legure aluminija sa samopodmazujućom podložnim prstenom, povišenog opterećenja – 2. dio: Dimenzije i opterećenja – Nizovi u inčima (EN 4534-2:2009)
Aerospace series – Bushes, plain in aluminium alloy with self-lubricating liner, elevated load – Part 2: Dimensions and loads – Inch series (EN 4534-2:2009)

HRN EN 4535-2:2011
Nizovi o zrakoplovstvu – Čahure, od legure aluminija s prirubnicom i samopodmazujućim podložnim prstenom, povišenog opterećenja – 2. dio: Dimenzije i opterećenja – Nizovi u inčima (EN 4535-2:2009)
Aerospace series – Bushes, flanged in aluminium alloy with self-lubricating liner, elevated load – Part 2: Dimensions and loads – Inch series (EN 4535-2:2009)

HRN EN 4536-2:2011
Nizovi o zrakoplovstvu – Čahure, ravne od čelika otpornog na koroziju sa samopodmazujućim podložnim prstenom, povišenog opterećenja – 2. dio: Dimenzije i opterećenja – Nizovi u inčima (EN 4536-2:2009)
Aerospace series – Bushes, plain in corrosion resisting steel with self-lubricating liner, elevated load – Part 2: Dimensions and loads – Inch series (EN 4536-2:2009)

HRN EN 4537-2:2011
Nizovi o zrakoplovstvu – Čahure, od čelika otpornog na koroziju s prirubnicom i samopodmazujućim podložnim prstenom, povišenog opterećenja – 2. dio: Dimenzije i opterećenja – Nizovi u inčima (EN 4537-2:2009)
Aerospace series – Bushes, flanged in corrosion-resisting steel with self-lubricating liner, elevated load – Part 2: Dimensions and loads – Inch series (EN 4537-2:2009)

HRN EN 4538-003:2011
Nizovi o zrakoplovstvu – Kuglasti klizni ležajevi, čelik otporan na koroziju, sa samopodmazujućim prstenom, povišenog opterećenja pri niskim oscilacijama – Uske serije – Dimenzije i opterećenja – 003. dio: Nizovi u inčima s malim koeficijentom trenja (EN 4538-003:2010)
Aerospace series – Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner elevated load under low oscillations – Narrow series – Dimensions and loads – Part 003: Inch series with low friction coefficient (EN 4538-003:2010)

HRN EN 4539-003:2010
Nizovi o zrakoplovstvu – Kuglasti klizni ležajevi, čelik otporan na koroziju, sa samopodmazujućim prstenom, povišenog opterećenja pri niskim oscilacijama – Široke serije – Dimenzije i opterećenja – 003. dio: Nizovi u inčima s malim koeficijentom trenja (EN 4539-003:2010)
Aerospace series – Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner elevated load under low oscillations – Wide series – Dimensions and loads – Part 003: Inch series with low friction coefficient (EN 4539-003:2010)

HRN EN 4540:2012
Nizovi o zrakoplovstvu – Kuglasti klizni ležajevi, čelik otporan na koroziju, sa samopodmazujućim prstenom, povišenog opterećenja pri niskim oscilacijama – Tehnička specifikacija (EN 4540:2011)
Aerospace series – Bearings, spherical plain, in corrosion resisting steel with self-lubricating liner elevated load under low oscillations – Technical specification (EN 4540:2011)

HRN EN 4549:2008
Nizovi o zrakoplovstvu – Cijevni priključak, od čelika otpornog na toplinu ili od legura nikla otpornih na toplinu – Zavareni kraj priključka – Konfiguracija oblikovanja – Nizovi u inčima (EN 4549:2003)
Aerospace series – Pipe coupling, in heat resisting steel or in heat resisting nickel alloy – Coupling end, welded – Design configuration – Inch series (EN 4549:2003)

HRN EN 4550-1:2008
Nizovi o zrakoplovstvu – Cijevni priključak, 37° – Konfiguracija oblikovanja – Nizovi u inčima – 1. dio: Muški krajevi za brtvljenje, kuglasti (EN 4550-1:2003)
Aerospace series – Pipe coupling, 37° – Design configuration – Inch series – Part 1: Male sealing ends, spherical (EN 4550-1:2003)

HRN EN 4550-2:2008
Nizovi o zrakoplovstvu – Cijevni priključak, 37° – Konfiguracija oblikovanja – Nizovi u inčima – 2. dio: Krajevi priključaka (EN 4550-2:2003)
Aerospace series – Pipe coupling, 37° – Design configuration – Inch series – Part 2: Port ends (EN 4550-2:2003)

HRN EN 4550-3:2008
Nizovi o zrakoplovstvu – Cijevni priključak, 37° – Konfiguracija oblikovanja – Nizovi u inčima – 3. dio: Spojevi za priključke (EN 4550-3:2003)
Aerospace series – Pipe coupling, 37° – Design configuration – Inch series – Part 3: Port connections (EN 4550-3:2003)

HRN EN 4550-4:2008
Nizovi o zrakoplovstvu – Cijevni priključak, 37° – Konfiguracija oblikovanja – Nizovi u inčima – 4. dio: Ženski krajevi za brtvljenje (EN 4550-4:2003)
Aerospace series – Pipe coupling, 37° – Design configuration – Inch series – Part 4: Female sealing ends (EN 4550-4:2003)

HRN EN 4551:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, od čelika otpornog na toplinu – Obrtne matice – Nizovi u inčima (EN 4551:2003)
Aerospace series – Pipe coupling 37°, in heat resisting steel – Swivel nuts – Inch series (EN 4551:2003)

HRN EN 4552:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, kuglasti, od čelika otpornog na toplinu – Ravni cijevni priključci, zavareni kraj – Nizovi u inčima (EN 4552:2003)
Aerospace series – Pipe coupling 37°, spherical, in heat resisting steel – Straight nipples, welded end – Inch series (EN 4552:2003)

HRN EN 4553:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, kuglasti, od čelika otpornog na toplinu – Koljena 90° cijevni priključci, zavareni kraj – Nizovi u inčima (EN 4553:2003)
Aerospace series – Pipe coupling 37°, spherical, in heat resisting steel – Elbow 90° nipples, welded end – Inch series (EN 4553:2003)

HRN EN 4554:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, kuglasti, od čelika otpornog na toplinu – Ravni spojevi, s navojem – Nizovi u inčima (EN 4554:2003)
Aerospace series – Pipe coupling 37°, spherical, in heat resisting steel – Straight unions, threaded – Inch series (EN 4554:2003)

HRN EN 4555:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, od čelika otpornog na toplinu – Čahure, zavareni kraj – Nizovi u inčima (EN 4555:2003)
Aerospace series – Pipe coupling 37°, in heat resisting steel – Ferrules, welded end – Inch series (EN 4555:2003)

HRN EN 4556:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, od čelika otpornog na toplinu – Skupovi kapa – Nizovi u inčima (EN 4556:2003)
Aerospace series – Pipe coupling 37°, in heat resisting steel – Cap assemblies – Inch series (EN 4556:2003)

HRN EN 4557:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, kuglasti, od čelika otpornog na toplinu – T-račve cijevni priključci, zavareni kraj – Nizovi u inčima (EN 4557:2003)
Aerospace series – Pipe coupling 37°, spherical, in heat resisting steel – Tees nipples, welded end – Inch series (EN 4557:2003)

HRN EN 4560:2008
Nizovi o zrakoplovstvu – Cijevni priključak 37°, kuglasti, do 21000 kPa – Nizovi u inčima – Tehnička specifikacija (EN 4560:2003)
Aerospace series – Pipe coupling 37°, spherical, up to 21000 kPa – Inch series – Technical specification (EN 4560:2003)

HRN EN 4561:2008
Nizovi o zrakoplovstvu – Cijevni priključak, zavareni, od čelika otpornog na toplinu – Koljena 90° – Nizovi u inčima (EN 4561:2003)
Aerospace series – Pipe coupling, welded, in heat resisting steel – Elbow 90° – Inch series (EN 4561:2003)

HRN EN 4562:2008
Nizovi o zrakoplovstvu – Cijevni priključak, zavareni, od čelika otpornog na toplinu – Reduktori – Nizovi u inčima (EN 4562:2003)
Aerospace series – Pipe coupling, welded, in heat resisting steel – Reductors – Inch series (EN 4562:2003)

HRN EN 4563:2008
Nizovi o zrakoplovstvu – Cijevni priključak, zavareni, od čelika otpornog na toplinu – T-račve – Nizovi u inčima (EN 4563:2003)
Aerospace series – Pipe coupling, welded, in heat resisting steel – Tees – Inch series (EN 4563:2003)

HRN EN 4585:2008
Nizovi o zrakoplovstvu – Obujmice, zategnute oprugom – Tehnička specifikacija (EN 4585:2003)
Aerospace series – Clips, spring tension – Technical specification (EN 4585:2003)

HRN EN 4588:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentni poliuretanski antiklizajući namaz koji otvrdnjava pri niskim temperaturama (EN 4588:2007)
Aerospace series – Paints and varnishes – Two component, cold curing polyurethane paint, anti slip (EN 4588:2007)

HRN EN 4590:2008
Nizovi o zrakoplovstvu – Zadržači, s oprugom, s metalnom pločom, za samozatvarajuće matice s cilindrom, od čelika otpornog na koroziju, pasivizirani (EN 4590:2005)
Aerospace series – Retainers, spring, sheet metal, for self-locking barrel nuts, in corrosion resisting steel, passivated (EN 4590:2005)

HRN EN 4591:2008
Nizovi o zrakoplovstvu – Matice, bačvaste, samozatvarajuće, plivajuće, samoprilagodljive, legura na bazi nikla otporna na toplinu, podmazane s MoS2 – Klasifikacija: 1550 MPa (pri temperaturi okoline) / 315 °C (EN 4591:2005)
Aerospace series – Nuts, barrel, self-locking, floating, self-aligning, in heat resisting nickel base alloy, MoS2 lubricated – Classification: 1550 MPa (at ambient temperature) / 315 °C (EN 4591:2005)

HRN EN 4592:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Metoda ispitivanja za određivanje infracrvene refleksije (EN 4592:2006)
Aerospace series – Paints and varnishes – Test method for determination of infrared reflectance (EN 4592:2006)

HRN EN 4593:2011
Nizovi o zrakoplovstvu – Boje i lakovi – Određivanje solarnog upijanja (EN 4593:2011)
Aerospace series – Paints and varnishes – Determination of solar absorptance (EN 4593:2011)

HRN EN 4604-001:2011
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 001. dio: Tehnička specifikacija (EN 4604-001:2009)
Aerospace series – Cable, electrical, for signal transmission – Part 001: Technical specification (EN 4604-001:2009)

HRN EN 4604-002:2012
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – dio 002 : Općenito (EN 4604-002:2009)
Aerospace series – Cable, electrical, for signal transmission – Part 002 : General (EN 4604-002:2009)

HRN EN 4604-003:2011
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 003. dio: Kabel, koaksijalni, 50 ohm, 200 °C, tip WZ – Norma za proizvod (EN 4604-003:2009)
Aerospace series – Cable, electrical, for signal transmission – Part 003: Cable, coaxial, 50 ohm, 200 °C, type WZ – Product standard (EN 4604-003:2009)

HRN EN 4604-004:2008
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 004. dio: Kabel, mikrokoaksijalni, visoki imunitet, 50 Oma, 200 °C, tip WS – Norma za proizvod (EN 4604-004:2007)
Aerospace series – Cable, electrical, for signal transmission – Part 004: Cable, microcoaxial, high immunity, 50 Ohms, 200 °C, type WS – Product standard (EN 4604-004:2007)

HRN EN 4604-006:2011
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 006. dio: Kabel, koaksijalni, 50 ohm, 200 °C, tip WM – Norma za proizvod (EN 4604-006:2009)
Aerospace series – Cable, electrical, for signal transmission – Part 006: Cable, coaxial, 50 ohm, 200 °C, type WM – Product standard (EN 4604-006:2009)

HRN EN 4604-007:2008
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 007. dio: Kabel, koaksijalni 50 Ω, 200 °C, tip WN – Norma za proizvod (EN 4604-007:2007)

Aerospace series – Cable, electrical, for signal transmission – Part 007: Cable, coaxial 50 Ω, 200 °C, type WN – Product standard (EN 4604-007:2007)

HRN EN 4604-008:2012
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 008. dio: Kabel, koaksijalni, 50 Oma, 200°C, tip WD – Norma za proizvod (EN 4604-008:2009)
Aerospace series – Cable, electrical, for signal transmission – Part 008: Cable, coaxial, 50 ohms, 200°C, Type WD – Product standard (EN 4604-008:2009)

HRN EN 4604-009:2011
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 009. dio: Kabel, koaksijalni, lagani, 50 Oma, 180 °C, tip KW (lagani WN) – Norma za proizvod (EN 4604-009:2011)
Aerospace series – Cable, electrical, for signal transmission – Part 009: Cable, coaxial, light weight, 50 ohms, 180 °C, type KW (light WN) – Product standard (EN 4604-009:2011)

HRN EN 4604-010:2011
Nizovi o zrakoplovstvu – Kabel, električni, za prijenos signala – 010. dio: Kabel, koaksijalni, lagani, 50 Oma, 200 °C, tip KX (lagani WD) – Norma za proizvod (EN 4604-010:2011)
Aerospace series – Cable, electrical, for signal transmission – Part 010: Cable, coaxial, light weight, 50 Ohms, 200 °C, type KX (light WD) – Product standard (EN 4604-010:2011)

HRN EN 4608-001:2008
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Jednostruka i višestruka upletena jezgra, oklopljeni (opleteni) i obloženi – Radna temperatura između – 65 °C i 260 °C – 001. dio: Tehnička specifikacija (EN 4608-001:2006)
Aerospace series – Cable, electrical, fire resistant – Single and twisted multicore assembly, screened (braided) and jacketed – Operating temperature between – 65 °C and 260 °C – Part 001: Technical specification (EN 4608-001:2006)

HRN EN 4608-002:2008
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Jednostruka i višestruka upletena jezgra, oklopljeni (opleteni) i obloženi – Radna temperatura između – 65 °C i 260 °C – 002. dio: Općenito (EN 4608-002:2006)
Aerospace series – Cable, electrical, fire resistant – Single and twisted multicore assembly, screened (braided) and jacketed – Operating temperature between – 65 °C and 260 °C – Part 002: General (EN 4608-002:2006)

HRN EN 4608-003:2012
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Jednostruka i višestruka upletena jezgra, oklopljeni (opleteni) i obloženi – Radna temperatura između – 65 °C i 260 °C – 003. dio: DN porodica – Lagani – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4608-003:2012)
Aerospace series – Cable, electrical, fire resistant – Single and twisted multicore assembly, screened (braided) and jacketed – Operating temperature between -65 °C and 260 °C – Part 003: DN family – Lightweight – UV Laser printable – Product standard (EN 4608-003:2012)

HRN EN 4608-005:2012
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Jednostruka i višestruka upletena jezgra, oklopljeni (opleteni) i obloženi – Radna temperatura između – 65 °C i 260 °C – 005. dio: DW porodica – Lagani dvožilni, mjerke 24, za prijenos podataka – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4608-005:2012)
Aerospace series – Cable, electrical, fire resistant – Single and twisted multicore assembly, screened (braided) and jacketed – Operating temperature between -65 °C and 260 °C – Part 005: DW family – Lightweight two-core gauge 24 for data transmission – UV laser printable – Product standard (EN 4608-005:2012)

HRN EN 4610:2008
Nizovi o zrakoplovstvu – Cijevni priključak 8°30' od legure titana – Koljena 45°, s maticom za potisnu žicu (EN 4610:2005)
Aerospace series – Pipe coupling 8° 30' in titanium alloy – Elbows 45°, with thrust wire nut (EN 4610:2005)

HRN EN 4611-002:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 002. dio: Općenito (EN 4611-002:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 002: General (EN 4611-002:2012)

HRN EN 4611-003:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 003. dio: Bakar prevučen kositrom – Radna temperatura između – 65 °C i 135 °C – Jednostruki ekstrudirani zid za zatvorenu primjenu – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4611-003:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 003: Tin plated copper – Operating temperature, between -65 °C and 135 °C – Single extruded wall for enclosed applications – UV laser printable – Product standard (EN 4611-003:2012)

HRN EN 4611-004:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 004. dio: Bakar prevučen kositrom – Radna temperatura između – 65 °C i 135 °C – Dvostruki ekstrudirani zid za upotrebu na otvorenom – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4611-004:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 004: Tin plated copper – Operating temperature, between –65 °C and 135 °C – Dual extruded wall for open applications – UV laser printable – Product standard (EN 4611-004:2012)

HRN EN 4611-005:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 005. dio: Bakar prevučen srebrom – Radna temperatura između – 65 °C i 150 °C – Jednostruki ekstrudirani zid za zatvorenu primjenu – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4611-005:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 005: Silver plated copper – Operating temperature, between –65 °C and 150 °C – Single extruded wall for enclosed applications – UV laser printable – Product standard (EN 4611-005:2012)

HRN EN 4611-006:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 006. dio: Bakar prevučen srebrom – Radna temperatura između – 65 °C i 150 °C – Dvostruki ekstrudirani zid za upotrebu na otvorenom – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4611-006:2012)

Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 006: Silver plated copper – Operating temperature, between –65 °C and 150 °C – Dual extruded wall for open applications – UV laser printable – Product standard (EN 4611-006:2012)

HRN EN 4611-007:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 007. dio: Bakar prevučen niklom – Radna temperatura između – 65 °C i 150 °C – Dvostruki ekstrudirani zid za upotrebu na otvorenom – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4611-007:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 007: Nickel plated copper – Operating temperature, between –65 °C and 150 °C – Dual extruded wall for open applications – UV laser printable – Product standard (EN 4611-007:2012)

HRN EN 4611-008:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 008. dio: BP – Bakar prevučen niklom – Radna temperatura između – 65 °C i 150 °C – Dvostruki ekstrudirani zid za upotrebu na otvorenom sa dodatnom zaštitom u području visokih vibracija, savijajući kabel i kontaminacija fluida – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4611-008:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 008: BP – Nickel plated copper – Operating temperature, between –65 °C and 150 °C – Dual extruded wall for open applications with additional protection in areas of high vibration, cable flexing and fluid contamination – UV laser printable – Product standard (EN 4611-008:2012)

HRN EN 4611-009:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – 009. dio: BJ – Bakar prevučen niklom – Radna temperatura između – 65 °C i 150 °C – Jednostruki ekstrudirani zid za upotrebu u obliku kabelskog jezgra ili unutar opreme u području visokih vibracija, savijajući kabel i kontaminacija fluida – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4611-009:2012)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Part 009: BJ – Nickel plated copper – Operating temperature, between –65 °C and 150 °C – Single extruded wall for use as cable cores or within equipment in areas of high vibration, cable flexing and fluid contamination – UV laser printable – Product standard (EN 4611-009:2012)

HRN EN 4612-002:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 002. dio: Općenito
(EN 4612-002:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed –
Part 002: General (EN 4612-002:2011)

HRN EN 4612-003:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 003. dio: Bakar prevučen kositrom – Radna temperatura između –
65 °C i 135 °C – Jednostruka izolacija zida za upotrebu na otvorenom, sa oblogom bez oklopa – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4612-003:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed –
Part 003: Tin plated copper – Operating temperature, between - 65 °C and 135 °C – Single extruded wall for open applications, with jacket without screen – UV laser printable – Product standard (EN 4612-003:2011)

HRN EN 4612-004:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 004. dio: Bakar prevučen kositrom – Radna temperatura između –
65 °C i 135 °C – Jednostruka izolacija zida za upotrebu na otvorenom, s oblogom i oklopom (opleten) – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4612-004:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed –
Part 004: Tin plated copper – Operating temperature, between - 65 °C and 135 °C – Single extruded wall for open applications, with jacket and screen (braid) – UV laser printable – Product standard (EN 4612-004:2011)

HRN EN 4612-005:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 005. dio: Bakar prevučen kositrom – Radna temperatura između –
65 °C i 135 °C – Dvostruka izolacija zida za upotrebu na otvorenom, sa oblogom bez oklopa – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4612-005:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly XLETFE Family jacketed or screened and jacketed – Part 005: Tin plated copper – Operating temperature, between - 65 °C and 135 °C – Dual extruded wall for open applications, with jacket without screen – UV laser printable – Product standard (EN 4612-005:2011)

HRN EN 4612-006:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 006. dio: Bakar prevučen kositrom – Radna temperatura između –
65 °C i 135 °C – Dvostruka izolacija zida za upotrebu na otvorenom, s oblogom i oklopom (opleten) – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4612-006:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed –
Part 006: Tin plated copper – Operating temperature, between - 65 °C and 135 °C – Dual extruded wall for open applications, with jacket and screen (braid) – UV laser printable – Product standard (EN 4612-006:2011)

HRN EN 4612-007:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 007. dio: Bakar prevučen srebrom – Radna temperatura između –
65 °C i 150 °C – Jednostruka izolacija zida za upotrebu na otvorenom, sa oblogom bez oklopa – Ispisivanje pomoću UV lasera – Norma za proizvod
(EN 4612-007:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly XLETFE Family jacketed or screened and jacketed –
Part 007: Silver plated copper – Operating temperature, between - 65 °C and 150 °C – Single extruded wall for open applications, with jacket without screen – UV laser printable – Product standard (EN 4612-007:2011)

HRN EN 4612-008:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 008. dio: Bakar prevučen srebrom – Radna temperatura između – 65 °C i 150 °C – Jednostruka izolacija zida za upotrebu na otvorenom, s oblogom i oklopom (opleten) – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4612-008:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly XLETFE Family jacketed or screened and jacketed – Part 008: Silver plated copper – Operating temperature, between - 65 °C and 150 °C – Single extruded wall for open applications, with jacket and screen (braid) – UV laser printable – Product standard (EN 4612-008:2011)

HRN EN 4612-009:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 009. dio: Bakar prevučen srebrom – Radna temperatura između – 65 °C i 150 °C – Dvostruka izolacija zida za upotrebu na otvorenom, sa oblogom bez oklopa – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4612-009:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed – Part 009: Silver plated copper – Operating temperature, between - 65 °C and 150 °C – Dual extruded wall for open applications, with jacket without screen – UV laser printable – Product standard (EN 4612-009:2011)

HRN EN 4612-010:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 010. dio: Bakar prevučen srebrom – Radna temperatura između – 65 °C i 150 °C – Dvostruka izolacija zida za upotrebu na otvorenom, s oblogom i oklopom (opleten) – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4612-010:2011)
Aerospace series – Cables, electrical, for general Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed – Part 010: Silver plated copper – Operating temperature, between - 65 °C and 150 °C – Dual extruded wall for open applications, with jacket and screen (braid) – UV laser printable – Product standard (EN 4612-010:2011)

HRN EN 4612-011:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 011. dio: Bakar prevučen niklom – Radna temperatura između – 65 °C i 150 °C – Dvostruka izolacija zida za upotrebu na otvorenom, sa oblogom bez oklopa – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4612-011:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed – Part 011: Nickel plated copper – Operating temperature, between - 65 °C and 150 °C – Dual extruded wall for open applications, with jacket without screen – UV laser printable – Product standard (EN 4612-011:2011)

HRN EN 4612-012:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 012. dio: Bakar prevučen niklom – Radna temperatura između – 65 °C i 150 °C – Dvostruka izolacija zida za upotrebu na otvorenom, s oblogom i oklopom (opleten) – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4612-012:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed – Part 012: Nickel plated copper – Operating temperature, between - 65 °C and 150 °C – Dual extruded wall for open applications, with jacket and screen (braid) – UV laser printable – Product standard (EN 4612-012:2011)

HRN EN 4612-013:2012
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene, jednožilni i višežilni sklop – XLETFE porodica – Obloženi ili oklopljeni i obloženi – 013. dio: SX, TC and UC – Bakar prevučen niklom – Radna temperatura između – 65 °C i 150 °C – Jednostruka izolacija zida samo za opremu, sa oblogom i oklopom (spirala) – Ispisivanje pomoću UV lasera – Norma za proizvod (EN 4612-013:2011)
Aerospace series – Cables, electrical, for general purpose, single and multicore assembly – XLETFE Family – Jacketed or screened and jacketed – Part 013: SX, TC and UC – Nickel plated copper – Operating temperature, between - 65 °C and 150 °C – Single extruded wall for equipment only, with jacket and screen (spiral) – UV laser printable – Product standard (EN 4612-013:2011)

HRN EN 4613:2011
Nizovi o zrakoplovstvu – Kuglasti klizni ležajevi od čelika otpornog na koroziju sa samopodmazujućim prstenom, uske serije – Dimenzije i opterećenja – Nizovi u inčima (EN 4613:2009)
Aerospace series – Spherical plain bearings in corrosion resisting steel with self-lubricating liner, narrow series – Dimensions and loads – Inch series (EN 4613:2009)

HRN EN 4614:2011
Nizovi o zrakoplovstvu – Kuglasti klizni ležajevi od čelika otpornog na koroziju sa samopodmazujućim prstenom, široke serije – Dimenzije i opterećenja – Nizovi u inčima (EN 4614:2009)
Aerospace series – Spherical plain bearings in corrosion resisting steel with self-lubricating liner, wide series – Dimensions and loads – Inch series (EN 4614:2009)

HRN EN 4615:2008
Nizovi o zrakoplovstvu – Magnezijeve legure MG-C18002 – T4 – Lijevanje u pijesku (EN 4615:2005)
Aerospace series – Magnesium alloy MG-C18002 – T4 – Sand casting (EN 4615:2005)

HRN EN 4616:2008
Nizovi o zrakoplovstvu – Magnezijeve legure MG-C18002 – T4 – Lijevanje na hladno (EN 4616:2005)
Aerospace series – Magnesium alloy MG-C18002 – T4 – Chill casting (EN 4616:2005)

HRN EN 4617:2008
Nizovi o zrakoplovstvu – Preporučena praksa za usklađivanje normi od poduzeća (EN 4617:2006)
Aerospace series – Recommended practices for standardising company standards (EN 4617:2006)

HRN EN 4618:2011
Nizovi o zrakoplovstvu – Norme za kvalitetu zraka u avionu, kriteriji i metode određivanja (EN 4618:2009)
Aerospace series – Aircraft internal air quality standards, criteria and determination methods (EN 4618:2009)

HRN EN 4619:2011
Nizovi o zrakoplovstvu – Samozatvarajući umeci s MJ navojima, sa samozatvarajućim ključem – Postupak ugradnje i uklanjanja (EN 4619:2010)
Aerospace series – Inserts, MJ threads, self-locking, with self-broaching keys – Installation and removal procedure (EN 4619:2010)

HRN EN 4620:2011
Nizovi o zrakoplovstvu – Samozatvarajući umeci s MJ navojima, sa samozatvarajućim ključem – Norma za projektiranje (EN 4620:2010)
Aerospace series – Inserts, MJ threads, self-locking, with self-broaching keys – Design standard (EN 4620:2010)

HRN EN 4621:2011
Nizovi o zrakoplovstvu – Zatici, MJ navoji, samozatvarajući, sa samozatvarajućim ključem – Tehnička specifikacija (EN 4621:2010)
Aerospace series – Inserts, MJ threads, self-locking, self-broaching keys – Technical specification (EN 4621:2010)

HRN EN 4622:2011
Nizovi o zrakoplovstvu – Samozatvarajući umeci s MJ navojima, sa samozatvarajućim ključem, od čelika otpornog na toplinu FE-PA2601 (A286), prevučeni s MoS2 (EN 4622:2010)
Aerospace series – Inserts, MJ threads, self-locking, with self-broaching keys, in heat resisting steel FE-PA2601 (A286), MoS2 coated (EN 4622:2010)

HRN EN 4623:2011
Nizovi o zrakoplovstvu – Samozatvarajući umeci s MJ navojima, sa samozatvarajućim ključem, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718), prevučeni srebrom (EN 4623:2010)
Aerospace series – Inserts, MJ threads, self-locking, with self-broaching keys, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated (EN 4623:2010)

HRN EN 4624:2011
Nizovi o zrakoplovstvu – Samozatvarajući umeci s MJ navojima, sa samozatvarajućim ključem, legura na bazi nikla otporna na toplinu NI-PH1302 (Waspaloy), prevučeni srebrom (EN 4624:2010)
Aerospace series – Inserts, MJ threads, self-locking, with self-broaching keys, in heat resisting nickel base alloy NI-PH1302 (Waspaloy), silver plate (EN 4624:2010)

HRN EN 4626-001:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 001. dio: Tehnička specifikacija (EN 4626-001:2008)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 001: Technical specification (EN 4626-001:2008)

HRN EN 4626-002:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 002. dio: Specifikacije značajki i položaj kontakata (EN 4626-002:2008)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 002: Specification of performance and contact arrangements (EN 4626-002:2008)

HRN EN 4626-003:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 003. dio: Priključak za utikač (EN 4626-003:2008)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 003: Adaptor for plug (EN 4626-003:2008)

HRN EN 4626-004:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 004. dio: Priključak za utičnicu (EN 4626-004:2008)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 004: Adaptor for receptacle (EN 4626-004:2008)

HRN EN 4626-101:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 101. dio: Optički kontakt (podskup) za utikač – Norma za proizvod (EN 4626-101:2008)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 101: Optical contact (sub-assembly) for plug – Product standard (EN 4626-101:2008)

HRN EN 4626-201:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 201. dio: Optički kontakt (podskup) za utičnicu – Norma za proizvod (EN 4626-201:2009)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 201: Optical contact (sub-assembly) for receptacle – Product standard (EN 4626-201:2009)

HRN EN 4626-202:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, s više kontakata, stalak i ploča, Quadrax šupljina, s metalnim prstenom promjera 2,5 mm – 202. dio: Skup optičkih kontakata za utičnicu sa sekundarnim zaštitnim vlaknom od 900 µm – Norma za proizvod (EN 4626-202:2009)
Aerospace series – Connectors, optical, rectangular, multicontact, rack and panel, Quadrax cavity, 2,5 mm diameter ferrule – Operating temperature – 65 °C to 125 °C (cable dependent) – Flush contacts – Part 202: Optical contact assembly for 900 μm buffered fibre receptacle – Product standard (EN 4626-202:2009)

HRN EN 4627:2008
Nizovi o zrakoplovstvu – Čelik FE-PM 3504 (X4CrNiMo16-5-1) – Taljen na zraku – Kaljen i termički obrađen – Otkivci – De ≤ 150 mm – 1100 MPa ≤ Rm ≤ 1300 MPa (EN 4627:2007)
Aerospace series – Steel FE-PM 3504 (X4CrNiMo16-5-1) – Air melted – Hardened and tempered – Forgings – De ≤ 150 mm – 1100 MPa ≤ Rm ≤ 1300 MPa (EN 4627:2007)

HRN EN 4630:2008
Nizovi o zrakoplovstvu – Čelik FE-PM 3504 (X4CrNiMo16-5-1) – Taljen na zraku – Kaljen i termički obrađen – Otkivci – De ≤ 200 mm – 900 MPa ≤ Rm ≤ 1050 MPa (EN 4630:2007)
Aerospace series – Steel FE-PM 3504 (X4CrNiMo16-5-1) – Air melted – Hardened and tempered – Forgings – De ≤ 200 mm – 900 MPa ≤ Rm ≤ 1050 MPa (EN 4630:2007)

HRN EN 4632-001:2008
Nizovi o zrakoplovstvu – Zavareni i lemljeni sklopovi za konstrukcije zrakoplova – Zavarljivost i tvrda lemljivost materijala – 001. dio: Opći zahtjevi (EN 4632-001:2008)
Aerospace series – Welded and brazed assemblies for aerospace constructions – Weldability and brazeability of materials – Part 001: General requirements (EN 4632-001:2008)

HRN EN 4632-002:2008
Nizovi o zrakoplovstvu – Zavareni i lemljeni sklopovi za konstrukcije zrakoplova – Zavarljivost i tvrda lemljivost materijala – 002. dio: Homogene konstrukcije od aluminija i legura aluminija (EN 4632-002:2008)
Aerospace series – Welded and brazed assemblies for aerospace constructions – Weldability and brazeability of materials – Part 002: Homogeneous assemblies aluminium and aluminium alloys (EN 4632-002:2008)

HRN EN 4632-003:2011
Nizovi o zrakoplovstvu – Zavarljivost i tvrda lemljivost materijala za zrakoplovne konstrukcije – 003. dio: Zavarivanje i lemljenje homogenih konstrukcija od nelegiranog ili nisko legiranog čelika
(EN 4632-003:2010)
Aerospace series – Weldability and brazeability of materials in aerospace constructions – Part 003: Welding and brazing of homogeneous assemblies of unalloyed and low alloy steels (EN 4632-003:2010)

HRN EN 4632-005:2011
Nizovi o zrakoplovstvu – Zavarljivost i tvrda lemljivost materijala za zrakoplovne konstrukcije – 005. dio: Homogene konstrukcije od legura na bazi Ni ili Co otpornog na toplinu (EN 4632-005:2009)
Aerospace series – Weldability and brazeability of materials in aerospace constructions – Part 005: Homogeneous assemblies of heat resisting Ni or Co base alloys (EN 4632-005:2009)

HRN EN 4634:2011
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom glavom, imbus vijak sa šesterokutnom glavom, kratki navoj, od čelika otpornog na toplinu FE-PA2601 (A286), pasiviziran – Klasifikacija: 900 MPa (pri temperaturi okoline) / 650 °C (EN 4634:2009)
Aerospace series – Screws, 100° countersunk head, six lobe recess, short thread, in heat resisting steel FE-PA2601 (A286), passivated – Classification: 900 MPa (at ambient temperature) / 650 °C (EN 4634:2009)

HRN EN 4635:2011
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom glavom, sa šest udubljenih strana, kratki navoj, legura na bazi nikla otporna na toplinu NI-PH2601 (Inconel 718) – Klasifikacija: 1270 MPa (pri sobnoj temperaturi) / 650 °C (EN 4635:2009)
Aerospace series – Screws, 100° countersunk head, six lobes recess, short thread, in heat resisting nickel base alloy NI-PH2601 (Inconel 718) – Classification: 1270 MPa (at ambient temperature) / 650 °C
(EN 4635:2009)

HRN EN 4636:2011
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom glavom, imbus vijak sa šesterokutnom glavom, kratki navoj, od legure titana TI-P64001, prevučeni s pigmentima aluminija – Klasifikacija: 1100 MPa (pri temperaturi okoline) / 315 °C (EN 4636:2009)
Aerospace series – Screws, 100° countersunk head, six lobe recess, short thread, in titanium alloy TI-P64001, with aluminium pigmented coating – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 4636:2009)

HRN EN 4637:2011
Nizovi o zrakoplovstvu – Abrazivi – Bijeli korund
(EN 4637:2010)
Aerospace series – Blast media – White corundum (EN 4637:2010)

HRN EN 4638:2011
Nizovi o zrakoplovstvu – Abrazivi – Crni korund, bez željeza (EN 4638:2010)
Aerospace series – Blast media – Brown corundum, without iron (EN 4638:2010)

HRN EN 4639-001:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, sa pomičnim cijevnim držačem – 001. dio: Tehnička specifikacija (EN 4639-001:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 001: Technical specification (EN 4639-001:2007)

HRN EN 4639-002:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, sa pomičnim cijevnim držačem – 002. dio: Popis norma za proizvod (EN 4639-002:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 002: List of product standards (EN 4639-002:2007)

HRN EN 4639-003:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, sa pomičnim cijevnim držačem – 003. dio: Muški optički modul – Norma za proizvod
(EN 4639-003:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 003: Male optical module – Product standard (EN 4639-003:2007)

HRN EN 4639-004:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, sa pomičnim cijevnim držačem – 004. dio: Ženski optički modul – Norma za proizvod
(EN 4639-004:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 004: Female optical module – Product standard (EN 4639-004:2007)

HRN EN 4639-005:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, sa pomičnim cijevnim držačem – 005. dio: Pokretni cjevasti držač – Norma za proizvod
(EN 4639-005:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 005: Removable alignment sleeve holder – Product standard (EN 4639-005:2007)

HRN EN 4639-101:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, sa pomičnim cijevnim držačem – 101. dio: Optički kontakt za kabel EN 4641-100 – Radna temperatura između – 65 °C i 125 °C – Norma za proizvod
(EN 4639-101:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 101: Optical contact for cable EN 4641-100 – Operating temperature between – 65 °C and 125 °C – Product standard (EN 4639-101:2007)

HRN EN 4639-102:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, modularne, s više kontakata, promjer metalnog prstena 1,25, s pomičnim cijevnim držačem – 102. dio: Optički kontakt za kabel EN 4641-102 – Radna temperatura između – 55 °C i 100 °C – Norma za proizvod
(EN 4639-102:2007)
Aerospace series – Connectors, optical, rectangular, modular, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 102: Optical contact for cable EN 4641-102 – Operating temperature between – 55 °C and 100 °C – Product standard (EN 4639-102:2007)

HRN EN 4640-001:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, stalak i ploča, modularne, s više kontakata, promjer metalnog prstena 1,25, s pomičnim cijevnim držačem – 001. dio: Tehnička specifikacija (EN 4640-001:2009)
Aerospace series – Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 001: Technical specification (EN 4640-001:2009)

HRN EN 4640-002:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, stalak i ploča, modularne, s više kontakata, promjer metalnog prstena 1,25, s pomičnim cijevnim držačem – 002. dio: Popis norma za proizvod (EN 4640-002:2009)
Aerospace series – Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 002: List of product standards (EN 4640-002:2009)

HRN EN 4640-003:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, stalak i ploča, modularne, s više kontakata, promjer metalnog prstena 1,25, s pomičnim cijevnim držačem – 003. dio: Utična spojnica za optiku – Norma za proizvod (EN 4640-003:2008)
Aerospace series – Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 003: Plug optical connector – Product standard (EN 4640-003:2008)

HRN EN 4640-004:2008
Nizovi o zrakoplovstvu – Spojnice, optičke, pravokutne, stalak i ploča, modularne, s više kontakata, promjer metalnog prstena 1,25, s pomičnim cijevnim držačem – 004. dio: Utična spojnica za optiku – Norma za proizvod (EN 4640-004:2008)
Aerospace series – Connectors, optical, rectangular, rack and panel, multicontact, 1,25 diameter ferrule, with removable alignment sleeve holder – Part 004: Receptacle optical connector – Product standard (EN 4640-004:2008)

HRN EN 4641-001:2011
Nizovi o zrakoplovstvu – Kabeli, optički, promjera omotača 125 μm – 001. dio: Tehnička specifikacija (EN 4641-001:2009)
Aerospace series – Cables, optical, 125 μm diameter cladding – Part 001: Technical specification (EN 4641-001:2009)

HRN EN 4641-102:2011
Nizovi o zrakoplovstvu – Kabeli, optički, promjera vanjskog omotača 125 μm – 102. dio: Polu-čvrste, GI vlakna 62,5/125 μm, nazivnoga vanjskog promjera 1,8 mm – Norma za proizvod (EN 4641-102:2009)
Aerospace series – Cables, optical 125 μm outside diameter cladding – Part 102: Semi-loose 62,5/125 μm GI fibre nominal 1,8 mm outside diameter – Product standard (EN 4641-102:2009)

HRN EN 4641-103:2011
Nizovi o zrakoplovstvu – Kabeli, optički, promjera omotača 125 μm – 103. dio: Polu-čvrste, konstrukcije ojačane jenostruko GI vlakna 62,5/125 μm, nazivnoga vanjskog promjera 2,74 mm – Norma za proizvod (EN 4641-103:2010)
Aerospace series – Cables, optical 125 μm diameter cladding – Part 103: Semi-loose, ruggedized simplex construction 62,5/125 μm GI fibre nominal 2,74 mm, outside diameter – Product standard (EN 4641-103:2010)

HRN EN 4641-104:2011
Nizovi o zrakoplovstvu – Kabeli, optički, promjera omotača 125 μm – 104. dio: Polučvrste, konstrukcije ojačane dvostruko GI vlakna 62,5/125 μm, nazivnoga vanjskog promjera 4,95 mm – Norma za proizvod (EN 4641-104:2010)
Aerospace series – Cables, optical 125 μm diameter cladding – Part 104: Semi-loose, ruggedized duplex construction 62,5/125 μm GI fibre nominal, 4,95 mm outside diameter – Product standard (EN 4641-104:2010)

HRN EN 4641-105:2010
Nizovi o zrakoplovstvu – Kabeli, optički, promjera omotača 125 μm – 105. dio: Polu-čvrste, konstrukcije ojačane četverostruko GI vlakna 62,5/125 μm, nazivnoga vanjskog promjera 5,72 mm – Norma za proizvod (EN 4641-105:2010)
Aerospace series – Cables, optical 125 µm diameter cladding – Part 105: Semi-loose, ruggedized quadraxial construction 62,5/125 μm GI fibre nominal, 5,72 mm outside diameter – Product standard (EN 4641-105:2010)

HRN EN 4641-301:2011
Nizovi o zrakoplovstvu – Kabeli, optički, promjera omotača 125 μm – 301. dio: Čvrsta konstrukcija 50/125 μm GI vlakana nazivnoga vanjskog promjera 1,8 mm – Norma za proizvod (EN 4641-301:2011)
Aerospace series – Cables, optical 125 μm diameter cladding – Part 301: Tight structure 50/125 μm GI fibre nominal 1,8 mm outside diameter – Product standard (EN 4641-301:2011)

HRN EN 4642:2011
Nizovi o zrakoplovstvu – Čelik FE-PM 3504 (X4CrNiMo16-5-1) – Taljen na zraku – Kaljen i termički obrađen – Limovi i ploče – 0,6 mm = a = 50 mm – 900 MPa = Rm = 1050 MPa (EN 4642:2009)
Aerospace series – Steel FE-PM 3504 (X4CrNiMo16-5-1) – Air melted – Hardened and tempered – Sheet and plate – 0,6 mm = a = 50 mm – 900 MPa = Rm = 1050 MPa (EN 4642:2009)

HRN EN 4644-001:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 001. dio: Tehnička specifikacija (EN 4644-001:2012)
Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 001: Technical specification (EN 4644-001:2012)

HRN EN 4644-002:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 002. dio: Specifikacije značajki i položaj kontakata (EN 4644-002:2012)
Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 002: Specification of performance and contact arrangements (EN 4644-002:2012)

HRN EN 4644-003:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 003. dio: Kvadratni umeci – Norma za proizvod (EN 4644-003:2011)
Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 003: Rectangular inserts – Product standard (EN 4644-003:2011)

HRN EN 4644-131:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 131. dio: Veličina 3 utikača za primjenu za stalak i ploču – Norma za proizvod (EN 4644-131:2011)

Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 131: Size 3 plug for rack and panel applications – Product standard (EN 4644-131:2011)

HRN EN 4644-133:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 133. dio: Veličina 3 utikača za primjenu za stalak i ploču – Norma za proizvod (EN 4644-133:2011)
Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 133: Size 3 receptacle for rack and panel application – Product standard (EN 4644-133:2011)

HRN EN 4644-141:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 141. dio: Veličina 4 utikača za primjenu za stalak i ploču – Norma za proizvod (EN 4644-141:2011)
Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 141: Size 4 plug for rack and panel applications – Product standard (EN 4644-141:2011)

HRN EN 4644-142:2012
Nizovi o zrakoplovstvu – Spojnice, električne i optičke, pravokutne, modularne, s pravokutnim umetkom, stalne radne temperature 175 °C (ili 125 °C) – 142. dio: Veličina 4 utičnica za primjenu za stalak i ploču – Norma za proizvod (EN 4644-142:2012)
Aerospace series – Connector, electrical and optical, rectangular, modular, rectangular inserts, operating temperature 175 °C (or 125 °C) continuous – Part 142: Size 4 receptacle for rack and panel application – Product standard (EN 4644-142:2012)

HRN EN 4645-001:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, okrugle, s jednim pinom ili više pinova, opremljene s navojnim prstenom, samozaključavajući prsten promjera 1,25 mm s pomičnim cijevnim držačem – 001. dio: Tehnička specifikacija (EN 4645-001:2010)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder – Part 001: Technical specification (EN 4645-001:2010)

HRN EN 4645-002:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, okrugle, s jednim pinom ili više pinova, opremljene s navojnim prstenom, samozaključavajući prsten promjera 1,25 mm s pomičnim cijevnim držačem – 002. dio: Specifikacije izvedbi i položaj kontakata (EN 4645-002:2009)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder – Part 002: Specification of performance and contact arrangements (EN 4645-002:2009)

HRN EN 4645-003:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, okrugle, s jednim pinom ili više pinova, opremljene s navojnim prstenom, samozaključavajući prsten promjera 1,25 mm s pomičnim cijevnim držačem – 003. dio: Utičnica s kvadratnom prirubnicom – Norma za proizvod (EN 4645-003:2009)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder – Part 003: Square flange receptacle – Product standard (EN 4645-003:2009)

HRN EN 4645-004:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, okrugle, s jednim pinom ili više pinova, opremljene s navojnim prstenom, samozaključavajući prsten promjera 1,25 mm s pomičnim cijevnim držačem – 004. dio: Utičnica s kontra maticom – Norma za proizvod (EN 4645-004:2009)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder – Part 004: Jam nut receptacle – Product standard (EN 4645-004:2009)

HRN EN 4645-005:2011
Nizovi o zrakoplovstvu – Spojnice, optičke, okrugle, s jednim pinom ili više pinova, opremljene s navojnim prstenom, samozaključavajući prsten promjera 1,25 mm s pomičnim cijevnim držačem – 005. dio: Utikač – Norma za proizvod (EN 4645-005:2009)
Aerospace series – Connectors, optical, circular, single and multipin, coupled by threaded ring, self-locking 1,25 mm diameter ferrule with removable alignment sleeve holder – Part 005: Plug – Product standard (EN 4645-005:2009)

HRN EN 4649:2011
Nizovi o zrakoplovstvu – Ručni aparati za gašenje požara sa sintezom plinova, za upotrebu u zrakoplovstvu – Tehnička specifikacija i uvjeti kvalifikacije (EN 4649:2009)
Aerospace series – Handheld fire extinguishers with synthesis gases, for aircraft use – Technical specification and qualification conditions (EN 4649:2009)

HRN EN 4650:2011
Nizovi o zrakoplovstvu – Procesi za označavanje žica i kabela, UV laser (EN 4650:2010)
Aerospace series – Wire and cable marking process, UV Laser (EN 4650:2010)

HRN EN 4655:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X1CrNiMoAlTi12-10-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 200 mm – Rm ≥ 1400 MPa (EN 4655:2010)
Aerospace series – Steel FE-PM1506 (X1CrNiMoAlTi12-10-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bars – a or D ≤ 200 mm – Rm ≥ 1400 MPa (EN 4655:2010)

HRN EN 4656:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1507 (X1CrNiMoAlTi12-11-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke – a ili D ≤ 200 mm - Rm ≥ 1520 MPa (EN 4656:2010)
Aerospace series – Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Bars – a or D ≤ 200 mm - Rm ≥ 1520 MPa (EN 4656:2010)

HRN EN 4657:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1507 (X1CrNiMoAlTi12-11-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom i ponovo rastopljen – Šipke – a ili D < 200 mm – Rm > 1650 MPa (EN 4657:2010)
Aerospace series – Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation remelted – Bars – a or D < 200 mm – Rm > 1650 MPa (EN 4657:2010)

HRN EN 4658:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1507 (X1CrNiMoAlTi12-11-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 200 mm – Rm ≥ 1520 MPa (EN 4658:2010)
Aerospace series – Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 200 mm – Rm ≥ 1520 MPa (EN 4658:2010)

HRN EN 4659:2010
Nizovi o zrakoplovstvu – Čelik FE-PM1507 (X1CrNiMoAlTi12-11-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 200 mm – Rm ≥ 1650 MPa (EN 4659:2010)
Aerospace series – Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 200 mm – Rm ≥ 1650 MPa (EN 4659:2010)

HRN EN 4660-001:2011
Nizovi o zrakoplovstvu – Modularna i otvorena avionska arhitektura – 001. dio: Arhitektura (EN 4660-001:2011)
Aerospace series – Modular and Open Avionics Architectures – Part 001: Architecture (EN 4660-001:2011)

HRN EN 4660-002:2011
Nizovi o zrakoplovstvu – Modularna i otvorena avionska arhitektura – 002. dio: Zajednički funkcijski moduli (EN 4660-002:2011)
Aerospace series – Modular and Open Avionics Architectures – Part 002: Common Functional Modules (EN 4660-002:2011)

HRN EN 4660-003:2011
Nizovi o zrakoplovstvu – Modularna i otvorena avionska arhitektura – 003. dio: Komunikacija/mreža(EN 4660-003:2011)
Aerospace series – Modular and Open Avionics Architectures – Part 003: Communications/Network (EN 4660-003:2011)

HRN EN 4660-004:2011
Nizovi o zrakoplovstvu – Modularna i otvorena avionska arhitektura – 004. dio: Pakiranje (EN 4660-004:2011)
Aerospace series – Modular and Open Avionics Architectures – Part 004: Packaging (EN 4660-004:2011)

HRN EN 4660-005:2011
Nizovi o zrakoplovstvu – Modularna i otvorena avionska arhitektura – 005. dio: Programska podrška (EN 4660-005:2011)
Aerospace series – Modular and Open Avionics Architectures – Part 005: Software (EN 4660-005:2011)

HRN EN 4662:2011
Nizovi o zrakoplovstvu – Specifikacije za ispitivanje sastavnih dijelova za kontrolu vibracije (EN 4662:2010)
Aerospace series – Test specification for vibration control components (EN 4662:2010)

HRN EN 4670:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1507 (X1CrNiMoAlTi12-11-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Omekšan – Materijal namijenjen kovanju – a ili D ≤ 300 mm (EN 4670:2010)
Aerospace series – Steel FE-PM1507 (X1CrNiMoAlTi12-11-2) – Vacuum induction melted and consumable electrode remelted – Softened – Forging stock – a or D ≤ 300 mm (EN 4670:2010)

HRN EN 4671:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1506 (X1CrNiMoAlTi12-10-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D ≤ 200 mm – Rm ≥ 1400 MPa (EN 4671:2010)
Aerospace series – Steel FE-PM1506 (X1CrNiMoAlTi12-10-2) – Vacuum induction melted and consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D ≤ 200 mm – Rm ≥ 1400 MPa (EN 4671:2010)

HRN EN 4672:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1504 (X1CrNiMoAlTi12-10-2) – Topljen vakuumskom indukcijom i pretopljen s topljivom elektrodom – Omekšan – Materijal namijenjen kovanju – a ili D = 300 mm (EN 4672:2011)
Aerospace series – Steel FE-PM1504 (X1CrNiMoAlTi12-10-2) – Vacuum induction melted and consumable electrode remelted – Softened – Forging stock – a or D = 300 mm (EN 4672:2011)

HRN EN 4673-001:2011
Nizovi o zrakoplovstvu – Umetci, UNJ navoji, samozaključavajući, s klinovima na samoprovlačenje – 001. dio: Postupak ugradnje i uklanjanja (EN 4673-001:2010)
Aerospace series – Inserts, UNJ threads, self-locking, with self-broaching keys – Part 001: Installation and removal procedure (EN 4673-001:2010)

HRN EN 4673-002:2011
Nizovi o zrakoplovstvu – Umetci, UNJ navoji, samozaključavajući, s klinovima na samoprovlačenje – 002. dio: Norma za projektiranje (EN 4673-002:2010)
Aerospace series – Inserts, UNJ threads, self-locking, with self-broaching keys – Part 002: Design standard (EN 4673-002:2010)

HRN EN 4673-003:2011
Nizovi o zrakoplovstvu – Umetci, UNJ navoji, samozaključavajući, s klinovima na samoprovlačenje – 003. dio: Tehnička specifikacija (EN 4673-003:2010)
Aerospace series – Inserts, UNJ threads, self-locking, with self-broaching keys – Part 003: Technical specification (EN 4673-003:2010)

HRN EN 4673-004:2011
Nizovi o zrakoplovstvu – Umetci, UNJ navoji, samozaključavajući, s klinovima na samoprovlačenje – 004. dio: Legura na bazi nikla otporna na toplinu NI-P100HT (Inconel 718), prevučeni srebrom (EN 4673-004:2010)
Aerospace series – Inserts, UNJ threads, self-locking, with self-broaching keys – Part 004: In heat resisting nickel base alloy NI-P100HT (Inconel 718), silver plating (EN 4673-004:2010)

HRN EN 4673-005:2011
Nizovi o zrakoplovstvu – Umetci, UNJ navoji, samozaključavajući, s klinovima na samoprovlačenje – 005. dio: Legura na bazi nikla otporna na toplinu NI-P101HT (WASPALOY), prevučeni srebrom (EN 4673-005:2010)
Aerospace series – Inserts, UNJ threads, self-locking, with self-broaching keys – Part 005: In heat resisting nickel base alloy NI-P101HT (WASPALOY), silver plating (EN 4673-005:2010)

HRN EN 4673-006:2011
Nizovi o zrakoplovstvu – Umetci, UNJ navoji, samozaključavajući, s klinovima na samoprovlačenje – 006. dio: Od čelika otpornog na toplinu FE-PA2601 (A286), prevučeni s MoS2 (EN 4673-006:2010)
Aerospace series – Inserts, UNJ threads, self-locking, with self-broaching keys – Part 006: In heat resisting steel FE-PA2601 (A286), MoS2 coated (EN 4673-006:2010)

HRN EN 4675:2011
Nizovi o zrakoplovstvu – Titan Ti-P63002 (Ti5Al5Mo5V3Cr0.4Fe) – Rm = 1300 MPa – Šipke – De < 110 mm (EN 4675:2011)
Aerospace series – Titanium Ti-P63002 (Ti5Al5Mo5V3Cr0.4Fe) – Rm = 1300 MPa – Bars – De < 110 mm (EN 4675:2011)

HRN EN 4677-001:2012
Nizovi o zrakoplovstvu – Zavareni ili tvrdo lemljeni spojevi za konstrukcije u zrakoplovstvu – Spajanje metalnih materijala zavarivanjem elektronskom zrakom – 001. dio: Kvaliteta zavarenih spojeva (EN 4677-001:2012)
Aerospace series – Welded and brazed assemblies for aerospace construction – Joints of metallic materials by electron beam welding – Part 001: Quality of welded assemblies (EN 4677-001:2012)

HRN EN 4678:2011
Nizovi o zrakoplovstvu – Zavareni ili tvrdo lemljeni spojevi za konstrukcije u zrakoplovstvu - Spajanje metalnih materijala zavarivanjem laserskom zrakom – Kvalitet zavarenog spoja (EN 4678:2011)
Aerospace series – Weldments and brazements for aerospace structures – Joints of metallic materials by laser beam welding – Quality of weldments (EN 4678:2011)

HRN EN 4683:2011
Nizovi o zrakoplovstvu – Čelik FE-WM 3504 (X4CrNiMo16-5-1) – Taljen na zraku – Dodatni materijal za zavarivanje – Žica i šipka (EN 4683:2011)
Aerospace series – Steel FE-WM 3504 (X4CrNiMo16-5-1) – Air melted – Filler metal for welding – Wire and rod (EN 4683:2011)

HRN EN 4685:2011
Nizovi o zrakoplovstvu – Titan Ti10V2Fe3Al – Šipke – D < 110 mm – Rm = 1240 MPa (EN 4685:2011)
Aerospace series – Titanium Ti10V2Fe3Al – Bars – D < 110 mm – Rm = 1240 MPa (EN 4685:2011)

HRN EN 4687:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna inhibirajuća i nekorodirajuća osnovna boja bez kromata koja vezuje pri niskim temperaturama, za vojnu upotrebu (EN 4687:2012)
Aerospace series – Paints and varnishes – Chromate free non corrosion inhibiting two components cold curing primer for military application (EN 4687:2012)

HRN EN 4688:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna osnovna boja koja vezuje pri niskim temperaturama i usporava koroziju, za vojnu upotrebu (EN 4688:2012)
Aerospace series – Paints and varnishes – Corrosion inhibiting two components cold curing primer for military application (EN 4688:2012)

HRN EN 4689:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentni poliuretanski završni sloj koji vezuje pri niskim temperaturama – Visoka elastičnost i otpornost na kemijske agense za vojnu primjenu (EN 4689:2012)
Aerospace series – Paints and varnishes – Two components cold curing polyurethane finish – High flexibility and chemical agent resistance for military application (EN 4689:2012)

HRN EN 4697:2012
Nizovi o zrakoplovstvu – Opći zahtjevi i zahtjevi za ugradnju opreme putničkih sjedala (EN 4697:2012)
Aerospace series – General and installation requirements for passenger seat fittings (EN 4697:2012)

HRN EN 4700-001:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 001. dio: Ploča, lim i traka (EN 4700-001:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 001: Plate, sheet and strip (EN 4700-001:2010)

HRN EN 4700-002:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 002. dio: Šipke i profili (EN 4700-002:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 002: Bar and section (EN 4700-002:2010)

HRN EN 4700-003:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 003. dio: Cijev (EN 4700-003:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 003: Tube (EN 4700-003:2010)

HRN EN 4700-004:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 004. dio: Žica (EN 4700-004:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 004: Wire (EN 4700-004:2010)

HRN EN 4700-005:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 005. dio: Materijal namijenjen kovanju (EN 4700-005:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 005: Forging stock (EN 4700-005:2010)

HRN EN 4700-006:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 006. dio: Obrada i izrada otkivaka (EN 4700-006:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 006: Pre-production and production forgings (EN 4700-006:2010)

HRN EN 4700-007:2011
Nizovi o zrakoplovstvu – Čelik i legure otporne na toplinu – Gnječeni proizvodi – Tehnička specifikacija – 007. dio: Materijal za pretaljivanje (EN 4700-007:2010)
Aerospace series – Steel and heat resisting alloys – Wrought products – Technical specification – Part 007: Remelting stock (EN 4700-007:2010)

HRN EN 4704:2012
Nizovi o zrakoplovstvu – Vinsko-sumporna kiselina za eloksiranje aluminija i legura kovanog aluminija za zaštitu od korozije i prethodnu obradu bojom (TSA) (EN 4704:2012)
Aerospace series – Tartaric-Sulphuric-Acid anodizing of aluminium and aluminium wrought alloys for corrosion protection and paint pre-treatment (TSA) (EN 4704:2012)

HRN EN 4800-001:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 001. dio: Ploča, Lim i traka (EN 4800-001:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 001: Plate, sheet and strip (EN 4800-001:2010)

HRN EN 4800-002:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 002. dio: Šipke i profili (EN 4800-002:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 002: Bar and section (EN 4800-002:2010)

HRN EN 4800-003:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 003. dio: Cijev (EN 4800-003:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 003: Tube (EN 4800-003:2010)

HRN EN 4800-004:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 004. dio: Žica (EN 4800-004:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 004: Wire (EN 4800-004:2010)

HRN EN 4800-005:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 005. dio: Materijal namijenjen kovanju (EN 4800-005:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 005: Forging stock (EN 4800-005:2010)

HRN EN 4800-006:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 006. dio: Obrada i izrada otkivaka (EN 4800-006:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 006: Pre-production and production forgings (EN 4800-006:2010)

HRN EN 4800-007:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 007. dio: Materijal za pretaljivanje (EN 4800-007:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 007: Remelting stock (EN 4800-007:2010)

HRN EN 4800-008:2011
Nizovi o zrakoplovstvu – Titan i legure titana – Tehnička specifikacija – 008. dio: Obrada i izrada odljevaka (EN 4800-008:2010)
Aerospace series – Titanium and titanium alloys – Technical specification – Part 008: Pre-production and production castings (EN 4800-008:2010)

HRN EN 4817:2012
Nizovi o zrakoplovstvu – Pasivna UHF RFID oznaka za upotrebu u zrakoplovstvu (EN 4817:2012)
Aerospace series – Passive UHF RFID tags intended for aircraft use (EN 4817:2012)

HRN EN 4818:2012
Nizovi o zrakoplovstvu – Pasivna HF RFID oznaka za upotrebu u zrakoplovstvu (EN 4818:2012)
Aerospace series – Passive HF RFID tags intended for aircraft use (EN 4818:2012)

HRN EN 4819:2012
Nizovi o zrakoplovstvu – Tipka kontakt memorija (CMB) oznaka za upotrebu u zrakoplovstvu (EN 4819:2012)
Aerospace series – Contact Memory Button (CMB) tags intended for aircraft use (EN 4819:2012)

HRN EN 6049-002:2011
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitna navlaka od meta-aramidnih vlakana – 002. dio: Općenito i popis norma za proizvod (EN 6049-002:2010)
Aerospace series – Electrical cables, installation – Protection sleeve in meta-aramid fibres – Part 002: General and list of product standards (EN 6049-002:2010)

HRN EN 6049-003:2011
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitna navlaka od meta-aramidnih vlakana – 003. dio: Opletena, cijevasta, proširiva – Norma za proizvod (EN 6049-003:2009)
Aerospace series – Electrical cables, installation – Protection sleeve in meta-aramid fibres – Part 003: Braided, tubular, expandable – Product standard (EN 6049-003:2009)

HRN EN 6049-006:2012
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitna navlaka od meta-aramidnih vlakana – 006. dio: Samoizolacijska zaštitna navlaka, fleksibilna za naknadnu ugradnju – Norma za proizvod (EN 6049-006:2012)
Aerospace series – Electrical cables, installation – Protection sleeve in meta-aramid fibres – Part 006: Self-wrapping protective sleeve, flexible post installation – Product standard (EN 6049-006:2012)

HRN EN 6049-007:2012
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitna navlaka od meta-aramidnih vlakana – 007. dio: Samoizolacijska zaštitna navlaka, fleksibilna za naknadnu ugradnju radne temperature od – 55 °C do 260 °C – Norma za proizvod (EN 6049-007:2012)
Aerospace series – Electrical cables, installation – Protection sleeve in meta-aramid fibres – Part 007: Self-wrapping protective sleeve, flexible post installation operating temperature from – 55 °C to 260 °C – Product standard (EN 6049-007:2012)

HRN EN 6059-100:2012
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitne navlake – Metode ispitivanja – 100. dio: Općenito (EN 6059-100:2011)
Aerospace series – Electrical cables, installation – Protection sleeves – Test methods – Part 100: General (EN 6059-100:2011)

HRN EN 6059-501:2011
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitne navlake – Metode ispitivanja – 501. dio: Potvrda ispitivanja napona (EN 6059-501:2010)
Aerospace series – Electrical cables, installation – Protection sleeves – Test methods – Part 501: Voltage proof test (EN 6059-501:2010)

HRN EN 6059-502:2011
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitne navlake – Metode ispitivanja – 502. dio: Otpornost na električne lukove (EN 6059-502:2009)
Aerospace series – Electrical cables, installation – Protection sleeves – Test methods – Part 502: Resistance to electrical arcs (EN 6059-502:2009)

HRN EN 6059-503:2012
Nizovi o zrakoplovstvu – Električni kabeli, ugradnja – Zaštitne navlake – Metode ispitivanja – 503. dio: Porast temperature zbog nazivne struje unesene u navlaku (EN 6059-503:2012)
Aerospace series – Electrical cables, installation – Protection sleeves – Test methods – Part 503: Temperature rise due to rated current injected on the sleeve (EN 6059-503:2012)

HRN EN 6069:2012
Nizovi o zrakoplovstvu – Zakovica, 100° skraćene ravne glave, s posebnom tolerancijom – Nizovi u inčima (EN 6069:2009)
Aerospace series – Rivet, 100° reduced flush head, close tolerance – Inch series (EN 6069:2009)

HRN EN 6072:2011
Nizovi o zrakoplovstvu – Metalni materijali – Metode ispitivanja – Stalna amplituda ispitivanja umora (EN 6072:2010)
Aerospace series – Metallic materials – Test methods – Constant amplitude fatigue testing (EN 6072:2010)

HRN EN 9101:2011
Sustavi upravljanja kvalitetom – Zahtjevi za audit za zrakoplovstvo, organizacije za svemir i obranu (EN 9101:2011)
Quality Management Systems – Audit Requirements for Aviation, Space, and Defence Organizations (EN 9101:2011)

HRN EN 9102:2008
Nizovi o zrakoplovstvu – Sustav kvalitete – Ispitivanje prvog dijela (EN 9102:2006)

Aerospace series – Quality systems – First article inspection (EN 9102:2006)

HRN EN 9103:2008
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Promjene upravljanja glavnim značajkama (EN 9103:2005)
Aerospace series – Quality management systems – Variation management of key characteristics (EN 9103:2005)

HRN EN 9104:2008
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Zahtjevi za programe certifikacije i registracije za zrakoplovstvo u području upravljanja kvalitetom (EN 9104:2006)
Aerospace series – Quality management systems – Requirements for Aerospace Quality Management System Certification/Registrations Programs (EN 9104:2006)

HRN EN 9104-002:2008
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – 002. dio: Zahtjevi za nadzor programa potvrđivanja/registracije sustava upravljanja kvalitetom u zrakoplovstvu (EN 9104-002:2008)
Aerospace series – Quality management systems – Part 002: Requirements for Oversight of Aerospace Quality Management System Certification/Registrations Programs (EN 9104-002:2008)

HRN EN 9104-003:2011
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – 003. dio: Zahtjevi za sustav upravljanja kvalitetom u zrakoplovstvu (AQMS), uvježbavanje auditora i kvalifikacije (EN 9104-003:2010)
Aerospace series – Quality management systems – Part 003: Requirements for Aerospace Quality Management System (AQMS) Auditor Training and Qualification (EN 9104-003:2010)

HRN EN 9110:2011
Sustavi upravljanja kvalitetom-- Zahtjevi za organizacije koje održavaju zrakoplove (EN 9110:2010)
Quality Management Systems – Requirements for Aviation Maintenance Organizations (EN 9110:2010)

HRN EN 9111:2008
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Ocjenjivanje koje se primjenjuje na organizacije za održavanje (osnova je ISO 9001:2000) (EN 9111:2005)
Aerospace series – Quality management systems – Assessment applicable to maintenance organizations (based on ISO 9001:2000) (EN 9111:2005)

HRN EN 9120:2011
Sustavi upravljanja kvalitetom – Zahtjevi za dobavljače u području zrakoplovstva, odbrane i svemira (EN 9120:2010)
Quality Management Systems – Requirements for Aviation, Space and Defence Distributors (EN 9120:2010)

HRN EN 9121:2011
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Ocenjivanje koje se primjenjuje na trgovce sa skladištem (osnova je ISO 9001:2000) (EN 9121:2009)
Aerospace series – Quality management systems – Assessment applicable to stockist distributors (based on ISO 9001:2000) (EN 9121:2009)

HRN EN 9131:2011
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Dokumentacija o nesukladnosti (EN 9131:2009)
Aerospace series – Quality management systems – Nonconformance documentation (EN 9131:2009)

HRN EN 9132:2008
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Zahtjevi za kvalitetom Datamatrix koda koji se primjenjuje kod oznake dijelova (EN 9132:2006)
Aerospace series – Quality management systems – Data Matrix Quality Requirements for Parts Marking (EN 9132:2006)

HRN EN 9133:2008
Nizovi o zrakoplovstvu – Sustavi upravljanja kvalitetom – Postupak kvalifikacije za standardne dijelove u zrakoplovstvu (EN 9133:2004)
Aerospace series – Quality management systems – Qualification procedure for aerospace standard parts (EN 9133:2004)

HRN EN 9137:2012
Sustavi upravljanja kvalitetom – Smjernice za primjenu AQAP 2110 u sustavu upravljanja kvalitetom EN 9100 (EN 9137:2012)
Quality management systems – Guidance for the Application of AQAP 2110 within an EN 9100 Quality Management System (EN 9137:2012)

HRN EN 9200:2008
Nizovi o zrakoplovstvu – Upravljanje programom – Smjernice za specifikacije upravljanja projektom (EN 9200:2004)
Aerospace series – Programme management – Guidelines for project management specification (EN 9200:2004)

HRN EN ISO 11446:2008
Cestovna vozila – Spojnice za električnu vezu između vučnog i priključnog vozila - 13-polne spojnice za vozila nazivnoga napona od 12 V (ISO 11446:2004; EN ISO 11446:2004)
Road vehicles – Connectors for the electrical connection of towing and towed vehicles – 13-pole connectors for vehicles with 12 V nominal supply voltage (ISO 11446:2004; EN ISO 11446:2004)

HRN EN ISO 14620-1:2008
Svemirski sustavi – Sigurnosni zahtjevi – 1. dio: Sigurnost sustava (ISO 14620-1:2002; EN ISO 14620-1:2002)
Space systems – Safety requirements – Part 1: System safety (ISO 14620-1:2002; EN ISO 14620-1:2002)

HRN EN ISO 16091:2008
Svemirski sustavi – Ugrađena podrška za potporu (ISO 16091:2002; EN ISO 16091:2002)
Space systems – Integrated logistic support (ISO 16091:2002; EN ISO 16091:2002)

HRN EN ISO 17666:2008
Svemirski sustavi – Upravljanje rizikom (ISO 17666:2003; EN ISO 17666:2003)
Space systems – Risk management (ISO 17666:2003; EN ISO 17666:2003)

HRN EN ISO 21281:2008
Konstrukcija i raspored pedala vozila sa vlastitim pogonom unutrašnjeg transporta s vozačem na sjedištu — Pravila za konstrukciju i raspored pedala (ISO 21281:2005; EN ISO 21281:2005)
Construction and layout of pedals of self-propelled sit-down rider-controlled industrial trucks – Rules for the construction and layout of pedals (ISO 21281:2005; EN ISO 21281:2005)

HRN EN ISO 21351:2008
Svemirski sustavi – Funkcionalne i tehničke značajke (ISO 21351:2005; EN ISO 21351:2005)
Space systems – Functional and technical specifications (ISO 21351:2005; EN ISO 21351:2005)

HRS CEN/TS 16071:2011
Interoperabilnost obrade podatka o planovima leta (Kontrola zračnog prometa) za primjenu u okviru jedinstvenoga europskog neba – Uredba o interoperabilnosti EC 552/2004 (CEN/TS 16071:2010)
Interoperability of Flight Data Processing (Air Traffic Control - Air Traffic Control) for application under the Single European Sky – Interoperability Regulation EC 552/2004 (CEN/TS 16071:2010)

HRS CEN/TS 16165:2012
Određivanje otpora na klizanje pješačkih površina – Metode vednovanja (CEN/TS 16165:2012)
Determination of slip resistance of pedestrian surfaces – Methods of evaluation (CEN/TS 16165:2012)

HRN EN 2240-098:2012
Nizovi o zrakoplovstvu – Žarulje sa žarnom niti – 098. dio: Žarulja, kod 416650 – Norma za proizvod (EN 2240-098:2011)
Aerospace series – Lamps, incandescent – Part 098: Lamp, code 416650 – Product standard (EN 2240-098:2011)

HRN EN 2240-099:2012
Nizovi o zrakoplovstvu – Žarulje sa žarnom niti – 099. dio: Žarulja, kod 416700 – Norma za proizvod (EN 2240-099:2011)
Aerospace series – Lamps, incandescent – Part 099: Lamp, code 416700 – Product standard (EN 2240-099:2011)

HRN EN 2240-100:2012
Nizovi o zrakoplovstvu – Žarulje sa žarnom niti – 100. dio: Žarulja, kod 2078 – Norma za proizvod (EN 2240-100:2011)
Aerospace series – Lamps, incandescent – Part 100: Lamp, code 2078 – Product standard (EN 2240-100:2011)

HRN EN 2240-101:2012
Nizovi o zrakoplovstvu – Žarulje sa žarnom niti – 101. dio: Žarulja, kod 404-02 – Norma za proizvod (EN 2240-101:2011)
Aerospace series – Lamps, incandescent – Part 101: Lamp, code 404-02 – Product standard (EN 2240-101:2011)

HRN EN 2241:2011
Nizovi o zrakoplovstvu – Poklopci žarulja – Dimenzije (EN 2241:2010)
Aerospace series – Lamp caps – Dimensions (EN 2241:2010)

HRN EN 2242:2012
Nizovi o zrakoplovstvu – Krimpanje električnih kabela s vodičima prema normama EN 2083, EN 4434 i EN 2346 (EN 2242:2012)
Aerospace series – Crimping of electric cables with conductors defined by EN 2083, EN 4434 and EN 2346 (EN 2242:2012)

HRN EN 2243-1:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metoda ispitivanja – 1. dio: Jednostruki rub zavoja (EN 2243-1:2005)
Aerospace series – Non-metallic materials – Structural adhesives – Test method – Part 1: Single lap shear (EN 2243-1:2005)

HRN EN 2243-2:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metoda ispitivanja – 2. dio: Guljenje metal-metal (EN 2243-2:2005)
Aerospace series – Non-metallic materials – Structural adhesives – Test method – Part 2: Peel metal-metal (EN 2243-2:2005)

HRN EN 2243-3:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metoda ispitivanja – 3. dio: Ispitivanje skidanje metalno-sačmene jezgre (EN 2243-3:2005)
Aerospace series – Non-metallic materials – Structural adhesives – Test method – Part 3: Peeling test metal-honeycomb core (EN 2243-3:2005)

HRN EN 2243-4:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metoda ispitivanja – 4. dio: Ispitivanje istezanja spljoštene metalno-sačmene jezgre (EN 2243-4:2005)
Aerospace series – Non-metallic materials – Structural adhesives – Test method – Part 4: Metal-honeycomb core flatwise tensile test (EN 2243-4:2005)

HRN EN 2243-5:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metoda ispitivanja – 5. dio: Ispitivanje starenja (EN 2243-5:2005)
Aerospace series – Non-metallic materials – Structural adhesives – Test method – Part 5: Ageing tests (EN 2243-5:2005)

HRN EN 2243-6:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metoda ispitivanja – 6. dio: Određivanje posmičnog stresa i deformacije (EN 2243-6:2005)
Aerospace series – Non-metallic materials – Structural adhesives – Test method – Part 6: Determination of shear stress and shear strain (EN 2243-6:2005)

HRN EN 2245:2012
Nizovi o zrakoplovstvu – Cjevovodi za tekućine i plinove - Definicije (EN 2245:2012)
Aerospace series – Pipelines for liquids and gases – Definitions (EN 2245:2012)

HRN EN 2252:2012
Nizovi o zrakoplovstvu – Čelik FE-PL1505 (15CrMoV6) – 1080 MPa = Rm = 1250 MPa – Otkivci – De = 100 mm (EN 2252:2012)
Aerospace series – Steel FE-PL1505 (15CrMoV6) – 1080 MPa = Rm = 1250 MPa – Forgings – De = 100 mm (EN 2252:2012)

HRN EN 2256:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2618A – T852 – Otkivci kovani ručno i u kalupu – a (EN 2256:2004)
Aerospace series – Aluminium alloy AL-P2618A – T852 – Hand and die forgings – a (EN 2256:2004)

HRN EN 2257:2008
Nizovi o zrakoplovstvu – Kružno savijene cijevi za konstrukcije od aluminija i legura aluminija – Promjer 6 mm <= D <= 100 mm – Debljina 1 mm <= a <= 6 mm – Dimenzije (EN 2257:1997)
Aerospace series – Circular tubes for structures in aluminium and aluminium alloys – Diameter 6 mm <= D <= 100 mm – Thickness 1 mm <= a <= 6 mm – Dimensions (EN 2257:1997)

HRN EN 2258:2008
Nizovi o zrakoplovstvu – Kružno savijene cijevi za fluide od aluminija i legura aluminija – Promjer 3,2 mm <= D <= 100 mm – Debljina 0,6 mm <= a <= 2,5 mm – Dimenzije (EN 2258:1997)
Aerospace series – Circular tubes for fluids in aluminium and aluminium alloys – Diameter 3,2 mm <= D <= 100 mm – Thickness 0,6 mm <= a <= 2,5 mm – Dimensions (EN 2258:1997)

HRN EN 2259:2008
Nizovi o zrakoplovstvu – Silikonska guma (VMQ) – Tvrdoća 50 IRHD (EN 2259:1995)
Aerospace series – Silicone rubber (VMQ) – Hardness 50 IRHD (EN 2259:1995)

HRN EN 2260:2008
Nizovi o zrakoplovstvu – Silikonska guma (VMQ) – Tvrdoća 60 IRHD (EN 2260:1995)
Aerospace series – Silicone rubber (VMQ) – Hardness 60 IRHD (EN 2260:1995)

HRN EN 2261:2008
Nizovi o zrakoplovstvu – Silikonska guma (VMQ) – Tvrdoća 70 IRHD (EN 2261:1995)
Aerospace series – Silicone rubber (VMQ) – Hardness 70 IRHD (EN 2261:1995)

HRN EN 2262:2008
Nizovi o zrakoplovstvu – Silikonska guma (VMQ/PVMQ) s velikom čvrstoćom na kidanje – Tvrdoća 50 IRHD (EN 2262:1995)
Aerospace series – Silicone rubber (VMQ/PVMQ) with high tear strength – Hardness 50 IRHD (EN 2262:1995)

HRN EN 2264:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, pokretne, s dva uha, s dodatnim kontra otvorom, od legure čelika, prevučena kadmijem, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2264:1996)
Aerospace series – Nuts, anchor, self-locking, floating, two lug, incremental counterbore, in alloy steel, cadmium plated, MoS2 lubricated – Classification: 900 MPa (at ambient temperature)/235 °C (EN 2264:1996)

HRN EN 2266-002:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 200 °C – 002. dio: Općenito (EN 2266-002:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 200 °C – Part 002: General (EN 2266-002:2005)

HRN EN 2266-003:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 200 °C – 003. dio: Ispisivanje pomoću ink jet pisača – Norma za proizvod (EN 2266-003:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 200 °C – Part 003: Ink jet printable – Product standard (EN 2266-003:2005)

HRN EN 2266-005:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 200 °C – 005. dio: Ispisivanje pomoću UV lasera – Norma za proizvod (EN 2266-005:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 200 °C – Part 005: UV laser printable – Product standard (EN 2266-005:2005)

HRN EN 2266-007:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 200 °C – 007. dio: Ispisivanje pomoću UV lasera višežilnog obloženog kabela – Norma za proizvod (EN 2266-007:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 200 °C – Part 007: UV laser printable multicore jacketed cable – Product standard (EN 2266-007:2005)

HRN EN 2267-003:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 260 °C – 003. dio: Ispisivanje pomoću ink jet pisača – Norma za proizvod (EN 2267-003:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 260 °C – Part 003: Ink jet printable – Product standard (EN 2267-003:2005)

HRN EN 2267-005:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 260 °C – 005. dio: Ispisivanje pomoću UV lasera – Norma za proizvod (EN 2267-005:2006)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 260 °C – Part 005: UV laser printable – Product standard (EN 2267-005:2006)

HRN EN 2267-007:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 260 °C – 007. dio: DMA porodica, samostalno ink jet ispisivanje i višežilni sklop – Norma za proizvod (EN 2267-007:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 260 °C – Part 007: DMA family, single ink-jet printable and multicore assembly – Product standard (EN 2267-007:2005)

HRN EN 2267-008:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 260 °C – 008. dio: DMA porodica, samostalno ispisivanje UV laserom i višežilni sklop – Norma za proizvod (EN 2267-008:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 260 °C – Part 008: DM family, single UV laser printable and multicore assembly – Product standard (EN 2267-008:2005)

HRN EN 2267-010:2008
Nizovi o zrakoplovstvu – Kabeli, električni, opće namjene – Radna temperatura između – 55 °C i 260 °C – 010. dio: DR porodica, samostalno ispisivanje UV laserom – Norma za proizvod (EN 2267-010:2005)
Aerospace series – Cables, electrical, for general purpose – Operating temperature between – 55 °C and 260 °C – Part 010: DR family, single UV laser printable – Product standard (EN 2267-010:2005)

HRN EN 2282:2008
Nizovi o zrakoplovstvu – Značajke električnih napajanja zrakoplova (EN 2282:1992)
Aerospace series – Characteristics of aircraft electrical supplies (EN 2282:1992)

HRN EN 2283:2011
Nizovi o zrakoplovstvu – Ispitivanje kabela zrakoplova (EN 2283:2010)
Aerospace series – Testing of aircraft wiring (EN 2283:2010)

HRN EN 2284:2008
Nizovi o zrakoplovstvu – Anodizacija sumpornom kiselinom aluminija i plastično valjanih legura aluminija (EN 2284:1991)
Aerospace series – Sulphuric acid anodizing of aluminium and wrought aluminium alloys (EN 2284:1991)

HRN EN 2285:2008
Nizovi o zrakoplovstvu – Čahure izrađene od legura aluminija sa samopodmazujućom površinom – Dimenzije i opterećenja (EN 2285:1989)
Aerospace series – Bushes, plain aluminium alloy with self-lubricating liner – Dimensions and loads (EN 2285:1989)

HRN EN 2286:2008
Nizovi o zrakoplovstvu – Čahure s prirubnicom izrađene od legura aluminija sa samopodmazujućom površinom – Dimenzije i opterećenja (EN 2286:1989)
Aerospace series – Bushes, flanged aluminium alloy with self-lubricating liner – Dimensions and loads (EN 2286:1989)

HRN EN 2287:2008
Nizovi o zrakoplovstvu – Čahure izrađene od običnog čelika otpornog na koroziju sa samopodmazujućom površinom – Dimenzije i opterećenja (EN 2287:1989)
Aerospace series – Bushes, plain corrosion resisting steel with self-lubricating liner – Dimensions and loads (EN 2287:1989)

HRN EN 2288:2008
Nizovi o zrakoplovstvu – Čahure s prirubnicom izrađene od čelika otpornog na koroziju sa samopodmazujućom površinom – Dimenzije i opterećenja (EN 2288:1989)
Aerospace series – Bushes, flanged corrosion resisting steel with self-lubricating liner – Dimensions and loads (EN 2288:1989)

HRN EN 2289:2008
Nizovi o zrakoplovstvu – Tijela šipki izrađena od legure aluminija za upravljač leta – Tehničke specifikacije (EN 2289:1996)
Aerospace series – Rod bodies in aluminium alloy for flight controls – Technical specification (EN 2289:1996)

HRN EN 2290-1:2008
Nizovi o zrakoplovstvu – Tijela šipki izrađena od legure aluminija za upravljač leta s prilagodljivim prirubnicama – 1. dio: Dimenzije i opterećenja (EN 2290-1:1998)
Aerospace series – Rod bodies, flight control in aluminium alloy, for adjustable end fittings – Part 1: Dimensions and loads (EN 2290-1:1998)

HRN EN 2309:2008
Nizovi o zrakoplovstvu – Veličine otvora za čvrste zakovice (EN 2309:1989)
Aerospace series – Hole sizes for solid rivets (EN 2309:1989)

HRN EN 2310:2008
Nizovi o zrakoplovstvu – Metode ispitivanja otpornosti na plamen za razredbu nemetalnih materijala (EN 2310:1991)
Aerospace series – Test methods for the flame resistance rating of non-metallic materials (EN 2310:1991)

HRN EN 2311:2012
Nizovi o zrakoplovstvu – Čahure sa samopodmazujućom površinom – Tehničke specifikacije (EN 2311:2012)
Aerospace series – Bushes with self-lubricating liner – Technical specification (EN 2311:2012)

HRN EN 2318:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T3511 – Ekstrudirane šipke i profili 1,2 mm < ili = a ili D < ili = 150 mm (EN 2318:1992)
Aerospace series – Aluminium alloy AL-P2024-T3511 – Extruded bars and sections 1,2 mm < or = a or D < or = 150 mm (EN 2318:1992)

HRN EN 2326:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6082-T6 – Ekstrudirane šipke i profili a ili D < ili = 200 mm (EN 2326:1992)
Aerospace series – Aluminium alloy AL-P6082-T6 – Extruded bars and sections a or D < or = 200 mm (EN 2326:1992)

HRN EN 2327:2008
Nizovi o zrakoplovstvu – Podloške, zatvorene, s radijalnim nazubljenima od legure čelika, s prevlakom kadmija za poluge upravljača leta – Dimenzije (EN 2327:2006)
Aerospace series – Washers, lock, with radial serrations in alloy steel, cadmium plated for flight control rods – Dimensions (EN 2327:2006)

HRN EN 2328:2008
Nizovi o zrakoplovstvu – Podloške sa ušicom izrađene od čelika otpornog na koroziju s kadmijskom prevlakom za poluge upravljača leta – Dimenzije (EN 2328:2006)
Aerospace series – Washers, tab in corrosion resisting steel, cadmium plated for flight control rods – Dimensions (EN 2328:2006)

HRN EN 2329:2008
Nizovi o zrakoplovstvu – Preimpregnirano tekstilno stakleno vlakno – Metoda ispitivanja za određivanje mase po jedinici površine (EN 2329:1993)
Aerospace series – Textile glass fibre preimpregnates – Test method for the determination of mass per unit area (EN 2329:1993)

HRN EN 2330:2008
Nizovi o zrakoplovstvu – Preimpregnirano tekstilno stakleno vlakno – Metoda ispitivanja za određivanje sadržaja isparivih supstanci (EN 2330:1993)
Aerospace series – Textile glass fibre preimpregnates – Test method for the determination of the content of volatile matter (EN 2330:1993)

HRN EN 2331:2008
Nizovi o zrakoplovstvu – Preimpregnirano tekstilno stakleno vlakno – Metoda ispitivanja za određivanje sadržaja smola i sadržaja vlakana i mase vlakana po jedinici površine (EN 2331:1993)
Aerospace series – Textile glass fibre preimpregnates – Test method for the determination of the resin and fibre content and mass of fibre per unit area (EN 2331:1993)

HRN EN 2332:2008
Nizovi o zrakoplovstvu – Preimpregnirano tekstilno stakleno vlakno – Metoda ispitivanja za određivanje protoka smole (EN 2332:1993)
Aerospace series – Textile glass fibre preimpregnates – Test method for the determination of the resin flow (EN 2332:1993)

HRN EN 2334:2008
Nizovi o zrakoplovstvu – Krom sumporna kiselina za nagrizanje aluminija i legura aluminija (EN 2334:1997)
Aerospace series – Chromic-sulphuric acid pickle of aluminium and aluminium alloys (EN 2334:1997)

HRN EN 2335:2008
Nizovi o zrakoplovstvu – Ležajevi- kuglasti klizni izrađeni od čelika otpornih na koroziju bez utora za ugradnju – Dimenzije i opterećenja (EN 2335:2005)
Aerospace series – Bearings-spherical plain in corrosion resisting steel without assembly slot – Dimensions and loads (EN 2335:2005)

HRN EN 2336:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni izrađeni od čelika otpornih na koroziju s utorima za ugradnju – Dimenzije i opterećenja (EN 2336:2005)
Aerospace series – Bearings, spherical plain in steel with assembly slots – Dimensions and loads (EN 2336:2005)

HRN EN 2337:2008
Nizovi o zrakoplovstvu – Kuglasti klizni ležajevi – Tehničke specifikacije (EN 2337:2006)
Aerospace series – Spherical plain bearings – Technical specification (EN 2337:2006)

HRN EN 2338:2008
Nizovi o zrakoplovstvu – Ploče, toplo valjane od titana i legura titana – Debljina 0,8 mm <= a <= 6 mm – Dimenzije (EN 2338:2001)
Aerospace series – Sheets, hot rolled in titanium and titanium alloys – Thickness 0,8 mm <= a <= 6 mm – Dimensions (EN 2338:2001)

HRN EN 2339:2008
Nizovi o zrakoplovstvu – Ploče, hladno valjane od titana i legura titana – Debljina 0,2 mm <= a <= 6 mm – Dimenzije (EN 2339:2001)
Aerospace series – Sheets, cold rolled in titanium and titanium alloys – Thickness 0,2 mm <= a <= 6 mm – Dimensions (EN 2339:2001)

HRN EN 2344:2008
Nizovi o zrakoplovstvu – Okrugle šipke, izrađene od legura otpornih na toplinu – Promjer 10 mm <= D <= 180 mm – Dimenzije (EN 2344:2001)
Aerospace series – Round bars, machined in heat resisting alloys – Diameter 10 mm <= D <= 180 mm – Dimensions (EN 2344:2001)

HRN EN 2346-002:2008
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Radna temperatura između – 65 °C i 260 °C – 002. dio: Općenito (EN 2346-002:2006)

Aerospace series – Cable, electrical, fire resistant – Operating temperature between – 65 °C and 260 °C – Part 002: General (EN 2346-002:2006)

HRN EN 2346-003:2008
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Radna temperatura između – 65 °C i 260 °C – 003. dio: DL porodica, jednožilni – Norma za proizvod (EN 2346-003:2006)
Aerospace series – Cable, electrical, fire resistant – Operating temperature between – 65 °C and 260 °C – Part 003: DL family, single core – Product standard (EN 2346-003:2006)

HRN EN 2346-004:2008
Nizovi o zrakoplovstvu – Kabel, električni, otporan na vatru – Radna temperatura između – 65 °C i 260 °C – 004. dio: DN porodica, jednožilni sklop za ispisivanje UV laserom i višežilni sklop – Male težine – Norma za proizvod (EN 2346-004:2006)
Aerospace series – Cable, electrical, fire resistant – Operating temperature between – 65 °C and 260 °C – Part 004: DN family, single UV laser printable and multicore assembly – Light weight – Product standard (EN 2346-004:2006)

HRN EN 2348:2008
Nizovi o zrakoplovstvu – Skupovi kontrolnih kabela – Tehničke specifikacije (EN 2348:1988)
Aerospace series – Control cable assemblies – Technical specification (EN 2348:1988)

HRN EN 2349-201:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 201. dio: Vizualno ispitivanje (EN 2349-201:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 201: Visual inspection (EN 2349-201:2006)

HRN EN 2349-202:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 202. dio: Ispitivanje dimenzija i mase (EN 2349-202:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 202: Examination of dimensions and mass (EN 2349-202:2006)

HRN EN 2349-301:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 301. dio: Naponi prihvaćanja i odbacivanja (EN 2349-301:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 301: Pick-up and drop-out voltage (EN 2349-301:2006)

HRN EN 2349-302:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 302. dio: Otpor izolacije (EN 2349-302:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 302: Insulation resistance (EN 2349-302:2006)

HRN EN 2349-303:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 303. dio: Dielektrična snaga (EN 2349-303:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 303: Dielectric strength (EN 2349-303:2006)

HRN EN 2349-304:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 304. dio: Radno i slobodno vrijeme (EN 2349-304:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 304: Operate and release time (EN 2349-304:2006)

HRN EN 2349-305:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 305. dio: Vrijeme otpuštanja (EN 2349-305:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 305: Bounce time (EN 2349-305:2006)

HRN EN 2349-306:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 306. dio: Preopterećenje pri istosmjernoj i izmjeničnoj struji (EN 2349-306:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 306: Overload d.c. and a.c. (EN 2349-306:2006)

HRN EN 2349-307:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 307. dio: Pad napona na kontaktima (EN 2349-307:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 307: Contact voltage drop (EN 2349-307:2006)

HRN EN 2349-308:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 308. dio: Jakost struje zavojnice (EN 2349-308:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 308: Coil current (EN 2349-308:2006)

HRN EN 2349-309:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 309. dio: Izlazni vrhovi (EN 2349-309:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 309: Exported spikes (EN 2349-309:2006)

HRN EN 2349-310:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 310. dio: Proboj (EN 2349-310:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 310: Rupture (EN 2349-310:2006)

HRN EN 2349-312:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 312. dio: Električni radni vijek — Kombinirano opterećenje (EN 2349-312:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 312: Electrical service life – Mixed load (EN 2349-312:2006)

HRN EN 2349-316:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 316. dio: Mehanički radni vijek (izdržljivost pri smanjenom opterećenju) (EN 2349-316:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 316: Mechanical life (Endurance at reduced load) (EN 2349-316:2006)

HRN EN 2349-317:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 317. dio: Radni vijek uređaja sa zavojnicama za uključivanje/isključivanje (EN 2349-317:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 317: Service life of coil switching device (EN 2349-317:2006)

HRN EN 2349-318:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 318. dio: Naponi prihvaćanja pri visokim temperaturama i naponi odbacivanja pri niskim tmperaturama (EN 2349-318:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 318: Pick-up voltage at high temperature and drop-out voltage at low temperature (EN 2349-318:2006)

HRN EN 2349-319:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 319. dio: Ispitivanje nedjelovanja (EN 2349-319:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 319: Miss test (EN 2349-319:2006)

HRN EN 2349-402:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 402. dio: Korozija, slani sprej (EN 2349-402:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 402: Corrosion, salt spray (EN 2349-402:2006)

HRN EN 2349-405:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 405. dio: Otpornost na fluide (EN 2349-405:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 405: Fluid resistance (EN 2349-405:2006)

HRN EN 2349-407:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 407. dio: Hladnoća/nizak tlak i vlažno zagrijavanje (EN 2349-407:2006)
Aerospace series – Requirements and test procedures for relays and contactors – Part 407: Cold/low pressure and moist heat (EN 2349-407:2006)

HRN EN 2349-409:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 409. dio: Otpornost na ozon (EN 2349-409:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 409: Ozone resistance (EN 2349-409:2007)

HRN EN 2349-410:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 410. dio: Plijesan (EN 2349-410:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 410: Mould (EN 2349-410:2007)

HRN EN 2349-411:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 411. dio: Promjena temperature (EN 2349-411:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 411: Temperature change (EN 2349-411:2007)

HRN EN 2349-412:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 412. dio: Brtvljenje (EN 2349-412:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 412: Seal (EN 2349-412:2007)

HRN EN 2349-413:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 413. dio: Vibracije, sinusne i nepredvidive (EN 2349-413:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 413: Vibration, sinusoidal and random (EN 2349-413:2007)

HRN EN 2349-414:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 414. dio: Mehanički stres (EN 2349-414:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 414: Mechanical shock (EN 2349-414:2007)

HRN EN 2349-415:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 415. dio: Ubrzanje (EN 2349-415:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 415: Acceleration (EN 2349-415:2007)

HRN EN 2349-601:2008
Nizovi o zrakoplovstvu – Zahtjevi i postupci ispitivanja za releje i sklopnike – 601. dio: Sigurna udaljenost kompasa (EN 2349-601:2007)
Aerospace series – Requirements and test procedures for relays and contactors – Part 601: Compass safety distance (EN 2349-601:2007)

HRN EN 2350:2008
Nizovi o zrakoplovstvu – Automatski osigurači – Tehničke specifikacije (EN 2350:1990)
Aerospace series – Circuit breakers – Technical specification (EN 2350:1990)

HRN EN 2353:2008
Nizovi o zrakoplovstvu – "Turnbareli", kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2353:1988)
Aerospace series – Turnbarrels, control cable in corrosion resisting steel – Dimensions and loads (EN 2353:1988)

HRN EN 2354:2008
Nizovi o zrakoplovstvu – "Eye-ends" s navojem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2354:1988)
Aerospace series – Eye-ends, threaded, control cable in corrosion resisting steel – Dimensions and loads (EN 2354:1988)

HRN EN 2355:2008
Nizovi o zrakoplovstvu – Viljuškasti krajevi s navojem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2355:1988)
Aerospace series – Fork-ends, threaded, control cable in corrosion resisting steel – Dimensions and loads (EN 2355:1988)

HRN EN 2356:2008
Nizovi o zrakoplovstvu – Viljuškasti krajevi s navojem, kabeli za upravljanje za kotrljajuće ležajeve izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2356:1988)
Aerospace series – Fork-ends threaded, control cable for rolling bearings in corrosion resisting steel – Dimensions and loads (EN 2356:1988)

HRN EN 2357:2008
Nizovi o zrakoplovstvu --"Stud-ends" tip s uvrtanjem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2357:1988)
Aerospace series – Stud-ends in corrosion resisting steel swaged on type, control cable – Dimensions and loads (EN 2357:1988)

HRN EN 2358:2008
Nizovi o zrakoplovstvu – "Eye-ends" tip s uvrtanjem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2358:1988)
Aerospace series – Eye-ends in corrosion resisting steel swaged on type, control cable – Dimensions and loads (EN 2358:1988)

HRN EN 2359:2008
Nizovi o zrakoplovstvu – Viljuškasti krajevi tip s uvrtanjem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2359:1988)
Aerospace series – Fork-ends in corrosion resisting steel swaged on type, control cable – Dimensions and loads (EN 2359:1988)

HRN EN 2360:2008
Nizovi o zrakoplovstvu – Viljuškasti krajevi, tip s uvrtanjem za kotrljajuće ležajeve, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2360:1988)
Aerospace series – Fork-ends for rolling bearings in corrosion resisting steel swaged on type, control cable – Dimensions and loads (EN 2360:1988)

HRN EN 2361:2008
Nizovi o zrakoplovstvu – "Ball-ends" s dvostrukim strukom, tip s uvrtanjem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2361:1988)
Aerospace series – Ball-ends, double shank in corrosion resisting steel swaged on type, control cable – Dimensions and loads (EN 2361:1988)

HRN EN 2362:2008
Nizovi o zrakoplovstvu – "Ball-ends" tip s uvrtanjem, kabeli za upravljanje izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2362:1988)
Aerospace series – Ball-ends in corrosion resisting steel swaged on type, control cable – Dimensions and loads (EN 2362:1988)

HRN EN 2363:2008
Nizovi o zrakoplovstvu – Obujmice za zateznice kabela za upravljanje – Dimenzije (EN 2363:1988)
Aerospace series – Locking clips for turnbuckles of control cables – Dimensions (EN 2363:1988)

HRN EN 2364:2008
Nizovi o zrakoplovstvu – Igle s glavom na smicanje, uska tolerancija (EN 2364:1989)
Aerospace series – Pins, shear, headed, close tolerance (EN 2364:1989)

HRN EN 2365:2008
Nizovi o zrakoplovstvu – Prsteni, od legure aluminija (EN 2365:1989)
Aerospace series – Collars, aluminium alloy (EN 2365:1989)

HRN EN 2367:2008
Nizovi o zrakoplovstvu – Rascjepke izrađene od čelika prema EN 2573 (EN 2367:1989)
Aerospace series – Splint pins in steel EN 2573 (EN 2367:1989)

HRN EN 2374:2008
Nizovi o zrakoplovstvu – Kompozitni materijali u obliku sendviča izliveni u kalupu i ojačani staklenim vlaknima – Izrada ploča za ispitivanje (EN 2374:1991)
Aerospace series – Glass fibre reinforced mouldings and sandwich composites – Production of test panels (EN 2374:1991)

HRN EN 2375:2008
Nizovi o zrakoplovstvu – Smole za prethodnu impregnaciju materijala - Postupak uzimanja uzoraka iz lotova proizvodnje (EN 2375:1992)
Aerospace series – Resin preimpregnated materials – Production batch sampling procedure (EN 2375:1992)

HRN EN 2377:2008
Nizovi o zrakoplovstvu – Plastika ojačana staklenim vlaknima – Metoda ispitivanja – Određivanje prividne međulaminarne sile smicanja (EN 2377:1989)
Aerospace series – Glass fibre reinforced plastics – Test method – Determination of apparent interlaminar shear strength (EN 2377:1989)

HRN EN 2378:2008
Nizovi o zrakoplovstvu – Plastika ojačana staklenim vlaknima – Određivanje upijanja vode potapanjem (EN 2378:1995)
Aerospace series – Fibre reinforced plastics – Determination of water absorption by immersion (EN 2378:1995)

HRN EN 2381:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7009-T7452 – Ručno kovani otkivci 40 mm < ili = a < ili = 150 mm (EN 2381:1992)
Aerospace series – Aluminium alloy AL-P7009-T7452 – Hand forgings 40 mm < or = a < or = 150 mm (EN 2381:1992)

HRN EN 2384:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2014A-T6511 – Ekstudirane šipke i profili a ili D < ili = 150 mm (EN 2384:1992)
Aerospace series – Aluminium alloy AL-P2014A-T6511 – Extruded bars and sections a or D < or = 150 mm (EN 2384:1992)

HRN EN 2385:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7009-T74511 – Ekstudirane šipke i profili a ili D < ili = 125 mm (EN 2385:1992)
Aerospace series – Aluminium alloy AL-P7009-T74511 – Extruded bars and sections a or D < or = 125 mm (EN 2385:1992)

HRN EN 2395:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2014A-T4 or T42 – Lim i traka – 0,4 mm (EN 2395:2005)
Aerospace series – Aluminium alloy AL-P2014A-T4 or T42 – Sheet and strip – 0,4 mm (EN 2395:2005)

HRN EN 2398:2008
Nizovi o zrakoplovstvu – Čelik otporan na toplinu FE-PA2601 (X6NiCrTiMoV26-15) – Rm ≥ 900 MPa – Šipke za strojno izrađene klinove – D ≤ 25 mm (EN 2398:2008)
Aerospace series – Heat resisting steel FE-PA2601 (X6NiCrTiMoV26-15) – Rm ≥ 900 MPa – Bars for machined bolts – D ≤ 25 mm (EN 2398:2008)

HRN EN 2399:2008
Nizovi o zrakoplovstvu – Čelik otporan na toplinu FE-PA2601 (X4NiCrTiMoV26-15) – Rm ≥ 900 MPa – Šipke za kovano izrađene klinove – D ≤ 25 mm (EN 2399:2008)
Aerospace series – Heat resisting steel FE-PA2601 (X4NiCrTiMoV26-15) – Rm ≥ 900 MPa – Bars for forged bolts – D ≤ 25 mm (EN 2399:2008)

HRN EN 2413:2008
Nizovi o zrakoplovstvu – Vijci za točno dosjedanje, s tankom šesterokutnom glavom, sa strukom uske tolerancije, sa kratkim navojem, od legiranog čelika, s prevlakom od kadmija – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 2413:1995)
Aerospace series – Bolts, shouldered, thin hexagonal head, close tolerance shank, short thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature)/235 °C (EN 2413:1995)

HRN EN 2422:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2124-T351 – Ploče – 25 mm (EN 2422:2005)
Aerospace series – Aluminium alloy AL-P2124-T351 – Plate – 25 mm (EN 2422:2005)

HRN EN 2424:2008
Nizovi o zrakoplovstvu – Označavanje proizvoda za zrakoplove (EN 2424:2008)
Aerospace series – Marking of aerospace products (EN 2424:2008)

HRN EN 2428:2008
Nizovi o zrakoplovstvu – Etilen-propilen guma (EPM/EPDM) – Tvrdoća 50 IRHD (EN 2428:1995)
Aerospace series – Ethylene-propylene rubber (EPM/EPDM) – Hardness 50 IRHD (EN 2428:1995)

HRN EN 2429:2008
Nizovi o zrakoplovstvu – Etilen-propilen guma (EPM/EPDM) – Tvrdoća 60 IRHD (EN 2429:1995)
Aerospace series – Ethylene-propylene rubber (EPM/EPDM) – Hardness 60 IRHD (EN 2429:1995)

HRN EN 2430:2008
Nizovi o zrakoplovstvu – Etilen-propilen guma (EPM/EPDM) – Tvrdoća 70 IRHD (EN 2430:1995)
Aerospace series – Ethylene-propylene rubber (EPM/EPDM) – Hardness 70 IRHD (EN 2430:1995)

HRN EN 2431:2008
Nizovi o zrakoplovstvu – Etilen-propilen guma (EPM/EPDM) – Tvrdoća 80 IRHD (EN 2431:1995)
Aerospace series – Ethylene-propylene rubber (EPM/EPDM) – Hardness 80 IRHD (EN 2431:1995)

HRN EN 2432:2008
Nizovi o zrakoplovstvu – Etilen-propilen guma (EPM/EPDM) – Tvrdoća 90 IRHD (EN 2432:1995)
Aerospace series – Ethylene-propylene rubber (EPM/EPDM) – Hardness 90 IRHD (EN 2432:1995)

HRN EN 2434-001:2011
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna poliuretanska boja koja otvrdnjava pri niskim temperaturama – 001. dio: Osnovni zahtjevi (EN 2434-001:2010)
Aerospace series – Paints and varnishes – Two component cold curing polyurethane finish – Part 001: Basic requirements (EN 2434-001:2010)

HRN EN 2434-002:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna poliuretanska boja koja otvrdnjava pri niskim temperaturama – 002. dio: Visoka kemijska otpornost (EN 2434-002:2010)
Aerospace series – Paints and varnishes – Two component cold curing polyurethane finish – Part 002: High chemical resistance (EN 2434-002:2010)

HRN EN 2434-003:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna poliuretanska boja koja otvrdnjava pri niskim temperaturama – 003. dio: Visoka elastičnost i otpornost na fluide za unutrašnjost (EN 2434-003:2010)
Aerospace series – Paints and varnishes – Two component cold curing polyurethane finish – Part 003: Flexible and high fluid resistance for interior (EN 2434-003:2010)

HRN EN 2434-004:2012
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna poliuretanska boja koja otvrdnjava pri niskim temperaturama – 004. dio: Visoka elastičnost (EN 2434-004:2010)
Aerospace series – Paints and varnishes – Two component cold curing polyurethane finish – Part 004: High flexibility (EN 2434-004:2010)

HRN EN 2434-005:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna poliuretanska boja koja otvrdnjava pri niskim temperaturama – 005. dio: Visoka elastičnost i otpornost prema kemijskim sredstvima za vojnu primjenu (EN 2434-005:2006)
Aerospace series – Paints and varnishes – Two component cold curing polyurethane finish – Part 005: High flexibility and chemical agent resistance for military application (EN 2434-005:2006)

HRN EN 2435-001:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Kromatna dvokomponentna osnovna prevlaka otporna na koroziju koja otvrdnjava pri niskim temperaturama – 001. dio: Minimalni zahtjevi (EN 2435-001:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromated two component cold curing primer – Part 001: Minimum requirements (EN 2435-001:2006)

HRN EN 2435-002:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Kromatna dvokomponentna osnovna prevlaka otporna na koroziju koja otvrdnjava pri niskim temperaturama – 002. dio: Visoka otpornost na koroziju (EN 2435-002:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromated two component cold curing primer – Part 002: High corrosion resistance (EN 2435-002:2006)

HRN EN 2435-003:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Kromatna dvokomponentna osnovna prevlaka otporna na koroziju koja otvrdnjava pri niskim temperaturama – 003. dio: Visoka otpornost na koroziju i fluide (EN 2435-003:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromated two component cold curing primer – Part 003: High corrosion and fluid resistance (EN 2435-003:2006)

HRN EN 2435-004:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Kromatna dvokomponentna osnovna prevlaka otporna na koroziju koja otvrdnjava pri niskim temperaturama – 004. dio: Visoka otpornost na koroziju i fluide s tolerancijom u odnosu na pripremu površine (EN 2435-004:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromated two component cold curing primer – Part 004: High corrosion and fluid resistance with surface preparation tolerance (EN 2435-004:2006)

HRN EN 2435-005:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Kromatna dvokomponentna osnovna prevlaka otporna na koroziju koja otvrdnjava pri niskim temperaturama – 005. dio: Visoka otpornost na koroziju za vojnu primjenu (EN 2435-005:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromated two component cold curing primer – Part 005: High corrosion resistance for military application (EN 2435-005:2006)

HRN EN 2436-001:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna osnovna boja otporna na koroziju bez kromata – 001. dio: Osnovni zahtjevi (EN 2436-001:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromate-free two component cold curing primer – Part 001: Basic requirements (EN 2436-001:2006)

HRN EN 2436-002:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna osnovna boja otporna na koroziju bez kromata – 002. dio: Visoka otpornost na koroziju (EN 2436-002:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromate-free two component cold curing primer – Part 002: High corrosion resistance (EN 2436-002:2006)

HRN EN 2436-003:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna osnovna boja otporna na koroziju bez kromata – 003. dio: Visoka otpornost na koroziju i fluide (EN 2436-003:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromate-free two component cold curing primer – Part 003: High corrosion and fluid resistance (EN 2436-003:2006)

HRN EN 2436-004:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna osnovna boja otporna na koroziju bez kromata – 004. dio: Visoka otpornost na koroziju i fluide s tolerancijom u odnosu na pripremu površine (EN 2436-004:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromate-free two component cold curing primer – Part 004: High corrosion and fluid resistance with surface preparation tolerance (EN 2436-004:2006)

HRN EN 2436-005:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna osnovna boja otporna na koroziju bez kromata – 005. dio: Za vanjsku upotrebu, s tolerancijom u odnosu na pripremu površine (EN 2436-005:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromate-free two component cold curing primer – Part 005: For exterior use with surface preparation tolerance (EN 2436-005:2006)

HRN EN 2436-006:2008
Nizovi o zrakoplovstvu – Boje i lakovi – Dvokomponentna epoksi osnovna prevlaka bez kromata otporna na koroziju koja otvrdnjava pri niskim temperaturama – 006. dio: Visoka otpornost na koroziju za vojnu primjenu (EN 2436-006:2006)
Aerospace series – Paints and varnishes – Corrosion resistant chromate-free two component cold curing epoxy primer – Part 006: High corrosion resistance for military application (EN 2436-006:2006)

HRN EN 2437:2008
Nizovi o zrakoplovstvu – Kromatne konverziijske prevlake (žute) za aluminij i legure aluminija (EN 2437:2001)
Aerospace series – Chromate conversion coatings (yellow) for aluminium and aluminium alloys (EN 2437:2001)

HRN EN 2438:2009
Nizovi o zrakoplovstvu – Čelik FE-PL2102 (35NiCr6) – 900 MPa ≤ Rm ≤ 1100 MPa – Šipke – De ≤ 40 mm (EN 2438:2008)
Aerospace series – Steel FE-PL2102 (35NiCr6) – 900 MPa ≤ Rm ≤ 1100 MPa – Bars – De ≤ 40 mm (EN 2438:2008)

HRN EN 2439:2011
Nizovi o zrakoplovstvu – Čelik FE-PL2102 (34NiCr6) – 900 MPa = Rm = 1100 MPa – Otkivci – De = 40 mm (EN 2439:2009)
Aerospace series – Steel FE-PL2102 (34NiCr6) – 900 MPa = Rm = 1100 MPa – Forgings – De = 40 mm (EN 2439:2009)

HRN EN 2446:2009
Nizovi o zrakoplovstvu – Čelik FE-PL1503 (35CrMo4) – 1100 MPa ≤ Rm ≤ 1300 MPa – Šipke – De ≤ 25 mm (EN 2446:2008)
Aerospace series – Steel FE-PL1503 (35CrMo4) – 1100 MPa ≤ Rm ≤ 1300 MPa – Bars – De ≤ 25 mm (EN 2446:2008)

HRN EN 2448:2009
Nizovi o zrakoplovstvu – Čelik FE-PL1503 (35CrMo4) – 900 MPa ≤ Rm ≤ 1100 MPa – Šipke – De ≤ 40 mm (EN 2448:2008)
Aerospace series – Steel FE-PL1503 (35CrMo4) – 900 MPa ≤ Rm ≤ 1100 MPa – Bars – De ≤ 40 mm (EN 2448:2008)

HRN EN 2460:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1901 (X12Cr13) – 600 MPa = Rm = 800 MPa – Šipke – De = 70 mm (EN 2460:2009)
Aerospace series – Steel FE-PM1901 (X12Cr13) – 600 MPa = Rm = 800 MPa – Bars – De = 70 mm (EN 2460:2009)

HRN EN 2461:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1901 (X12Cr13) – 600 MPa = Rm = 800 MPa – Otkivci – De = 70 mm (EN 2461:2009)
Aerospace series – Steel FE-PM1901 (X12Cr13) – 600 MPa = Rm = 800 MPa – Forgings – De = 70 mm (EN 2461:2009)

HRN EN 2465:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3901 (X2CrNi18-9) – Omekšan – 450 MPa ≤ Rm ≤ 680 MPa – Šipke za strojnu obradu – 4 mm ≤ De ≤ 100 mm (EN 2465:2007)
Aerospace series – Steel FE-PA3901 (X2CrNi18-9) – Softened – 450 MPa ≤ Rm ≤ 680 MPa – Bar for machining – 4 mm ≤ De ≤ 100 mm (EN 2465:2007)

HRN EN 2466:2011
Nizovi o zrakoplovstvu – Čelik FE-PA3901 (X2CrNi19-11) – Omekšan – Otkivci – De = 100 mm (EN 2466:2009)
Aerospace series – Steel FE-PA3901 (X2CrNi19-11) – Softened – Forgings – De = 100 mm (EN 2466:2009)

HRN EN 2467:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3901 (X2CrNi18-9) – Taljen na zraku – Omekšan – Ploča, lim i traka – 0,4 mm ≤ a ≤ 20 mm – 520 MPa ≤ Rm ≤ 670 MPa (EN 2467:2007)
Aerospace series – Steel FE-PA3901 (X2CrNi18-9) – Air melted – Softened – Plate, sheet and strip – 0,4 mm ≤ a ≤ 20 mm – 520 MPa ≤ Rm ≤ 670 MPa (EN 2467:2007)

HRN EN 2469:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3901 (X1CrNi18-10) – Taljen na zraku – Omekšan – Žice-- 0,4 mm ≤ D ≤ 12,5 mm – 450 MPa ≤ Rm ≤ 650 MPa (EN 2469:2007)
Aerospace series – Steel FE-PA3901 (X1CrNi18-10) – Air melted – Softened – Wires – 0,4 mm ≤ D ≤ 12,5 mm – 450 MPa ≤ Rm ≤ 650 MPa (EN 2469:2007)

HRN EN 2478:2008
Nizovi o zrakoplovstvu – Čelik FE-PL2107 (30NiCrMo16) – 1220 MPa ≤ Rm ≤ 1370 MPa – Šipke – De ≤ 40 mm (EN 2478:2008)
Aerospace series – Steel FE-PL2107 (30NiCrMo16) – 1220 MPa ≤ Rm ≤ 1370 MPa – Bars – De ≤ 40 mm (EN 2478:2008)

HRN EN 2480:2008
Nizovi o zrakoplovstvu – Čelik FE-PL2108 (36NiCrMo16) – 1250 MPa ≤ Rm ≤ 1400 MPa – Šipke – De ≤ 75 mm (EN 2480:2008)
Aerospace series – Steel FE-PL2108 (36NiCrMo16) – 1250 MPa ≤ Rm ≤ 1400 MPa – Bars – De ≤ 75 mm (EN 2480:2008)

HRN EN 2481:2011
Nizovi o zrakoplovstvu – Čelik FE-PL2108 (36NiCrMo16) – 1250 MPa ≤ Rm ≤ 1400 MPa – Otkivci – De ≤ 75 mm (EN 2481:2010)
Aerospace series – Steel FE-PL2108 (36NiCrMo16) – 1250 MPa ≤ Rm ≤ 1400 MPa – Forgings – De ≤ 75 mm (EN 2481:2010)

HRN EN 2482:2011
Nizovi o zrakoplovstvu – Čelik FE-PL2108 (36NiCrMo16) – 1100 MPa ≤ Rm ≤ 1300 MPa – Šipke – De ≤ 100 mm (EN 2482:2010)
Aerospace series – Steel FE-PL2108 (36NiCrMo16) – 1100 MPa ≤ Rm ≤ 1300 MPa – Bars – De ≤ 100 mm (EN 2482:2010)

HRN EN 2483:2011
Nizovi o zrakoplovstvu – Čelik FE-PL2108 (36NiCrMo16) – 1100 MPa ≤ Rm ≤ 1300 MPa – Otkivci – De ≤ 100 mm (EN 2483:2010)
Aerospace series – Steel FE-PL2108 (36NiCrMo16) – 1100 MPa ≤ Rm ≤ 1300 MPa – Forgings – De ≤ 100 mm (EN 2483:2010)

HRN EN 2484:2008
Nizovi o zrakoplovstvu – Snimanje crteža na mikrofilm – Bušena kartica za mikrofilm od 35 mm (EN 2484:1989)
Aerospace series – Microfilming of drawings – Aperture card for 35 mm microfilm (EN 2484:1989)

HRN EN 2486:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2618A – Materijal za kovanje (EN 2486:2005)
Aerospace series – Aluminium alloy AL-P2618A – Forging stock (EN 2486:2005)

HRN EN 2489:2008
Nizovi o zrakoplovstvu – Plastika ojačana vlaknima – Određivanje djelovanja fluida pri ispitivanju (EN 2489:1995)
Aerospace series – Fibre reinforced plastics – Determination of the action of test fluids (EN 2489:1995)

HRN EN 2491:2011
Nizovi o zrakoplovstvu – Molibden disulfid hladno mazivo – Metode presvlačenja (EN 2491:2011)
Aerospace series – Molybdenum disulphide dry lubricants – Coating methods (EN 2491:2011)

HRN EN 2495:2008
Nizovi o zrakoplovstvu – Jednopolni automatski osigurači temperaturno kompenzirani nazivnih struja do 25 A – Norma za proizvod (EN 2495:1990)
Aerospace series – Single-pole circuit breakers temperature compensated rated currents up to 25 A – Product standard (EN 2495:1990)

HRN EN 2497:2008
Nizovi o zrakoplovstvu – Suho abrazivno čišćenje titana i legura titana (EN 2497:1989)
Aerospace series – Dry abrasive blasting of titanium and titanium alloys (EN 2497:1989)

HRN EN 2498:2008
Nizovi o zrakoplovstvu – Krajevi šipki sa samoprilagodljivim i kliznim samopodmazujućim ležajevima s navojem – Dimenzije i opterećenja (EN 2498:1990)
Aerospace series – Rod ends, adjustable self-aligning plain bearing with self-lubricating liner and threaded shank – Dimensions and loads (EN 2498:1990)

HRN EN 2499:2008
Nizovi o zrakoplovstvu – Računarski izlaz mikrofilma (COM) – A6 mikrofilm (EN 2499:1987)
Aerospace series – Computer output microfiche (COM) – A6 microfiche (EN 2499:1987)

HRN EN 2501:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa samopodmazujućim prstenom, izrađeni od čelika otpornog na koroziju i širokim unutrašnjim obručem – Dimenzije i opterećenja (EN 2501:1988+AC1:1988)
Aerospace series – Bearings, spherical plain in corrosion resisting steel with self-lubricating liner and wide inner ring – Dimensions and loads (EN 2501:1988+AC1:1988)

HRN EN 2511:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7075-T7351 – Ploča -6 mm (EN 2511:2005)
Aerospace series – Aluminium alloy AL-P7075-T7351 – Plate -6 mm (EN 2511:2005)

HRN EN 2515:2008
Nizovi o zrakoplovstvu – Krajevi šipki s jednom prilagodljivom viljuškom i s navojem – Dimenzije i opterećenja (EN 2515:1990)
Aerospace series – Rod ends, adjustable single fork and threaded shank – Dimensions and loads (EN 2515:1990)

HRN EN 2516:2008
Nizovi o zrakoplovstvu – Pasivizacija čelika otpornih na koroziju i dekontaminacija legura na bazi nikla (EN 2516:1997)
Aerospace series – Passivation of corrosion resisting steels and decontamination of nickel base alloys (EN 2516:1997)

HRN EN 2535:2011
Nizovi o zrakoplovstvu – Vakuumsko odlaganje kadmija (EN 2535:2011)
Aerospace series – Vacuum deposition of cadmium (EN 2535:2011)

HRN EN 2536:2008
Nizovi o zrakoplovstvu – Čvrste legure aluminija za anodizaciju (EN 2536:1995)
Aerospace series – Hard anodizing of aluminium alloys (EN 2536:1995)

HRN EN 2542:2009
Nizovi o zrakoplovstvu – Čelik FE-PL1502 (25CrMo4) – Kaljeni – Šipka i žica – De ≤ 40 mm – Za pričvršćivanje obrtnih matica (EN 2542:2008)
Aerospace series – Steel FE-PL1502 (25CrMo4) – Annealed – Bar and wire – De ≤ 40 mm – For prevailing torque nuts (EN 2542:2008)

HRN EN 2543:2011
Nizovi o zrakoplovstvu – Čelik FE-PL1502 (25CrMo4) – Kaljeni – Lim i traka – 0,3 mm = a = 2 mm – Za pričvršćivanje obrtnih matica (EN 2543:2009)
Aerospace series – Steel FE-PL1502 (25CrMo4) – Annealed – Sheet and strip – 0,3 mm = a = 2 mm – For prevailing torque nuts (EN 2543:2009)

HRN EN 2544:2008
Nizovi o zrakoplovstvu – Prikazivanje zakovica na crtežima za zrakoplovnu opremu (EN 2544:1987)
Aerospace series – Representation of rivets on drawings for aerospace equipment (EN 2544:1987)

HRN EN 2545-1:2008
Nizovi o zrakoplovstvu – Titan i legure titana kao materijali za pretaljivanje i izradu odljevaka – Tehničke specifikacije – 1. dio: Opći zahtjevi (EN 2545-1:1995)
Aerospace series – Titanium and titanium alloy remelting stock and castings – Technical specification – Part 1: General requirements (EN 2545-1:1995)

HRN EN 2545-2:2008
Nizovi o zrakoplovstvu – Titan i legure titana kao materijali za pretaljivanje i izradu odljevaka – Tehničke specifikacije – 2. dio: Materijal za pretaljivanje (EN 2545-2:1995)
Aerospace series – Titanium and titanium alloy remelting stock and castings – Technical specification – Part 2: Remelting stock (EN 2545-2:1995)

HRN EN 2545-3:2008
Nizovi o zrakoplovstvu – Titan i legure titana kao materijali za pretaljivanje i izradu odljevaka – Tehničke specifikacije – 3. dio: Obrada i izrada odljevaka (EN 2545-3:1995)
Aerospace series – Titanium and titanium alloy remelting stock and castings – Technical specification – Part 3: Pre-production and production castings (EN 2545-3:1995)

HRN EN 2546:2008
Nizovi o zrakoplovstvu – Podloške ohrapljene s radijalnim osiguranjem od pasiviziranog čelika otpornog na koroziju za šipke upravljanja letom – Dimenzije (EN 2546:2006)
Aerospace series – Washers, lock with radial serrations in corrosion resisting steel passivated for flight control rods – Dimensions (EN 2546:2006)

HRN EN 2547:2008
Nizovi o zrakoplovstvu – Snimanje dokumenata - Mikrofilm 105 mm (mikrofilm A6) (EN 2547:1987)
Aerospace series – Filming of documents – Microfilm 105 mm (microfiche A6) (EN 2547:1987)

HRN EN 2549:2008
Nizovi o zrakoplovstvu – Vijci s normalnom šesterokutnom glavom, s posebnom točnošću mjera normalnog struka, kraćeg navoja, izrađenog od legure titana, anodizirani i s podmazivanjem MoS2, metričke serije – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 2549:2006)
Aerospace series – Bolts, normal hexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated, metric series – Classification: 1100 MPa (at ambient temperature)/ 315 °C (EN 2549:2006)

HRN EN 2550:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom izrađene od aluminija 1050A, colna serija (EN 2550:1992)
Aerospace series – Rivets, solid, 100° normal countersunk head, in aluminium 1050A, inch based series (EN 2550:1992)

HRN EN 2551:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom s omotačem, izrađene od legura aluminija 2117, colna serija (EN 2551:1992)
Aerospace series – Rivets, solid, 100° normal countersunk head with dome, in aluminium alloy 2117, inch based series (EN 2551:1992)

HRN EN 2552:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom s omotačem, izrađene od legura aluminija 2117, anodizirane ili kromirane, colna serija (EN 2552:1992)
Aerospace series – Rivets, solid, 100° normal countersunk head with dome, in aluminium alloy 2117, anodized or chromated, inch based series (EN 2552:1992)

HRN EN 2553:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom s omotačem, izrađene od legura aluminija 2017A, colna serija (EN 2553:1992)
Aerospace series – Rivets, solid, 100° normal countersunk head with dome, in aluminium alloy 2017A, inch based series (EN 2553:1992)

HRN EN 2555:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom s omotačem, izrađene od legura aluminija 5056A, colna serija (EN 2555:1992)
Aerospace series – Rivets, solid, 100° normal countersunk head with dome, in aluminium alloy 5056A, inch based series (EN 2555:1992)

HRN EN 2556:2008
Nizovi o zrakoplovstvu – Zakovice, čvrste, sa 100° upuštenom normalnom glavom s omotačem, izrađene od legura aluminija 5056A, anodizirane ili kromirane, colna serija (EN 2556:1992)
Aerospace series – Rivets, solid, 100° normal countersunk head with dome, in aluminium alloy 5056A, anodized or chromated, inch based series (EN 2556:1992)

HRN EN 2557:2008
Nizovi o zrakoplovstvu – Ojačana ugljična vlakna – Određivanje mase po jedinici površine (EN 2557:1997)
Aerospace series – Carbon fibre preimpregnates – Determination of mass per unit area (EN 2557:1997)

HRN EN 2558:2008
Nizovi o zrakoplovstvu – Ojačana ugljična vlakna – Određivanje isparljivog sadržaja (EN 2558:1997)
Aerospace series – Carbon fibre preimpregnates – Determination of the volatile content (EN 2558:1997)

HRN EN 2559:2008
Nizovi o zrakoplovstvu – Ojačana ugljična vlakna – Određivanje sadržaja smole i vlakana i mase vlakana po jedinici prostora (EN 2559:1997)
Aerospace series – Carbon fibre preimpregnates – Determination of the resin and fibre content and the mass of fibre per unit area (EN 2559:1997)

HRN EN 2560:2008
Nizovi o zrakoplovstvu – Ojačana ugljična vlakna – Određivanje protoka smole (EN 2560:1998)
Aerospace series – Carbon fibre preimpregnates – Determination of the resin flow (EN 2560:1998)

HRN EN 2561:2008
Nizovi o zrakoplovstvu – Plastikom ojačana ugljična vlakna – Jednosmjerni laminat – Ispitivanje čvrstoće pri zatezanju paralelno sa smjerom vlakana (EN 2561:1995)
Aerospace series – Carbon fibre reinforced plastics – Unidirectional laminates – Tensile test parallel to the fibre direction (EN 2561:1995)

HRN EN 2562:2008
Nizovi o zrakoplovstvu – Plastikom ojačana ugljična vlakna – Jednosmjerni laminat – Ispitivanje savijanja paralelno sa smjerom vlakana (EN 2562:1997)
Aerospace series – Carbon fibre reinforced plastics – Unidirectional laminates – Flexural test parallel to the fibre direction (EN 2562:1997)

HRN EN 2563:2008
Nizovi o zrakoplovstvu – Plastikom ojačana ugljična vlakna – Jednosmjerni laminat – Određivanje prividne međulaminarne jačine na smicanje (EN 2563:1997)
Aerospace series – Carbon fibre reinforced plastics – Unidirectional laminates – Determination of the apparent interlaminar shear strength (EN 2563:1997)

HRN EN 2564:2008
Nizovi o zrakoplovstvu – Laminati s ugljičnim vlaknima – Određivanje sadržaja vlakana, smole i šupljina (EN 2564:1998)
Aerospace series – Carbon fibre laminates – Determination of the fibre, resin and void contents (EN 2564:1998)

HRN EN 2569:2008
Nizovi o zrakoplovstvu – Spojnice upravljačkih kabela i "turnbareli" – Tehničke specifikacije (EN 2569:1991)
Aerospace series – Control cable fittings and turnbarrels – Technical specification (EN 2569:1991)

HRN EN 2570:2008
Nizovi o zrakoplovstvu – Nikal-kadmijske baterije – Tehničke specifikacije (EN 2570:1996)
Aerospace series – Nickel-cadmium batteries – Technical specification (EN 2570:1996)

HRN EN 2573:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3601 (X6CrNiTi18-10) – Omekšan – Rm ≤ 780 MPa – Žice – 0,25 mm ≤ De ≤ 3 mm (EN 2573:2007)
Aerospace series – Steel FE-PA3601 (X6CrNiTi18-10) – Softened – Rm ≤ 780 MPa – Wire – 0,25 mm ≤ De ≤ 3 mm (EN 2573:2007)

HRN EN 2574:2008
Nizovi o zrakoplovstvu – Zavareni spojevi - Informacije na crtežima (EN 2574:1990)
Aerospace series – Welds – Information on drawings (EN 2574:1990)

HRN EN 2575:2008
Nizovi o zrakoplovstvu – Snimanje dokumenata – 16 mm mikrofilm (EN 2575:1989)
Aerospace series – Filming of documents – 16 mm microfilm (EN 2575:1989)

HRN EN 2583:2008
Nizovi o zrakoplovstvu – Vijci, s "MJ" navojem, otporni na toplinu od legure na bazi nikla NI-PH2601 (Inconel 718) – Klasifikacija: 1275 MPa (pri temperaturi okoline)/650 °C – Tehničke specifikacije (EN 2583:1997)
Aerospace series – Bolts, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718) – Classification: 1275 MPa (at ambient temperature)/ 650 °C – Technical specification (EN 2583:1997)

HRN EN 2584:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa samopodmazujućim prstenom izrađeni od čelika otpornog na koroziju – Uske serije – Visoko opterećeni pri temperaturi okoline – Dimenzije i opterećenja (EN 2584:2001)

Aerospace series – Bearings, spherical plain in corrosion resisting steel with self-lubricating liner – Narrow series – Elevated load at ambient temperature – Dimensions and loads (EN 2584:2001)

HRN EN 2585:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa samopodmazujućim prstenom izrađeni od čelika otpornog na koroziju – Široke serije – Visoko opterećeni pri temperaturi okoline – Dimenzije i opterećenja (EN 2585:2001)
Aerospace series – Bearings, spherical plain in corrosion resisting steel with self-lubricating liner – Wide series – Elevated load at ambient temperature – Dimensions and loads (EN 2585:2001)

HRN EN 2586:2008
Nizovi o zrakoplovstvu – Podloške za zaključavanje poluga upravljanja leta – Dimenzije (EN 2586:1991)
Aerospace series – Washers, lock for flight control rods – Dimensions (EN 2586:1991)

HRN EN 2587:2008
Nizovi o zrakoplovstvu – Prilagodljivi krajevi šipki sa dvije viljuške i strukom sa navojem – Dimenzije i opterećenja (EN 2587:1990)
Aerospace series – Rod ends, adjustable double fork and threaded shank – Dimensions and loads (EN 2587:1990)

HRN EN 2588:2008
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa žljebovima, izrađeni od čelika otpornog na koroziju – Dimenzije i opterećenja (EN 2588:2006)
Aerospace series – Bearings, spherical plain in corrosion resisting steel with assembly slots – Dimensions and loads (EN 2588:2006)

HRN EN 2591:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – Općenito (EN 2591:1992)
Aerospace series – Elements of electrical and optical connection – Test methods – General (EN 2591:1992)

HRN EN 2591-100:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 100. dio: Općenito (EN 2591-100:2005)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 100: General (EN 2591-100:2005)

HRN EN 2591-101:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 101. dio: Vizualno ispitivanje (EN 2591-101:1994)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 101: Visual examination (EN 2591-101:1994)

HRN EN 2591-102:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 102. dio: Ispitivanje dimenzija i mase (EN 2591-102:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 102: Examination of dimensions and mass (EN 2591-102:1996)

HRN EN 2591-201:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 201. dio: Otpor kontakata – Niska razina (EN 2591-201:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 201: Contact resistance – Low level (EN 2591-201:1996)

HRN EN 2591-202:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 202. dio: Otpor kontakta pri nazivnoj struji (EN 2591-202:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 202: Contact resistance at rated current (EN 2591-202:1996)

HRN EN 2591-203:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 203. dio: Električni kontinuitet na razini mikro volta (EN 2591-203:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 203: Electrical continuity at microvolt level (EN 2591-203:1996)

HRN EN 2591-204:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 204. dio: Prekid kontakta unutar mikro sekunde (EN 2591-204:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 204: Discontinuity of contacts in the microsecond range (EN 2591-204:1996)

HRN EN 2591-205:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 205. dio: Električni kontinuitet u kućištu (školjki) (EN 2591-205:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 205: Housing (shell) electrical continuity (EN 2591-205:1996)

HRN EN 2591-206:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 206. dio: Mjerenje otpora izolacije (EN 2591-206:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 206: Measurement of insulation resistance (EN 2591-206:1996)

HRN EN 2591-207:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 207. dio: Potvrda ispitivanja napona (EN 2591-207:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 207: Voltage proof test (EN 2591-207:1996)

HRN EN 2591-208:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 208. dio: Porast temperature zbog nominalne struje (EN 2591-208:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 208: Temperature rise due to rated current (EN 2591-208:1996)

HRN EN 2591-209:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 209. dio: Smanjenje temperature zbog manje radne struje (EN 2591-209:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 209: Current temperature derating (EN 2591-209:1996)

HRN EN 2591-210:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 210. dio: Električno preopterećenje (EN 2591-210:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 210: Electrical overload (EN 2591-210:1998)

HRN EN 2591-211:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 211. dio: Kapacitet (EN 2591-211:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 211: Capacitance (EN 2591-211:2002)

HRN EN 2591-212:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 212. dio: Površinski prijenosni otpor (EN 2591-212:2005)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 212: Surface transfer impedance (EN 2591-212:2005)

HRN EN 2591-213:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 213. dio: Efektivnost zaštite plašta od 100 MHz do 1 GHz (EN 2591-213:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 213: Shielding effectiveness from 100 MHz to 1 GHz
(EN 2591-213:1997)

HRN EN 2591-216:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 216. dio: Minimalna dubina utičnice za ostvarenje kontakta (EN 2591-216:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 216: Engagement depth of contacts (EN 2591-216:1997)

HRN EN 2591-217:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 217. dio: Pad napona zbog određene struje na papučicama i rednim spojevima (EN 2591-217:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 217: Voltage drop under specified current for terminal lugs and in-line splices (EN 2591-217:2002)

HRN EN 2591-218:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 218. dio: Starenje terminalnih stopica i rednih spojeva zbog temperaturnih i strujnih ciklusa(EN 2591-218:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 218: Ageing of terminal lugs and in-line splices by temperature and current cycling (EN 2591-218:2002)

HRN EN 2591-219:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 219. dio: Probojni napon za izolirane terminalne stopice i redne spojeve
(EN 2591-219:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 219: Voltage strength for insulated terminal lugs and in-line splices
(EN 2591-219:2002)

HRN EN 2591-220:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 220. dio: Starenje spoja kontakt/vodič zbog struje i temperaturnih ciklusa
(EN 2591-220:2005)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 220: Contact/conductor joint ageing by current and temperature cycling (EN 2591-220:2005)

HRN EN 2591-221:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 221. dio: Odnos napona stojećih valova (VSWR) (EN 2591-221:2007)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 221: Voltage Standing Wave Ratio (VSWR) (EN 2591-221:2007)

HRN EN 2591-222:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 222. dio: Uneseni gubitak (I.L) (EN 2591-222:2007)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 222: Insertion Loss (I.L.) (EN 2591-222:2007)

HRN EN 2591-223:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 223. dio: Mjerenje karakterističnog otpora koaksijalnih spojnica i kontakata (EN 2591-223:2007)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 223: Measurement of characteristic impedance of a coaxial connector or contact (EN 2591-223:2007)

HRN EN 2591-224:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 224. dio: RF istjecanje (EN 2591-224:2007)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 224: RF leakage (EN 2591-224:2007)

HRN EN 2591-225:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – dio 225: RF probojni napon (EN 2591-225:2007)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 225: RF high potential withstanding voltage (EN 2591-225:2007)

HRN EN 2591-226:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 226. dio: Razina korone (EN 2591-226:2007)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 226: Corona level (EN 2591-226:2007)

HRN EN 2591-301:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 301. dio: Temperaturna izdržljivost (EN 2591-301:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 301: Endurance at temperature (EN 2591-301:1996)

HRN EN 2591-302:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 302. dio: Klimatski isječci (EN 2591-302:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 302: Climatic sequence (EN 2591-302:1997)

HRN EN 2591-303:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 303. dio: Hladnoća/nizak tlak i zagrijavanje uz povećanu vlagu
(EN 2591-303:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 303: Cold/low pressure and damp heat (EN 2591-303:1997)

HRN EN 2591-304:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 304. dio: Stalno zagrijavanje uz povećanu vlagu (EN 2591-304:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 304: Damp heat steady state (EN 2591-304:1997)

HRN EN 2591-305:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 305. dio: Nagla promjena temperature (EN 2591-305:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 305: Rapid change of temperature (EN 2591-305:1997)

HRN EN 2591-306:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 306. dio: Rast plijesni
(EN 2591-306:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 306: Mould growth (EN 2591-306:1998)

HRN EN 2591-307:2012
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 307. dio: Slana magla
(EN 2591-307:2012)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 307: Salt mist
(EN 2591-307:2012)

HRN EN 2591-308:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 308. dio: Pijesak i prašina (EN 2591-308:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 308: Sand and dust (EN 2591-308:1998)

HRN EN 2591-309:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 309. dio: Visoka temperatura bez vlage (EN 2591-309:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 309: Dry heat (EN 2591-309:1997)

HRN EN 2591-310:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 310. dio: Hladnoća (EN 2591-310:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 310: Cold (EN 2591-310:1998)

HRN EN 2591-311:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 311. dio: Nizak tlak zraka (EN 2591-311:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 311: Low air pressure (EN 2591-311:1997)

HRN EN 2591-312:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 312. dio: Curenje zraka (EN 2591-312:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 312: Air leakage (EN 2591-312:1997)

HRN EN 2591-313:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 313. dio: Umjetna kiša (EN 2591-313:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 313: Artificial rain (EN 2591-313:1997)

HRN EN 2591-314:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 314. dio: Potapanje pri niskom tlaku zraka (EN 2591-314:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 314: Immersion at low air pressure (EN 2591-314:1997)

HRN EN 2591-315:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 315. dio: Otpornost na fluide (EN 2591-315:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 315: Fluid resistance (EN 2591-315:1998)

HRN EN 2591-316:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 316. dio: Otpornost na djelovanje ozona (EN 2591-316:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 316: Ozone resistance (EN 2591-316:1997)

HRN EN 2591-317:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 317. dio: Zapaljivost (EN 2591-317:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 317: Flammability (EN 2591-317:1998)

HRN EN 2591-318:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 318. dio: Otpornost na vatru (EN 2591-318:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 318: Fire-resistance (EN 2591-318:1998)

HRN EN 2591-319:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 319. dio: Plinska nepropusnost nelemljenih obavijenih spojeva (EN 2591-319:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 319: Gastightness of solderless wrapped connections (EN 2591-319:1997)

HRN EN 2591-320:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 320. dio: Simulirano zračenje sunca na razini zemlje (EN 2591-320:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 320: Simulated solar radiation at ground level (EN 2591-320:1997)

HRN EN 2591-321:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 321. dio: Zagrijavanje uz povećanu vlagu, ciklično ispitivanje (EN 2591-321:1997)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 321: Damp heat, cyclic test (EN 2591-321:1997)

HRN EN 2591-322:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 322. dio: Ispitivanje bez dotoka zraka (EN 2591-322:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 322: Hermeticity (EN 2591-322:1998)

HRN EN 2591-323:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 323. dio: Toplinski šok (EN 2591-323:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 323: Thermal shock (EN 2591-323:1998)

HRN EN 2591-324:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 324. dio: Sučeljno brtvljenje (EN 2591-324:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 324: Interfacial sealing (EN 2591-324:1998)

HRN EN 2591-325:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 325. dio: Otpornost na djelovanje leda (EN 2591-325:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 325: Ice resistance (EN 2591-325:2002)

HRN EN 2591-401:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 401. dio: Jednolično konstantno ubrzanje (EN 2591-401:1996)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 401: Acceleration, steady state (EN 2591-401:1996)

HRN EN 2591-402:2012
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 402. dio: Šok (EN 2591-402:2012)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 402: Shock (EN 2591-402:2012)

HRN EN 2591-403:2012
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 403. dio: Sinusne i slučajne vibracije (EN 2591-403:2012)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 403: Sinusoidal and random vibration (EN 2591-403:2012)

HRN EN 2591-404:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 404. dio: Poprečno opterećenje (EN 2591-404:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 404: Transverse load (EN 2591-404:1998)

HRN EN 2591-405:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 405. dio: Aksijalno opterećenje (EN 2591-405:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 405: Axial load (EN 2591-405:1998)

HRN EN 2591-406:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 406. dio: Mehanička izdržljivost (EN 2591-406:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 406: Mechanical endurance (EN 2591-406:1998)

HRN EN 2591-407:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 407. dio: Izdržljivost sustava za zadržavanje kontakta i brtve (EN 2591-407:1999)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 407: Durability of contact retention system and seals (EN 2591-407:1999)

HRN EN 2591-408:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 408. dio: Uparena i neuparena snaga (EN 2591-408:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 408: Mating and unmating forces (EN 2591-408:1998)

HRN EN 2591-409:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 409. dio: Zadržavanje kontakta prilikom umetanja (EN 2591-409:1999)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 409: Contact retention in insert (EN 2591-409:1999)

HRN EN 2591-410:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 410. dio: Zadržavanje umetka u kućištu (aksijalno) (EN 2591-410:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 410: Insert retention in housing (axial) (EN 2591-410:1998)

HRN EN 2591-411:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 411. dio: Zadržavanje umetka u kućištu (torziono) (EN 2591-411:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 411: Insert retention in housing (torsional) (EN 2591-411:1998)

HRN EN 2591-412:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 412. dio: Sile uvlačenja i izvlačenja kontakta (EN 2591-412:1999)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 412: Contact insertion and extraction forces (EN 2591-412:1999)

HRN EN 2591-413:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 413. dio: Sila držanja temeljnog opružnoga sustava (EN 2591-413:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 413: Holding force of grounding spring system (EN 2591-413:1998)

HRN EN 2591-414:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 414. dio: Rastavljanje konopca za aktiviranje otpuštanja kontakata (EN 2591-414:1998)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 414: Unmating of lanyard release connectors (EN 2591-414:1998)

HRN EN 2591-415:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 415. dio: Oštećenja ispitnog ticala (ženski kontakti) (EN 2591-415:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 415: Test probe damage (female contacts) (EN 2591-415:2001)

HRN EN 2591-416:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 416. dio: Čvrstoća savijanja kontakta (EN 2591-416:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 416: Contact bending strength (EN 2591-416:2001)

HRN EN 2591-417:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 417. dio: Zatezna čvrstoća (krimpani spojevi) (EN 2591-417:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 417: Tensile strength (crimped connection) (EN 2591-417:2001)

HRN EN 2591-418:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 418. dio: Etalon za mjerenje sila uvlačenja i izvlačenja (ženski kontakti) (EN 2591-418:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 418: Gauge insertion/extraction forces (female contacts) (EN 2591-418:2001)

HRN EN 2591-419:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 419. dio: Stabilnost muških kontakata pri umetanju (EN 2591-419:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 419: Stability of male contacts in insert (EN 2591-419:2001)

HRN EN 2591-420:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 420. dio: Mehanička čvrstoća zadnjeg pribora (EN 2591-420:2006)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 420: Mechanical strength of rear accessories (EN 2591-420:2006)

HRN EN 2591-421:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 421. dio: Slobodan pad (EN 2591-421:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 421: Free fall (EN 2591-421:2002)

HRN EN 2591-422:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 422. dio: Čvrstoća osiguravajuće žice (EN 2591-422:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 422: Locking wire hole strength (EN 2591-422:2002)

HRN EN 2591-423:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 423. dio: Čvrstoća navoja spojnice zadnjeg pribora (EN 2591-423:2005)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 423: Connector rear accessories thread strength (EN 2591-423:2005)

HRN EN 2591-424:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 424. dio: Sila svlačenja nelemljenih obavijenih spojeva (EN 2591-424:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 424: Stripping force, solderless wrapped connections (EN 2591-424:2001)

HRN EN 2591-425:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 425. dio: Sposobnost odvijanja nelemljenih obavijenih spojeva (EN 2591-425:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 425: Unwrapping capability, solderless wrapped connections (EN 2591-425:2001)

HRN EN 2591-426:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 426. dio: Učinkovitost sustava za zadržavanje spojeva (EN 2591-426:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 426: Contact retention system effectiveness (EN 2591-426:2001)

HRN EN 2591-427:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 427. dio: Čvrstoća vezivanja zaštitnog poklopca (EN 2591-427:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 427: Robustness of protective cover attachment (EN 2591-427:2001)

HRN EN 2591-428:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 428. dio: Sinusne vibracije s prolazom struje za krimpane priključne stopice (EN 2591-428:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 428: Sinusoidal vibrations with passage of current for crimped terminal lugs (EN 2591-428:2002)

HRN EN 2591-501:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 501. dio: Meka lemljivost (EN 2591-501:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 501: Soft solderability (EN 2591-501:2002)

HRN EN 2591-502:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 502. dio: Ograničeni ulaz (EN 2591-502:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 502: Restricted entry (EN 2591-502:2001)

HRN EN 2591-503:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 503. dio: Deformacija kontakta nakon krimpanja (EN 2591-503:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 503: Contact deformation after crimping (EN 2591-503:2001)

HRN EN 2591-505:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 505. dio: Učinkovitost zaštite kontakta (scoop-proof) (EN 2591-505:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 505: Contact protection effectiveness (scoop-proof) (EN 2591-505:2001)

HRN EN 2591-506:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 506. dio: Upotreba alata (EN 2591-506:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 506: Use of tools (EN 2591-506:2001)

HRN EN 2591-507:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 507. dio: Poroznost prevlaka (EN 2591-507:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 507: Plating porosity (EN 2591-507:2002)

HRN EN 2591-508:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 508. dio: Mjerenje debljine prevlaka na kontaktima (EN 2591-508:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 508: Measurement of thickness of coating on contacts (EN 2591-508:2001)

HRN EN 2591-509:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 509. dio: Prianjanje prevlake na kontaktima (EN 2591-509:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 509: Adhesion of coating on contacts (EN 2591-509:2001)

HRN EN 2591-512:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 512. dio: Učinkovitost nerastavljivih fiksnih hermetički zatvorenih oklopa kontakta (EN 2591-512:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 512: Effectiveness of non-removeable fixing of hermetically sealed connector shell (EN 2591-512:2002)

HRN EN 2591-513:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 513. dio: Magnetska permeabilnost (EN 2591-513:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 513: Magnetic permeability (EN 2591-513:2002)

HRN EN 2591-514:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 514. dio: Lemljivost kontakta pomoću samostalnog lema i paste za lemljenje (EN 2591-514:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 514: Solderability of contacts with self-contained solder and flux (EN 2591-514:2002)

HRN EN 2591-515:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 515. dio: Hidrolitička stabilnost (EN 2591-515:2005)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 515: Hydrolytic stability (EN 2591-515:2005)

HRN EN 2591-601:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 601. dio: Optički elementi – Gubitak zbog umetanja (EN 2591-601:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 601: Optical elements – Insertion loss (EN 2591-601:2001)

HRN EN 2591-602:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 603. dio: Optički elementi – Promjene prigušenja i optički diskontinuitet (EN 2591-602:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 602: Optical elements – Variation of attenuation and optical discontinuity (EN 2591-602:2001)

HRN EN 2591-603:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 603. dio: Optički elementi – Promjena raspodjele snage (EN 2591-603:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 603: Optical elements – Change of power distribution (EN 2591-603:2002)

HRN EN 2591-604:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 604. dio: Optički elementi – Sposobnost čišćenja optičkog kraja (EN 2591-604:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 604: Optical elements – Cleaning capability of optical face (EN 2591-604:2001)

HRN EN 2591-605:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 605. dio: Optički elementi – Gubitak povrata (EN 2591-605:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 605: Optical elements – Return loss (EN 2591-605:2002)

HRN EN 2591-606:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 606. dio: Optički elementi – Smetnje (EN 2591-606:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 606: Optical elements – Crosstalk (EN 2591-606:2002)

HRN EN 2591-607:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 607. dio: Optički elementi – Otpornost na spajanje sa svjetlošću iz okolice (EN 2591-607:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 607: Optical elements – Immunity to ambient light coupling (EN 2591-607:2002)

HRN EN 2591-609:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 609. dio: Optički elementi – Učinkovitost kabelskog priključka – Kružno savijanje kabela (EN 2591-609:2005)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 609: Optical elements – Effectiveness of cable attachment – Cable cyclic flexing (EN 2591-609:2005)

HRN EN 2591-610:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 610. dio: Optički elementi – Učinkovitost kabelskog priključka – Povlačenje kabela (EN 2591-610:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 610: Optical elements – Effectiveness of cable attachment – Cable pulling (EN 2591-610:2001)

HRN EN 2591-6101:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6101. dio: Optički elementi – Vizualno ispitivanje (EN 2591-6101:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6101: Optical elements – Visual examination (EN 2591-6101:2001)

HRN EN 2591-611:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 611. dio: Optički elementi – Učinkovitost kabelskog priključka – Uvijanje kabela (EN 2591-611:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 611: Optical elements – Effectiveness of cable attachment – Cable torsion (EN 2591-611:2001)

HRN EN 2591-612:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 612. dio: Optički elementi – Učinkovitost kabelskog priključka – Aksijalna kompresija kabela (EN 2591-612:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 612: Optical elements – Effectiveness of cable attachment – Cable axial compression (EN 2591-612:2001)

HRN EN 2591-613:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 613. dio: Optički elementi – Ispitivanje na udarac (EN 2591-613:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 613: Optical elements – Impact test (EN 2591-613:2002)

HRN EN 2591-614:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 614. dio: Optički elementi – Radijalna kompresija konektora (EN 2591-614:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 614: Optical elements – Connector radial compression (EN 2591-614:2002)

HRN EN 2591-615:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 615. dio: Optički elementi – Cjelovitost veze s obzirom na temperaturu (EN 2591-615:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 615: Optical elements – Connection integrity at temperature (EN 2591-615:2001)

HRN EN 2591-617:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 617. dio: Optički elementi – Temperaturni ciklusi (EN 2591-617:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 617: Optical elements – Temperature cycling (EN 2591-617:2002)

HRN EN 2591-6301:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6301. dio: Optički elementi – Izdržljivost s obzirom na temperaturu (EN 2591-6301:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6301: Optical elements – Endurance at temperature (EN 2591-6301:2001)

HRN EN 2591-6303:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6303. dio: Optički elementi – Hladnoća/nizak tlak i zagrijavanje uz povećanu vlagu (EN 2591-6303:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6303: Optical elements – Cold/low pressure and damp heat (EN 2591-6303:2001)

HRN EN 2591-6305:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6305. dio: Optički elementi – Nagla izmjena temperature (EN 2591-6305:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6305: Optical elements – Rapid change of temperature (EN 2591-6305:2001)

HRN EN 2591-6306:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6306. dio: Optički elementi – Rast plijesni (EN 2591-6306:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6306: Optical elements – Mould growth (EN 2591-6306:2001)

HRN EN 2591-6307:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6307. dio: Optički elementi – Slana izmaglica (EN 2591-6307:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6307: Optical elements – Salt mist (EN 2591-6307:2001)

HRN EN 2591-6314:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6314. dio: Optički elementi – Potapanje pri niskom tlaku zraka (EN 2591-6314:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6314: Optical elements – Immersion at low air pressure (EN 2591-6314:2001)

HRN EN 2591-6315:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6315. dio: Optički elementi – Otpornost na fluide (EN 2591-6315:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6315: Optical elements – Fluid resistance (EN 2591-6315:2001)

HRN EN 2591-6316:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6316. dio: Optički elementi – Otpornost na ozon (EN 2591-6316:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6316: Optical elements – Ozone resistance (EN 2591-6316:2001)

HRN EN 2591-6317:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6317. dio: Optički elementi – Zapaljivost (EN 2591-6317:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6317: Optical elements – Flammability (EN 2591-6317:2001)

HRN EN 2591-6318:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6318. dio: Optički elementi – Otpornost na vatru (EN 2591-6318:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6318: Optical elements – Fire resistance (EN 2591-6318:2001)

HRN EN 2591-6321:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6321. dio: Optički elementi – Zagrijavanje uz povećanu vlagu, ciklično ispitivanje (EN 2591-6321:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6321: Optical elements – Damp heat, cyclic test (EN 2591-6321:2002)

HRN EN 2591-6323:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6323. dio: Optički elementi – Toplinski šok (zabrtvljeni uređaji) (EN 2591-6323:2002)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6323: Optical elements – Thermal shock (Hermetically sealed devices) (EN 2591-6323:2002)

HRN EN 2591-6324:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6324. dio: Optički elementi – Sučeljno brtvljenje (EN 2591-6324:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6324: Optical elements – Interfacial sealing (EN 2591-6324:2001)

HRN EN 2591-6401:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6401. dio: Optički elementi – Stalno nepromjenjivo ubrzanje (EN 2591-6401:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6401: Optical elements – Acceleration steady state (EN 2591-6401:2001)

HRN EN 2591-6402:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6402. dio: Optički elementi – Šok (EN 2591-6402:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6402: Optical elements – Shock (EN 2591-6402:2001)

HRN EN 2591-6403:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6403. dio: Optički elementi – Vibracije (EN 2591-6403:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6403: Optical elements – Vibrations (EN 2591-6403:2001)

HRN EN 2591-6404:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6404. dio: Optički elementi – Poprečno opterećenje (EN 2591-6404:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6404: Optical elements – Transverse load (EN 2591-6404:2001)

HRN EN 2591-6405:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6405. dio: Optički elementi – Aksijalno opterećenje (EN 2591-6405:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6405: Optical elements – Axial load (EN 2591-6405:2001)

HRN EN 2591-6406:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6406. dio: Optički elementi – Mehanička izdržljivost (EN 2591-6406:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6406: Optical elements – Mechanical endurance (EN 2591-6406:2001)

HRN EN 2591-6414:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6414. dio: Optički elementi – Rastavljanje optičkog konektora “lenyard” načinom (EN 2591-6414:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6414: Optical elements – Unmating of lanyard release optical connection elements (EN 2591-6414:2001)

HRN EN 2591-6415:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 6415. dio: Optički elementi – Uništenje ispitnog ticala (EN 2591-6415:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 6415: Optical elements – Test probe damage (EN 2591-6415:2001)

HRN EN 2591-701:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 701. dio: Električni elementi – Mjerenja otpora otvorenoga strujnog kruga na spojnicama (EN 2591-701:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 701: Electrical elements – Measurement of open circuit impedance of couplers (EN 2591-701:2001)

HRN EN 2591-702:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 702. dio: Električni elementi – Mjerenje izobličenja signala kod spojnica (EN 2591-702:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 702: Electrical elements – Measurement of signal distortion of couplers (EN 2591-702:2001)

HRN EN 2591-703:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 703. dio: Električni elementi – Zajednički način odbacivanja za spojnice (EN 2591-703:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 703: Electrical elements – Common mode rejection of couplers (EN 2591-703:2001)

HRN EN 2591-704:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 704. dio: Električni elementi – Mjerenja odnosa broja navoja transformatora koji se upotrebljavaju u spojnicama (EN 2591-704:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 704: Electrical elements – Measurement of turns ratio on a transformer used in a coupler (EN 2591-704:2001)

HRN EN 2591-705:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 705. dio: Električni elementi – Mjerenje ulaznog otpora na glavnom priključku spojnice (EN 2591-705:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 705: Electrical elements – Measurement of stub input impedance of couplers (EN 2591-705:2001)

HRN EN 2591-706:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 706. dio: Električni elementi – Ispitivanje prijenosa (EN 2591-706:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 706: Electrical elements – Transmission test (EN 2591-706:2001)

HRN EN 2591-707:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 707. dio: Električni elementi – Mjerenje radnih značajki otpora sabirnica ili priključka za poništavanje (EN 2591-707:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 707: Electrical elements – Measurement of characteristic impedance of a bus or a stub terminator (EN 2591-707:2001)

HRN EN 2591-708:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 708. dio: Električni elementi – Mjerenje površinskog prijenosnog otpora spojnice(EN 2591-708:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 708: Electrical elements – Measurement of surface transfer impedance of couplers (EN 2591-708:2001)

HRN EN 2591-709:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 709. dio: Električni elementi – Otpornost na zatezanje spojnica (EN 2591-709:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 709: Electrical elements – Tensile strength of couplers (EN 2591-709:2001)

HRN EN 2591-7301:2008
Nizovi o zrakoplovstvu – Elementi električne i optičke veze – Metode ispitivanja – 7301. dio: Električni elementi – Temperaturna izdržljivost spojnica (EN 2591-7301:2001)
Aerospace series – Elements of electrical and optical connection – Test methods – Part 7301: Electrical elements – Temperature endurance of couplers (EN 2591-7301:2001)

HRN EN 2592:2008
Nizovi o zrakoplovstvu – Tropolni osigurači temperaturno kompenziranih nazivnih struja do 25 A – Norma za proizvod (EN 2592:1990)
Aerospace series – Three-pole circuit breakers temperature compensated rated currents up to 25 A – Product standard (EN 2592:1990)

HRN EN 2596:2008
Nizovi o zrakoplovstvu – Podloške za zaključavanje, radijalno nazubljene, izrađene od čelika otpornog na koroziju, prevučene kadmijem za poluge za kontrolu leta – Dimenzije (EN 2596:2006)
Aerospace series – Washers, lock, with radial serrations, in corrosion resisting steel, cadmium plated for flight control rods – Dimensions (EN 2596:2006)

HRN EN 2597:2008
Nizovi o zrakoplovstvu – Plastikom ojačana ugljična vlakna – Jednosmjerni laminat – Ispitivanje zatezne čvrstoće okomito na smjer vlakna (EN 2597:1998)
Aerospace series – Carbon fibre reinforced plastics – Unidirectional laminates – Tensile test perpendicular to the fibre direction (EN 2597:1998)

HRN EN 2599:2008
Nizovi o zrakoplovstvu – Trake od aluminija i legura aluminija – Debljine 0,25 mm < a < 3,2 mm – Dimenzije (EN 2599:2001)
Aerospace series – Strips in aluminium and aluminium alloys – Thickness 0,25 mm < a < 3,2 mm – Dimensions (EN 2599:2001)

HRN EN 2601:2008
Nizovi o zrakoplovstvu – Viljuškasti završeci, prilagodljivi – Tehničke specifikacije (EN 2601:1996)
Aerospace series – Fork ends, adjustable – Technical specification (EN 2601:1996)

HRN EN 2602:2008
Nizovi o zrakoplovstvu – Priključci za spojnice, navojni, s osiguračem – Geometrijska konfiguracija (EN 2602:2005)
Aerospace series – Ports for adaptors, threaded, with lockring – Geometric configuration (EN 2602:2005)

HRN EN 2603:2008
Nizovi o zrakoplovstvu – Krajevi priključaka za spojnice, navojni, s osiguračem – Geometrijska konfiguracija (EN 2603:2005)
Aerospace series – Port ends for adaptors, threaded, with lockring – Geometric configuration (EN 2603:2005)

HRN EN 2604:2008
Nizovi o zrakoplovstvu – 8° 30' sučelje za spojnice, navojno, s osiguračem – Geometrijska konfiguracija (EN 2604:2005)
Aerospace series – 8° 30' interface for adaptors, threaded, with lockring – Geometric configuration (EN 2604:2005)

HRN EN 2605:2008
Nizovi o zrakoplovstvu – 24° sučelje za spojnice, navojno, s osiguračem – Geometrijska konfiguracija (EN 2605:2005)
Aerospace series – 24° interface for adaptors, threaded, with lockring – Geometric configuration (EN 2605:2005)

HRN EN 2606:2010
Nizovi o zrakoplovstvu – 60° sučelje za spojnice, navojno, s osiguračem – Geometrijska konfiguracija (EN 2606:2009)
Aerospace series – 60° interface for adaptors, threaded, with lockring – Geometric configuration (EN 2606:2009)

HRN EN 2607:2008
Nizovi o zrakoplovstvu – O-prsteni sa navojem i osiguračem za spojnice – Pregled (EN 2607:2005)
Aerospace series – O-rings for adaptors, threaded, with lockring – Survey (EN 2607:2005)

HRN EN 2608:2008
Nizovi o zrakoplovstvu – Zahtjevi za ugradnju i uklanjanje za 8° 30' spojnica, sa navojem, sa zaključavanjem (EN 2608:2005)
Aerospace series – Installation and removal requirements for 8° 30' adaptors, threaded, with lockring (EN 2608:2005)

HRN EN 2609:2008
Nizovi o zrakoplovstvu – Držači, za upravljačke kabele od legura bakra i cinka – Dimenzije i opterećenja (EN 2609:1988)
Aerospace series – Turnbarrels, control cable in copper-zinc alloys – Dimensions and loads (EN 2609:1988)

HRN EN 2617:2008
Nizovi o zrakoplovstvu – Ploče od titana i legura titana – Debljina 6 mm <= a <= 100 mm – Dimenzije (EN 2617:2001)
Aerospace series – Plates in titanium and titanium alloys – Thickness 6 mm <= a <= 100 mm – Dimensions (EN 2617:2001)

HRN EN 2622:2008
Nizovi o zrakoplovstvu – Kružno savijene cijevi za fluide od legura otpornih na toplinu – Promjera 3,2 mm <= D <= 100 mm – Dimenzije (EN 2622:2001)
Aerospace series – Circular tubes, for fluids in heat resisting alloys – Diameter 3,2 mm <= D <= 100 mm – Dimensions (EN 2622:2001)

HRN EN 2624:2008
Nizovi o zrakoplovstvu – Ispitivanje tlačnim impulsom hidrauličnih dijelova sustava (EN 2624:2007)
Aerospace series – Pressure impulse testing of hydraulic system components (EN 2624:2007)

HRN EN 2630:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7009-T74511 – Ekstudirane šipke i profili a ili D <= 125 mm s kontroliranim okolnim grubim zrnom (EN 2630:1993)
Aerospace series – Aluminium alloy AL-P7009-T74511 – Extruded bars and sections a or D <= 125 mm with peripheral coarse grain control (EN 2630:1993)

HRN EN 2632:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7075-T73511 – Ekstrudirane šipke i profili – a ili D (EN 2632:2005)
Aerospace series – Aluminium alloy AL-P7075-T73511 – Extruded bar and section – a or D (EN 2632:2005)

HRN EN 2633:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T3511 – Ekstrudirane šipke i profili 1,2 mm <= a ili D <= 150 mm s kontroliranim okolnim grubim zrnom (EN 2633:1993)
Aerospace series – Aluminium alloy AL-P2024-T3511 – Extruded bars and sections 1,2 mm <= a or D <= 150 mm with peripheral coarse grain control (EN 2633:1993)

HRN EN 2635:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2014A – T6511 – Ekstrudirane šipke i profili – a ili D (EN 2635:2005)
Aerospace series – Aluminium alloy AL-P2014A – T6511 – Extruded bar and section – a or D (EN 2635:2005)

HRN EN 2636:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6082-T6 – Ekstudirane šipke i profili a ili D <= 200 mm s kontroliranim okolnim grubim zrnom (EN 2636:1993)
Aerospace series – Aluminium alloy AL-P6082-T6 – Extruded bars and sections a or D <= 200 mm with peripheral coarse grain control (EN 2636:1993)

HRN EN 2641:2008
Nizovi o zrakoplovstvu – Sklopovi kontrolnih kabela – Kombinacije i dimenzije (EN 2641:1988)
Aerospace series – Control cable assemblies – Combinations and dimensions (EN 2641:1988)

HRN EN 2644:2008
Nizovi o zrakoplovstvu – Sklopovi poluga za upravljanje letom – Tehničke specifikacije (EN 2644:1998)
Aerospace series – Rod assemblies for flight controls – Technical specification (EN 2644:1998)

HRN EN 2645:2008
Nizovi o zrakoplovstvu – Sigurnosni prsteni s navojem i osiguračem za spojnice – Dimenzije (EN 2645:2005)
Aerospace series – Lockrings for adaptors, threaded, with lockring – Dimensions (EN 2645:2005)

HRN EN 2647:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozaključavajuće, s kuglastim sjedištem, od legure čelika, s prevlakom od kadmija, podmazane s MoS2 – Klasifikacija: 900 MPa (pri temperaturi okoline)/ 235 °C (EN 2647:2006)
Aerospace series – Nuts, hexagonal, self-locking, ball seat, in alloy steel, cadmium plated, MoS2 lubricated – Classification: 900 MPa (at ambient temperature)/ 235 °C (EN 2647:2006)

HRN EN 2648:2008
Nizovi o zrakoplovstvu – Podloške, konkavne, od legiranog čelika s kadmijskom prevlakom (EN 2648:1995)
Aerospace series – Washers, concave, in alloy steel, cadmium plated (EN 2648:1995)

HRN EN 2649:2008
Nizovi o zrakoplovstvu – Vijci s cilindričnom glavom i urezom, s navojem po cijeloj dužini do glave, od legure čelika s kadmijskom prevlakom – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2649:1995)
Aerospace series – Screws, pan head, slotted, threaded to head, in alloy steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/ 235 °C (EN 2649:1995)

HRN EN 2650:2008
Nizovi o zrakoplovstvu – Vijci s cilindričnom glavom i urezom, s navojem po cijeloj dužini do glave, od čelika otpornog na koroziju – Klasifikacija: 600 MPa (pri temperaturi okoline)/425 °C (EN 2650:1996)
Aerospace series – Screws, pan head, slotted, threaded to head, in corrosion resisting steel, passivated – Classification: 600 MPa (at ambient temperature)/425 °C (EN 2650:1996)

HRN EN 2651:2008
Nizovi o zrakoplovstvu – Vijci s cilindričnom glavom i urezom, s navojem po cijeloj dužini do glave, od mesinga sa prevlakom od kositra – Klasifikacija: 380 MPa (pri temperaturi okoline)/80 °C (EN 2651:1996)
Aerospace series – Screws, pan head, slotted, threaded to head, in brass, tin plated – Classification: 380 MPa (at ambient temperature)/80 °C (EN 2651:1996)

HRN EN 2652:2008
Nizovi o zrakoplovstvu – Vijci sa 100° normalnom upuštenom glavom i urezom, s navojem po cijeloj dužini do glave, od legure čelika sa prevlakom od kositra – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2652:1997)
Aerospace series – Screws, 100° countersunk normal head, slotted, threaded to head, in alloy steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/235 °C (EN 2652:1997)

HRN EN 2653:2008
Nizovi o zrakoplovstvu – Vijci sa 100° normalnom upuštenom glavom i urezom, s navojem po cijeloj dužini do glave, od čelika otpornog na koroziju, pasivizirani – Klasifikacija: 600 MPa (pri temperaturi okoline)/425 °C (EN 2653:1996)
Aerospace series – Screws, 100° countersunk normal head, threaded to head, in corrosion resisting steel, passivated – Classification: 600 MPa (at ambient temperature)/425 °C (EN 2653:1996)

HRN EN 2654:2008
Nizovi o zrakoplovstvu – Vijci sa 100° normalnom upuštenom glavom i urezom, sa navojem po cijeloj dužini do glave, od mesinga sa prevlakom od kositra – Klasifikacija: 380 MPa (pri temperaturi okoline)/ 80 °C (EN 2654:1996)
Aerospace series – Screws, 100° countersunk normal head, slotted, threaded to head, in brass, tin plated – Classification: 380 MPa (at ambient temperature)/ 80 °C (EN 2654:1996)

HRN EN 2656:2008
Nizovi o zrakoplovstvu – Priključak cijevi – Zavareni kraj priključka – Geometrijska konfiguracija (EN 2656:2001)
Aerospace series – Pipe coupling – Coupling end, welded – Geometric configuration (EN 2656:2001)

HRN EN 2665-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 20 A to 50 A – 001. dio: Tehničke specifikacije (EN 2665-001:1999)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 20 A to 50 A – Part 001: Technical specification (EN 2665-001:1999)

HRN EN 2665-003:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 20 A to 50 A – 003. dio: Terminali s metričkim navojem – Norma za proizvod (EN 2665-003:1999)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 20 A to 50 A – Part 003: Metric thread terminals – Product standard (EN 2665-003:1999)

HRN EN 2665-004:2008
Nizovi o zrakoplovstvu – Automatski osigurači, tropolni, temperaturno kompenzirani, nazivnih struja 20 A to 50 A – 004. dio: Terminali sa UNC priključkom – Norma za proizvod (EN 2665-004:1999)
Aerospace series – Circuit breakers, three-pole, temperature compensated, rated currents 20 A to 50 A – Part 004: UNC thread terminals – Product standard (EN 2665-004:1999)

HRN EN 2667-6:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Pjenasto ljepilo za konstrukciju – Metode ispitivanja – 6. dio: Određivanje upijanja vode (EN 2667-6:2001)
Aerospace series – Non-metallic materials – Foaming structural adhesives – Test methods – Part 6: Determination of water absorption (EN 2667-6:2001)

HRN EN 2680:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samoosiguravajuće, plivajuće, samopodesive, s dva uha, od legure čelika, s kadmijskom prevlakom, podmazane s MoS2, metričke serije – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2680:2006)
Aerospace series – Nuts, anchor, self-locking, floating, self-aligning, two lug, in alloy steel, cadmium plated, MoS2 lubricated, metric series – Classification: 900 MPa (at ambient temperature)/235 °C (EN 2680:2006)

HRN EN 2681:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7010 – T74 – Otkivci kovani ručno i u kalupu – a (EN 2681:2004)
Aerospace series – Aluminium alloy AL-P7010 – T74 – Hand and die forgings – a (EN 2681:2004)

HRN EN 2684:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7010 – T7651 – Ploča – 6 mm < a (EN 2684:2004)
Aerospace series – Aluminium alloy AL-P7010 – T7651 – Plate – 6 mm < a (EN 2684:2004)

HRN EN 2687:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7010 – T7451 – Ploča – 6 mm < a (EN 2687:2004)
Aerospace series – Aluminium alloy AL-P7010 – T7451 – Plate – 6 mm < a (EN 2687:2004)

HRN EN 2693:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P5086-H111 – Lim i traka – 0,3 mm (EN 2693:2005)
Aerospace series – Aluminium alloy AL-P5086-H111 – Sheet and strip – 0,3 mm (EN 2693:2005)

HRN EN 2694:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6061-T6 or T62 – Lim i traka – 0,4 mm (EN 2694:2005)
Aerospace series – Aluminium alloy AL-P6061-T6 or T62 – Sheet and strip – 0,4 mm (EN 2694:2005)

HRN EN 2695:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6081-T6 – Lim i traka – 0,3 mm (EN 2695:2005)
Aerospace series – Aluminium alloy AL-P6081-T6 – Sheet and strip – 0,3 mm (EN 2695:2005)

HRN EN 2696:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7075-T6 or T62 – Lim i traka – 0,4 mm (EN 2696:2005)
Aerospace series – Aluminium alloy AL-P7075-T6 or T62 – Sheet and strip – 0,4 mm (EN 2696:2005)

HRN EN 2702:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P6061 – T6 or T62 – Vučene ili ekstrudirane šipke i profili – a ili D (EN 2702:2005)
Aerospace series – Aluminium alloy AL-P6061 – T6 or T62 – Drawn or extruded bar and section – a or D (EN 2702:2005)

HRN EN 2703:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P2024-T4 or T42 – Prevučeni lim i traka – 0,3 mm (EN 2703:2005)
Aerospace series – Aluminium alloy AL-P2024-T4 or T42 – Clad sheet and strip – 0,3 mm (EN 2703:2005)

HRN EN 2713-002:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 002. dio: Oklopljeni i obloženi – Općenito (EN 2713-002:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 002: Screened and jacketed – General (EN 2713-002:2006)

HRN EN 2713-003:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 003. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću ink jet pisača – Norma za proizvod (EN 2713-003:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 003: Screened (spiral) and jacketed, ink jet printable – Product standard (EN 2713-003:2005)

HRN EN 2713-004:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 004. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću ink jet pisača – Norma za proizvod (EN 2713-004:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 004: Screened (braided) and jacketed, ink jet printable – Product standard (EN 2713-004:2006)

HRN EN 2713-005:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 005. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću CO2 lasera – Norma za proizvod (EN 2713-005:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 005: Screened (spiral) and jacketed, CO2 laser printable – Product standard (EN 2713-005:2006)

HRN EN 2713-006:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 006. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću CO2 lasera – Norma za proizvod (EN 2713-006:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 006: Screened (braided) and jacketed, CO2 laser printable – Product standard (EN 2713-006:2006)

HRN EN 2713-007:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 007. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2713-007:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 007: Screened (spiral) and jacketed, UV laser printable – Product standard (EN 2713-007:2005)

HRN EN 2713-008:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 008. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2713-008:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 008: Screened (braided) and jacketed, UV laser printable – Product standard (EN 2713-008:2006)

HRN EN 2713-009:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 009. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću YAG X3 lasera – Norma za proizvod (EN 2713-009:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 009: Screened (spiral) and jacketed, YAG X3 laser printable – Product standard (EN 2713-009:2006)

HRN EN 2713-010:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 010. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću YAG X3 lasera – Norma za proizvod (EN 2713-010:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 010: Screened (braided) and jacketed, YAG X3 laser printable – Product standard (EN 2713-010:2006)

HRN EN 2713-011:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 200 °C – 011. dio: Bakar prevučen srebrom oklopljeni (spiralni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod
(EN 2713-011:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 200 °C – Part 011: Silver plated copper screened (spiral) and jacketed, UV laser printable – Product standard (EN 2713-011:2006)

HRN EN 2714-003:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 003. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću ink jet pisača – Norma za proizvod (EN 2714-003:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 003: Screened (spiral) and jacketed, ink jet printable – Product standard (EN 2714-003:2005)

HRN EN 2714-004:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 004. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću ink jet pisača – Norma za proizvod (EN 2714-004:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 004: Screened (braided) and jacketed, ink jet printable – Product standard (EN 2714-004:2006)

HRN EN 2714-005:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 005. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću CO2 lasera – Norma za proizvod (EN 2714-005:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 005: Screened (spiral) and jacketed, CO2 laser printable – Product standard (EN 2714-005:2006)

HRN EN 2714-006:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 006. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću CO2 lasera – Norma za proizvod (EN 2714-006:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 006: Screened (braided) and jacketed, CO2 laser printable – Product standard (EN 2714-006:2006)

HRN EN 2714-007:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 007. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2714-007:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 007: Screened (spiral) and jacketed, UV laser printable – Product standard (EN 2714-007:2005)

HRN EN 2714-008:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 008. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2714-008:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 008: Screened (braided) and jacketed, UV laser printable – Product standard (EN 2714-008:2006)

HRN EN 2714-009:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 009. dio: Oklopljeni (spiralni) i obloženi, ispisivanje pomoću YAG X3 lasera – Norma za proizvod (EN 2714-009:2007)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 009: Screened (spiral) and jacketed, YAG X3 laser printable – Product standard (EN 2714-009:2007)

HRN EN 2714-010:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 010. dio: Oklopljeni (opleteni) i obloženi, ispisivanje pomoću YAG X3 lasera – Norma za proizvod (EN 2714-010:2006)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 010: Screened (braided) and jacketed, YAG X3 laser printable – Product standard (EN 2714-010:2006)

HRN EN 2714-011:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 011. dio: DM porodica, Oklopljeni (spiralni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2714-011:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 011: DM family, screened (spiral) and jacketed, UV laser printable – Product standard (EN 2714-011:2005)

HRN EN 2714-012:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 012. dio: DM porodica, Oklopljeni (opleteni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2714-012:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 012: DM family, screened (braided) and jacketed, UV laser printable – Product standard (EN 2714-012:2005)

HRN EN 2714-013:2008
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 013. dio: DR porodica, Oklopljeni (spiralni) i obloženi, ispisivanje pomoću UV lasera – Norma za proizvod (EN 2714-013:2005)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 013: DR family, screened (spiral) and jacketed, UV laser printable – Product standard (EN 2714-013:2005)

HRN EN 2714-014:2011
Nizovi o zrakoplovstvu – Kabeli, električni, jednožilni i višežilni za opću upotrebu – Radna temperatura između – 55 °C i 260 °C – 014. dio: DR porodica, sa 5 do 10 jezgri, vezani, oklopljeni (opleteni) i obloženi, ispisivanje pomoću pisača s UV laserom – Norma za proizvod (EN 2714-014:2009)
Aerospace series – Cables, electrical, single and multicore for general purpose – Operating temperature between – 55 °C and 260 °C – Part 014: DR family, 5 to 10 cores, taped, screened (braided) and jacketed, UV laser printable – Product standard (EN 2714-014:2009)

HRN EN 2731:2008
Nizovi o zrakoplovstvu – Magnezijeve legure MG-C46001 – T6 – Lijevanje u pijesku (EN 2731:2005)
Aerospace series – Magnesium alloy MG-C46001 – T6 – Sand casting (EN 2731:2005)

HRN EN 2732:2008
Nizovi o zrakoplovstvu – Magnezijeve legure MG-C46001-T6 – Lijevanje na hladno (EN 2732:2005)
Aerospace series – Magnesium alloy MG-C46001-T6 – Chill casting (EN 2732:2005)

HRN EN 2743:2008
Nizovi o zrakoplovstvu – Plastika ojačana vlaknima – Normirani postupak za kondicioniranje prije ispitivanja neostarjelog materijala (EN 2743:2001)
Aerospace series – Fibre reinforced plastics – Standard procedures for conditioning prior to testing unaged materials (EN 2743:2001)

HRN EN 2744:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Preporučene ispitne temperature (EN 2744:1992)
Aerospace series – Non metallic materials – Preferred test temperature (EN 2744:1992)

HRN EN 2746:2008
Nizovi o zrakoplovstvu – Plastika ojačana staklenim vlaknima – Ispitivanje savitljivosti – Metoda savijanja u tri točke (EN 2746:1998)
Aerospace series – Glass fibre reinforced plastics – Flexural test – Three point bend method (EN 2746:1998)

HRN EN 2747:2008
Nizovi o zrakoplovstvu – Plastika ojačana staklenim vlaknima – Ispitivanje zatezanjem (EN 2747:1998)
Aerospace series – Glass fibre reinforced plastics – Tensile test (EN 2747:1998)

HRN EN 2752:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samoosiguravajuće, fiksirane, s dva uha, ograničene serije, s kontra otvorom – Klasifikacija: 1100 MPa/ 235 °C (EN 2752:1989)
Aerospace series – Nuts, anchor, self locking fixed, two lug, reduced series, with counterbore – Classification: 1100 MPa/235 °C (EN 2752:1989)

HRN EN 2753:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samoosiguravajuće, fiksirane, s jednim uhom, ograničene serije, s kontra otvorom, od legura čelika, prevučene kadmijom, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 235 °C (EN 2753:1996)
Aerospace series – Nuts, anchor, self-locking, fixed, single lug, with counterbore, in alloy steel, cadmium plated, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/235 °C (EN 2753:1996)

HRN EN 2754:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samoosiguravajuće, s jednim uhom, slobodne s kontra otvorom – Klasifikacija: 1100 MPa/235 °C (EN 2754:2006)
Aerospace series – Nuts, anchor, self locking, two lug, floating with counterbore – Classification: 1100 MPa/235 °C (EN 2754:2006)

HRN EN 2755:2011
Nizovi o zrakoplovstvu – Ležajevi, kuglasti klizni sa samopodmazujućim prstenom izrađeni od čelika otpornog na koroziju – Visoko opterećeni pri temperaturi okoline – Tehničke specifikacije (EN 2755:2009)

Aerospace series – Bearings, spherical plain in corrosion resisting steel with self-lubricating liner – Elevated load at ambient temperature – Technical specification (EN 2755:2009)

HRN EN 2756:2011
Nizovi o zrakoplovstvu – Žarulje sa žarnom niti – Metode ispitivanja (EN 2756:2010)
Aerospace series – Lamps, incandescent – Test methods (EN 2756:2010)

HRN EN 2757:2011
Nizovi o zrakoplovstvu – Sustavi ljepila za konstrukciju – Metoda ispitivanja – Određivanje suhih i zapaljivih ostataka od osnovnih premaza (EN 2757:2011)
Aerospace series – Structural adhesives system – Test method – Determination of the drying and ignition residues of primers (EN 2757:2011)

HRN EN 2781:2008
Nizovi o zrakoplovstvu – Nemetalni materijali – Ljepilo za konstrukciju – Metode ispitivanja – Određivanje debljine osnovnog premaza (EN 2781:1998)
Aerospace series – Non-metallic materials – Structural adhesives – Test methods – Determination of the primer thickness (EN 2781:1998)

HRN EN 2786:2008
Nizovi o zrakoplovstvu – Elektrolitičko prevlačenje pričvrščivača srebrom (EN 2786:2008)
Aerospace series – Electrolytic silver plating of fasteners (EN 2786:2008)

HRN EN 2790:2008
Nizovi o zrakoplovstvu – Krajevi šipke, prilagodljivi, sa samovodljivim kliznim ležajem sa čahurom i samo podmazivnjem uz upotrebu: 1,5 x promjer navoja – Dimenzije i opterećenja (EN 2790:1991)
Aerospace series – Rod ends, adjustable, self-aligning plain bearing with self-lubricating liner and threaded shank with engagement 1,5 * thread diameter – Dimensions and loads (EN 2790:1991)

HRN EN 2791:2008
Nizovi o zrakoplovstvu – Krajevi šipke, prilagodljivi, sa ušicom i navojem na stablu uz upotrebu: 1,5 x promjer navoja – Dimenzije i opterećenja (EN 2791:1991)
Aerospace series – Rod ends, adjustable, single fork and threaded shank with engagement 1,5 * thread diameter – Dimensions and loads (EN 2791:1991)

HRN EN 2792:2008
Nizovi o zrakoplovstvu – Krajevi šipke, prilagodljivi, s dva uha i navojem na stablu uz upotrebu: 1,5 x promjer navoja – Dimenzije i opterećenja (EN 2792:1991)
Aerospace series – Rod ends, adjustable, double fork and threaded shank with engagement 1,5 * thread diameter – Dimensions and loads (EN 2792:1991)

HRN EN 2794-001:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivnih struja 20 A do 50 A – 001. dio: Tehničke specifikacije (EN 2794-001:1999)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 20 A to 50 A – Part 001: Technical specification (EN 2794-001:1999)

HRN EN 2794-003:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivnih struja 20 A do 50 A – 003. dio: Terminali s metričkim navojem – Norma za proizvod (EN 2794-003:1999)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 20 A to 50 A – Part 003: Metric thread terminals – Product standard (EN 2794-003:1999)

HRN EN 2794-004:2008
Nizovi o zrakoplovstvu – Automatski osigurači, jednopolni, temperaturno kompenzirani, nazivnih struja 20 A do 50 A – 004. dio: Terminali s UNC navojima – Norma za proizvod (EN 2794-004:1999)
Aerospace series – Circuit breakers, single-pole, temperature compensated, rated currents 20 A to 50 A – Part 004: UNC thread terminals – Product standard (EN 2794-004:1999)

HRN EN 2802:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7475-T761 – Lim i traka – 0,6 mm (EN 2802:2005)
Aerospace series – Aluminium alloy AL-P7475-T761 – Sheet and strip – 0,6 mm (EN 2802:2005)

HRN EN 2803:2008
Nizovi o zrakoplovstvu – Legura aluminija AL-P7475-T761 – Prevučeni lim i traka – 1,0 mm (EN 2803:2005)
Aerospace series – Aluminium alloy AL-P7475-T761 – Clad sheet and strip – 1,0 mm (EN 2803:2005)

HRN EN 2808:2008
Nizovi o zrakoplovstvu – Anodizacija titana i legura titana (EN 2808:1997)
Aerospace series – Anodizing of titanium and titanium alloys (EN 2808:1997)

HRN EN 2809:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, s prorezom/krunaste, sa skraćenom glavom, normalnoga ravnog presjeka, od čelika otpornog na koroziju, prevučena srebrom – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2809:2001)
Aerospace series – Nuts, hexagon, slotted/castellated, reduced height, normal across flats, in heat resisting steel, silver plated – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2809:2001)

HRN EN 2810:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, s prorezom/krunaste, sa skraćenom glavom, normalnoga ravnog presjeka, od čelika otpornog na toplinu, pasivizirane – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2810:2001)
Aerospace series – Nuts, hexagon, slotted/castellated, reduced height, normal across flats, in heat resisting steel, passivated – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2810:2001)

HRN EN 2812:2011
Nizovi o zrakoplovstvu – Skidanje izolacije električnih kabela (EN 2812:2009)
Aerospace series – Stripping of electric cables (EN 2812:2009)

HRN EN 2815:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke za strojnu obradu – a ili D = 200 mm – Rm = 965 MPa (EN 2815:2009)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted – Solution treated and precipitation treated – Bar for machining – a or D = 200 mm – Rm = 965 MPa (EN 2815:2009)

HRN EN 2817:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke za strojnu obradu – a ili D = 200 mm – Rm = 1070 MPa (EN 2817:2009)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted – Solution treated and precipitation treated – Bar for machining – a or D = 200 mm – Rm = 1070 MPa (EN 2817:2009)

HRN EN 2818:2011
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen topljivom elektrodom – Tretiran otopinom i precipitatom – Otkivci – a ili D = 200 mm – Rm = 1070 MPa (EN 2818:2009)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted – Solution treated and precipitation treated – Forgings – a or D = 200 mm – Rm = 1070 MPa (EN 2818:2009)

HRN EN 2821:2008
Nizovi o zrakoplovstvu – Čelik FE-PM1802 (X5CrNiCu15-5) – Pretopljen topljivom elektrodom – Tretiran otopinom i precipitatom – Šipke za strojnu obradu – a ili D ≤ 200 mm – Rm ≥ 1310 MPa (EN 2821:2007)
Aerospace series – Steel FE-PM1802 (X5CrNiCu15-5) – Consumable electrode remelted – Solution treated and precipitation treated – Bar for machining – a or D ≤ 200 mm – Rm ≥ 1310 MPa (EN 2821:2007)

HRN EN 2824:2012
Nizovi o zrakoplovstvu – Ponašanje nemetalnih materijala pri sagorijevanju pod utjecajem topline zračenja i plamena – Određivanje gustoće dima i sadržaja plina u dimu materijala – Uređaji i mediji ispitne opreme (EN 2824:2011)
Aerospace series – Burning behaviour of non-metallic materials under the influence of radiating heat and flames – Determination of smoke density and gas components in the smoke of materials – Test equipment apparatus and media (EN 2824:2011)

HRN EN 2825:2011
Nizovi o zrakoplovstvu – Ponašanje nemetalnih materijala pri sagorijevanju pod utjecajem topline zračenja i plamena – Određivanje gustoće dima (EN 2825:2011)
Aerospace series – Burning behaviour of non metallic materials under the influence of radiating heat and flames – Determination of smoke density (EN 2825:2011)

HRN EN 2826:2011
Nizovi o zrakoplovstvu – Ponašanje nemetalnih materijala pri sagorijevanju pod utjecajem topline zračenja i plamena – Određivanje sadržaja plina u dimu (EN 2826:2011)
Aerospace series – Burning behaviour of non metallic materials under the influence of radiating heat and flames – Determination of gas components in the smoke (EN 2826:2011)

HRN EN 2828:2008
Nizovi o zrakoplovstvu – Ispitivanje prianjanja metalnih prevlaka glačanjem (EN 2828:1993)
Aerospace series – Adhesion test for metallic coatings by burnishing (EN 2828:1993)

HRN EN 2829:2008
Nizovi o zrakoplovstvu – Ispitivanje prianjanja metalnih prevlaka sačmarenjem (EN 2829:1994)
Aerospace series – Adhesion test for metallic coatings by shot peening (EN 2829:1994)

HRN EN 2830:2008
Nizovi o zrakoplovstvu – Ispitivanje prianjanja metalnih prevlaka postupkom smicanja (EN 2830:1993)
Aerospace series – Adhesion test for metallic coatings by shearing action (EN 2830:1993)

HRN EN 2831:2008
Nizovi o zrakoplovstvu – Povećanje krutosti čelika zbog djelovanja vodika – Ispitivanje sporim savijanjem (EN 2831:1993)
Aerospace series – Hydrogen embrittlement of steels – Test by slow bending (EN 2831:1993)

HRN EN 2832:2008
Nizovi o zrakoplovstvu – Povećanje krutosti čelika zbog djelovanja vodika – Ispitivanje zarezanog uzorka (EN 2832:1993)
Aerospace series – Hydrogen embrittlement of steels – Notched specimen test (EN 2832:1993)

HRN EN 2835:2012
Nizovi o zrakoplovstvu – Kloroprenski kaučuk (CR) – Otporan na toplinu – Tvrdoća 40 IRHD (EN 2835:2012)
Aerospace series – Chloroprene rubber (CR) – Heat resistance – Hardness 40 IRHD (EN 2835:2012)

HRN EN 2836:2012
Nizovi o zrakoplovstvu – Kloroprenski kaučuk (CR) – Otporan na toplinu – Tvrdoća 50 IRHD (EN 2836:2012)
Aerospace series – Chloroprene rubber (CR) – Heat resistance – Hardness 50 IRHD (EN 2836:2012)

HRN EN 2837:2012
Nizovi o zrakoplovstvu – Kloroprenski kaučuk (CR) – Otporan na toplinu – Tvrdoća 60 IRHD (EN 2837:2012)
Aerospace series – Chloroprene rubber (CR) – Heat resistance – Hardness 60 IRHD (EN 2837:2012)

HRN EN 2851:2008
Nizovi o zrakoplovstvu – Označavanje dijelova i sklopova, osim dijelova i sklopova motora – Oznake na crtežima (EN 2851:1992)
Aerospace series – Marking of parts and assemblies other than engines – Indications on drawings (EN 2851:1992)

HRN EN 2852:2011
Nizovi o zrakoplovstvu – Matice, šesterokutne, ravne, normalne visine, normalne okomite ravnine, čelik otporan na toplinu pasiviziran – Klasifikacija: 1100 MPa/650 °C (EN 2852:2010)
Aerospace series – Nuts, hexagonal, plain, normal height, normal across flats, heat resisting steel passivated – Classification: 1100 MPa/650 °C (EN 2852:2010)

HRN EN 2853:2008
Nizovi o zrakoplovstvu – Podjele električnih kabela sa vodičem prema EN 2083 (EN 2853:2005)
Aerospace series – Current ratings for electrical cables with conductor EN 2083 (EN 2853:2005)

HRN EN 2854-002:2011
Nizovi o zrakoplovstvu – Kabeli, električni za opću uporabu – Poprečni presjek je jednak ili veći od 9 mm² – Radna temperatura između – 55 °C i 260 °C – 002. dio: Općenito (EN 2854-002:2009)
Aerospace series – Cables, electrical for general purpose – Cross sections equal to and greater than 9 mm² – Operating temperature between – 55 °C and 260 °C – Part 002: General (EN 2854-002:2009)

HRN EN 2854-003:2011
Nizovi o zrakoplovstvu – Kabeli, električni za opću uporabu – Poprečni presjek jednak ili veći od 9 mm² – Radna temperatura između – 55 °C i 260 °C – 003. dio: Norma za proizvod (EN 2854-003:2009)
Aerospace series – Cables, electrical for general purpose – Cross sections equal to and greater than 9 mm² – Operating temperature between – 55 °C and 260 °C – Part 003: Product standard (EN 2854-003:2009)

HRN EN 2856:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, nepomične, zatvorenog kuta, skraćene serije, s upustom – Klasifikacija: 1100 MPa/235 °C (EN 2856:2006)
Aerospace series – Nuts, anchor, self-locking, fixed, closed corner, reduced series, with counterbore – Classification: 1100 MPa/235 °C (EN 2856:2006)

HRN EN 2858-1:2008
Nizovi o zrakoplovstvu – Titan i legure titana – Materijali namijenjeni kovanju i otkivci – Tehničke specifikacije – 1. dio: Opći zahtjevi (EN 2858-1:1994)
Aerospace series – Titanium and titanium alloys – Forging stock and forgings – Technical specification – Part 1: General requirements (EN 2858-1:1994)

HRN EN 2858-2:2008
Nizovi o zrakoplovstvu – Titan i legure titana – Materijali namijenjeni kovanju i otkivci – Tehničke specifikacije – 2. dio: Materijal za kovanje (EN 2858-2:1994)
Aerospace series – Titanium and titanium alloys – Forging stock and forgings – Technical specification – Part 2: Forging stock (EN 2858-2:1994)

HRN EN 2858-3:2008
Nizovi o zrakoplovstvu – Titan i legure titana – Materijali namijenjeni kovanju i otkivci – Tehničke specifikacije – 3. dio: Obrada i izrada otkivaka (EN 2858-3:1994)
Aerospace series – Titanium and titanium alloys – Forging stock and forgings – Technical specification – Part 3: Pre-production and production forgings (EN 2858-3:1994)

HRN EN 2859:2008
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalni struk uske tolerancije, kratki navoj, od legure čelika, prevučeni kadmijem, metrične serije – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 2859:2006)
Aerospace series – Bolts, normal hexagonal head, close tolerance normal shank, short thread, in alloy steel, cadmium plated, metric series – Classification: 1100 MPa (at ambient temperature)/235 °C (EN 2859:2006)

HRN EN 2862:2011
Nizovi o zrakoplovstvu – Utvrđene samozatvarajuće sidrene matice, s uglom od 90°, s upustom, od legure čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 2862:2009)
Aerospace series – Nuts, anchor, self-locking, fixed, 90° corner, with counterbore, in alloy steel, cadmium plated, MoS2 lubricated – Classification : 1100 MPa (at ambient temperature) / 235 °C (EN 2862:2009)

HRN EN 2863:2011
Nizovi o zrakoplovstvu – Utvrđene samozatvarajuće sidrene matice, s uglom od 90°, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 2863:2010)
Aerospace series – Nuts, anchor, self-locking, fixed, 90° corner, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 2863:2010)

HRN EN 2865:2011
Nizovi o zrakoplovstvu – Slobodne samozatvarajuće sidrene matice, s dvije papučice, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 315 °C (EN 2865:2009)
Aerospace series – Nuts, anchor, self-locking, floating, two lugs, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 2865:2009)

HRN EN 2866:2011
Nizovi o zrakoplovstvu – Slobodne samozatvarajuće sidrene matice, s jednom papučicom, s upustom, od čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1110 MPa (pri temperaturi okoline)/ 235 °C (EN 2866:2009)
Aerospace series – Nuts, anchor, self-locking, floating, one lug, with counterbore, in steel, cadmium plated, MoS2 lubricated – Classification: 1110 MPa (at ambient temperature) / 235 °C (EN 2866:2009)

HRN EN 2867:2011
Nizovi o zrakoplovstvu – Slobodne samozatvarajuće sidrene matice, s jednom papučicom, s upustom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/ 315 °C (EN 2867:2009)
Aerospace series – Nuts, anchor, self-locking, floating, one lug, with counterbore, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 2867:2009)

HRN EN 2869:2011
Nizovi o zrakoplovstvu – Šesterokutne matice, s prorezima/zupčaste, normalne dužine, normalne ravnine presjeka, od pasiviziranog čelika otpornog na toplinu – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2869:2009)
Aerospace series – Nuts, hexagonal, slotted/ castellated, normal height, normal accross flats, in heat resisting steel, passivated – Classification: 1100 MPa (at ambient temperature) / 650 °C (EN 2869:2009)

HRN EN 2870:2008
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, normalni struk uske tolerancije, kratki navoj, od legure titana, anodizirani, podmazani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 2870:1996+AC:1996)
Aerospace series – Bolts, normal bihexagonal head, close tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/315 °C (EN 2870:1996+AC:1996)

HRN EN 2874:2008
Nizovi o zrakoplovstvu – Vijci, velika dvanaesterokutna glava, normalni struk uske tolerancije, srednje dužine navoja, od legure otporne na toplinu, pasivizirani – Klasifikacija: 1550 MPa (pri temperaturi okoline)/ 315 °C (EN 2874:1996+AC:1996)
Aerospace series – Bolts, large bihexagonal head, close tolerance normal shank, medium length thread, in heat resisting base alloy, passivated – Classification: 1550 MPa (at ambient temperature)/315 °C (EN 2874:1996+AC:1996)

HRN EN 2881:2008
Nizovi o zrakoplovstvu – Matice, sidrene, samozatvarajuće, otporne na gorivo, sa brtvljenjem, plivajuće, dva uha, s upustom, od čelika otpornog na koroziju, pasiviziran, podmazane s MoS2, metrički nizovi – Klasifikacija: 900 MPa (pri temperaturi okoline)/120 °C (EN 2881:2006)
Aerospace series – Nuts, anchor, self-locking, fuel resistant, sealing, floating, two lug, with counterbore, in corrosion resisting steel, passivated, MoS2 lubricated, metric series – Classification: 900 MPa (at ambient temperature) / 120 °C (EN 2881:2006)

HRN EN 2882:2008
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, s upustom i neskidajućom podloškom, od čelika, prevučene kadmijem, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 2882:2006)
Aerospace series – Nuts, hexagonal, self-locking, with counterbore and captive washer, in steel, cadmium plated, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 235 °C (EN 2882:2006)

HRN EN 2883:2011
Nizovi o zrakoplovstvu – Matice, šesterokutne, samozatvarajuće, s upustom i neskidajućom podloškom, od čelika otpornog na toplinu, podmazane s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 2883:2009)
Aerospace series – Nuts, hexagonal, self-locking, with counterbore and captive washer, in heat resisting steel, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature) / 315 °C (EN 2883:2009)

HRN EN 2884:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka grube tolerancije, kratki navoj, od legure titana, anodizirani, podmazani s MoS2 – Klasifikacija: 1100 MPa (pri temperaturi okoline)/315 °C (EN 2884:1996)
Aerospace series – Screws, pan head, offset cruciform recess, coarse tolerance normal shank, short thread, in titanium alloy, anodized, MoS2 lubricated – Classification: 1100 MPa (at ambient temperature)/ 315 °C (EN 2884:1996)

HRN EN 2885:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalnog struka grube tolerancije, kratki navoj, od legure čelika, prevučeni kadmijem – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2885:1996)
Aerospace series – Screws, pan head, offset cruciform recess, coarse tolerance normal shank, short thread, in alloy steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/235 °C (EN 2885:1996)

HRN EN 2886:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalni struk uske tolerancije, kratki navoj, od legure čelika, prevučeni kadmijem – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2886:1996)
Aerospace series – Screws, pan head, offset cruciform recess, close tolerance normal shank, short thread, in alloy steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/235 °C (EN 2886:1996)

HRN EN 2887:2008
Nizovi o zrakoplovstvu – Vijci, normalna dvanaesterokutna glava, s navojem do glave, od čelika otpornog na koroziju, pasiviziranog – Klasifikacija: 600 MPa (pri temperaturi okoline)/425 °C (EN 2887:1995)
Aerospace series – Bolts, normal hexagonal head, threaded to head, in corrosion resisting steel, passivated – Classification: 600 MPa (at ambient temperature)/425 °C (EN 2887:1995)

HRN EN 2888:2008
Nizovi o zrakoplovstvu – Vijci metrički, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, kratki navoj, od čelika otpornog na koroziju, pasiviziranog – Klasifikacija: 600 MPa (pri temperaturi okoline)/425 °C (EN 2888:2006)
Aerospace series – Metric Bolts, normal hexagonal head, coarse tolerance normal shank, short thread, in corrosion resisting steel, passivated – Classification: 600 MPa (at ambient temperature)/425 °C (EN 2888:2006)

HRN EN 2889:2008
Nizovi o zrakoplovstvu – Vijci metrički, normalna dvanaesterokutna glava, normalnog struka grube tolerancije, kratki navoj, od legure čelika, prevučeni kadmijem – Klasifikacija: 900 MPa (pri temperaturi okoline)/235 °C (EN 2889:2006)
Aerospace series – Metric bolts, normal hexagonal head, coarse tolerance normal shank, short thread, in alloy steel, cadmium plated – Classification: 900 MPa (at ambient temperature)/235 °C (EN 2889:2006)

HRN EN 2897:2008
Nizovi o zrakoplovstvu – Vijci, s ravnom glavom, s ujednačenim križnim urezom, normalni struk uske tolerancije, kratki navoj, od legure čelika, prevučeni kadmijem – Klasifikacija: 1100 MPa (pri temperaturi okoline)/235 °C (EN 2897:1996)
Aerospace series – Screws, pan head, offset cruciform recess, close tolerance normal shank, short thread, in alloy steel, cadmium plated – Classification: 1100 MPa (at ambient temperature)/235 °C (EN 2897:1996)

HRN EN 2898:2008
Nizovi o zrakoplovstvu – Zakovice od čelika otpornog na koroziju i toplinu – Tehničke specifikacije (EN 2898:2008)
Aerospace series – Corrosion and heat resisting steel rivets – Technical specification (EN 2898:2008)

HRN EN 2906:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2906:1994)
Aerospace series – Nuts, bihexagonal, self-locking, in heat resisting steel FE-PA92HT (A286) – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 2906:1994)

HRN EN 2907:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće,od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2907:1995)
Aerospace series – Nuts, bihexagonal, self-locking, in heat-resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 2907:1995)

HRN EN 2908:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, dubok upust, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2908:1994)
Aerospace series – Nuts, bihexagonal, self-locking, deep counterbored, in heat resisting steel FE-PA92HT (A286) – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 2908:1994)

HRN EN 2909:2008
Nizovi o zrakoplovstvu – Matice, dvanaesterokutne, samozatvarajuće, dubok upust, od čelika otpornog na toplinu FE-PA92HT (A286), prevučene srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2909:1995)
Aerospace series – Nuts, bihexagonal, self-locking, deep counterbored, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 2909:1995)

HRN EN 2910:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2910:1994)
Aerospace series – Shank nuts, self-locking, in heat resisting steel FE-PA92HT (A286) – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 2910:1994)

HRN EN 2911:2008
Nizovi o zrakoplovstvu – Držač matica, samozatvarajući, od čelika otpornog na toplinu FE-PA92HT (A286), prevučen srebrom – Klasifikacija: 1100 MPa (pri temperaturi okoline)/650 °C (EN 2911:1995)
Aerospace series – Shank nuts, self-locking, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 1100 MPa (at ambient temperature)/650 °C (EN 2911:1995)

HRN EN 2912:2008
Nizovi o zrakoplovstvu – Podloške, ravne, veliki promjer, od legure aluminija, anodizirane ili kromirane (EN 2912:1996)
Aerospace series – Washers, flat, large diameter, in aluminium alloy, anodized or chromated (EN 2912:1996)

HRN EN 2913:2008
Nizovi o zrakoplovstvu – Podloške, ravne, veliki promjer, od čelika, prevučene kadmijem (EN 2913:1999)
Aerospace series – Washers, flat, large diameter, in steel, cadmium plated (EN 2913:1999)

HRN EN 2914:2008
Nizovi o zrakoplovstvu – Podloške, ravne, veliki promjer, od čelika otpornog na toplinu, pasivizirane (EN 2914:1996)

Aerospace series – Washers, flat, large diameter, in heat resisting steel, passivated (EN 2914:1996)

HRN EN 2925:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2925:1994)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286) – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2925:1994)

HRN EN 2926:2008
Nizovi o zrakoplovstvu – Vijci, dvanaesterokutna glava, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2926:1996)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2926:1996)

HRN EN 2927:2008
Nizovi o zrakoplovstvu – Vijci s dvanaestorokutnom glavom i sa stanjenim strukom, dugog navoja, od legure na bazi nikla otporne na toplinu NI-P100HT (Inconel 718), – Klasifikacija: 1275 MPa (pri temperaturi okoline)/650 °C (EN 2927:1996)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P100HT (Inconel 718) – Classification: 1275 MPa (at ambient temperature)/650 °C (EN 2927:1996)

HRN EN 2928:2008
Nizovi o zrakoplovstvu – Vijci s dvanaestorokutnom glavom i sa stanjenim strukom, dugog navoja, od legure na bazi nikla otporne na toplinu NI-P100HT (Inconel 718), prevučeni srebrom – Klasifikacija: 1275 MPa (pri temperaturi okoline)/650 °C (EN 2928:1996)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P100HT (Inconel 718), silver plated – Classification: 1275 MPa (at ambient temperature)/650 °C (EN 2928:1996)

HRN EN 2929:2008
Nizovi o zrakoplovstvu – Vijci, s dvanaestorokutnom glavom, sa stanjenim strukom, dugog navoja, od legure na bazi nikla otporne na toplinu NI-P101HT (legura Waspaloy) – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 2929:1996)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy) – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 2929:1996)

HRN EN 2930:2008
Nizovi o zrakoplovstvu – Vijci, s dvanaestorokutnom glavom, sa stanjenim strukom, dugog navoja, od legure na bazi nikla otporne na toplinu NI-P101HT (legura Waspaloy), prevučeni srebrom – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 2930:1996)
Aerospace series – Bolts, double hexagon head, relieved shank, long thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 2930:1996)

HRN EN 2931:2008
Nizovi o zrakoplovstvu – Vijci, s T-glavom, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2931:1994)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286) – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2931:1994)

HRN EN 2932:2008
Nizovi o zrakoplovstvu – Vijci, s T-glavom, sa stanjenim strukom, dugog navoja, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2932:1996)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2932:1996)

HRN EN 2933:2008
Nizovi o zrakoplovstvu – Vijci, s T-glavom, sa stanjenim strukom, dugog navoja, od legure nikla otporni na toplinu NI-P100HT (Inconel 718) – Klasifikacija: 1275 MPa (pri temperaturi okoline)/650 °C (EN 2933:1996)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting nickel base alloy NI-P100HT (Inconel 718) – Classification: 1275 MPa (at ambient temperature)/650 °C (EN 2933:1996)

HRN EN 2934:2008
Nizovi o zrakoplovstvu – Vijci, s T-glavom, sa stanjenim strukom, dugog navoja, od legure nikla otporni na toplinu NI-P100HT (Inconel 718), prevučeni srebrom – Klasifikacija: 1275 MPa (pri temperaturi okoline)/650 °C (EN 2934:1996)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting nickel base alloy NI-P100HT (Inconel 718), silver plated – Classification: 1275 MPa (at ambient temperature)/650 °C (EN 2934:1996)

HRN EN 2935:2008
Nizovi o zrakoplovstvu – Vijci, s T-glavom, sa stanjenim strukom, dugog navoja, od legure nikla otporni na toplinu NI-P101HT (Waspaloy) – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 2935:1996)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy) – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 2935:1996)

HRN EN 2936:2008
Nizovi o zrakoplovstvu – Vijci, s T-glavom, sa stanjenim strukom, dugog navoja, od legure nikla otporni na toplinu NI-P101HT (Waspaloy), prevučeni srebrom – Klasifikacija: 1210 MPa (pri temperaturi okoline)/730 °C (EN 2936:1996)
Aerospace series – Bolts, T-head, relieved shank, long thread, in heat resisting nickel base alloy NI-P101HT (Waspaloy), silver plated – Classification: 1210 MPa (at ambient temperature)/730 °C (EN 2936:1996)

HRN EN 2937:2008
Nizovi o zrakoplovstvu – Vijci, šesterokutne glave, s navojem do glave, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2937:1994)
Aerospace series – Screws, hexagon head, threaded to head, in heat resisting steel FE-PA92HT (A286) – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2937:1994)

HRN EN 2938:2008
Nizovi o zrakoplovstvu – Vijci, šesterokutne glave, s navojem do glave, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2938:1995)
Aerospace series – Screws, hexagon head, threaded to head, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2938:1995)

HRN EN 2939:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom glavom, s ujednačenim križnim urezom, s navojem do glave, od čelika otpornog na toplinu FE-PA92HT (A286) – Klasifikacija: 900 MPa (pri temperaturi okoline)/ 650 °C (EN 2939:1994)
Aerospace series – Screws, 100° countersunk head, offset cruciform recess, threaded to head, in heat resisting steel FE-PA92HT (A286) – Classification: 900 MPa (at ambient temperature)/650 °C (EN 2939:1994)

HRN EN 2940:2008
Nizovi o zrakoplovstvu – Vijci, sa 100° upuštenom glavom, s ujednačenim križnim urezom, s navojem do glave, od čelika otpornog na toplinu FE-PA92HT (A286), prevučeni srebrom – Klasifikacija: 900 MPa (pri temperaturi okoline)/650 °C (EN 2940:1995)
Aerospace series – Screws, 100° countersunk head, offset cruciform recess, threaded to head, in heat resisting steel FE-PA92HT (A286), silver plated – Classification: 900 MPa (at ambient temperature)/ 650 °C (EN 2940:1995)

HRN EN 2941:2008
Nizovi o zrakoplovstvu – Zakovice od legure nikla – Tehničke specifikacije (EN 2941:2008)
Aerospace series – Nickel alloy rivets – Technical specification (EN 2941:2008)

HRN EN 2942:2008
Nizovi o zrakoplovstvu – Zatici, s vijčanim navojem, sa spiralnim svitkom, samozatvarajući, legura na bazi nikla otporna na toplinu NI-PH2801 (Inconel X750), prevučen srebrom (EN 2942:1998)
Aerospace series – Inserts, screw thread, helical coil, self-locking, in heat resisting nickel base alloy NI-PH2801 (Inconel X750), silver plated (EN 2942:1998)

HRN EN 2943:2008
Nizovi o zrakoplovstvu – Zatici, sa vijčastim navojem, sa spiralnim svitkom, samozatvarajući – Tehničke specifikacije (EN 2943:1998)
Aerospace series – Inserts, screw thread, helical coil, self locking – Technical specification (EN 2943:1998)

HRN EN 2944:2008
Nizovi o zrakoplovstvu – Zatici, sa vijčastim navojem, sa spiralnim svitkom, samozatvarajući, od čelika otpornog na koroziju FE-PA3004 (EN 2944:1998)
Aerospace series – Inserts, screw thread, helical coil, self-locking, in corrosion resisting steel FE-PA3004 (EN 2944:1998)

HRN EN 2945:2008
Nizovi o zrakoplovstvu – Zatici, sa vijčastim navojem, sa spiralnim svitkom, samozatvarajući – Postupak sklapanja (EN 2945:1998)
Aerospace series – Inserts, screw thread, helical coil, self-locking – Assembly procedure (EN 2945:1998)

HRN EN 2947:2008
Nizovi o zrakoplovstvu – Čelik FE-PA3004 (X10CrNi18-09) – Taljen na zraku – Neizložen toplini – Hladno vučena žica – a ili D ≤ 2,3 mm (EN 2947:2006)
Aerospace series – Steel FE-PA3004 (X10CrNi18-09) – Air melted – Non heat treated – Cold drawn wire – a or D ≤ 2,3 mm (EN 2947:2006)

HRN EN 2948:2008
Nizovi o zrakoplovstvu – Podloške, s uhom, od čelika otpornog na toplinu, pasivizirane (EN 2948:1996)
Aerospace series – Washers, tab, in heat resisting steel, passivated (EN 2948:1996)

HRN EN 2949:2008
Nizovi o zrakoplovstvu – Podloške, s osiguravajućom žicom, od čelika otpornog na koroziju, pasivizirane (EN 2949:1996)
Aerospace series – Washers, wire locking, in corrosion resisting steel, passivated (EN 2949:1996)

HRN EN 2950:2008
Nizovi o zrakoplovstvu – Metoda ispitivanja – Poluzavršeni proizvodi i dijelovi od kovanih legura otpornih na toplinu – Uvjeti za makrografsko i mikrografsko ispitivanje – Atlas struktura i nedostataka (EN 2950:2008)
Aerospace series – Test method – Wrought heat resisting alloys Semi-finished products and parts – Conditions for macrographic and micrographic examination – Atlas of structures and defects (EN 2950:2008)

HRN EN 2954-001:2011
Nizovi o zrakoplovstvu – Makrostruktura kovanih proizvoda od titana i legure titana – 001. dio: Opći zahtjevi (EN 2954-001:2010)
Aerospace series – Macrostructure of titanium and titanium alloy wrought products – Part 001: General requirements (EN 2954-001:2010)

HZN/TU U1, *Opća elektrotehnika 1*

HRN EN 50625-1:2014
Prikupljanje, logistika i obrada zahtjeva za WEEE – 1. dio: Obrada općih zahtjeva (EN 50625-1:2014)
Collection, logistics & Treatment requirements for WEEE – Part 1: General treatment requirements (EN 50625-1:2014)

HZN/TU V1, *Elektronika 1*

HRN EN 60793-2-30:2009
Optička vlakna – Dio 2-30: Specifikacije proizvoda – Sekcijska specifikacija za vlakna kategorije A3 za višestruki način rada (IEC 60793-2-30:2007; EN 60793-2-30:2009)
Optical fibres – Part 2-30: Product specifications – Sectional specification for category A3 multimode fibres (IEC 60793-2-30:2007; EN 60793-2-30:2009)

2 Rezultati međunarodne i europske normizacije razvrstani po predmetnom ustroju

01.040.03 Usluge. Ustrojstvo poduzeća i upravljanje poduzećem. Uprava. Prijevoz. Sociologija (Rječnici)

Međunarodna normizacija
ISO

ISO 3534-4:2014
Statistics – Vocabulary and symbols – Part 4: Survey sampling

01.040.13 Zaštita okoliša i zdravlja. Sigurnost (Rječnici)

Europska normizacija
CEN

EN 16323:2014-04
Glossary of wastewater engineering terms

Međunarodna normizacija
IEC

IEC 60050-651:2014-04
International Electrotechnical Vocabulary – Part 651: Live working

01.040.23 Fluidički sustavi i sastavnice za opću uporabu (Rječnici)

Europska normizacija
CEN

EN 16436-1:2014-05
Rubber and plastics hoses, tubing and assemblies for use with propane and butane and their mixture in the vapour phase – Part 1: Hoses and tubings

Međunarodna normizacija
ISO

ISO 3529-3:2014-04
Vacuum technology – Vocabulary – Part 3: Total and partial pressure vacuum gauges

01.040.25. Proizvodna tehnika (Rječnici)

Međunarodna normizacija
ISO

IEC 60050-851 AMD 1:2014-02
International electrotechnical vocabulary – Part 851: Electric welding; Amendment 1

01.040.29 Elektrotehnika (Rječnici)

Međunarodna normizacija
IEC

IEC 60050-651:2014-04
International Electrotechnical Vocabulary – Part 651: Live working

IEC 60050-161 AMD 3:2014-02
International elektrotechnical vocabulary – Part 161: Electromagnetic compatibility; Amendment 3

IEC 60050-732 AMD 1:2014-02
International Electrotechnical Vocabulary – Part 732: Computer network technology

IEC 60050-851 AMD 1:2014-02
International electrotechnical vocabulary – Part 851: Electric welding; Amendment 1

01.040.31 Elektronika (Rječnici)

Međunarodna normizacija
IEC

IEC 62341-1-2:2014-04
Organic light emitting diode displays – Part 1-2: Terminology and letter symbols

IEC 62679-1-1:2014-05
Electronic paper displays – Part 1-1: Terminology

01.040.33 Telekomunikacije. Audiotehnika i videotehnika (Rječnici)

Međunarodna normizacija
IEC

IEC 60050-161 AMD 3:2014-02
International elektrotechnical vocabulary – Part 161: Electromagnetic compatibility; Amendment 3

01.040.35 Informacijska tehnika. Uredski strojevi (Rječnici)

Međunarodna normizacija
IEC

IEC 60050-732 AMD 1:2014-02
International Electrotechnical Vocabulary – Part 732: Computer network technology

01.040.37 Tehnika obradbe slike (Rječnici)

Međunarodna normizacija
ISO

ISO 22493:2014-04
Microbeam analysis -- Scanning electron microscopy – Vocabulary

01.040.43 Cestovna vozila (Rječnici)

Europska normizacija
CEN

EN ISO 18542-2:2014-05
Road vehicles – Standardized repair and maintenance information (RMI) terminology – Part 2: Standardized process implementation requirements, Registration Authority (ISO 18542-2:2014)

01.040.75 Tehnologija nafte i srodne tehnologije (Rječnici)

Europska normizacija
CEN

EN 12597:2014-05
Bitumen and bituminous binders – Terminology

01.040.91 Konstrukcijski materijali i gradnja (Rječnici)

Europska normizacija
CEN

EN 12597:2014-05
Bitumen and bituminous binders – Terminology

01.100.25 Crteži u elektrotehnici i elektronici

Europska normizacija
CENELEC

EN 61837-2/A1
Oberflächenmontierbare piezoelektrische Bauteile zur Frequenzstabilisierung und -selektion – Norm-Gehäusemaße und Anschlüsse – Teil 2: Keramikgehäuse (IEC 61837-2:2011/A1:2014)

01.120 Normizacija. Opća pravila

Europska normizacija
CEN-CENELEC

CEN-CENELEC Guide 15:2014-05
Tasks and responsibilities of the new approach consultants

Međunarodna normizacija
ISO

ISO/IEC Guide 51:2014-04
Safety aspects – Guidelines for their inclusion in standards

01.140.20 Informacijske znanosti

Međunarodna normizacija
ISO

ISO 16439:2014-04
Information and documentation – Methods and procedures for assessing the impact of libraries

03.080.30 Usluge za potrošače

Europska normizacija
CEN

EN 16489-1:2014-04
Professional indoor UV exposure services - Part 1: Requirements for the provision of training

Međunarodna normizacija
ISO

ISO 14785:2014-04
Tourist information offices – Tourist information and reception services – Requirements

ISO 21101:2014-04
Adventure tourism – Safety management systems -- Requirements

ISO 21103:2014-04
Adventure tourism – Information for participants

ISO 24801-1:2014-04
Recreational diving services – Requirements for the training of recreational scuba divers – Part 1: Level 1 – Supervised diver

ISO 24801-2:2014-04
Recreational diving services – Requirements for the training of recreational scuba divers – Part 2: Level 2 – Autonomous diver

ISO 24801-3:2014-04
Recreational diving services – Requirements for the training of recreational scuba divers – Part 3: Level 3 – Dive leader

ISO 24802-1:2014-04
Recreational diving services – Requirements for the training of scuba instructors – Part 1: Level 1

ISO 24802-2:2014-04
Recreational diving services – Requirements for the training of scuba instructors – Part 2: Level 2

03.100.30 Upravljanje ljudskim resursima

Međunarodna normizacija
ISO

ISO 18436-7:2014-04
Condition monitoring and diagnostics of machines – Requirements for qualification and assessment of personnel – Part 7: Thermography

ISO 24802-1:2014-04
Recreational diving services – Requirements for the training of scuba instructors – Part 1: Level 1

ISO 24802-2:2014-04
Recreational diving services – Requirements for the training of scuba instructors – Part 2: Level 2

ISO 18436-2:2014-05
Condition monitoring and diagnostics of machines – Requirements for qualification and assessment of personnel – Part 2: Vibration condition monitoring and diagnostics

03.120.01 Kvaliteta općenito

Međunarodna normizacija
IEC

IEC 60300-1:2014-05
Dependability management – Part 1: Guidance for management and application

03.120.10 Upravljanje kvalitetom i osiguravanje kvalitete

Europska normizacija
CEN

EN 16247-2 : 2014-05
Energy audits – Part 2: Buildings

EN 16247-3:2014-05
Energy audits – Part 3: Processes

EN 16247-4:2014-05
Energy audits – Part 4: Transport

03.120.30 Primjena statističkih metoda

Međunarodna normizacija
ISO

ISO 3534-4:2014-04
Statistics – Vocabulary and symbols – Part 4: Survey sampling

03.200 Slobodno vrijeme. Turizam

Međunarodna normizacija
ISO

ISO 14785:2014-04
Tourist information offices – Tourist information and reception services – Requirements

ISO 21101:2014-04
Adventure tourism – Safety management systems – Requirements

ISO 21103:2014-04
Adventure tourism – Information for participants

ISO 24801-1:2014-04
Recreational diving services – Requirements for the training of recreational scuba divers – Part 1: Level 1 – Supervised diver

ISO 24801-2:2014-04
Recreational diving services – Requirements for the training of recreational scuba divers – Part 2: Level 2 – Autonomous diver

ISO 24801-3:2014-04
Recreational diving services – Requirements for the training of recreational scuba divers – Part 3: Level 3 – Dive leader

ISO 24802-1:2014-04
Recreational diving services – Requirements for the training of scuba instructors – Part 1: Level 1

ISO 24802-2:2014-04
Recreational diving services – Requirements for the training of scuba instructors – Part 2: Level 2

03.220.20 Cestovni prijevoz

Međunarodna normizacija
ISO

ISO 11270:2014-05
Intelligent transport systems – Lane keeping assistance systems (LKAS) – Performance requirements and test procedures

07.030 Fizika. Kemija

Međunarodna normizacija
ISO

ISO/TR 16197:2014-05
Nanotechnologies – Compilation and description of toxicological screening methods for manufactured nanomaterials

IEC

IEC 62607-3-1:2014-05
Nanomanufacturing – Key control characteristics – Part 3-1: Luminescent nanomaterials – Quantum efficiency

07.060 Geologija. Meteorologija. Hidrologija

Međunarodna normizacija
ISO

ISO 16457:2014-04
Space systems – Space environment (natural and artificial) – The Earth's ionosphere model: international reference ionosphere (IRI) model and extensions to the plasmasphere

07.100.30 Mikrobiologija hrane

Europska normizacija
CEN

EN ISO 11133:2014-05
Microbiology of food, animal feed and water – Preparation, production, storage and performance testing of culture media (ISO 11133:2014)

Međunarodna normizacija
ISO

ISO 11133:2014-05
Microbiology of food, animal feed and water – Preparation, production, storage and performance testing of culture media

11.040.01 Medicinska oprema općenito

Europska normizacija
CENELEC

EN 60601-1-2
Medical electrical equipment - Part 1-2: General requirements for basic safety and essential performance - Collateral Standard: Electromagnetic disturbances - Requirements and tests

EN 60601-1/AC:2014-05
Medical electrical equipment – Part 1: General requirements for basic safety and essential performance

11.040.10 Anestezijska, respiracijska i reanimacijska oprema

Europska normizacija
CEN

EN ISO 10079-2:2014-05
Medical suction equipment – Part 2: Manually powered suction equipment (ISO 10079-2:2014)

EN ISO 10079-3:2014-05
Medical suction equipment – Part 3: Suction equipment powered from a vacuum or positive pressure gas source (ISO 10079-3:2014)

EN ISO 11499:2014-06
Dentistry – Single-use cartridges for local anaesthetics (ISO 11499:2014)

Međunarodna normizacija
ISO

ISO 10079-2:2014-05
Medical suction equipment – Part 2: Manually powered suction equipment

ISO 10079-3:2014-05
Medical suction equipment – Part 3: Suction equipment powered from a vacuum or positive pressure gas source

ISO 80601-2-67:2014-06
Medical electrical equipment – Part 2-67: Particular requirements for basic safety and essential performance of oxygen-conserving equipment

11.040.20 Transfuzijska, infuzijska i injekcijska oprema

Europska normizacija
CEN

EN ISO 8871-2/A1:2014-06
Elastomeric parts for parenterals and for devices for pharmaceutical use – Part 2: Identification and characterization – Amendment 1
(ISO 8871-2:2003/Amd 1:2005)

11.040.40 Implantati za kirurgiju, protetiku i ortotiku

Međunarodna normizacija
ISO

ISO/TR 37137:2014-05
Cardiovascular biological evaluation of medical devices – Guidance for absorbable implants

11.040.50 Radiografijska i druga dijagnostička oprema

Europska normizacija
CEN

EN 60601-1-3/A1/AC:2014-05
Medical electrical equipment – Part 1-3: General requirements for basic safety and essential performance – Collateral Standard: Radiation protection in diagnostic X-ray equipment

Međunarodna normizacija
IEC

IEC 61331-1:2014-05
Protective devices against diagnostic medical X-radiation – Part 1: Determination of attenuation properties of materials

IEC 61331-2:2014-05
Protective devices against diagnostic medical X-radiation – Part 2: Translucent protective plates

IEC 61331-3:2014-05
Protective devices against diagnostic medical X-radiation – Part 3: Protective clothing, eyewear and protective patient shield

11.040.55 Dijagnostička oprema

Europska normizacija
CEN

EN ISO 81060-2:2014-04
Non-invasive sphygmomanometers – Part 2: Clinical investigation of automated measurement type
(ISO 81060-2:2013)

EN 60601-1-8/A1/AC:2014-05
Medical electrical equipment – Part 1-8: General requirements for basic safety and essential performance – Collateral standard: General requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems

11.040.60 Terapeutska oprema

Međunarodna normizacija
IEC

IEC 60601-2-36:2014-04
Medical electrical equipment – Part 2-36: Particular requirements for the basic safety and essential performance of equipment for extracorporeally induced lithotripsy

11.060.20 Zubarska oprema

Europska normizacija
CEN

EN ISO 11499:2014-06
Dentistry – Single-use cartridges for local anaesthetics
(ISO 11499:2014)

11.060.25 Zubarski instrumenti

Europska normizacija
CEN

EN ISO 16635-1:2014-04
Dentistry – Dental rubber dam technique – Part 1: Hole punch (ISO 16635-1:2013)

EN ISO 9173-3:2014-05
Dentistry – Extraction forceps – Part 3: Design
(ISO 9173-3:2014)

Međunarodna normizacija
ISO

ISO 9173-3:2014-05
Dentistry – Extraction forceps – Part 3: Design

11.080.10 Sterilizacijska oprema

Europska normizacija
CEN

EN 1422:2014-05
Sterilizers for medical purposes – Ethylene oxide sterilizers – Requirements and test methods

EN 14180:2014-05
Sterilizers for medical purposes – Low temperature steam and formaldehyde sterilizers – Requirements and testing

13.020.10 Upravljanje okolišem

Međunarodna normizacija
ISO

ISO 13315-2:2014-05
Environmental management for concrete and concrete structures – Part 2: System boundary and inventory data

13.020.20 Ekogospodarstvo

Europska normizacija
CEN

CWA 16768:2014-05
Framework for Sustainable Value Creation in Manufacturing Network

Međunarodna normizacija
ISO

ISO 37120:2014-05
Sustainable development of communities – Indicators for city services and quality of life

13.020.30 Ocjena utjecaja na okoliš

Europska normizacija
CEN

CEN/TR 16663:2014-05
Durability of wood and wood-based products – Determination of emissions from preservative treated wood to the environment – Wooden commodities exposed in Use Class 3 (Not covered, not in contact with the ground) – Semi-field method

3.040.20 Atmosfera okoliša

Europska normizacija
CEN

EN 14212/AC:2014-04
Ambient air – Standard method for the measurement of the concentration of sulphur dioxide by ultraviolet fluorescence

EN 12341:2014-05
Ambient air – Standard gravimetric measurement method for the determination of the PM10 or PM2,5 mass concentration of suspended particulate matter

Međunarodna normizacija
ISO

ISO 16000-31:2014-05
Indoor air – Part 31: Measurement of flame retardants and plasticizers based on organophosphorus compounds – Phosphoric acid ester

13.040.30 Kakvoća zraka na radnome mjestu

Međunarodna normizacija
ISO

ISO 8672:2014-05
Air quality – Determination of the number concentration of airborne inorganic fibres by phase contrast optical microscopy – Membrane filter method

13.060.30 Kanalizacijske vode

Europska normizacija
CEN

EN 16323:2014-04
Glossary of wastewater engineering terms

13.060.50 Ispitivanje voda na kemijske tvari

Europska normizacija
CEN

EN ISO 12010:2014-04
Water quality – Determination of short-chain polychlorinated alkanes (SCCPs) in water -- Method using gas chromatography-mass spectrometry (GC-MS) and negative-ion chemical ionization (NCI) (ISO 12010:2012)

13.060.60 Ispitivanje fizikalnih svojstava vode

Međunarodna normizacija
ISO

ISO 13165-2:2014-04
Water quality – Radium-226 – Part 2: Test method using emanometry

13.080.10 Kemijske značajke tla

Europska normizacija
CEN

EN ISO 17184:2014-05
Soil quality – Determination of carbon and nitrogen by near-infrared spectrometry (NIRS) (ISO 17184:2014)

Međunarodna normizacija
ISO

ISO 17184:2014-05
Soil quality – Determination of carbon and nitrogen by near-infrared spectrometry (NIRS)

ISO/TR 18105:2014-05
Soil quality – Detection of water soluble chromium(VI) using a ready-to-use test-kit method

13.220.10 Vatrogastvo

Međunarodna normizacija
ISO

ISO 7076-5:2014-05
Fire protection – Foam fire extinguishing systems – Part 5: Fixed compressed air foam equipment

13.220.20 Oprema za zaštitu od požara

Međunarodna normizacija
ISO

ISO 6182-10:2014-05
Fire protection – Automatic sprinkler systems – Part 10: Requirements and test methods for domestic sprinklers

13.220.40 Zapaljivost i ponašanje materijala i proizvoda pri izgaranju

Europska normizacija
CEN

EN 12881-1:2014-05
Conveyor belts – Fire simulation flammability testing – Part 1: Propane burner tests

CENELEC

EN 60695-2-12/A1
Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials
(IEC 60695-2-12:2010/A1:2014)

EN 60695-2-13/A1
Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials
(IEC 60695-2-13:2010/A1:2014)

EN 60695-9-2:2014-04
Fire hazard testing – Part 9-2: Surface spread of flame – Summary and relevance of test methods (IEC 60695-9-2:2014)

EN 60695-10-2
Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test method (IEC 60695-10-2:2014)

EN 61034-1/A1:2014-04
Measurement of smoke density of cables burning under defined conditions - Part 1: Test apparatus (IEC 61034-1:2005/A1:2013)

13.220.50 Vatrootpornost građevnih materijala i elemenata

Međunarodna normizacija
ISO

ISO 3008-2:2014-04
Fire-resistance tests – Part 2: Lift landing door assemblies

13.260 Zaštita od električnog udara

Europska normizacija
CENELEC

EN 50153:2014-05
Railway applications – Rolling stock – Protective provisions relating to electrical hazards

Međunarodna normizacija
IEC

IEC 60050-651:2014-04
International Electrotechnical Vocabulary - Part 651: Live working

13.280 Zaštita od zračenja

Europska normizacija
CENELEC

EN 60601-1-3/A1/AC:2014-05
Medical electrical equipment – Part 1-3: General requirements for basic safety and essential performance – Collateral Standard: Radiation protection in diagnostic X-ray equipment

Međunarodna normizacija
IEC

IEC 60825-1:2014-05
Safety of laser products – Part 1: Equipment classification and requirements

IEC 61331-1:2014-05
Protective devices against diagnostic medical X-radiation – Part 1: Determination of attenuation properties of materials

IEC 61331-2:2014-05
Protective devices against diagnostic medical X-radiation – Part 2: Translucent protective plates

IEC 61331-3:2014-05
Protective devices against diagnostic medical X-radiation – Part 3: Protective clothing, eyewear and protective patient shields

13.300 Zaštita od opasnih tvari

Europska normizacija
CEN

EN 16522:2014-04
Tanks for transport of dangerous goods – Service equipment for tanks – Flame arresters for breather devices

13.310 Zaštita od kriminala

Europska normizacija
CEN

CEN/TR 16705:2014-04
Perimeter protection – Performance classification methodology

EN 1143-2:2014-05
Secure storage units – Requirements, classification and methods of tests for resistance to burglary – Part 2: Deposit systems

13.320 Alarmni sustavi i sustavi uzbunjivanja

Europska normizacija
CENELEC

EN 50131-6/A1
Alarmanlagen - Einbruch- und Ueberfallmeldeanlagen - Teil 6: Energieversorgungen

Međunarodna normizacija
IEC

IEC 62676-4:2014-04
Video surveillance systems for use in security applications - Part 4: Application guidelines

IEC 62851-1:2014-04
Alarm and electronic security systems - Social alarm systems - Part 1: System requirements

IEC 62851-2:2014-04
Alarm and electronic security systems - Social alarm systems - Part 2: Trigger devices

IEC 62851-3:2014-04
Alarm and electronic security systems - Social alarm systems - Part 3: Local unit and controller

IEC 62851-5:2014-04
Alarm and electronic security systems - Social alarm systems - Part 5: Interconnections and communications

IEC Guide 110:2014-04
Home control systems – Guidelines realating to safety

13.340.10 Zaštitna odjeća

Međunarodna normizacija
IEC

IEC 61331-3:2014-05
Protective devices against diagnostic medical X-radiation – Part 3: Protective clothing, eyewear and protective patient shields

13.340.30 Uređaji za zaštitu dišnih organa

Europska normizacija
CEN

EN 250:2014-04
Respiratory equipment – Open-circuit self-contained compressed air diving apparatus – Requirements, testing and marking

EN 12021:2014-04
Respiratory equipment – ompressed gases for breathing apparatus

13.340.40 Zaštita ruku i šaka

Europska normizacija
CEN

EN 16350:2014-04
Protective gloves – Electrostatic properties

13.340.50 Zaštitna obuća

Europska normizacija
CEN

EN ISO 20346:2014-05
Personal protective equipment – Protective footwear (ISO 20346:2014)

Međunarodna normizacija
ISO

ISO 20346:2014-05
Personal protective equipment – Protective footwear

17.140.01 Akustička mjerenja i smanjenje buke općenito

Europska normizacija
CEN

EN ISO 12999-1:2014-05
Acoustics – Determination and application of measurement uncertainties in building acoustics – Part 1: Sound insulation (ISO 12999-1:2014)

17.140.20 Buka koju proizvode strojevi i oprema

Europska normizacija
CEN

EN ISO 11200:2014-05
Acoustics – Noise emitted by machinery and equipment – Guidelines for the use of basic standards for the determination of emission sound pressure levels at a work station and at other specified positions (ISO 11200:2014)

Međunarodna normizacija
IEC

IEC 60704-2-1:2014-05
Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2-1: Particular requirements for vacuum cleaners

17.140.30 Buka koju proizvode prijevozna sredstva

Međunarodna normizacija
ISO

ISO 10844:2014-05
Acoustics – Specification of test tracks for measuring noise emitted by road vehicles and their tyres

17.140.50 Elektroakustika

Europska normizacija
CEN

EN 61260-1
Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications
(IEC 61260-1:2014)

17.160 Vibracije, udari i mjerenja vibracija

Međunarodna normizacija
ISO

ISO 18431-3:2014-03
Mechanical vibration and shock – Signal processing – Part 3: Methods of time-frequency analysis

ISO 18436-7:2014-04
Condition monitoring and diagnostics of machines – Requirements for qualification and assessment of personnel – Part 7: Thermography

ISO 18436-2:2014-05
Condition monitoring and diagnostics of machines – Requirements for qualification and assessment of personnel – Part 2: Vibration condition monitoring and diagnostics

17.180.20 Boje i mjerenje svjetlosti

Međunarodna normizacija
IEC

IEC 61966-12-2:2014-04
Multimedia systems and equipment - Colour measurement and management - Part 12-2: Simple metadata format for identification of colour gamut

17.220.20 Mjerenje električnih i magnetskih veličina

Europska normizacija
CENELEC

EN 61557-15
Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 15: Functional safety requirements for insulation monitoring devices in IT systems and equipment for insulation fault location in IT systems (IEC 61557-15:2014-02)

Međunarodna normizacija
IEC

IEC 60770-3:2014-05
Transmitters for use in industrial-process control systems – Part 3: Methods for performance evaluation of intelligent transmitters

19.040 Ispitivanje utjecaja okoliša

Europska normizacija
CENELEC

EN 60721-2-9
Classification of environmental conditions – Part 2-9: Environmental conditions appearing in nature – Measured shock and vibration data – Storage, transportation and in-use (IEC 60721-2-9:2014-03)

19.120 Analiza veličine čestica. Prosijavanje

Međunarodna normizacija
ISO

ISO 9276-2:2014-05
Representation of results of particle size analysis – Part 2: Calculation of average particle sizes/diameters and moments from particle size distributions

ISO 13322-1:2014-05
Particle size analysis – Image analysis methods – Part 1: Static image analysis methods

21.060.01 Pričvršćivači općenito

Europska normizacija
CEN

EN ISO 10683:2014-05
Fasteners – Non-electrolytically applied zinc flake coatings (ISO 10683:2014)

21.060.20 Matice

Europska normizacija
CEN

EN ISO 21670:2014-05
Fasteners – Hexagon weld nuts with flange (ISO 21670:2014)

Međunarodna normizacija
ISO

ISO 21670:2014-05
Fasteners – Hexagon weld nuts with flange

21.100.20 Valjni ležajevi

Međunarodna normizacija
ISO

ISO 12044:2014-05
Rolling bearings – Single-row angular contact ball bearings – Chamfer dimensions for outer ring non-thrust side

23.020.20 Posude i kontejneri ugrađeni na vozila

Europska normizacija
CEN

EN 16522:2014-04
Tanks for transport of dangerous goods –Service equipment for tanks – Flame arresters for breather devices

23.020.30 Tlačne posude, cilindrični plinski spremnici

Europska normizacija
CEN

EN 13445-4/A2:2014-04
Unfired preassure vessels – Part 4: Fabrication

EN ISO 7866/AC:2014-04
Gas cylinders – Refillable seamless aluminium alloy gas cylinders – Design, construction and testing technical Corrigendum 1 (ISO 7866:2012/Cor 1:2014)

EN 14427:2014-06
LPG equipment and accessories – Transportable refillable fully wrapped composite cylinders for LPG – Design and construction

EN 14893:2014-05
LPG equipment and accessories – Transportable Liquefied Petroleum Gas (LPG) welded steel pressure drums with a capacity between 150 litres and 1000 litres

Međunarodna normizacija
ISO

ISO 7866:2012/Cor 1:2014
Gas cylinders – Refillable seamless aluminium alloy gas cylinders – Design, construction and testing

23.020.40 Kriogeničke posude

Međunarodna normizacija
ISO

ISO 21010:2014-05
Cryogenic vessels – Gas/materials compatibility

23.040.01 Cjevovodne sastavnice i cjevovodi općenito

Europska normizacija
CEN

EN 13480-8/A1:2014-05
Metallic industrial piping – Part 8: Additional requirements for aluminium and aluminium alloy piping

Međunarodna normizacija
ISO

ISO 16486-1 AMD 1:2014-04
Plastic piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 1: General Amendment 1

ISO 16486-2 AMD 1:2014-04
Plastic piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 2: Pipes; Amendment 1

ISO 16486-3 AMD 1:2014-04
Plastic piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 3: Fittings; Amendment 1

23.040.20 Plastične cijevi

Međunarodna normizacija
ISO

ISO 4427-2:2007/Amd 1:2014
Plastics piping systems – Polyethylene (PE) pipes and fittings for water supply – Part 2: Pipes; Amendment 1

ISO 10952:2014-03
Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Determination of the resistance to chemical attack for the inside of a section in a deflected condition

ISO 16486-2 AMD 1:2014-04
Plastic piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 2: Pipes; Amendment 1

ISO 8513:2014-05
Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes – Test methods for the determination of the apparent initial longitudinal tensile strength

23.040.45 Plastični fitinzi

Međunarodna normizacija
ISO

ISO 10952:2014-03
Plastics piping systems – Glass-reinforced thermosetting plastics (GRP) pipes and fittings – Determination of the resistance to chemical attack for the inside of a section in a deflected condition

ISO 16486-3 AMD 1:2014-04
Plastic piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 3: Fittings; Amendment 1

23.040.60 Prirubnice, spojke i druge cijevne veze

Europska normizacija
CEN

EN 13555:2014-04
Flanges and their joints – Gasket parameters and test procedures relevant to the design rules for gasketed circular flange connections

EN 1092-1+A1/AC:2014-05
Flanges and their joints – Circular flanges for pipes, valves, fittings and accessories, PN designated – Part 1: Steel flanges

23.040.70 Crijeva i crijevni sklopovi

Europska normizacija
CEN

EN 16436-1:2014-05
Rubber and plastics hoses, tubing and assemblies for use with propane and butane and their mixture in the vapour phase – Part 1: Hoses and tubings

23.040.80 Brtvila za cijevi i cijevne spojke

Europska normizacija
CEN

EN 13555:2014-04
Flanges and their joints – Gasket parameters and test procedures relevant to the design rules for gasketed circular flange connections

23.060.40 Regulatori tlaka

Europska normizacija
CEN

EN 16522:2014-04
Tanks for transport of dangerous goods – Service equipment for tanks – Flame arresters for breather device

23.160 Vakuumska tehnika

Međunarodna normizacija
ISO

ISO 3529-3:2014-04
Vacuum technology – Vocabulary – Part 3: Total and partial pressure vacuum gauges

25.040.20 Brojčano upravljani strojevi

Međunarodna normizacija
ISO

ISO 230-2:2014-05
Test code for machine tools – Part 2: Determination of accuracy and repeatability of positioning of numerically controlled axes

25.080.01 Alatni strojevi općenito

Međunarodna normizacija
ISO

ISO 230-2:2014-05
Test code for machine tools – Part 2: Determination of accuracy and repeatability of positioning of numerically controlled axes

ISO 14955-1:2014-05
Machine tools – Environmental evaluation of machine tools – Part 1: Design methodology for energy-efficient machine tools

25.100.01 Alati za rezanje općenito

Međunarodna normizacija
ISO

ISO 16463:2014-05
Polycristalline diamond inserts, tipped – Dimensions, types

25.140.20 Električni alati

Europska normizacija
CENELEC

EN 60745-2-3/AB
Handgeführte motorbetriebene Elektrowerkzeuge – Sicherheit – Teil 2-3: Besondere Anforderungen für Schleifer, Polierer und Schleifer mit Schleifblatt

EN 62841-2-2/AA
Electric motor- operated hand-held tools, transportable tools and lawn and garden machinery – Safety – Part 2-2: Particular requirements for hand-held screwdrivers and impact wrenches

Međunarodna normizacija
IEC

IEC 62841-1 Corrigendum 1:2014-05
Electric motor-operated hand-held, transportable tools and lawn and garden machinery – Safety – Part 1: General requirements; Corrigendum 1

IEC 62841-2-2:2014-05
Electric motor- operated hand-held tools, transportable tools and lawn and garden machinery – Safety – Part 2-2: Particular requirements for hand-held screwdrivers and impact wrenches

IEC 62841-3-6:2014-05
Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety – Part 3-6: Particular requirements for transportable diamond drills with liquid system

25.140.30 Ručni alati

Međunarodna normizacija
IEC

ISO 2936:2014-05
Schraubwerkzeuge – Winkelschraubendreher für Schrauben mit Innenseckskant
Assembly tools for screws and nuts – Hexagon socket screw keys

25.160.10 Procesi zavarivanja

Europska normizacija
CEN

EN ISO 14555-1:2014-04
Welding – Arc stud welding of metallic materials (ISO 14555-1:2014)

Međunarodna normizacija
ISO

ISO 14555:2014-05
Welding – Arc stud welding of metallic materials

IEC

IEC 60050-851 AMD 1:2014-02
International electrotechnical vocabulary – Part 851: Electric welding; Amendment 1

25.160.30 Oprema za zavarivanje

Europska normizacija
CEN

EN ISO 14114:2014-05
Gas welding equipment – Acetylene manifold systems for welding, cutting and allied processes – General requirements (ISO 14114:2014)

Međunarodna normizacija
ISO

ISO 14114:2014-05
Gas welding equipment – Acetylene manifold systems for welding, cutting and allied processes – General requirements

25.160.40 Zavareni spojevi

Europska normizacija
CEN

EN 12732+A1:2014-04
Gas infrastructure – Welding steel pipework – Functional requirements

25.160.50 Tvrdo i meko lemljenje

Europska normizacija
CEN

EN 61190-1-2
Attachment materials for electronic assembly – Part 1-2: Requirements for soldering paste for high-quality interconnects in electronics assembly (IEC 61190-1-2:2014-02)

25.220.20 Površinska obrada

Europska normizacija
CEN

EN 4707:2014-04
Aerospace series – Acid pickling of aluminium and aluminium alloy without hexavalent chromium

CEN/TR 15339-6:2014-05
Thermal spraying – Safety requirements for thermal spraying equipment – Part 6: Spray booth, Handling system, Dust collection, Exhaust system, Filter

25.220.40 Prevlačenje kovinama

Europska normizacija
CEN

EN ISO 10683:2014-05
Fasteners – Non-electrolytically applied zinc flake coatings (ISO 10683:2014)

27.010 Tehnika prijenosa energije i topline općenito

Europska normizacija
CEN

EN 16247-2:2014-05
Energy audits – Part 2: Buildings

EN 16247-3:2014-05
Energy audits – Part 3: Processes

EN 16247-4:2014-05
Energy audits – Part 4: Transport

Međunarodna normizacija
IEC

IEC 62325-301:2014-05
Framework for energy market communications – Part 301: Common information model (CIM) extensions for markets

IEC 62325-451-2:2014-05
Framework for energy market communications – Part 451-2: Scheduling business process and contextual models for CIM European market

27.060.10 Plamenici za tekuće i kruto gorivo

Europska normizacija
CEN

EN ISO 23553-1:2014-05
Safety and control devices for oil burners and oil-burning appliances – Particular requirements – Part 1: Automatic and semi-automatic valves
(ISO 23553-1:2014)

Međunarodna normizacija
ISO

ISO 23553-1:2014-05
Safety and control devices for oil burners and oil-burning appliances – Particular requirements – Part 1: Automatic and semi-automatic valves

27.060.20 Plinski plamenici

Međunarodna normizacija
ISO

ISO 23551-5:2014-05
Safety and control devices for gas burners and gas-burning appliances – Particular requirements – Part 5: Manual gas valves

27.080 Dizalice topline

Međunarodna normizacija
ISO

ISO 5149-1:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 1: Definitions, classification and selection criteria

ISO 5149-2:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 2: Design, construction, testing, marking and documentation

ISO 5149-3:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 3: Installation site

ISO 5149-4:2014-04
Refrigerating systems and heat pumps -- Safety and environmental requirements -- Part 4: Operation, maintenance, repair and recovery

ISO 13612-1:2014-05
Heating and cooling systems in buildings – Method for calculation of the system performance and system design for heat pump systems – Part 1: Design and dimensioning

ISO 13612-2:2014-05
Heating and cooling systems in buildings – Method for calculation of the system performance and system design for heat pump systems – Part 2: Energy calculation

27.160 Solarna energetika

Europska normizacija
CENELEC

EN 62116
Utility-interconnected photovoltaic inverters – Test procedure of islanding prevention measures (IEC 62116:2014-02)

Međunarodna normizacija
IEC

IEC 60904-8:2014-05
Photovoltaic devices – Part 8: Measurement of spectral responsivity of a photovoltaic (PV) device

IEC 62716 Corrigendum 1:2014-05
Photovoltaic (PV) modules – Ammonia corrosion testing; Corrigendum 1

27.180 Sustavi vjetrenih turbina i drugi alternativni izvori energije

Europska normizacija
CENELEC

EN 61400-23
Windenergieanlagen – Teil 23: Rotorblätter – Experimentelle Strukturprüfung (IEC 61400-23:2014)

Međunarodna normizacija
IEC

IEC 61400-1 Edition 3.1:2014-04
Wind turbines – Design requirements

IEC 61400-23:2014-04
Wind turbines – Part 23: Full-scale structural testing of rotor blades

27.190 Biološki izvori i drugi alternativni izvori energije

Europska normizacija
CENELEC

EN ISO 17225-1:2014-05
Solid biofuels – Fuel specifications and classes – Part 1: General requirements (ISO 17225-1:2014)

EN ISO 17225-2:2014-05
Solid biofuels – Fuel specifications and classes – Part 2: Graded wood pellets (ISO 17225-2:2014)

EN ISO 17225-3:2014-05
Solid biofuels – Fuel specifications and classes – Part 3: Graded wood briquettes (ISO 17225-3:2014)

EN ISO 17225-4:2014-05
Solid biofuels – Fuel specifications and classes – Part 4: Graded wood chips (ISO 17225-4:2014)

EN ISO 17225-5:2014-05
Solid biofuels – Fuel specifications and classes – Part 5: Graded firewood (ISO 17225-5:2014)

EN ISO 17225-6:2014-05
Solid biofuels – Fuel specifications and classes – Part 6: Graded non-woody pellets (ISO 17225-6:2014)

EN ISO 17225-7:2014-05
Solid biofuels – Fuel specifications and classes – Part 7: Graded non-woody briquettes
(ISO 17225-7:2014)

Međunarodna normizacija
ISO

ISO 17225-1:2014-05
Solid biofuels – Fuel specifications and classes – Part 1: General requirements

ISO 17225-2:2014-05
Solid biofuels – Fuel specifications and classes – Part 2: Graded wood pellets

ISO 17225-3:2014-05
Solid biofuels – Fuel specifications and classes – Part 3: Graded wood briquettes

ISO 17225-4:2014-05
Solid biofuels – Fuel specifications and classes – Part 4: Graded wood chips

ISO 17225-5:2014-05
Solid biofuels – Fuel specifications and classes – Part 5: Graded firewood

ISO 17225-6:2014-05
Solid biofuels – Fuel specifications and classes – Part 6: Graded non-woody pellets

ISO 17225-7:2014-05
Solid biofuels – Fuel specifications and classes – Part 7: Graded non-woody briquettes

27.200 Rashladna tehnika

Međunarodna normizacija
ISO

ISO 5149-1:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 1: Definitions, classification and selection criteria

ISO 5149-2:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 2: Design, construction, testing, marking and documentation

ISO 5149-3:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 3: Installation site

ISO 5149-4:2014-04
Refrigerating systems and heat pumps – Safety and environmental requirements – Part 4: Operation, maintenance, repair and recovery

29.020 Elektrotehnika općenito

Europska normizacija
CENELEC

EN 60695-2-12/A1
Fire hazard testing - Part 2-12: Glowing/hot-wire based test methods - Glow-wire flammability index (GWFI) test method for materials
(IEC 60695-2-12:2010/A1:2014)

EN 60695-2-13/A1
Fire hazard testing - Part 2-13: Glowing/hot-wire based test methods - Glow-wire ignition temperature (GWIT) test method for materials
(IEC 60695-2-13:2010/A1:2014)

EN 60695-9-2:2014-04
Fire hazard testing - Part 9-2: Surface spread of flame - Summary and relevance of test methods
(IEC 60695-9-2:2014)

EN 60695-10-2
Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test method (IEC 60695-10-2:2014)

EN 62321-2:2014-04
Determination of certain substances in electrotechnical products – Part 2: Disassembly, disjointment and mechanical sample preparation (IEC 62321-2:2013)

EN 62321-3-1:2014-04
Determination of certain substances in electrotechnical products – Part 3-1: Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry (IEC 62321-3-1:2013)

EN 62321-3-2:2014-04
Determination of certain substances in electrotechnical products – Part 3-2: Screening – Total bromine in polymers and electronics by Combustion – Ion Chromatography (IEC 62321-3-2:2013)

EN 62321-4:2014-04
Determination of certain substances in electrotechnical products – Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS (IEC 62321-4:2013)

EN 62321-5:2014-04
Determination of certain substances in electrotechnical products – Part 5: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES and ICP-MS (IEC 62321-5:2013)

Međunarodna normizacija
IEC

IEC 60050-651:2014-04
International Electrotechnical Vocabulary – Part 651: Live working

IEC 60050-161 AMD 3:2014-02
International elektrotechnical vocabulary – Part 161: Electromagnetic compatibility; Amendment 3

IEC 60050-732 AMD 1:2014-02
International Electrotechnical Vocabulary – Part 732: Computer network technology

IEC 60050-851 AMD 1:2014-02
International electrotechnical vocabulary – Part 851: Electric welding; Amendment 1

IEC 60300-1:2014-05
Dependability management – Part 1: Guidance for management and application

29.035.60 Proizvodi za ukrašavanje

Međunarodna normizacija
IEC

IEC 60464-2 Edition 2.1:2014-05
Varnishes used for electrical insulation – Part 2: Methods of test

IEC 60464-3-1 Edition 2.1:2014-05
Varnishes used for electrical insulation – Part 3: Specifications for individual materials – Sheet 1: Ambient curing finishing varnishes

IEC 60464-3-2 Edition 2.1:2014-05
Varnishes used for electrical insulation – Part 3: Specifications for individual materials – Sheet 2: Hot curing impregnating varnishes

29.040.10 Izolacijska ulja

Europska normizacija
CENELEC

EN 62021-3
Isolierflüssigkeiten – Bestimmung des Säuregehaltes – Teil 3: Prüfverfahren für Isolieröle auf Nichtmineralölbasis (IEC 62021-3:2014)

29.060.10 Žice

Europska normizacija
CENELEC

EN 60317-51
Specifications for particular types of winding wires - Part 51: Solderable polyurethane enamelled round copper wire, class 180 (IEC 60317-51:2014)

EN 60317-52
Specifications for particular types of winding wires - Part 52: Aromatic polyamide (aramid) tape wrapped round copper wire, temperature index 220 (IEC 60317-52:2014)

EN 50182/AC:2001-07
Conductors for overhead lines – Round wire concentric lay stranded conductors

29.060.20 Kabeli

Europska normizacija
CENELEC

EN 61034-1/A1:2014-04
Measurement of smoke density of cables burning under defined conditions – Part 1: Test apparatus (IEC 61034-1:2005/A1:2013)

29.080.30 Izolacijski sustavi

Europska normizacija
CENELEC

EN 60034-18-41
Rotating electrical machines – Part 18-41: Partial discharge free electrical insulation systems (Type I) used in rotating electrical machines fed from voltage converters – Qualification and quality control tests (IEC 60034-18-41:2014-03)

EN 61858-1
Electrical insulation systems – Thermal evaluation of modifications to an established electrical insulation system (EIS) – Part 1: Wire-wound winding EIS (IEC 61858-1:2014-02)

EN 61858-2
Electrical insulation systems – Thermal evaluation of modifications to an established electrical insulation system (EIS) – Part 2: Form-wound EIS (IEC 61858-2:2014-02)

29.120.30 Utikači, utičnice, sprežnici

Međunarodna normizacija
IEC

IEC 61992-1 AMD 1:2014-04
Railway Applications – Fixed installations – D.C. switchgear – Part 1: General

IEC 61992-1 Edition 2.1:2014-04
Railway Applications – Fixed installations – D.C. switchgear – Part 1: General

IEC 61992-2 AMD 1:2014-04
Railway Applications – Fixed installations – D.C. switchgear – Part 2: DC circuit breakers

IEC 61992-2 Edition 2.1:2014-04
Railway Applications – Fixed installations – D.C. switchgear – Part 2: DC circuit breakers

IEC 61992-6 AMD 1:2014-04
Railway Applications – Fixed installations – D.C. switchgear – Part 6: DC switchgear assemblies

IEC 61992-2 Edition 1.1:2014-04
Railway Applications – Fixed installations – D.C. switchgear – Part 2: DC switchgear assemblies

IEC 60309-1 AMD 1 Corrigendum 1:2014-05
Plugs, socket-outlets and couplers for industrial purposes – Part 1: General requirements; Corrigendum 1

29.120.70 Sklopnici (releji)

Europska normizacija
CENELEC

EN 60255-121
Measuring relays and protection equipment - Part 121: Functional requirements for distance protection (IEC 60255-121:2014)

29.130.01 Rasklopni i upravljački uređaji općenito

Međunarodna normizacija
IEC

IEC 60214-1:2014-05
Tap-changers – Part 1: Performance requirements and test methods

29.130.10 Visokonaponski rasklopni i upravljački uređaji

Međunarodna normizacija
IEC

IEC 62271-211:2014-04
High-voltage switchgear and controlgear - Part 211: Direct connection between power transformers and gas-insulated metal-enclosed switchgear for rated voltages above 52 kV

29.130.20 Niskonaponski rasklopni i upravljački uređaji

Europska normizacija
CENELEC

EN 62626-1
Low-voltage switchgear and controlgear enclosed equipment - Part 1: Enclosed switch-disconnectors outside the scope of IEC 60947-3 to provide isolation during repair and maintenance work
(IEC 62626-1:2014)

Međunarodna normizacija
IEC

IEC/TR 60890:2014-05
A method of temperature-rise verification of low-voltage switchgear and controlgear assemblies by calculation

IEC 60947-4-3:2014-05
Low-voltage switchgear and controlgear – Part 4-3: Contactors and motor-starters – AC semiconductor controllers and contactors for non-motor loads

29.140.10 Kape i držači svjetiljki

Europska normizacija
CENELEC

EN 60061-1/A50
Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps (IEC 60061-1:1969/AMD 50:2014)

EN 60061-2/A47
Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders (IEC 60061-2:1969/AMD 47:2014)

EN 60061-3/A48
Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges (IEC 60061-3:1969/AMD 48:2014)

29.140.30 Fluorescentne svjetiljke. Svjetiljke s izbojem

Međunarodna normizacija
IEC

IEC 62035:2014-04
Discharge lamps (excluding fluorescent lamps) – Safety specifications

29.140.40 Rasvjetna tijela

Međunarodna normizacija
IEC

IEC 60598-1:2014-05
Luminaires – Part 1: General requirements and tests

29.140.99 Ostale norme koje se odnose na svjetiljke

Međunarodna normizacija
IEC

IEC 62442-2:2014-04
Energy performance of lamp controlgear – Part 2: Controlgear for high intensity discharge lamps (excluding fluorescent lamps) – Method of measurement to determine the efficiency of the controlgear

IEC 62442-3:2014-04
Energy performance of lamp controlgear – Part 3: Controlgear for halogen lamps and LED modules – Method of measurement to determine the efficiency of the controlgear

IEC 62442-3 Coprrigendum 1:2014-04
Energy performance of lamp controlgear – Part 3: Controlgear for halogen lamps and LED modules – Method of measurement to determine the efficiency of the controlgear

29.160.01 Rotacijski strojevi općenito

Europska normizacija
CENELEC

EN 60034-18-41
Rotating electrical machines – Part 18-42: Qualification and acceptance tests for partial discharge resistant electrical insulation systems (Type I) used in rotating electrical machines fed from voltage converters (IEC 60034-18-41:2014)

EN 60034-8/A1
Drehende elektrische Maschinen – Teil 8: Anschlussbezeichnungen und Drehsinn (IEC 60034-8:2007/A1:2014)

29.160.30 Motori

Europska normizacija
CENELEC

EN 60034-30-1
Rotating electrical machines – Part 30-1: Efficiency classes of line operated AC motors (IE-code) (IE-code) (IEC 60034-30-1:2014)

29.180 Transformatori. Prigušnice

Međunarodna normizacija
IEC

IEC 61558-2-10:2014-04
Safety of transformers, reactors, power supply units and combinations thereof - Part 2-10: Particular requirements and tests for separating transformers with high insulation level and separating transformers with output voltages exceeding 1 000 V

IEC 60214-1:2014-05
Tap-changers – Part 1: Performance requirements and test methods

29.220.30 Alkalni sekundarni članci i baterije

Međunarodna normizacija
IEC

IEC/TR 62914:2014-05
Secondary cells and batteries containing alkaline or other non-acid electrolytes – Experimental procedure for the forced internal short-circuit test to IEC 62133:2012

29.240.01 Mreže za prijenos i razdiobu električne energije općenito

Europska normizacija
CENELEC

EN 61936-1/A1
Power installations exceeding 1 kV a.c. – Part 1: Common rules (IEC 61936-1-2010/A1:2014)

29.260.20 Električni uređaji za eksplozivnu atmosferu

Europska normizacija
CENELEC

EN 60079-14:2014-03
Explosive atmospheres - Part 14: Electrical installations design, selection and erection (IEC 60079-14:2013)

29.280 Oprema za električnu vuču

Međunarodna normizacija
IEC

IEC 61992-1 AMD 1:2014-04
Railway Application – Fixed installations – D.C. switchgear – Part 1: General

IEC 61992-1 Edition 2.1:2014-04
Railway Application – Fixed installations – D.C. switchgear – Part 1: General

IEC 61992-2 AMD 1:2014-04
Railway Application – Fixed installations – D.C. switchgear – Part 2: D.C. circuit breakers

IEC 61992-2 Edition 2.1:2014-04
Railway Application – Fixed installations – D.C. switchgear – Part 2: D.C. circuit breakers

IEC 61992-6 AMD 1:2014-04
Railway Application – Fixed installations – D.C. switchgear – Part 6: D.C. switchgear assemblies

IEC 61992-6 Edition 2.1:2014-04
Railway Application – Fixed installations – D.C. switchgear – Part 6: D.C. switchgear assemblies

31.040.10 Nepromjenjivi otpornici

Međunarodna normizacija
IEC

IEC 60115-2:2014-05
Fixed resistors for use in electronic equipment – Part 2: Sectional specification: Leaded fixed low power film resistors

31.060.70 Energetski kondenzatori

Europska normizacija
CENELEC

EN 60831-1
Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1000 V – Part 1: General – Performance, testing and rating – Safety requirements – Guide for installation and operation (IEC 60831-1:2014)

EN 60831-2
Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1000 V – Part 2: Ageing test, self-healing test and destruction test (IEC 60831-2:2014)

Međunarodna normizacija
IEC

IEC 60831-1 Corrigendum 1:2014-05
Shunt power capacitors of the self-healing type for a.c. systems having a rated voltage up to and including 1000 V – Part 1: General – Performance, testing and rating – Safety requirements – Guide for installation and operation; Corrigendum 1

IEC 60871-1:2014-05
Shunt capacitors for AC power systems having a rated voltage above 1000 V – Part 1: General

31.120 Elektronički uređaji za prikazivanje

Međunarodna normizacija
IEC

IEC 62341-1-2:2014-04
Organic light emitting diode displays – Part 1-2: Terminology and letter symbols

IEC 62679-3-1:2014-04
Electronic paper displays – Part 3-1: Optical measuring methods

IEC 62679-1-1:2014-05
Electronic paper displays – Part 1-1: Terminology

31.140 Piezoelektrične naprave

Europska normizacija
CENELEC

EN 62761
Guidelines for the measurement method of nonlinearity for surface acoustic wave (SAW) and bulk acoustic wave (BAW) devices in radio frequency (RF) (IEC 62761:2014)

31.160 Električni filtri

Europska normizacija
CENELEC

EN 62761
Guidelines for the measurement method of nonlinearity for surface acoustic wave (SAW) and bulk acoustic wave (BAW) devices in radio frequency (RF) (IEC 62761:2014)

31.180 Tiskani krugovi i pločice

Međunarodna normizacija
IEC

IEC/TR 62866:2014-05
Electrochemical migration in printed wiring boards and assemblies – Mechanisms and testing

31.190 Sklopovi elektroničkih sastavnica

Europska normizacija
CENELEC

EN 61190-1-2
Attachment materials for electronic assembly – Part 1-2: Requirements for soldering paste for high-quality interconnects in electronics assembly (IEC 61190-1-2:2014)

31.220.10 Utikačke i utičničke naprave. Konektori

Europska normizacija
CENELEC

EN 62680-4:2014-04
Universal Serial Bus interfaces for data and power – Part 4: Universal Serial Bus Cables and Connectors Class, Revision 2.0 (IEC 62680-4:2013)

Međunarodna normizacija
IEC

IEC 61076-2-109:2014-05
Connectors for electronic equipment – Product requirements – Part 2-109: Circular connectors – Detail specification for connectors M 12 × 1 with screw-locking, for data transmissions with frequencies up to 500 MHz

31.240 Mehaničke konstrukcije za elektroničku opremu

Europska normizacija
CENELEC

EN 61587-5:2014-03
Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 – Part 5: Seismic tests for chassis, subracks, and associated plug-in units (IEC 61587-5:2013)

EN 61837-2/A1
Oberflächenmontierbare piezoelektrische Bauteile zur Frequenzstabilisierung und -selektion – Norm-Gehäusemaße und Anschlüsse – Teil 2: Keramikgehäuse (IEC 61837-2:2011/A1:2014)

31.260 Optoelektronika. Laserska oprema

Europska normizacija
CENELEC

EN 62522
Calibration of tuneable laser sources (IEC 62522:2014)

Međunarodna normizacija
IEC

IEC 62341-1-2:2014-04
Organic light emitting diode displays – Part 1-2: Terminology and letter symbols

IEC 62679-3-1:2014-04
Electronic paper displays – Part 3-1: Optical measuring methods

IEC 60825-1:2014-05
Safety of laser products – Part 1: Equipment classification and requirements

IEC 62679-1-1:2014-05
Electronic paper displays – Part 1-1: Terminology

33.040.99 Druga oprema za komunikacijske sustave

Europska normizacija
CENELEC

EN 301598 V 1.1.1:2014-04
White Space Devices (WSD) – Wireless Access Systems operating in the 470 MHz to 790 MHz TV broadcast band – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

33.050.01 Telekomunikacijska terminalna oprema općenito

Europska normizacija
CENELEC

EN 300019-1-1 V 2.2.1:2014-04
Environmental Engineering (EE) – Environmental conditions and environmental tests for telecommunications equipment – Part 1-1: Classification of environmental conditions – Storage

EN 300019-1-2 V 2.2.1:2014-04
Environmental Engineering (EE) – Environmental conditions and environmental tests for telecommunications equipment – Part 1-2: Classification of environmental conditions – Transportation

EN 300019-1-3 V 2.4.1:2014-04
Environmental Engineering (EE) – Environmental conditions and environmental tests for telecommunications equipment – Part 1-3: Classification of environmental conditions – Stationary use at weatherprotected locations

EN 300019-1-4 V 2.2.1:2014-04
Environmental Engineering (EE) – Environmental conditions and environmental tests for telecommunications equipment – Part 1-4: Classification of environmental conditions – Stationary use at non-weatherprotected locations

33.060.20 Prijamna i odašiljačka oprema

Europska normizacija
CENELEC

EN 303039 V 1.1.1:2014-04
Electromagnetic compatibility and Radio spectrum Matters (ERM) – Land Mobile Service – Multichannel transmitter specification for the PMR Service – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

EN 302065-1 V 1.3.1:2014-04
Electromagnetic compatibility and Radio spectrum Matters (ERM) – Short Range Devices (SRD) using Ultra Wide Band technology (UWB) – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive – Part 1: Requirements for Generic UWB applications

EN 302065-2 V 1.1.1:2014-04
Electromagnetic compatibility and Radio spectrum Matters (ERM) – Short Range Devices (SRD) using Ultra Wide Band technology (UWB) – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive – Part 2: Requirements for UWB location tracking

EN 302217-3 V 2.2.1:2014-04
Fixed Radio Systems – Characteristics and requirements for point-to-point equipment and antennas – Part 3: Equipment operating in frequency bands where both frequency coordinated or uncoordinated deployment might be applied – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

33.060.30 Radioreleji i nepomični satelitski komunikacijski sustavi

Europska normizacija
CENELEC

EN 50585
Kommunikationsprotokoll zum Transport von Satellitensignalen ueber IP-Netze

EN 302217-2-2 V 2.2.1:2014-04
Fixed Radio Systems – Characteristics and requirements for point-to-point equipment and antennas – Part 2-2: Digital systems operating in frequency bands where frequency co-ordination is applied – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

33.060.40 Kabelski distribucijski sustavi

Europska normizacija
CENELEC

EN 60728-1-1
Cable networks for television signals, sound signals and interactive services – Part 1-1: RF cabling for two way home networks (IEC 60728-1-1:2014)

EN 60728-1-2
Cable networks for television signals, sound signals and interactive services – Part 1-2: Performance requirements for signals delivered at the system outlet in operation (TA 5) (IEC 60728-1-2:2014)

EN 60728-14
Cable networks for television signals, sound and interactive services – Part 14: Optical return path systems using RFoG technology (IEC 60728-14:2014)

Međunarodna normizacija
IEC

IEC 60728-12014-05
Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward path

33.070.01 Pokretne službe općenito

Europska normizacija
CENELEC

CEN/TR 16671:2014-06
Information technology – Authorization of mobile phones when used as RFID interrogators

33.100.01 Elektromagnetska kompatibilnost općenito

Europska normizacija
CENELEC

EN 55016-1-2
Anforderungen an Geräte und Einrichtungen sowie Festlegung der Verfahren zur Messung der hochfrequenten Störaussendung (Funkstörungen) und Störfestigkeit – Teil 1-2: Geräte und Einrichtungen zur Messung der hochfrequenten Störaussendung (Funkstörungen) und Störfestigkeit – Koppeleinrichtungen zur Messung der leitungsgeführten Störaussendung

EN 55016-2-3/A2
Anforderungen an Geräte und Einrichtungen sowie Festlegung der Verfahren zur Messung der hochfrequenten Störaussendung (Funkstörungen) und Störfestigkeit – Teil 2-3: Verfahren zur Messung der hochfrequenten Störaussendung (Funkstörungen) und Störfestigkeit – Messung der gestrahlten Störaussendung

Međunarodna normizacija
IEC

IEC 60050-161 AMD 3 : 2014-02
International elektrotechnical vocabulary – Part 161: Electromagnetic compatibility; Amendment 3

33.100.10 Zračenje

Europska normizacija
CENELEC

EN 302065-1 V 1.3.1:2014-04
Electromagnetic compatibility and Radio spectrum Matters (ERM) – Short Range Devices (SRD) using Ultra Wide Band technology (UWB) – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive – Part 1: Requirements for Generic UWB applications

EN 302065-2 V 1.1.1:2014-04
Electromagnetic compatibility and Radio spectrum Matters (ERM) – Short Range Devices (SRD) using Ultra Wide Band technology (UWB) – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive – Part 2: Requirements for UWB location tracking

EN 302065-3 V 1.1.1:2014-04
Electromagnetic compatibility and Radio spectrum Matters (ERM) – Short Range Devices (SRD) using Ultra Wide Band technology (UWB) – Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive – Part 3: Requirements for UWB devices for road and rail vehicles

Međunarodna normizacija
IEC

IEC 61000-3-2:2014-05
Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)

33.100.20 Otpornost

Europska normizacija
CENELEC

EN 60601-1-2
Medical electrical equipment – Part 1-2: General requirements for basic safety and essential performance – Collateral standard: Electromagnetic disturbances – Requirements and tests (IEC 60601-1-2:2014)

Međunarodna normizacija
IEC

IEC 61000-4-5:2014-05
Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

IEC 61000-4-19:2014-05
Electromagnetic Compatibility (EMC) – Part 4-19: Testing and measurement techniques – Test for immunity to conducted, differential mode disturbances and signalling in the frequency range from 2 kHz to 150 kHz, at a.c. power ports

33.120.30 RF konektori

IEC 61169-45:2014-05
Radio-frequency connectors – Part 45: Sectional specification for series SQMA series quick lock RF coaxial connectors

IEC 61169-49:2014-05
Radio-frequency connectors – Part 49: Sectional specification for SMAA series R.F connectors

33.160.01 Audiosustavi, videosustavi i audiovizualni sustavi općenito

Europska normizacija
CENELEC

EN 60065/AA
Audio-, Video- and aenliche electronishe Geraete – Sicherheitsanforderungen

EN 61883-8/A1
Consumer audio/video equipment – Digital interface – Part 8: Transmission of ITU-R BT.601 style digital video data (IEC 61883-8:2008/A1:2014)

EN 62379-5-2
Common control interface for networked digital audio and video products – Part 5-2: Transmission over networks – Signalling (IEC 62379-5-2:2014)

Međunarodna normizacija
IEC

IEC 61966-12-2:2014-04
Multimedia systems and equipment – Colour measurement and management – Part 12-2: Simple Metadata format for identification of colour gamut

33.160.30 Audiosustavi

Međunarodna normizacija
IEC

IEC 60958-1 AMD 1:2014-04
Digital audio interface – Part 1: General (TA 4)

IEC 60958-1 Edition 3.1:2014-04
Digital audio interface – Part 1: General (TA 4)

33.160.40 Videosustavi

Međunarodna normizacija
IEC

IEC 62676-4:2014-04
Video surveillance systems for use in security applications – Part 4: Application guidelines

33.160.60 Multimedijski sustavi i telekonferencijska oprema

Europska normizacija
CENELEC

EN 62481-4
Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 4: DRM interoperability solutions (TA 9) (IEC 62481-4:2014)

EN 62608-1
Multimedia home network configuration – Basic reference model – Part 1: System model (IEC 62608-1:2014)

33.170 Televizijski i radijski prijenos

Europska normizacija
CENELEC

EN 50585
Kommunikationsprotokoll zum Transport von Satellitensignalen ueber IP-Netze

EN 301545-2 V 1.2.1:2014-04
Digital Video Broadcasting (DVB) – Second Generation DVB Interactive Satellite System (DVB-ECS2) – Part 2: Lower Layers for Satellite standard

33.180.01 Svjetlovodni sustavi općenito

Međunarodna normizacija
IEC

IEC 61280-2-12:2014-05
Fibre optic communication subsystem test procedures – Part 2-12: Digital systems – Measuring eye diagrams and Q-factor using a software triggering technique for transmission signal quality assessment

IEC/TR 61282-13:2014-05
Fibre optic communication system design guides – Part 13: Guidance on in-service PMD and CD characterization of fibre optic links

33.180.10 Svjetlovodna vlakna i kabeli

Europska normizacija
CENELEC

EN 60794-5-10
Optical fibre cables – Part 5-10: Family specification for outdoor microduct optical fibre cables, microducts and protected microducts for installation by blowing (IEC 60794-5-10:2014)

EN 60794-5-20
Optical fibre cables – Part 5-20: Family specification for outdoor microduct fibre units, microducts and protected microducts for installation by blowing (IEC 60794-5-20:2014)

EN 60793-1-51:2014-05
Measurement methods – Dry heat (steady state) tests (IEC 60793-1-51:2014)

EN 60793-1-52:2014-05
Optical fibres – Part 1-52: Measurement methods – Change of temperature tests (IEC 60793-1-52:2014)

EN 60793-1-53:2014-05
Optical fibres – Part 1-53: Measurement methods – Water immersion tests (IEC 60793-1-52:2014)

EN 60794-2-20:2014-05
Optical fibre cables – Part 2-20: Indoor cables – Family specification for multi-fibre optical cables (IEC 60794-2-20:2013)

Međunarodna normizacija
IEC

IEC 60794-1-24:2014-05
Optical fibre cables – Part 1-24: Generic specification – Basic optical cable test procedures – Electrical test methods

33.180.20 Svjetlovodni vezne naprave

Europska normizacija
CENELEC

EN 61300-2-35
Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-35: Tests – Cable nutation (IEC 61300-2-35:2014)

EN 61300-3-52:2014-04
Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-52: Examination and measurements – Guide hole and alignment pin deformation constant, CD for 8 degree angled PC rectangular ferrule, single mode fibres (IEC 61300-3-52:2014)

EN 62074-1:2014-04
Fibre optic interconnecting devices and passive components – Fibre optic WDM devices – Part 1: Generic specification (IEC 62074-1:2014)

EN 61300-2-42:2014-05
Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-42: Tests – Static side load for strain relief (IEC 61300-2-42:2014)

EN 61300-3-29
Lichtwellenleiter – Verbindungselemente und passive Bauteile – Grundlegende Prüf- und Messverfahren – Teil 3-29: Untersuchungen und Messungen – Spektrale Übertragungsfunktion von DWDM-Bauteilen (IEC 61300-3-29:2014)

EN 61753-053-2
Lichtwellenleiter – Verbindungselemente und passive Bauteile – Betriebsverhalten – Teil 053-2: Nicht mit Steckverbindern versehene, elektrisch kontrolliert änderbare optische Dämpfungsglieder für Einmodenfasern für die Kategorie C – Kontrollierte Umgebung (IEC 61753-053-2:2014)

Međunarodna normizacija
IEC

IEC 61300-3-21:2014-04
Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-21: Examinations and measurements – Switching time

IEC 61753-081-2:2014-04
Fibre optic interconnecting devices and passive components – Performance standard – Part 081-2: Non-connectorised single-mode fibre optic middle-scale 1 x N DWDM devices for category C – Controlled environments

IEC 61753-1-3:2014-05
Fibre optic interconnecting devices and passive components – Performance standard – Part 1-3: General and guidance for single-mode fibre optic connector and cable assembly for industrial environment, Category I

IEC 61753-041-2:2014-05
Fibre optic interconnecting devices and passive components – Performance standard – Part 041-2: Non-connectorized single-mode OTDR reflecting device for category C – Controlled environment

IEC 61753-071-2:2014-05
Fibre optic interconnecting devices and passive components – Performance standard – Part 071-2: Non-connectorized single- mode fibre optic 1 × 2 and 2 × 2 spatial switches for category C – Controlled environments

IEC 61978-1:2014-05
Fibre optic interconnecting devices and passive components – Fibre optic passive chromatic dispersion compensators – Part 1: Generic specification

IEC/TR 62627-06:2014-05
Fibre optic interconnecting devices and passive components – Part 06: Mechanical design proving Nutation test results for reinforced fibre cable terminated with optical connectors for high density patching applications

33.180.30 Optička pojačala

Međunarodna normizacija
IEC

IEC 62149-8:2014-04
Fibre optic active components and devices – Performance standard – Part 8: Seeded reflective semiconductor optical amplifier devices

IEC 62149-9:2014-04
Fibre optic active components and devices – Performance standard – Part 9: Seeded reflective semiconductor optical amplifier transceivers

IEC 61290-10-5:2014-05
Optical amplifiers – Test methods – Part 10-5: Multichannel parameters – Distributed Raman amplifier gain and noise figure

IEC 62148-15:2014-05
Fibre optic active components and devices – Package and interface standards – Part 15: Discrete vertical cavity surface emitting laser packages

IEC 62149-2:2014-05
Fibre optic active components and devices – Performance standard – Part 2: 850 nm discrete vertical cavity surface emitting laser devices

IEC 62149-3:2014-05
Fibre optic active components and devices – Performance standards – Part 3: Modulator-integrated laser diode transmittersfor 2,5-Gbit/s to 40-Gbit/s fibre optic transmission systems

IEC 62343-3-3:2014-05
Dynamic modules – Performance specification templates – Part 3-3: Wavelength selective switches

33.180.99 Ostala svjetlovodna oprema

Europska normizacija
CENELEC

EN 62522
Calibration of tuneable laser sources (IEC 62522:2014)

35.020 Informacijska tehnologija (IT) općenito

Europska normizacija
CENELEC

CWA 16234-1:2014-04
European e-Competence Framework Version 3.0 – Part 1: A common European framework for ICT Professionals in all industry sectors

CWA 16234-4:2014-04
European e-Competence Framework Version 3.0 – Part 4: case studies for the application of the European e-Competence Framework 3.0

Međunarodna normizacija
ISO

ISO/IEC 19099:2014-05
Information technology – Virtualization Management Specification

35.040 Skupovi znakova i kodiranje informacija

Međunarodna normizacija
ISO

ISO/IEC 13818-1 AMD 2:2014-04
Information technology – Generic coding of moving pictures and associated audio information -- Part 1: Systems – Amendment 2: Signalling of transport files, signalling MVC view association to eye and MIME type registration

ISO/IEC 13818-1 AMD 3:2014-04
Information technology – Generic coding of moving pictures and associated audio information -- Part 1: Systems – Amendment 3: Transport of HEVC video over MPEG-2 systems

ISO/IEC 13818-1 AMD 4:2014-04
Information technology – Generic coding of moving pictures and associated audio information -- Part 1: Systems – Amendment 4: Support for event signalling in Transport Stream in MPEG-2 systems

ISO 15000-5:2014
Electronic Business Extensible Markup Language (ebXML) – Part 5: Core Components Specification (CCS)

ISO/IEC 15946-1:Technical Corrigendum 2:2014-04
Information technology – Security techniques – Cryptographic techniques based on elliptic curves – Part 1: General; Technical Corrigendum 2

ISO/IEC 23002-4:2014-04
Information technology – MPEG video technologies – Part 4: Video tool library

ISO/IEC 27036-1:2014
Information technology – Security techniques – Information security for supplier relationships – Part 1: Overview and concepts

ISO/IEC 29109-5:2014
Information technology – Conformance testing methodology for biometric data interchange formats defined in ISO/IEC 19794 – Part 5: Face image data

ISO/IEC 13818-1 AMD 1:2014-05
Information technology – Generic coding of moving pictures and associated audio information – Part 1: Systems – Amendment 1: Extensions for simplified carriage of MPEG-4 over MPEG-2

ISO/IEC 19508:2014-04
Information technology – Object Management Group Meta Object Facility (MOF) Core

ISO/IEC 19509:2014-04
Information technology – Object Management Group XML Metadata Interchange (XMI)

ISO/IEC 23000-13:2014-05
Information technology – Multimedia application format (MPEG-A) – Part 13: Augmented reality application format

ISO/IEC 23007-1 AMD 1 Technical Corrigendum 2:2014-05
Information technology – Rich media user interfaces – Part 1: Widgets – Amendment 1: Widget extensions; Technical Corrigendum 2

ISO/IEC 23009-1:2014-05
Information technology – Dynamic adaptive streaming over HTTP (DASH) – Part 1: Media presentation description and segment formats

IEC

IEC 62443-3-3 Corrigendum 1:2014-04
Industrial communication networks – Network and system security – Part 3-3: System security requirements and security levels; Corrigendum 1

35.100.70 Sloj primjene

Međunarodna normizacija
ISO

ISO/IEC 19464:2014-05
Information technology – Advanced Message Queuing Protocol (AMQP) v1.0 specification

35.110 Umrežavanje (IT)

Europska normizacija
CENELEC

EN 50585
Kommunikationsprotokoll zum Transport von Satellitensignalen ueber IP-Netze

EN 62481-4
Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 4: DRM interoperability solutions (TA 9) (IEC 62481-4:2014)

EN 62608-1
Multimedia home network configuration – Basic reference model – Part 1: System model (IEC 62608-1:2014)

EN 61918/AC:2014-05
Industrial communication networks – Installation of communication networks in industrial premises

EN 302636-1 V 1.2.1:2014-04
Intelligent Transport Systems (ITS) – Vehicular Communications – GeoNetworking – Part 1: Requirements

Međunarodna normizacija
ISO

ISO/IEC 8802-3:2014-04
Standard for Ethernet

ISO/IEC 29145-1:2014-03
Information technology – Wireless Beacon-enabled Energy Efficient Mesh network (WiBEEM) for wireless home network services – Part 1: PHY Layer

IEC

IEC 60050-732 AMD 1:2014-02
International Electrotechnical Vocabulary – Part 732: Computer network technology

35.160 Mikroprocesorski sustavi

Međunarodna normizacija
IEC

IEC 61158-1:2014-05
IEC 61158-1: Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series

35.180 Terminalna i druga vanjska oprema

Međunarodna normizacija
ISO

ISO/IEC TR 20007:2014-05
Information technology – Cultural and linguistic interoperability – Definitions and relationship between symbols, icons, animated icons, pictograms, characters and glyphs

35.200 Sučelna i spojna oprema

Europska normizacija
CENELEC

EN 62680-4:2014-04
Universal serial bus interfaces for data and power – Part 4: Universal Serial Bus Cables and Connectors, Revision 2.0 (IEC 62680-4:2013)

Međunarodna normizacija
ISO

ISO/IEC 14776-251:2014
Information technology –Small computer system interface (SCSI) – Part 251: USB attached SCSI (UAS)

ISO/IEC 29145-1:2014-03
Information technology – Wireless Beacon-enabled Energy Efficient Mesh network (WiBEEM) for wireless home network services – Part 1: PHY Layer

35.240.15 Identifikacijske kartice i pripadajuće naprave

Međunarodna normizacija
ISO

ISO/IEC 14443-3 AMD 3:2014-04
Identification cards – Contactless integrated circuit cards – Proximity cards – Part 3: Initialization and anticollision – Amendment 3: Alternating between PICC and PCD functionalities, and PICC supporting both types

ISO/IEC 24727-2 AMD 1:2014-04
Identification cards – Integrated circuit card programming interfaces – Part 2: Generic card interface; Amendment 1

ISO/IEC 24727-3 AMD 1:2014-04
Identification cards – Integrated circuit card programming interfaces – Part 3: Application interface; Amendment 1

ISO/IEC 24727-4 AMD 1:2014-04
Identification cards – Integrated circuit card programming interfaces – Part 4: Application programming interface (API) administration; Amendment 1

ISO/IEC 29109-5:2014-04
Information technology – Conformance testing methodology for biometric data interchange formats defined in ISO/IEC 19794 – Part 5: Face image data

35.240.40 Primjene IT-a u bankarstvu

Europska normizacija
CEN

CWA 16744-1:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 1: European data Point Methodology for supervisory reporting

CWA 16744-2:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 2: Guidelines for Data Point Modelling

CWA 16744-3:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 3: European XBRL Taxonomy Architecture

CWA 16744-4:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 4: European Filling Rules

CWA 16744-5:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 5: Mapping between DPM and MDM

CWA 16745:2014-04
Improving transparency in financial and business reporting – Metadata container

CWA 16746-1:2014-04
Improving transparency in financial and business reporting – Standard regulatory roll-out package for better adoption – Part 1: XBRL Supervisory Roll-out Guide

CWA 16746-2:2014-04
Improving transparency in financial and business reporting – Standard regulatory roll-out package for better adoption – Part 2: XBRL Handbook for Declarers

35.240.50 Primjene IT-a u industriji

Europska normizacija
CEN

EN 61970-453
Energy management system application program interface (EMS-API) – Part 453: Diagram layout profile (IEC 61970-453:2014)

Međunarodna normizacija
IEC

IEC 60770-3:2014-05
Transmitters for use in industrial-process control systems – Part 3: Methods for performance evaluation of intelligent transmitters

IEC 61158-1:2014-05
IEC 61158-1: Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series

IEC 62325-451-2:2014-05
Framework for energy market communications – Part 451-2: Scheduling business process and contextual models for CIM European market

IEC 62443-3-3 Corrigendum 1:2014-04
Industrial communication networks – Network and system security – Part 3-3: System security requirements and security levels; Corrigendum 1

35.240.60 Primjene IT-a u prijevozu i trgovini

Europska normizacija
CEN

EN 13044-1/AC:2014-04
Intermodal Loading Units – Marking – Part 1: Markings for identification

CWA 16744-1:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 1: European data Point Methodology for supervisory reporting

CWA 16744-2:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 2: Guidelines for Data Point Modelling

CWA 16744-3:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 3: European XBRL Taxonomy Architecture

CWA 16744-4:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 4: European Filling Rules

CWA 16744-5:2014-04
Improving transparency in financial and business reporting – Harmonisation topics – Part 5: Mapping between DPM and MDM

CWA 16745:2014-04
Improving transparency in financial and business reporting – Metadata container

CWA 16746-1:2014-04
Improving transparency in financial and business reporting – Standard regulatory roll-out package for better adoption – Part 1: XBRL Supervisory Roll-out Guide

CWA 16746-2:2014-04
Improving transparency in financial and business reporting – Standard regulatory roll-out package for better adoption – Part 2: XBRL Handbook for Declarers

CEN/TR 16669:2014-06
Information technology – Device interface to support ISO/IEC 18000-3

CEN/TR 16670:2014-06
Information technology – RFID threat and vulnerability analysis

CEN/TR 16671:2014-06
Information technology – Authorization of mobile phones when used as RFID interrogators

CEN/TR 16672:2014-06
Information technology – Privacy capability features of current RFID technologies

CEN/TR 16673:2014-06
Information technology – RFID privacy impact assessment analysis for specific sectors

CEN/TR 16674:2014-06
Information technology – RFID privacy impact assessment analysis for specific sectors

CEN/TR 16684:2014-06
Information technology – Notification of RFID – Additional information to be provided by operators

EN 61375-3-4:2014-05
Electronic railway equipment – Train communication network (TCN) – Part 3-4: Ethernet Consist Network (ECN) (IEC 61375-3-4:2014)

EN 302636-1 V 1.2.1:2014-04
Intelligent Transport Systems (ITS) – Vehicular Communications – GeoNetworking – Part 1: Requirements

Međunarodna normizacija
ISO

ISO 15000-5:2014-04
Electronic Business Extensible Markup Language (ebXML) – Part 5: Core Components Specification (CCS)

ISO 11270:2014-05
Intelligent transport systems – Lane keeping assistance systems (LKAS) – Performance requirements and test procedures

IEC

IEC/TR 61375-2-7:2014-04
Electronic railway equipment – Train communication network (TCN) – Part 2-7: Wireless train backbone

IEC 62325-451-2:2014-05
Framework for energy market communications – Part 451-2: Scheduling business process and contextual models for CIM European market

35.240.99 Primjene IT-a u ostalim područjima

Europska normizacija
CENELEC

EN 14908-1:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 1: Protocol Stack

EN 14908-2:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 2: Twisted Pair Communication

EN 14908-3:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 3: Power Line Channel

EN 14908-4:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 4: IP Communication

EN 16590-1:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control systems – Part 1: General principles for design and developments (ISO 25119-1-2010 modified)

EN 16590-2:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control systems – Part 2: Concept phase (ISO 25119-2-2010 modified)

EN 16590-3:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control systems – Part 3: Series development, hardware and software (ISO 25119-3-2010 modified)

EN 16590-4:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control systems – Part 4: Production, operation, modification and supporting processes (ISO 25119-4-2010 modified)

EN ISO 16484-5:2014-05
Building automation and control systems (BACS) – Part 5: Data communication protocol (ISO 16484-5:2014)

EN ISO 16484-6:2014-05
Building automation and control systems (BACS) – Part 6: Data communication conformance testing (ISO 16484-6:2014)

Međunarodna normizacija
ISO

ISO/IEC 29145-1:2014-03
Information technology – Wireless Beacon-enabled Energy Efficient Mesh network (WiBEEM) for wireless home network services – Part 1: PHY layer

ISO 16484-5:2014-05
Building automation and control systems (BACS) – Part 5: Data communication protocol

ISO 16484-6:2014-05
Building automation and control systems (BACS) – Part 6: Data communication conformance testing

IEC

IEC 62325-301:2014-05
Framework for energy market communications – Part 301: Common information model (CIM) extensions for markets

37.020 Optička oprema

Međunarodna normizacija
ISO

ISO 22493:2014-04
Microbeam analysis – Scanning electron microscopy – Vocabulary

37.040.10 Fotografska oprema. Projektori

Međunarodna normizacija
IEC

IEC 61966-12-2:2014-04
Multimedia systems and equipment – Colour measurement and management – Part 12-2: Simple Metadata format for identification of colour gamut

43.020 Cestovna vozila općenito

Međunarodna normizacija
ISO

ISO 10844:2014-05
Acoustics – Specification of test tracks for measuring noise emitted by road vehicles and their tyres

43.040.10 Električna i elektronička oprema

Međunarodna normizacija
ISO

ISO 10605 AMD 1:2014-04
Road vehicles – Test methods for electrical disturbances from electrostatic discharge; Amendment 1

ISO 8820-9:2014-05
Road vehicles – Fuse-links – Part 9: Fuse-links with shortened tabs (Type K)

43.040.15 Informatika vozila. Računalni sustavi u vozilu

Europska normizacija
CEN

EN ISO 18542-2:2014-05
Road vehicles – Standardized repair and maintenance information (RMI) terminology – Part 2: Standardized process implementation requirements, Registration Authority (ISO 18542-2:2014)

Međunarodna normizacija
ISO

ISO 17215-1:2014-04
Road vehicles – Video communication interface for cameras (VCIC) – Part 1: General information and use case definition

ISO 17215-4:2014-04
Road vehicles – Video communication interface for cameras (VCIC) – Part 4: Implementation of communication requirements

ISO 11992-2:2014-05
Road vehicles – Interchange of digital information on electrical connections between towing and towed vehicles – Part 2: Application layer for brakes and running gear

ISO 11992-4:2014-05
Road vehicles – Interchange of digital information on electrical connections between towing and towed vehicles – Part 4: Diagnostic communication

ISO 17215-2:2014-05
Road vehicles – Video communication interface for cameras (VCIC) – Part 2: Service discovery and control

ISO 17215-3:2014-04
Road vehicles – Video communication interface for cameras (VCIC) – Part 3: Camera message dictionary

ISO 18542-2:2014-05
Road vehicles – Standardized repair and maintenance information (RMI) terminology – Part 2: Standardized process implementation requirements, Registration Authority

43.060.50 Električna oprema. Upravljački sustavi

Međunarodna normizacija
ISO

ISO 6550-4:2014-05
Road vehicles – Sheath-type glow-plugs with conical seating and their cylinder head housing – Part 4: M8 x 1 glow-plugs

43.120 Električna cestovna vozila

Europska normizacija
CENELEC

EN 61851-24
Electric vehicle conductive charging system – Part 24: Digital communication between a dc EV charging station and an electric vehicle for control of d.c. charging (IEC 61851-24:2014)

Međunarodna normizacija
ISO

ISO 15118-2:2014-04
Road vehicles – Vehicle-to-Grid Communication Interface – Part 2: Network and application protocol requirements

43.180 Oprema za dijagnostiku, održavanje i ispitivanje

Europska normizacija
CEN

EN ISO 18542-2:2014-05
Road vehicles – Standardized repair and maintenance information (RMI) terminology – Part 2: Standardized process implementation requirements, Registration Authority (ISO 18542-2:2014)

Međunarodna normizacija
ISO

ISO 18542-2:2014-05
Road vehicles – Standardized repair and maintenance information (RMI) terminology – Part 2: Standardized process implementation requirements, Registration Authority

45.060.01 Željeznička tračnička vozila općenito

Europska normizacija
CEN

EN 50153:2014-05
Railway applications – Rolling stock – Protective provisions relating to electrical hazards

47.020.30 Cjevovodni sustavi

Međunarodna normizacija
ISO

ISO 17602:2014-04
Ships and marine technology – Metal valves for use in flanged pipe – Face-to-face and centre-to-face dimensions

47.020.60 Električna oprema brodova i pomorskih konstrukcija

Međunarodna normizacija
IEC

IEC 60092-360:2014-04
Electrical installations in ships – Part 360: Insulating and sheathing materials for shipboard and offshore units, power, control, instrumentation and telecommunication cables

47.020.70 Oprema za navigaciju i upravljanje

Europska normizacija
CENELEC

EN 62065:2014-05
Maritime navigation and radiocommunication equipment and systems – Track control systems – Operational and performance requirements, methods of testing and required test results (IEC 62065:2014)

47.020.99 Ostale norme koje se odnose na brodogradnju i pomorske konstrukcije

Međunarodna normizacija
ISO

ISO 16145-5:2014-04
Ships and marine technology – Protective coatings and inspection method – Part 5: Assessment method for coating damages

49.025.10 Čelici

Europska normizacija
CEN

EN 4627:2014-04
Aerospace series – Steel X4CrNiMo16 (1.4418) – Air melted - Hardened and tempered – Forgings – De ≤ 200 mm – 1150 MPa ≤ Rm ≤ 1300 MPa

49.025.15 Obojene slitine općenito

Europska normizacija
CEN

EN 2402:2014-04
Aerospace series – Heat resisting nickel base alloy NiCr20Co3Fe3 – Annealed – Wire – D ≤ 10 mm

49.025.20 Aluminij

Europska normizacija
CEN

EN 4293:2014-04
Aerospace series – Aluminium alloy Al-P7175 – T72511 – Extruded bar and section – a or D 150 mm

EN 4707:2014-04
Aerospace series – Acid pickling of aluminium and aluminium alloy without hexavalent chromium

49.060 Zrakoplovna električna oprema i sustavi

Europska normizacija
CENELEC

EN 3475-514:2014-04
Aerospace series – Cables, electrical, aircraft use – Test methods – Part 514: Porosity of copper cladding on aluminium strands

EN 4057-402:2014-04
Aerospace series – Cable ties for harnesses – Test methods – Part 402: Life cycle

EN 4199-003:2014-04
Aerospace series – Bonding straps for aircraft – Part 003: Bonding strap assemblies with flat braided conductor cooper, tin plated – 65 OC up to 150 OC and cooper, nickel plated – 65 OC up to 260 OC – Product standard

EN 4651:2014-04
Aerospace series – Copper-clad alluminium alloy conductors for electrical cables – Product standard

EN 4708-001:2014-04
Aerospace series – Sleeving, heat-shrinable, for binding, insulation and identification – Part 001: Technical specification

EN 6059-406:2014-04
Aerospace series – Electrical cables, installation – Protection sleeves - Test methods – Part 406: Vibration

EN 6059-601:2014-04
Aerospace series – Electrical cables, installation – Protection sleeves - Test methods – Part 601: Open and close

49.080 Zrakoplovni fluidički sustavi i sastavnice

Europska normizacija
CEN

EN 4549:2014-04
Aerospace series – Pipe coupling in heat resisting steel or in heat resisting nickel alloy – Coupling end, welded - Design configuration – Inch series

49.140 Svemirski sustavi i operacije

Međunarodna normizacija
ISO

ISO/TR 11233:2014-04
Space systems – Orbit determination and estimation – Process for describing techniques

ISO 16126:2014-04
Space systems – Assessment of survivability of unmanned spacecraft against space debris and meteoroid impacts to ensure successful post-mission disposal

ISO 16457:2014-04
Space systems – Space environment (natural and artificial) – The Earth's ionosphere model: international reference ionosphere (IRI) model and extensions to the plasmasphere

ISO/TR 18147:2014-04
Space systems – Space environment (natural and artificial) – method of the solar energetic protons fluences and peak fluxes determination

ISO 23462:2014-04
Space systems – Guidelines to define the management framework for a space project

53.020.20 Dizalice

Europska normizacija
CEN

EN 13000+A1:2014-05
Cranes – Mobile cranes

Međunarodna normizacija
ISO

ISO 17440:2014-06
Cranes – General design – Limit states and proof of competence of forged steel hooks

53.020.99 Druga oprema za dizanje

Međunarodna normizacija
ISO

ISO 18893:2014-04
Mobile elevating work platforms – Safety principles, inspection, maintenance and operation

53.040.20 Sastavnice za prijenosne vrpce

Europska normizacija
CEN

EN 12881-1:2014-05
Conveyor belts – Fire simulation flammability testing – Part 1: Propane burner tests

53.060 Industrijski prijevozni sustavi

Europska normizacija
CEN

EN 16203:2014-06
Safety of Industrial Trucks – Dynamic tests for verification of lateral stability – Counterbalanced Trucks

55.020 Ambalaža, pakiranje i distribucija robe općenito

Europska normizacija
CEN

EN 16247-4:2014-05
Energy audits – Part 4: Transport

55.140 Bačve. Bubnjevi. Kante

Međunarodna normizacija
ISO

ISO 13106:2014-05
Plastics – Blow-moulded polypropylene containers for packaging of liquid foodstuffs

55.180.10 Kontejneri opće namjene

Europska normizacija
CEN

EN 13044-1/AC:2014-04
Intermodal Loading Units – Marking – Part 1: Markings for identification

55.180.30 Zrakoplovni kontejneri, palete i mreže

Međunarodna normizacija
ISO

ISO 10327:2014-05
Air cargo – Main deck containers – Design and testing

59.060.01 Tekstilna vlakna općenito

Europska normizacija
CEN

EN ISO 14389:2014-06
Textiles – Determination of the phthalate content – Tetrahydrofuran method (ISO 14389:2014)

59.060.10 Prirodna vlakna

Europska normizacija
CEN

EN ISO 10306:2014-06
Textiles – Cotton fibres – Evaluation of maturity by the air flow method (ISO 10306:2014)

59.080.01 Tekstili općenito

Europska normizacija
CEN

EN ISO 16373-2:2014-06
Textiles – Dyestuffs – Part 2: General method for the determination of extractable dyestuffs including allergenic and carcinogenic dyestuffs (method using pyridine-water) (ISO 16373-2:2014)

EN ISO 16373-3:2014-06
Textiles – Dyestuffs – Part 3: Method for determination of certain carcinogenic dyestuffs (method using triethylamine/methanol) (ISO 16373-3:2014)

Međunarodna normizacija
ISO

ISO 17299-5:2014-04
Textiles – Determination of deodorant property – Part 5: Metal-oxide semiconductor sensor method

ISO 14389:2014-05
Textiles – Determination of the phthalate content – Tetrahydrofuran method

ISO 15625:2014-05
Silk – Electronic test method for defects and evenness of raw silk

65.020.20 Uzgoj biljaka

Međunarodna normizacija
ISO

ISO 17217-1:2014-04
Traditional Chinese medicine – Ginseng seeds and seedlings – Part 1: Panax ginseng C.A. Meyer

65.060.01 Poljoprivredni strojevi i oprema općenito

Europska normizacija
CEN

EN 16590-1:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control system – Part 1: General principles for design and development (ISO 25119-1:2010 modified)

EN 16590-2:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control system – Part 2: Concept phase (ISO 25119-2:2010 modified)

EN 16590-3:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control system – Part 3: Series development, hardware and software (ISO 25119-3:2010 modified)

EN 16590-4:2014-04
Tractors and machinery for agriculture and forestry – Safety-related parts of control system – Part 4: Production, operation, modification and supporting processes (ISO 25119-4:2010 modified)

Međunarodna normizacija
ISO

ISO 24035:2014-05
Belt drives – V-belts and the corresponding pulleys for agricultural machineries – Dimensions

65.060.35 Oprema za navodnjavanje i isušivanje

Međunarodna normizacija
ISO

ISO 16399:2014-05
Meters for irrigation water

65.060.70 Oprema za vrtlarstvo

Europska normizacija
CENELEC

EN 50434
Sicherheit electrischer Geraete fuer den Hausgebrauch und aenliche Zwecke – Besondere Anfordenrungen fuer netzbetriebene Schredder, Haecksler und Zerkleinerer

Međunarodna normizacija
IEC

IEC 62841-1 Corrigendum 1:2014-05
Electric motor-operated hand-held, transportable tools and lawn and garden machinery – Safety – Part 1: General requirements; Corrigendum 1

65.060.80 Oprema za šumarstvo

Međunarodna normizacija
IEC

IEC 62841-1 Corrigendum 1:2014-05
Electric motor-operated hand-held, transportable tools and lawn and garden machinery – Safety – Part 1: General requirements; Corrigendum 1

67.050 Opće metode za ispitivanje i analizu prehrambenih proizvoda

Europska normizacija
CEN

EN 12822:2014-06
Foodstuffs – Determination of vitamin E by high performance liquid chromatography – Measurement of α-, β-, γ- and δ-tocopherols

EN 12823-1:2014-05
Foodstuffs – Determination of vitamin A by high performance liquid chromatography – Part 1: Measurement of all-E-retinol and 13-Z-retinol

EN 14122:2014-06
Foodstuffs – Determination of vitamin B1 by high performance liquid chromatography

EN 14152:2014-06
Foodstuffs – Determination of vitamin B2 by high performance liquid chromatography

EN 14164:2014-06
Foodstuffs – Determination of vitamin B6 by high performance chromatography

67.100.10 Mlijeko i obrađeni mliječni proizvodi

Europska normizacija
CEN

EN ISO 16297:2014-05
Milk – Bacterial count – Protocol for the evaluation of alternative methods (ISO 16297:2013)

67.200.10 Životinjske i biljne masti i ulja

Europska normizacija
CEN

EN ISO 6883:2014-04
Animal and vegetable fats and oils – Determination of conventional mass per volume (litre weight in air) (ISO 6883:2007)

EN ISO 12872:2014-04
Olive oils and olive-pomace oils – Determination of the 2-glyceryl monopalmitate content (ISO 12872:2010)

EN ISO 12873:2014-04
Olive oils and olive-pomace oils – Determination of wax content by capillary gas chromatography (ISO 12873:2010)

EN ISO 29822:2014-04
Vegetable fats and oils – Isomeric diacylglycerols – Determination of relative amounts of 1,2- and 1,3-diacylglycerols (ISO 29822:2009)

EN ISO 29841:2014-04
Vegetable fats and oils – Determination of the degradation products of chlorophylls a and a' (pheophytins a, a' and pyropheophytin (ISO 29841:2009)

71.040.40 Kemijska analiza

Međunarodna normizacija
ISO

ISO 11952:2014-05
Surface chemical analysis – Scanning-probe microscopy – Determination of geometric quantities using SPM: Calibration of measuring systems

71.100.30 Eksplozivi. Pirotehnika

Europska normizacija
CEN

EN 16701:2014-05
Energetic materials for defence – Safety, vulnerability – Friability

71.100.50 Kemikalije za zaštitu drveta

Europska normizacija
CEN

CEN/TR 16663:2014-05
Durability of wood and wood-based products – Determination of emissions from preservative treated wood to the environment – Wooden commodities exposed in Use Class 3 (Not covered, not in contact with the ground) – Semi-field method

71.100.60 Eterična ulja

Međunarodna normizacija
ISO

ISO 16928:2014-04
Essential oil of ginger (Zingiber officinale Roscoe)

71.100.70 Kozmetika. Toaletne potrepštine

Međunarodna normizacija
ISO

ISO/TR 17276:2014-05
Cosmetics – Analytical approach for screening and quantification methods for heavy metals in cosmetics

71.100.80 Kemikalije za pročišćivanje vode

Europska normizacija
CEN

EN 15362:2014-05
Chemicals used for treatment of swimming pool water – Sodium carbonate

EN 15363:2014-05
Chemicals used for treatment of swimming pool water – Chlorine

EN 15514:2014-05
Chemicals used for treatment of swimming pool water – Hydrochloric acid

75.140 Vosak, smolasta gradiva i drugi naftni proizvodi

Europska normizacija
CEN

EN 12597:2014-05
Bitumen and bituminous binders – Terminology

75.160.10 Kruta goriva

Europska normizacija
CEN

EN ISO 17225-1:2014-05
Solid biofuels – Fuel specifications and classes – Part 1: General requirements (ISO 17225-1:2014)

EN ISO 17225-2:2014-05
Solid biofuels – Fuel specifications and classes – Part 2: Graded wood pellets (ISO 17225-2:2014)

EN ISO 17225-3:2014-05
Solid biofuels – Fuel specifications and classes – Part 3: Graded wood briquettes (ISO 17225-3:2014)

EN ISO 17225-4:2014-05
Solid biofuels – Fuel specifications and classes – Part 4: Graded wood chips (ISO 17225-4:2014)

EN ISO 17225-5:2014-05
Solid biofuels – Fuel specifications and classes – Part 5: Graded firewood (ISO 17225-5:2014)

EN ISO 17225-6:2014-05
Solid biofuels – Fuel specifications and classes – Part 6: Graded non-woody pellets (ISO 17225-6:2014)

EN ISO 17225-7:2014-05
Solid biofuels – Fuel specifications and classes – Part 7: Graded non-woody briquettes (ISO 17225-7:2014)

Međunarodna normizacija
ISO

ISO 17225-1:2014-05
Solid biofuels – Fuel specifications and classes – Part 1: General requirements

ISO 17225-2:2014-05
Solid biofuels – Fuel specifications and classes – Part 2: Graded wood pellets

ISO 17225-3:2014-05
Solid biofuels – Fuel specifications and classes – Part 3: Graded wood briquettes

ISO 17225-4:2014-05
Solid biofuels – Fuel specifications and classes – Part 4: Graded wood chips

ISO 17225-5:2014-05
Solid biofuels – Fuel specifications and classes – Part 5: Graded firewood

ISO 17225-6:2014-05
Solid biofuels – Fuel specifications and classes – Part 6: Graded non-woody pellets

ISO 17225-7:2014-05
Solid biofuels – Fuel specifications and classes – Part 7: Graded non-woody briquettes

75.160.20 Tekuća goriva

Europska normizacija
CEN

EN 1601:2014-01
Liquid petroleum products – Unleaded petrol – Determination of organic oxygenate compounds and total organically bound oxygen content by gas chromatography (O-FID)

EN ISO 5163:2014-06
Petroleum products – Determination of knock characteristics of motor and aviation fuels – Motor method (ISO 5163:2014)

EN ISO 5164:2014-06
Petroleum products – Determination of knock characteristics of motor fuels – Research method (ISO 5164:2014)

75.180.10 Oprema za iskorištavanje i vađenje

Europska normizacija
CEN

EN ISO 27627:2014-04
Petroleum and natural gas industries – Aluminium alloy drill pipe thread connection gauging (ISO 27627:2014)

EN ISO 13354:2014-05
Petroleum and natural gas industries – Drilling and production equipment – Shallow gas diverter equipment (ISO 13354:2014)

Međunarodna normizacija
ISO

ISO 27627:2014-04
Petroleum and natural gas industries – Aluminium alloy drill pipe thread connection gauging (ISO 27627:2014)

ISO 13354:2014-05
Petroleum and natural gas industries – Drilling and production equipment – Shallow gas diverter equipment

75.200 Oprema za rukovanje naftnim proizvodima i prirodnim plinom

Međunarodna normizacija
ISO

ISO 16486-1 AMD 1:2014-04
Plastics piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 1: General; Amendment 1

ISO 16486-2 AMD 1:2014-04
Plastics piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 2: Pipes; Amendment 1

ISO 16486-3 AMD 1:2014-04
Plastics piping systems for the supply of gaseous fuels – Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing – Part 3: Fittings; Amendment 1

77.040.10 Mehaničko ispitivanje kovina

Međunarodna normizacija
ISO

ISO 17340:2014-05
Metallic materials – Ductility testing – High speed compression test for porous and cellular metals

77.060 Korozija metala

Europska normizacija
CEN

EN ISO 6509-1:2014-06
Corrosion of metals and alloys – Determination of dezincification resistance of copper alloys with zinc – Part 1: Test method (ISO 6509-1:2014)

EN ISO 17081:2014-06
Method of measurement of hydrogen permeation and determination of hydrogen uptake and transport in metals by an electrochemical technique (ISO 17081:2014)

Međunarodna normizacija
ISO

ISO 6509-1:2014-06
Corrosion of metals and alloys – Determination of dezincification resistance of copper alloys with zinc – Part 1: Test method

77.150.10 Aluminijski proizvodi

Europska normizacija
CEN

EN 851:2014-04
Aluminium and aluminium alloys – Circle and circle stock for the production of culinary utensils – Specifications

EN 941:2014-04
Aluminium and aluminium alloys – Circle and circle stock for the production of general applications – Specifications

EN ISO 27627:2014-04
Petroleum and natural gas industries – Aluminium alloy drill pipe for thread connection gauging (ISO 27627:2014)

Međunarodna normizacija
ISO

ISO 27627:2014-04
Petroleum and natural gas industries – Aluminium alloy drill pipe for thread connection gauging (ISO 27627:2014)

79.040 Drvo, trupci i piljena građa

Europska normizacija
CEN

EN 15497:2014-04
Structural finger jointed solid timber – Performance requirements and minimum production requirements

81.040.20 Građevno staklo

Europska normizacija
CEN

EN 13022-1:2014-06
Glass in building – Structural sealant glazing – Part 1: Glass products for structural sealant glazing systems for supported and unsupported monolithic and multiple glazing

EN 13022-2:2014-06
Glass in building – Structural sealant glazing – Part 2: Assembly rules

81.040.30 Stakleni proizvodi

Međunarodna normizacija
ISO

ISO 17860:2014-05
Fine ceramics (advanced ceramics, advanced technical ceramics) – Determination of drying loss of ceramic granules

IEC

IEC 61331-2:2014-05
Protective devices against diagnostic medical X-radiation – Part 2: Translucent protective plates

81.060.30 Tehnička keramika

Međunarodna normizacija
ISO

ISO 17094:2014-05
Fine ceramics (advanced ceramics, advanced technical ceramics) – Test method for antibacterial activity of semiconducting photocatalytic materials under indoor lighting environment

81.080 Vatrostalna gradiva

Međunarodna normizacija
ISO

ISO 16835:2014-04
Refractory products – Determination of thermal expansion

83.080.01 Plastika općenito

Europska normizacija
CEN

EN ISO 6427:2014-06
Plastics – Determination of matter extractable by organic solvents (conventional methods) (ISO 6427:2013)

Međunarodna normizacija
ISO

ISO 15985:2014-05
Plastics – Determination of the ultimate anaerobic biodegradation under high-solids anaerobic-digestion conditions – Method by analysis of released biogas

ISO 17221:2014-05
Plastics – Determination of image clarity (degree of sharpness of reflected or transmitted image)

ISO 17223:2014-05
Plastics – Determination of yellowness index and change in yellowness index

83.080.20 Plastomerni materijali

Međunarodna normizacija
ISO

ISO 16365-1:2014-05
Plastics – Thermoplastic polyurethanes for moulding and extrusion – Part 1: Designation system and basis for specifications

ISO 16365-2:2014-05
Plastics – Thermoplastic polyurethanes for moulding and extrusion – Part 2: Preparation of test specimens and determination of properties

ISO 16365-3:2014-05
Plastics – Thermoplastic polyurethanes for moulding and extrusion – Part 3: Distinction between ether and ester polyurethanes by determination of the ester group content

83.120 Armirana plastika

Međunarodna normizacija
ISO

ISO 15114:2014-05
Fibre-reinforced plastic composites – Determination of the mode II fracture resistance for unidirectionally reinforced materials using the calibrated end-loaded split (C-ELS) test and an effective crack length approach

83.140.99 Drugi gumeni i plastični proizvodi

Međunarodna normizacija
ISO

ISO 13106:2014-05
Plastics – Blow-moulded polypropylene containers for packaging of liquid foodstuffs

83.160.01 Gume za vozila općenito

Međunarodna normizacija
ISO

ISO 20562:2014-04
Tyre valves – ISO core chambers No. 1, No. 2, No. 3 and No. 4

83.180 Adhezivi

Međunarodna normizacija
ISO

ISO 13007-1:2014-05
Ceramic tiles – Grouts and adhesives – Part 1: Terms, definitions and specifications for adhesives

ISO 16525-1:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 1: General test methods

ISO 16525-2:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 2: Determination of electrical characteristics for use in electronic assemblies

ISO 16525-3:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 3: Determination of heat-transfer properties

ISO 16525-4:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 4: Determination of shear strength and electrical resistance using rigid-to-rigid bonded assemblies

ISO 16525-5:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 5: Determination of shear fatigue

ISO 16525-6:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 6: Determination of pendulum-type shear impact

ISO 16525-7:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 7: Environmental test methods

ISO 16525-8:2014-05
Adhesives – Test methods for isotropic electrically conductive adhesives – Part 8: Electrochemical-migration test methods

85.080.20 Tanki upijajući papir. Higijenski papir

Europska normizacija
CEN

EN ISO 12625-7:2014-05
Tissue paper and tissue products – Part 7: Determination of optical properties – Measurement of brightness and colour with D65/10° (outdoor daylight) (ISO 12625-7:2014)

Međunarodna normizacija
ISO

ISO 12625-7:2014-05
Tissue paper and tissue products – Part 7: Determination of optical properties – Measurement of brightness and colour with D65/10° (outdoor daylight)

85.100 Oprema za papirnu industriju

Međunarodna normizacija
ISO

ISO 13820:2014-04
Paper, board and corrugated fibreboard – Description and calibration of compression-testing equipment

87.040 Boje i lakovi

Europska normizacija
CEN

EN ISO 15181-6:2014-06
Paints and varnishes – Determination of release rate of biocides from antifouling paints – Part 6: Determination of tralopyril release rate by quantitation of its degradation product in the extract (ISO 15181-6:2012)

87.060.10 Pigmenti i ekstenderi

Europska normizacija
CEN

EN 12878:2014-04
Pigments for the colouring of building materials based on cement and/or lime – Specifications and methods of test

91.010.30 Tehnički aspekti

Europska normizacija
CEN

EN 1991-1-7/A1:2014-06
Eurocode 1 – Actions on structures – Part 1-7: General actions – Accidental actions

91.040.01 Građevine općenito

Međunarodna normizacija
ISO

ISO 13612-1:2014-05
Heating and cooling systems in buildings – Method for calculation of the system performance and system design for heat pump systems – Part 1: Design and dimensioning

ISO 13612-2:2014-05
Heating and cooling systems in buildings – Method for calculation of the system performance and system design for heat pump systems – Part 2: Energy calculation

91.060.20 Krovovi

Europska normizacija
CEN

EN 508-1:2014-05
Roofing and cladding products from metal sheet – Specification for self-supporting of steel, aluminium or stainless steel sheet – Part 1: Steel

EN 1873:2014-05
Prefabricated accessories for roofing – Individual rooflights of plastics – Product specification and test methods

91.060.50 Vrata i prozori

Međunarodna normizacija
ISO

ISO 3008-2:2014-04
Fire-resistance tests – Part 2: Lift landing door assemblies

91.080.20 Drvene konstrukcije

Međunarodna normizacija
ISO

ISO 10983:2014-04
Timber – Finger joints – Minimum production requirements and testing methods

ISO 13910:2014-05
Timber structures – Strength graded timber – Test methods for structural properties

ISO 17754:2014-05
Timber structures – Test methods – Torsional resistance of driving in screws

91.080.40 Betonske konstrukcije

Međunarodna normizacija
ISO

ISO 13315-2:2014-05
Environmental management for concrete and concrete structures – Part 2: System boundary and inventory data

91.100.10 Cement. Gips. Vapno. Žbuka

Europska normizacija
CEN

EN 12878:2014-04
Pigments for the colouring of building materials based on cement and/or lime – Specifications and methods of test

91.100.15 Mineralni materijali i proizvodi

Europska normizacija
CEN

EN 933-6:2014-04
Tests for geometrical properties of aggregates – Part 6: Assessment of surface characteristics – Flow coefficient of aggregates

EN 932-5/AC:2014-05
Tests for general properties of aggregates – Part 5: Common equipment and calibration

EN 1097-10:2014-05
Tests for mechanical and physical properties of aggregates – Part 10: Determination of water suction height

91.100.23 Keramičke pločice

Europska normizacija
CEN

EN ISO 10545-8:2014-06
Ceramic tiles – Part 8: Determination of linear thermal expansion (ISO 10545-8:2014)

Međunarodna normizacija
ISO

ISO 10545-8:2014-06
Ceramic tiles – Part 8: Determination of linear thermal expansion

ISO 13007-1:2014-05
Ceramic tiles – Grouts and adhesives – Part 1: Terms, definitions and specifications for adhesives

91.100.30 Beton i betonski proizvodi

Međunarodna normizacija
ISO

ISO 16311-1:2014-04
Maintenance and repair of concrete structures – Part 1: General Principles

ISO 16311-2:2014-04
Maintenance and repair of concrete structures – Part 2: Assessment of existing concrete structures

ISO 16311-3:2014-04
Maintenance and repair of concrete structures – Part 3: Design of repaire and prevention

ISO 16311-4:2014-04
Maintenance and repair of concrete structures – Part 4: Execution of repairs and prevention

ISO 13315-2:2014-05
Environmental management for concrete and concrete structures – Part 2: System boundary and inventory data

91.100.50 Veziva. Materijali za brtvljenje

Europska normizacija
CEN

EN 13859-1:2014-04
Flexible sheets for waterproofing – Definitions and characteristics of underlays – Part 1: Underlays for discontinous roofing

EN 13859-2:2014-04
Flexible sheets for waterproofing – Definitions and characteristics of underlays – Part 1: Underlays for walls

EN 12597:2014-05
Bitumen and bituminous binders – Terminology

91.100.99 Druga građevna gradiva

Europska normizacija
CEN

EN 16566:2014-05
Paints and varnishes – Fillers for internal and/or external works – Adaptation of fillers to European standards

91.120.10 Toplinska izolacija

Europska normizacija
CEN

EN ISO 15758:2014-05
Hygrothermal performance of building equipment and industrial installations – Calculation of water vapour diffusion – Cold pipe insulation systems (ISO 15758:2014)

Međunarodna normizacija
ISO

ISO 15758:2014-05
Hygrothermal performance of building equipment and industrial installations – Calculation of water vapour diffusion – Cold pipe insulation systems

91.120.20 Akustika u zgradama. Zvučna izolacija

Europska normizacija
CEN

EN ISO 10140-1/A2:2014-05
Acoustics – Laboratory measurement of sound insulation of building elements – Part 1: Application rules for specific products – Amendment 2: Rainfall sound (ISO 10140-1:2010/Amd 2:2014)

EN ISO 10140-5/A1:2014-05
Acoustics – Laboratory measurement of sound insulation of building elements – Part 5: Requirements for test facilities and equipment – Amendment 1: Rainfall sound (ISO 10140-5:2010/Amd 1:2014)

EN ISO 12999-1:2014-05
Acoustics – Determination and application of measurement uncertainties in building acoustics – Part 1: Sound insulation (ISO 12999-1:2014)

Međunarodna normizacija
ISO

ISO 10140-5 AMD 1:2014-05
Acoustics – Laboratory measurement of sound insulation of building elements – Part 5: Requirements for test facilities and equipment – Amendment 1: Rainfall sound

91.140.01 Instalacije u zgradama općenito

Europska normizacija
CEN

EN 16247-2:2014-05
Energy audits – Part 2: Buildings

EN ISO 15758:2014-05
Hygrothermal performance of building equipment and industrial installations – Calculation of water vapour diffusion – Cold pipe insulation systems (ISO 15758:2014)

EN ISO 16484-5:2014-05
Building automation and control systems (BACS) – Part 5: Data communication protocol (ISO 16484-5:2014)

EN ISO 16484-6:2014-05
Building automation and control systems (BACS) – Part 6: Data communication conformance testing (ISO 16484-6:2014)

CENELEC

EN 14908-1:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 1: Protocol Stack

EN 14908-2:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 2: Twisted Pair Communication

EN 14908-3:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 3: Power Line Channel Specification

EN 14908-4:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 4: IP Communication

Međunarodna normizacija
ISO

ISO 15758:2014-05
Hygrothermal performance of building equipment and industrial installations – Calculation of water vapour diffusion – Cold pipe insulation systems

ISO 16484-5:2014-052
Building automation and control systems (BACS) – Part 5: Data communication protocol

ISO 16484-6:2014-05
Building automation and control systems (BACS) – Part 6: Data communication conformance testing

91.140.30 Sustavi prozračivanja i klimatizacije

Europska normizacija
CEN

EN ISO 10121-1:2014-04
Test methods for assessing the performance of gas-phase air cleaning media and devices for general ventilation – Part 1: Gas-phase air cleaning media (ISO 10121-1:2014)

Međunarodna normizacija
ISO

ISO 10121-1:2014-04
Test methods for assessing the performance of gas-phase air cleaning media and devices for general ventilation – Part 1: Gas-phase air cleaning media

91.140.50 Sustavi opskrbe električnom energijom

Međunarodna normizacija
IEC

IEC 62055-41:2014-05
Electricity metering – Payment sytems – Part 41: Standard transfer specification (STS) – Application layer protocol for one-way token carrier systems

91.140.60 Sustavi opskrbe vodom

Europska normizacija
CEN

EN ISO 4064-1:2014-06
Water meters for cold potable water and hot water – Part 1: Metrological and technical requirements (ISO 4064-1:2014)

EN ISO 4064-2:2014-06
Water meters for cold potable water and hot water – Part 2: Test methods (ISO 4064-2:2014)

EN ISO 4064-3:2014-06
Water meters for cold potable water and hot water – Part 3: Test report format (ISO 4064-3:2014)

EN ISO 4064-4:2014-06
Water meters for cold potable water and hot water – Part 4: Non-metrological requirements not covered in ISO 4064-1 (ISO 4064-4:2014)

EN ISO 4064-5:2014-06
Water meters for cold potable water and hot water – Part 5: Installation requirements (ISO 4064-5:2014)

Međunarodna normizacija
ISO

ISO 4427-2 AMD 1:2014-04
Plastic piping systems – Polyethylene (PE) pipes and fittings for water supply – Part 2: Pipes: Amendment 1

91.140.65 Oprema za grijanje vode

Europska normizacija
CENELEC

EN 60335-2-35
Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke – Teil 2-35: Besondere Anforderungen für Durchflussenwärmer

91.140.70 Sanitarne instalacije

Europska normizacija
CEN

EN 31+A1:2014-04
Wash basins – Connecting dimensions

91.140.80 Odvodni sustavi

Europska normizacija
CEN

CEN/TR 13801:2014-04
Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure – Thermoplastics – Recommended practice for installation

91.140.90 Dizala. Pokretne stube

Europska normizacija
CENELEC

EN 81-22:2014-05
Safety rules for the construction and installation of lifts – Lifts for the transport of persons and goods – Part 22: Electric lifts with inclined path

91.220 Građevna oprema

Europska normizacija
CEN

EN 12110:2014-05
Tunnelling machines – Air locks – Safety requirements

EN 12111:2014-05
Tunnelling machines – Road headers and continuous miners – Safety requirements

EN 16191:2014-05
Tunnelling machinery – Safety requirements

93.020 Zemljani radovi. Iskopavanja. Temeljenje. Podzemni radovi

Europska normizacija
CEN

EN 16228-1:2014-05
Drilling and foundation equipment – Safety – Part 1: Common requirements

EN 16228-2:2014-05
Drilling and foundation equipment – Safety – Part 2: Mobile drill rigs for civil and geotechnical engineering, quarrying and mining

EN 16228-3:2014-05
Drilling and foundation equipment – Safety – Part 3: Horizontal directional drilling equipment (HDD)

EN 16228-4:2014-05
Drilling and foundation equipment – Safety – Part 4: Foundation equipment

EN 16228-5:2014-05
Drilling and foundation equipment – Safety – Part 5: Diaphragm walling equipment

EN 16228-6:2014-05
Drilling and foundation equipment – Safety – Part 6: Jetting, grouting and injection equipment

EN 16228-7:2014-05
Drilling and foundation equipment – Safety – Part 7: Interchangeable auxiliary equipment

93.025 Vanjski sustavi za prijenos vode

Međunarodna normizacija
ISO

ISO 4427-2 AMD 1:2014-04
Plastics piping systems -- Polyethylene (PE) pipes and fittings for water supply -- Part 2: Pipes; Amendment 1

93.060 Tunelogradnja

Europska normizacija
CEN

EN 12110:2014-05
Tunnelling machines – Air locks – Safety requirements

EN 12111:2014-05
Tunnelling machines – Road headers and continuous miners – Safety requirements

EN 16191:2014-05
Tunnelling machinery – Safety requirements

93.080.20 Materijali za gradnju cesta

Europska normizacija
CEN

EN 13197+A1:2014-04
Road marking materials – Wear simulator Turntable

EN 12697-7:2014-05
Bituminous mixtures – Test methods for hot mix asphalt – Part 7: Determination of bulk density of bituminous specimens by gamma rays

97.030 Kućanski električni uređaji općenito

Europska normizacija
CENELEC

CLC/TR 50417:2014-05
Safety of household and similar electrical appliances – Interpretations related to European Standards in the EN 60335 series

Međunarodna normizacija
IEC

IEC 60335-1 Edition 5.1 Corrigendum 1:2014-04
Household and similar electrical appliances – Safety – Part 1: General requirements

97.080 Uređaji za čišćenje podova

Međunarodna normizacija
IEC

IEC 60704-2-1:2014-05
Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2-1: Particular requirements for vacuum cleaners

97.100.10 Električni grijači

IEC 60364-7-753:2014-05
Low-voltage electrical installations – Part 7-753: Requirements for special installations or locations – Heating cables and embedded heating systems

97.120 Automatsko upravljanje za kućansku uporabu (ESHG)

Europska normizacija
CENELEC

EN 14908-1:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 1: Protocol Stack

EN 14908-2:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 2: Twisted Pair Communication

EN 14908-3:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 3: Power Line Channel Specification

EN 14908-4:2014-04
Open data Communication in Building Automation, Controls and Building Management – Control Network Protocol – Part 4: IP Communication

Međunarodna normizacija
IEC

IEC Guide 110:2014-04
Home control systems – Guidelines relating to safety

IEC 60730-2-22:2014-05
Automatic electrical controls for household and similar use – Part 2-22: Particular requirements thermal motor protectors

97.140 Namještaj

Europska normizacija
CEN

EN 16120+A1:2014-04
Child use and care articles – hair mounted seat

97.150 Netekstilni podni prekrivači

Europska normizacija
CEN

EN 16511:2014-05
Loose-laid panels – Semi-rigid multilayer modular floor covering (MMF) panels with wear resistant top layer

97.190 Oprema za djecu

Europska normizacija
CEN

EN 1400+A1:2014-04
Child use and care articles – Soothers for babies and young children – Safety requirements and test test methods

EN 16120+A1:2014-04
Child use and care articles – Chair mounted seat

CEN/TR 16411:2014-04
Child use and care articles – 2013 compiled interpretations of CEN/TC 252 standards

97.200.50 Igračke

Europska normizacija
CEN

CEN/TR 15371:2014-05
Safety of toys – Replies to requests for interpretation of EN 71-1, EN 71-2 and EN 71-8

Međunarodna normizacija
ISO

ISO 8124-3 AMD 1:2014-05
Safety of toys – Part 3: Migration of certain elements; Amendment 1

97.220.10 Sportski objekti

Europska normizacija
CEN

EN 13451-3+A2:2014-05
Swimming pool equipment – Part 3: Additional specific safety requirements and test methods for inlets and outlets and water/air based water leisure features